BIOCHIMICA ET BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 291–331

1973

BIOCHIMICA et BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 291–331

1973

EDITORIAL BOARD

E. Antonini (Rome)
H. R. V. Arnstein (London)
J. Baddiley (Newcastle)
A. D. Bangham (Babraham)
M. L. Birnstiel (Zürich)
C. C. F. Blake (Oxford)
R. L. Blakley (Iowa City)
E. R. Blout (Boston)
N. K. Boardman (Canberra)
S. L. Bonting (Nijmegen)
L. Bosch (Leiden)
J. Brachet (Brussels)
R. O. Brady (Bethesda)
A. E. Braunstein (Moscow)
J. Bremer (Oslo)
H. Breuer (Bonn)
D. H. Brown (St. Louis)
M. M. Burger (Princeton)
R. W. Butcher (Worcester, Mass.)
P. N. Campbell (Leeds)
E. S. Canellakis (New Haven)
E. Chargaff (New York)
H. N. Christensen (Ann Arbor)
S. Cohen (London)
R. D. Cole (Berkeley)
C. F. Cori (Boston)
F. L. Crane (Lafayette)
R. K. Crane (New Brunswick)
A. R. Crofts (Bristol)
K. Dalziel (Oxford)
P. Desnuelle (Marseilles)
E. Diczfalusy (Stockholm)
S. Ebashi (Tokyo)
A. Ehrenberg (Stockholm)
P. Emmelot (Amsterdam)
A. Engström (Stockholm)
L. Ernster (Stockholm)
H. Faillard (Bochum)
S. Fleischer (Nashville)
E. F. Gale (Cambridge)
F. Gibson (Canberra)
G. A. Gilbert (Birmingham)
W. B. Gratzer (London)
O. Greengard (Boston)
F. Gros (Paris)
M. Gruber (Groningen)
M. Grunberg-Manago (Paris)
D. J. Hanahan (Tucson)
J. N. Hawthorne (Nottingham)
O. Hayaishi (Kyoto)
D. A. Haydon (Cambridge)
P. J. Heald (Glasgow)
E. Heinz (Frankfurt)
H. C. Hemker (Leiden)
G. Hind (Upton)
R. W. Holley (San Diego)
V. Jagannathan (Poona)
O. Jardetzky (Stanford)
P. Jollès (Paris)
M. Kates (Ottawa)
A. Kepes (Paris)
A. Kleinzeller (Philadelphia)
M. Klingenberg (Munich)
J. R. Knowles (Oxford)
W. H. Konigsberg (New Haven)
M. Kotani (Osaka)
H. A. Krebs (Oxford)
W. E. M. Lands (Ann Arbor)
J. Larner (Charlottesville)
L. F. Leloir (Buenos Aires)
W. J. Lennarz (Baltimore)
W. R. Loewenstein (New York)
F. Lynen (Munich)
H. M. McConnell (Stanford)
K. A. Marcker (Aarhus)
V. Massey (Ann Arbor)
A. Meister (New York)
A. Monroy (Naples)
H. N. Munro (Cambridge, Mass.)
D. M. Needham (Cambridge)
A. Neuberger (London)
P. Nicholls (Cambridge)
A. I. Oparin (Moscow)
L. E. Orgel (San Diego)
L. Packer (Berkeley)
D. F. Parsons (Buffalo)
S. M. Partridge (Bristol)
D. J. Prockop (New Brunswick)
G. K. Radda (Oxford)
G. N. Ramachandran (Bangalore)
H. Rasmussen (Philadelphia)
J. Roche (Paris)
D. Rosen (London)
C. Sadron (Orléans)
M. R. J. Salton (New York)
G. Schatz (Ithaca)
M. Sela (Rehovoth)
D. Shugar (Warsaw)
P. Siekevitz (New York)
J. Sjövall (Stockholm)
V. P. Skulachev (Moscow)
E. C. Slater (Amsterdam)
J. D. Smith (Cambridge)
F. Šorm (Prague)
Y. Stein (Jerusalem)
W. Stoeckenius (San Francisco)
F. B. Straub (Budapest)
P. Strittmatter (Hartford)
J. M. Tager (Amsterdam)
J. B. Thomas (Utrecht)
T. E. Thompson (Charlottesville)
P. O. P. Ts'o (Baltimore)
D. W. Urry (Birmingham, Ala.)
H. H. Ussing (Copenhagen)
P. R. Vagelos (St. Louis)
L. L. M. Van Deenen (Utrecht)
M. V. Volkenstein (Moscow)
D. F. H. Wallach (Boston)
E. C. Webb (Brisbane)
H. H. Weber (Heidelberg)
C. Weissmann (Zürich)
J. S. C. Wessels (Eindhoven)
R. Whittam (Leicester)
R. J. P. Williams (Oxford)
H. G. Wittmann (Berlin)
T. S. Work (London)
H. G. Zachau (Munich)
D. B. Zilversmit (Ithaca)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM

© Elsevier Scientific Publishing Company, 1974

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher,

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 291–331

1973

A

Aarsman, A.J., see De Jong, J.G.N. (296) 105
Aarsman, A.J., see Van den Bosch, H. (296) 94
Aas, M., see Pettersen, J.E. (326) 305
Ab, G., see Bergink, E.W. (294) 497
Abe, N. and Tsuiki, S.
Conversion of glycogen synthetase D of rat liver to a form that resembles synthetase D of skeletal muscle (327) 345
Abe, S., see Fujisawa, T. (324) 226
Abe, S., see Fujisawa, T. (324) 241
Abelson, H.T. and Penman, S.
Selective inhibition of 4-S and 5-S RNA synthesis and nucleolar processing by the adenosine analogue formycin (312) 292
Aboderin, A.A., Boedfeld, E. and Luisi, P.L.
Reaction of chicken egg white lysozyme with 7-chloro-4-nitrobenz-2-oxa-1,3-diazole (328) 20
Aboderin, A.A., Boedfeld, E. and Luisi, P.L.
Alkaline conformational transition of chicken egg white lysozyme (328) 31
Abraham, A.D. and Sekeris, C.E.
Corticosteroid binding macromolecules in the nucleus and cytosol of rat thymus cells (297) 142
Abraham, S., see Sabine, J.R. (296) 493
Abrahamson, E.W., see Mason, W.T. (306) 67
Acheson, L.S., see Frizzell, R.A. (291) 302
Ackman, R.G., see Wedmid, Y. (326) 439
Acs, G., see Christman, J.K. (294) 153
Adachi, K., see Yoshikawa, K. (315) 333
Adams, R.L.P. and Hogarth, C.
DNA methylation in isolated nuclei: old and new DNAs are methylated (331) 214
Addy, M.E., Steinman, G. and Malette, M.F.
Selectivity in aqueous peptide synthesis by 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide. A model for primordial processes (295) 385
Adler, S.P. and Nathans, D.
Studies of SV 40 DNA. V. Conversion of circular to linear SV 40 DNA by restriction endonuclease from Escherichia coli B (299) 177
Afanasieva, T.P. and Kulaev, I.S.
Polyphosphate phosphohydrolase from Endomyces magnusii (312) 336
Agaphonova, L.V., see Bukrinskaya, A.G. (312) 173
Agosin, M., see Capdevila, J. (314) 93
Ahern, E.J., Ahern, V., Wiltshire, B.G. and Lehmann, H.
Further characterization of haemoglobin F Hull γ121 glutamic acid→lysine; γ136 alanine (303) 242
Ahern, T. and Kay, J.E.
The control of protein synthesis during the stimulation of lymphocytes by phytohaemagglutinin. II. Studies with cell-free systems (331) 91
Ahern, V., see Ahern, E.J. (303) 242
Ahrens, M.-L.
Proton transfer kinetics of 5'-deoxypyridoxal (320) 86
Aibara, S., see Kito, M. (298) 69
Ailhaud, G., see Negrel, R. (291) 635
Aisbitt, R.P.G. and Barry, J.
Stimulation by insulin of ornithine decarboxylase activity in cultured mammary tissue (320) 610
Aisen, P., see Harris, D.C. (329) 156
Aisen, P. and Leibman, A.
The role of the anion-binding site of transferrin in its interaction with the reticulocyte (304) 797
Aitken, D.M., Bhatti, A.R. and Kaplan, J.G.
Characterization of the aspartate carbanoyltransferase subunit obtained from a multienzyme aggregate in the pyrimidine pathway of yeast: activity and physical properties (309) 50
Akai, H., see Yokobayashi, K. (293) 197
Akedo, H., see Nishihara, H. (302) 429
Åkesson, B., see Offenbartl, K. (306) 460
Akhalkatsi, R.G., see Kafiani, C.A. (324) 133
Akkermans–Kruyswijk, J., see Van Golde, L.M.G. (326) 314
Alaupovic, P., see McConathy, W.J. (326) 406
Alazard, R., Béchet, J.-J., Dupaix, A. and Yon, J.
Inactivation of α-chymotrypsin by a bifunctional reagent, 2-bromomethyl-3,1-benzoxazin-4-one (309) 379
Alberghina, F.A.M., Schiaffonati, L., Zardi, L. and Sturani, E.

Lack of guanosine tetraphosphate accumulation during inhibition of RNA synthesis in Neurospora crassa (312) 435
Alberghina, F.A.M., see Sturani, E. (319) 153
Alberghina, F.M., see Cammarino, P. (308) 404
Albright, J., see Lian, J.B. (328) 193
Albright, J.G., see Sherrill, B.C. (311) 261
Albro, P.W. and Thomas, R.O.
Enzymatic hydrolysis of di-(2-ethylhexyl)-phthalata by lipases (306) 380
Alcindor, L.-G., Infante, R., Soler-Argilaga, C. and Polonovski, J.
Effect of a single insulin administration on the hepatic release of triglycerides into the plasma (306) 347
Aledort, L.M., see Hanson, J.P. (314) 382
Aleksandrowicz, Z., Świerczyński, J. and Wrzołkowa, T.
Protective effect of nupercaine on mitochondrial structure (305) 59
Alexander, B., see Engel, A.M. (320) 687
Alfano, R.R., see Seibert, M. (292) 493
Alfsen, A., see Nicot, C. (322) 109
Algranati, I.D., see Garcia–Partone, M. (299) 452
Aliau, S., see Marti, J. (303) 348
Aliotta, G., see Rigano, C. (327) 19
Allen, J.E., Goodman, D.B.P., Besarab, A. and Rasmussen, H.
Studies on the biochemical basis of oxygen toxicity (320) 708
Allen, W.S. and Wardi, A.H.
Pentose-rich glycoprotein from bovine vitreous body. I. Isolation and partial characterization (297) 1
Allfrey, V.G., see Edwards, G.S. (299) 354
Alling, C., Cahlin, E. and Scherstén, T.
Relationships between fatty acid patterns of serum, hepatic and biliary lecithins in man. Effect of sucrose feeding (296) 518
Allison, A.C., see Poste, G. (300) 421
Allison, D.P., see Krueger, R.C. (312) 259
Allred, J.B.
Properties and subcellular distribution of enzymes required for acetoacetate biosynthesis in chicken liver (297) 22
Alpers, D.H., see Kelly, J.J. (315) 113
Alpert, Y., Couder, Y., Tuchendler, J. and Thomé, H.
Determination of the zero-field splitting in human acid methemoglobin by millimeter and submillimeter ESR experiments (322) 34
Amaldi, P., Rusca, G. and Calissano, P.
In vitro synthesis of a brain-specific protein (S-100) by free and membrane-bound polysomes (299) 634
Amar, C., see Vilkas, E. (297) 423
Amer, M. and Mayol, R.F.
Studies with phosphodiesterase. III. Two forms of the enzyme from human blood platelets (309) 149
Amesz, J.
The function of plastoquinone in photosynthetic electron transport (301) 35
Amesz, J., Pulles, M.P.J. and Velthuys, B.R.
Light-induced changes of fluorescence and absorbance in spinach chloroplasts at –40 °C (325) 472
Amesz, J., see Velthuys, B.R. (325) 126
Aminuddin, M. and Nicholas, D.J.D.
Sulphide oxidation linked to the nitrate reduction and nitrite in Thiobacillus denitrificans (325) 81
Ammon, H.P.T., Patel, T.N. and Steinke, J.
The role of the pentose phosphate shunt in glucose induced insulin release: in vitro studies with 6-aminonicotinamide, methylene blue, NAD^+, NADH, $NADP^+$, NADPH and nicotinamide on isolated pancreatic rat islets (297) 352
Anderson, E.I., Fischbarg, J. and Spector, A.
Fluid transport, ATP level and ATPase activities in isolated rabbit corneal endothelium (307) 557
Anderson, E.P., see Garvey, III, T.G. (302) 38
Anderson, I., see Augustinsson, K.-B. (293) 424
Anderson, J.M., Goodchild, D.J. and Boardman, N.K.
Composition of the photosystems and chloroplast structure in extreme shade plants (325) 573
Anderson, J.W. and Rosendall, A.F.
Gluconeogenesis in jejunal mucosa of guinea pig (304) 384
Anderson, K.M., see Mendelson, I.S. (299) 576
Anderson, L.E.
Regulation of pea leaf ribulose-5-phosphate kinase activity (321) 484
Anderson, W.B. and Pastan, I.
The cyclic AMP receptor of Escherichia coli: immunological studies in extracts of Escherichia coli and other organisms (320) 577
Anderton, B.H., see Slack, J.R. (323) 547
Ando, K., see Atassi, M.Z. (303) 203
Ando, Y. and Steiner, M.
Sulfhydryl and disulfide groups of platelet

membranes. I. Determination of sulfhydryl groups (311) 26
Ando, Y. and Steiner, M.
Sulfhydryl and disulfide groups of platelet membranes. II. Determination of disulfide groups (311) 38
Andoh, T., see Miyagishi, A. (299) 507
Andre, F., see Bhushana Rao, K.S.P. (317) 286
Andrews, A.T. and Pallavicini, C.
Bovine milk acid phosphatase. I. Some kinetic studies and other properties using a partially purified preparation (321) 197
Andrillon, J., see Le Goffic, F. (315) 439
Angielski, S., see Simpson, D.P. (298) 115
Angus, C.W., Lee, H.J. and Wilson, I.B.
Substrate specificity of hog plasma angiotensin-converting enzyme (309) 169
Ansevin, A.T., see Van, N.T. (299) 367
Anthony, W.L., see McClain, P.E. (304) 457
Antoni, F., see Faragó, A. (297) 517
Antonini, E., see Colosimo, A. (328) 74
Antonopoulos, C.A., see Lohmander, S. (304) 430
Antonovsky, V.L., Gukovskaja, A.S., Nekrasova, G.V., Sukhorukov, B.I. and Tchervin, I.I.
Studies of intermolecular interactions of nucleic acid bases in aqueous solutions by the proton magnetic resonance method. Self-association of 6,9-dimethyladenine and its pyrazole analogue and their association with methyl-substituted cytosine and uracil (331) 9
Antunes–Madeira, M.C., see Madeira, V.M.C. (298) 230
Antunus–Madeira, M.C., see Madeira, V.M.C. (323) 396
Aoki, K. and Nagaoka, S.
Conformational change of bovine serum albumin induced by 0.10 M Tris–EDTA–boric acid buffer at pH 9 (328) 334
Aoki, N., see Okada, Y. (291) 116
Aoki, K., Sato, K., Nagaoka, S., Kamada, M. and Hiramatsu, K.
Heat denaturation of bovine serum albumin in alkaline pH region (328) 323
Aoyama, H. and Chaimovich, H.
Effect of spermine on the reaction catalyzed by threonyl-tRNA synthetase from rat liver (309) 502
Appleby, C.A., see Bergersen, F.J. (292) 271
Apps, D.K.
Complex formation between magnesium ions and pyridine nucleotide coenzymes (320) 379
Arai, T., see Ichishima, E. (293) 444
Arai, K.I., Kawakita, M., Nishimura, S. and Kaziro, Y.
Crystallization of phenylalanyl-tRNA^{Phe}–EF-Tu-GTP complex (324) 440
Archibald, A.R., Baddiley, J. and Heptinstall, S.
The alanine ester content and magnesium binding capacity of walls of Staphylococcus aureus H grown at different pH values (291) 629
Arendzen, A.J., see De Vries, H. (331) 264
Arens, D., Seilmeier, W., Weber, F., Kloos, G. and Grosch, W.
Purification and properties of a carotene co-oxidizing lipoxygenase from peas (327) 295
Arezzini, C., see Neri, P. (322) 88
Arfin, S.M. and Koziell, D.A.
Acetolactate synthase of Pseudomonas aeruginosa. I. Purification and allosteric properties (321) 348
Arfin, S.M. and Koziell, D.A.
Acetolactate synthase of Pseudomonas aeruginosa. II. Evidence for the presence of two nonidentical subunits (321) 356
Argento-Cerù, M.P., see Rotilio, G. (321) 98
Argyrakis, M. and Vomvoyanni, V.
An inhibitory factor affecting ribonuclease activity in Neurospora crassa (299) 300
Arima, T., see Tamura, Y. (327) 437
Arkens, L., see Bortz, W.M. (316) 366
Arlinghaus, R.B., see Naso, R.B. (324) 346
Armour, S.B., see Magee, W.E. (306) 270
Armstrong, B., see Berg, S. (305) 372
Armstrong, W. McD., Byrd, B.J. and Hamang, P.M.
The Na^+ gradient and D-galactose accumulation in epithelial cells of bullfrog small intestine (330) 237
Arnaud, J., see Charbonnier, M. (296) 471
Arnaud, J., Charbonnier, M. and Boyer, J.
Further characterization of fatty acyl monoester lipase from human adipose tissue (316) 162
Arnberg, A.C., van Bruggen, E.F.J., Flavell, R.A. and Borst, P.
DNA synthesis by isolated mitochondria. V. Electron microscopy of replicative intermediates (308) 276
Aro, A., see Brunngraber, E.G. (304) 781
Aronson, Jr, N.N., see LaBadie, J.H. (321) 603
Aronson, Jr, N.N., see Yannarell, A. (311) 191
Arosio, P., see Zanetti, G. (321) 41
Arslan–Contin, P., see Weinstock, I.M. (294) 15

Arvidson, S.
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. II. Isolation and characterization of an EDTA-sensitive protease (302) 149
Arvidson, S., Holme, T. and Lindholm, B.
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. I. Purification and characterization of one neutral and one alkaline protease (302) 135
Arvidson, S. and Wadström, T.
Detection of proteolytic activity after isoelectric focusing in polyacrylamide gel (310) 418
Arvidsson, L. and Larsson–Raźnikiewicz, M.
The SH group of yeast phosphoglycerate kinase (310) 430
Asakura, T., see Tamura, M. (295) 467
Asamizu, J., see Yamaguchi, K. (297) 48
Asano, H., see Sugiura, M. (309) 357
Asano, S., see Fujita, M. (307) 141
Asghar, S.S., Pondman, K.W. and Cormane, R.H.
Inhibition of C1r̄, C1s̄ and generation of C1s̄ by amidino compounds (317) 539
Ashby, J.P., see Wellburn, A.R. (320) 363
Ashworth, M.A., see Milner, R.D.G. (304) 225
Askari, A., see Okonkwo, P.O. (321) 503
Askenasi, R.
A new rapid method measuring hydroxylysine and its glycosides in hydrolysates and physiological fluids (304) 375
Aspberg, K., see Ersson, B. (310) 446
Aspin, N., see Marceau, N. (328) 338
Aspin, N., see Marceau, N. (328) 351
Assa, Y., Shany, S., Gestetner, B., Tencer, Y., Birk, Y. and Bondi, A.
Interaction of alfalfa saponins with components of the erythrocyte membrane in hemolysis (307) 83
Astrachan, L.
The bond hydrolyzed by cardiolipin-specific phospholipase D (296) 79
Atanasov, N.A.
Molecular weight of human prostate gland esterases (310) 268
Atassi, M.Z., see Habeeb, A.F.S.A. (322) 245
Atassi, M.Z., see Koketsu, J. (328) 289
Atassi, M.Z., Habeeb, A.F.S.A. and Ando, K.
Enzymic and immunochemical properties of lysozyme. VII. Location of all the antigenic reactive regions. A new approach to study immunochemistry of tight proteins (303) 203
Atassi, M.Z., Perlstein, M.T. and Staub, D.J.
Immunochemistry of sperm-whale myoglobin. XVII. Conformation and immunochemistry of derivatives modified at lysines 98, 140 and 145 by reaction with 3,3-tetramethyleneglutaric anhydride (328) 278
Atassi, M.Z., Rosenthal, A.F. and Vargas, L.
Sterically-selective reduction of protein carboxyl groups by disiamylborane or by 9-borabicyclo[3,3,1]nonane (303) 379
Atchison, B.A., Bourque, D.P. and Wildman, S.G.
Preservation of 23-S chloroplast RNA as a single chain of nucleotides (331) 382
Atger, M., see Milgron, E. (320) 267
Atkinson, A., Gatenby, A.D. and Lowe, A.G.
The determination of inorganic orthophosphate in biological systems (320) 195
Atkinson, A. and Jack, G.W.
The precipitation of nucleic acids with polyethyleneimine and the chromatography of nucleic acids and proteins on immobilised polyethyleneimine (308) 41
Atkinson, S., see Webb, M. (324) 143
Atlas, S.J., Shapiro, B. and Green, J.W.
Surface properties of erythrocytes: normal, paroxysmal noctural hemoglobinuria and glutathione-treated cells (323) 194
Atsmon, A., see Blum, I. (320) 242
Attias, J. and Durand, H.
Further characterization of a specific p-nitrophenylphosphatase from baker's yeast (321) 561
Attridge, T., see Johnson, C. (317) 219
Aubrey, B.B., see Reinach, P. (314) 360
Augusteyn, R.C.
Primary structure of cytochrome c from the emu, Dromaeus novaehollandiae (303) 1
Augustinsson, K.-B., Axenfors, B., Anderson, I. and Eriksson, H.
Arylesterase and acetylcholinesterase in the erythrocytes of man, cow and pig (293) 424
Aunis, D., Miras–Portugal, M.-T. and Mandel, P.
Bovine adrenal medullary dopamine β-hydroxylase: Purification by affinity chromatography, kinetic studies and presence of essential histidyl residues (327) 313
Austin, G.E., Bello, L.J. and Furth, J.J.
DNA dependent RNA polymerase of KB cells. I. Purification of the enzyme and transcription of viral DNA, mammalian DNA and chromatin (324) 488
Austin, G.E., Bello, L.J. and Furth, J.J.
DNA dependent RNA polymerase of KB

cells. II. Analysis of RNA transcribed from adenovirus DNA (324) 501
Authier, M.H., see Philippot, J. (298) 887
Autissier, N., see Dumas, P. (293) 36
Autuori, F., see Rotilio, G. (321) 98
Avants, J.K., see Pressey, R. (309) 363
Aveldaño, M.I. and Bazán, N.G.
Fatty acid composition and level of diacylglycerols and phosphoglycerides in brain and retina (296) 1
Avery, M.J. and Hopkins, T.R.
Is γ-chymotrypsin an autolytic product in the activation scheme of chymotrypsinogen-A (310) 142
Avigliano, L., see Finazzi–Agrò, A. (326) 462
Avila, J.L. and Convit, J.
Studies on human polymorphonuclear leukocyte enzymes. I. Assay of acid hydrolases and other enzymes (293) 397
Avila, J.L. and Convit, J.
Studies on human polymorphonuclear leukocyte enzymes. II. Comparative study of the physical properties of primary and specific granules (293) 409
Avron, M., see Pick, U. (325) 297
Avruch, J., see Carter, Jr, J.R. (291) 506
Avruch, J., Price, H.D., Martin, D.B. and Carter, J.R.
Effect of low levels of trypsin on erythrocyte membranes (291) 494
Awaya, J., see D'Agnolo, G. (326) 155
Axenfors, B., see Augustinsson, K.-B. (293) 424
Ayuso, M. and Goldberg, I.H.
Pactamycin inhibition of eucaryotic polypeptide synthesis dependent on added initiation factors (294) 118
Azoulay, E., see Gallo, M. (296) 624
Azoulay, E., see Giordano, G. (307) 513
Azoulay, E., see Mutaftschiev, S. (307) 525
Azuma, K., see Azuma, M. (295) 520
Azuma, M., Azuma, K. and Kito, Y.
Circular dichroism of visual pigment analogues containing 3-dehydroretinal and 5,6-epoxy-3-dehydroretinal as the chromophore (295) 520
Azzone, G.F. and Massari, S.
Active transport and binding in mitochondria (301) 195

B

Baadenhuijsen, H., De Pont, J.J.H.H.M. and Daemen, F.J.M.
Uptake and efflux of ^{86}Rubidium by human blood platelets (298) 690

Babcock, G.T. and Sauer, K.
Electron paramagnetic resonance signal II in spinach chloroplasts. I. Kinetic analysis for untreated chloroplasts (325) 483

Babcock, G.T. and Sauer, K.
Electron paramagnetic resonance signal II in spinach chloroplasts. II. Alternative spectral forms and inhibitor effects on kinetics of signal II in flashing light (325) 504

Baccarini Melandri, A., Zannoni, D. and Melandri, B.A.
Energy transduction in photosynthetic bacteria. VI. Respiratory sites of energy conservation in membranes from dark-grown cells of Rhodopseudomonas capsulata (314) 298

Bachmayer, H., Kindas-Mügge, I. and Kreil, G.
Synthesis and cleavage of L-lactylpyromycin and other lactyl derivatives by leucine aminopeptidase (302) 399

Bacon, V.A., see Pereira, W.E. (313) 170

Baddiley, J., see Archibald, A.R. (291) 629

Baden, H.P., Goldsmith, L.A. and Fleming, B.
The polypeptide composition of epidermal prekeratin (317) 303

Baden, H.P., Goldsmith, L.A. and Fleming, B.
A comparative study of the physicochemical properties of human keratinized tissues (322) 269

Bagchi, N. and Fawcett, D.M.
Role of sodium ion in active transport of iodide by cultured thyroid cells (318) 235

Bagdy, B., see Gráf, L. (310) 416

Baggio, B. and Moret, V.
The kinetic behaviour of phosvitin kinase from rat liver cytosol (315) 347

Baglioni, C., see Jacobs–Lorena, M. (324) 275

Bailey, A.J., Bazin, S. and Delaunay, A.
Changes in the nature of the collagen during development and resorption of granulation tissue (328) 383

Bailiff, E.G., see Popp, R.A. (303) 61

Baker, G.S.T., see Fee, J.A. (295) 96

Baker, J.R., see Johnson, A.H. (320) 341

Baker, P.F. and Potashner, S.J.
The role of metabolic energy in the transport of glutamate by invertebrate nerve (318) 123

Bakker, E.P., see Wever, R. (325) 1

Bakker, E.P., van den Heuvel, E.J., Wiechmann, A.H.C.A. and van Dam, K.
A comparison between the effectiveness of uncouplers of oxidative phosphorylation in mitochondria and in different artificial membrane systems (292) 78

Bakker–Grunwald, T.B. and van Dam, K.
The energy level associated with the light-triggered Mg^{2+}-dependent ATPase in spinach chloroplasts (292) 808

Balasubramanium, S., see Mitropoulos, K.A. (326) 428

Balcavage, W.X., Lloyd, J.L., Mattoon, J.R., Ohnishi, T. and Scarpa, A.
Cation movements and respiratory response in yeast mitochondria treated with high Ca^{2+} concentrations (305) 41

Baldwin, R.W., see Harris, J.R. (311) 600

Balegh, M.S., see Sandberg, H.E. (295) 37

Balestreri, E., Felicioli, R.A. and Ipata, P.L.
The effect of pH on the allosteric properties of baker's yeast cytosine deaminase (315) 443

Baliga, B.S., Pohorecky, L.A., Munro, H.N. and Wurtman, R.J.
Control of adrenal medullary protein synthesis by corticosteroids (299) 337

Baliga, B.S., Schechtman, M.G., Nolan, R.D. and Munro, H.N.
Influence of temperature and monovalent cations on reactivity of the donor and acceptor sites on mammalian ribosomes (312) 349

Balis, M.E., see Yip, L.C. (293) 359

Balkow, K., Mizuno, S., Fisher, J.M. and Rabinovitz, M.
Hemin control of globin synthesis: Effect of a translational repressor on MET-$tRNA_f$ binding to the small ribosomal subunit and its relation to the activity and availability of an initiation factor (324) 397

Balzer, C.J., see Jung, C.Y. (298) 101
Balzer, C.J., see Jung, C.Y. (298) 108
Banàs, Z., see Krajewski, T. (322) 95
Banaszak, L., see Wade, M. (322) 124
Bangham, A.D., see Gacesa, P. (307) 467
Bangham, A.D., see Johnson, S.M. (307) 42
Bank, A., see Farace, M.G. (312) 591
Banks, S.P. and Johnson, T.C.
Developmental alterations in RNA synthesis in isolated mouse brain nucleoli (294) 450
Bannister, T.T., see Selman, B.R. (292) 566
Bannister, T.T., see Slovacek, R.E. (292) 729
Bannister, T.T., see Slovacek, R.E. (325) 114
Bansal, M., see Ramachandran, G.N. (322) 166
Bär, H.-P.
Epinephrine- and prostaglandin-sensitive adenylate cyclase in mammary gland (321) 397
Barabás, E.B., see Gráf, L. (310) 416
Baran, D.T., Peck, W.A., Frengley, P.A. and Lichtman, M.A.
Cortisol-induced inhibition of amino acid transport in thymic lymphocytes: Kinetic parameters; relation to ATP levels and protein synthesis; and specificity (307) 627
Baratti, J., see Louvard, D. (291) 747
Baratti, J., see Louvard, D. (309) 127
Baratti, J., see Maroux, S. (321) 282
Baratti, J., Maroux, S. and Louvard, D.
Effect of ionic strength and calcium ions in the activation of trypsinogen by entero-kinase. A modified test for the quantitative evaluation of this enzyme (321) 632
Baratti, J., Maroux, S., Louvard, D. and Desnuelle, P.
On porcine enterokinase. Further purification and some molecular properties (315) 147
Baraud, J., Maurice, A., Napias, C. et Velours, J.
Actions de carbures cancérogènes sur les lipides des membranes protoplastiques et des mitochondries de Saccharomyces cerevisiae (296) 481
Barbacid, M., see Carrasco, L. (312) 368
Bardos, T.J., see Mikulski, A.J. (319) 294
Barenholz, Y., see Hertz, R. (330) 1
Barenholz, Y., Gadot, N., Valk, E. and Gatt, S.
Identification of the enzymatic lesions responsible for the accumulation of acetylated sphingosine bases in the yeast Hansenula ciferri (306) 341
Barkhan, P., see Shearer, M.J. (297) 300
Barlow, V., see Mirsky, R. (291) 480
Barman, T.E., see Kitchen, B. (298) 861
Barnes, M.J., Constable, B.J., Morton, L.F. and Kodicek, E.
Influence of dietary calcium deficiency and parathyroidectomy on bone collagen structure (328) 373
Barnes, R. and Jones, O.T.G.
The availability of iron for haem synthesis in red blood cells (304) 304
Barnett, H.J.
D-Alanine carboxypeptidases of Bacillus stearothermophilus. Solubilisation of particulate enzymes and mechanism of action of penicillin (304) 332
Barnett, R.E., see Grisham, C.M. (311) 417
Barnola, F.V., see Villegas, R. (318) 61
Barnola, F.V., Villegas, R. and Camejo, G.
Tetrodotoxin receptors in plasma membranes isolated from lobster nerve fibres (298) 84
Barns, R.J., Howe, L.A. and Elmslie, R.G.
The effects of Ca^{2+} on porcine entero-peptidase activity (321) 624
Bar-On, H., Kook, A.I., Stein, O. and Stein, Y.
Assembly and secretion of very low density lipoproteins by rat liver following inhibition of protein synthesis with cycloheximide (306) 106
Baron, D., Streitberger, U. and Grisebach, H.
Improved method for purification of UDPapiose/UDPxylose synthase from cell cultures of parsley (293) 526
Barondes, S.H., see Reitherman, R. (297) 193
Barr, R.D., see Kendall, A.G. (310) 357
Barrett, A.J., see Morrison, R.I.G. (302) 411
Barrett, T. and Gould, H.J.
Tissue and species specificity of non-histone chromatin proteins (294) 165
Barrieux, A., Long, G.L. and Garren, L.D.
The synthesis of DNA associated with the nuclear membrane of guinea pig adrenal cells (312) 228
Barry, J.N., see Aisbitt, R.P.G. (320) 610
Barsky, E.L. and Samuilov, V.D.
Absorption changes of carotenoids and bacteriochlorophyll in energized chromatophores of Rhodospirillum rubrum (325) 454
Bartels, E. and Rosenberry, T.L.
Modification of electroplax excitability by veratridine (298) 973
Bartholomew, B.A., see Steigerwald, J.C. (321) 256
Bartholomew, B.A. and Perry, A.L.
The properties of synovial fluid β-mannosidase activity (315) 123

Bartlett, M.W., Egelstaff, P.A., Holden, T.M., Stinson, R.H. and Sweeny, P.R.
Structural changes in tendon collagen resulting from muscular dystrophy (328) 213
Bartok, K., see Kato, A.C. (308) 68
Barton, P.G., see Hui, F.K. (296) 510
Bartoov, B., see Sulimovici, S. (321) 27
Bartsch, H., Dworkin, C., Miller, E.C. and Miller, J.A.
Formation of electrophilic N-acetoxyarylamines in cytosols from rat mammary gland and other tissues by transacetylation from the carcinogen N-hydroxy-4-acetylaminobiphenyl (304) 42
Barve, J.A., see Tamai, Y. (296) 563
Barzilay, I., see Sussman, J.L. (308) 189
Barzilay, M., Condrea, E., Ben-David, E. and de Vries, A.
Recombination of human red cell membrane protein fractions with homologous lipids (311) 576
Bases, R. and Kaplan, B.H.
Double-stranded RNA from HeLa cell nuclei inhibits initiation of protein synthesis (312) 574
Bassham, J.A., see Rambeck, W.A. (304) 725
Batenburg, J.J. and van den Bergh, S.G.
The mechanism of inhibition by fluoride of fatty acid oxidation in uncoupled mitochondria (316) 136
Batra, S.
The role of mitochondrial calcium uptake in contraction and relaxation of the human myometrium (305) 428
Batz, W., see Wunderlich, F. (298) 39
Batzri, S. and Korn, E.D.
Single bilayer liposomes prepared without sonication (298) 1015
Bauduin, H., Tondeur, T., van Sande, J. and Vincent, D.
Secretion and protein metabolism in the rat pancreas in vitro (304) 81
Bauer, C. and Reutter, W.
Inhibition of UDPG dehydrogenase by galactosamine 1-phosphate and UDP-galactosamine (293) 11
Bauer, D.H., see Watt, W.B. (303) 175
Bauer, Š., see Farkaš, V. (321) 246
Baulieu, E.-E., see Milgrom, E. (320) 267
Baumgartner, R., see Cohen, S.N. (304) 473
Baumstark, J.S.
Studies on the elastase–serum protein interaction. III. The elastase inhibitors of swine serum with emphasis on the elastase–α_2-macroglobulin interaction (309) 181
Baurain, R.M., Moreux, J.C. and Lamy, F.
Rapid preequilibrium determination of molecular weights in the ultracentrifuge (295) 18
Bayev, A.A., see Shershneva, L.P. (294) 250
Bazán, N.G., see Aveldaño, M.I. (296) 1
Bazin, S., see Bailey, A.J. (328) 383
Beabealashvilly, R.Sh., Gursky, G.V., Savotchkina, L.P. and Zasedatelev, A.S.
RNA polymerase–DNA complexes. III. Binding of actinomycin D to RNA polymerase–DNA complex (294) 425
Beabealashvilly, R.Sh. and Savotchkina, L.P.
RNA polymerase–DNA complexes. IV. Influences of the ionic strength on the integrity of the complexes (294) 434
Beach, D.H. and Holz, Jr, G.G.
Environmental influences on the docosahexaenoate content of the triacylglycerols and phosphatidylcholine of a heterotrophic, marine dinoflagellate, Crypthecodinium cohnii (316) 56
Beale, D., see Ketterer, B. (311) 180
Beals, E., see Hearst, J.E. (294) 173
Bearden, A.J., see Malkin, R. (292) 169
Bearden, A.J. and Malkin, R.
Oxidation–reduction potential dependence of low-temperature photoreactions of chloroplast Photosystem II (325) 266
Beauchamp, C.O. and Fridovich, I.
Isozymes of superoxide dismutase from wheat germ (317) 50
Beaudreau, G.S., see Weber, G.H. (299) 8
Beaugé, F., see Nordmann, R. (326) 1
Beaupoil-Abadie, B., Raffalli, M., Cozzone, P. and Marchis-Mouren, G.
Determination of the carbohydrate content of porcine pancreatic amylase (297) 436
Béchet, J.-J., see Alazard, R. (309) 379
Beck, A., see Tan, Y.L. (299) 500
Beck, E.A., see Furlan, M. (310) 205
Becker, C., see Bolis, L. (318) 289
Becker, J.M., Naider, F. and Katchalski, E.
Peptide utilization in yeast: Studies on methionine and lysine auxotrophs of Saccharomyces cerevisiae (291) 388
Becker, R.R., see Lusis, A.J. (329) 5
Becker, W.M., see Jendrisak, J. (319) 48
Beckerdite, S., see Franson, R. (296) 365
Beecher, G.R., see McClain, P.E. (304) 457
Beeler, D.A., see Salerno, D.M. (326) 325

Beesley, R.C. and Forte, J.G.
Glycoproteins of oxyntic cell microsomes. I. Carbohydrate composition, analytical and preparative fractionation (307) 372
Beevers, L., see Poulson, R. (308) 381
Beintema, J.J., Campagne, R.N. and Gruber, M.
Rat pancreatic ribonuclease. I. Isolation and properties (310) 148
Beintema, J.J. and Gruber, M.
Rat pancreatic ribonuclease. II. Amino acid sequence (310) 161
Belaich, J.-P., see Sari, J.-C. (305) 1
Belkhodja, O., see Elion, J. (310) 360
Bell, Jr, I.C., see Grigor, M.R. (306) 26
Bell, J.E. and Dalziel, K.
A conformational transition of the oligomer of glutamate dehydrogenase induced by half-saturation with NAD^+ or $NADP^+$ (309) 237
Bella, Jr, A. and Kim, Y.S.
Iron binding of gastric mucins (304) 580
Bellé, R., see Ozon, R. (320) 588
Bellé, R., see Ozon, R. (297) 155
Bellemare, G., see Hanna, N. (331) 141
Bello, L.J., see Austin, G.E. (324) 488
Bello, L.J., see Austin, G.E. (324) 501
Belmonte, A.A. and Swarbrick, J.
Surface behaviour of dibenzanthracene with lipid monolayers (323) 647
Belozersky, A.N., see Vanyushin, B.F. (299) 397
Belton, P.S., Packer, K.J. and Sellwood, T.C.
Pulsed NMR studies of water in striated muscle. II. Spin-lattice relaxation times and the dynamics of the non-freezing fraction of water (304) 56
Beltz, R.E., Smith, T.R. and Waters, R.N.
Kinetics of the clearing of ^{14}C-labelled deoxyribonucleosides from rat blood in vivo and in vitro (297) 258
Benard-Bentaboulet, M. and Kepes, A.
Energy-dependent masking of substrate binding sites of the lactose permease of Escherichia coli (307) 197
Ben-Bassat, H., see Inbar, M. (311) 594
Ben-David, E., see Barzilay, M. (311) 576
Benedetto, D.A., Shands, Jr, J.W. and Shah, D.O.
The interaction of bacterial lipopolysaccharide with phospholipid bilayers and monolayers (298) 145
Benedict, S.H., see Spoerl, E. (298) 956
Ben-Hur, E. and Elkind, M.M.
DNA cross-linking in chinese hamster cells exposed to near ultraviolet light in the presence of 4,5',8-trimethylpsoralen (331) 181
Bening, G.J. and Eilermann, L.J.M.
Oxidative phosphorylation in Azotobacter vinelandii. Energy-linked pH changes and fluorescence changes of atebrin and 1-anilinonaphthalene-8-sulphonate (292) 402
Bennett, J.C., see Zikán, J. (317) 447
Bennett, V. and Cuatrecasas, P.
Preparation of inverted plasma membrane vesicles from isolated adipocytes (311) 362
Bennett, V.L., Ristrophe, D.L., Hamming, J.L. and Butler, L.G.
Maize leaf inorganic pyrophosphatase: Isozymes, specificity for substrates, inhibitors and divalent metal ions, and pH optima (293) 232
Bennoun, P., see Bouges-Bocquet, B. (325) 247
Bennoun, P., see Joliot, P. (305) 317
Bennoun, P. and Li, Y.-S.
New results on the mode of action of 3-(3,4-dichlorophenyl)-1,1-dimethylurea in spinach chloroplasts (292) 162
Benns, G., see Cho, K.S. (326) 355
Bensasson, R. and Land, E.J.
Optical and kinetic properties of semi-reduced plastoquinone and ubiquinone: Electron acceptors in photosynthesis (325) 175
Ben-Shaul, Y., see Stavy, R. (323) 167
Benson, A.A., see McCarty, R.E. (316) 266
Benson, B.J., Kisiel, W. and Hanahan, D.J.
Calcium binding and other characteristics of bovine factor II and its activation intermediates (329) 81
Bentley, J.P., see Rokosová, B. (297) 473
Bentley, J.P., see Rokosova, B. (320) 442
Berden, J.A., see DerVartanian, D.V. (292) 496
Berden, J.A., see Passam, H.C. (325) 54
Berg, K., see McConathy, W.J. (326) 406
Berg, R.A., Kishida, Y., Kobayashi, Y., Inouye, K., Tonelli, A.E., Sakakibara, S. and Prockop, D.J.
A model for the triple-helical structure of $(Pro–Hyp–Gly)_{10}$ involving a cis peptide bond and interchain hydrogen-bonding to the hydroxyl group of hydroxyproline (328) 553
Berg, S., Cipollo, D., Armstrong, B. and Krogmann, D.W.
Polycation inhibition of chloroplast Photosystem I (305) 372

Berg, T. and Boman, D.
Distribution of lysosomal enzymes between parenchymal and Kupffer cells of rat liver (321) 585
Berger, R. and Hommes, F.A.
Regulation of pyruvate oxidation in mitochondria isolated from fetal and adult rat liver (314) 1
Bergersen, F.J., Turner, G.L. and Appleby, C.A.
Studies of the physiological role of leghaemoglobin in soybean root nodules (292) 271
Bergink, E.W., Kloosterboer, H.J., Gruber, M. and Ab, G.
Oestrogen-induced phosphoprotein synthesis in roosters. Kinetics of induction (294) 497
Bergmann, R., see Fortnagel, P. (299) 136
Bergren, W.R., Ng, W.G. and Donnell, G.N.
Uridine diphosphate galactose 4-epimerase in human and other mammalian hemolysates (315) 464
Berkeley, R.C.W., Brewer, S.J., Ortiz, J.M. and Gillespie, J.B.
An exo-β-N-acetylglucosaminidase from Bacillus subtilis B; characterization (309) 157
Berliner, L.J., Miller, S.T., Uy, R. and Royer, G.P.
An ESR study of the active-site conformations of free and immobilized trypsin (315) 195
Bermingham, M.A.C., see Deol, B.S. (330) 192
Bernard, N., see Gosselin-Rey, C. (303) 90
Bernardi, G., see Bertazzoni, U. (312) 192
Bernardi, G., see Ehrlich, S.D. (312) 633
Bernardi, G., see Kopecka, H. (319) 37
Bernfield, M.R., see Shelton, E.R. (331) 81
Bernier, I., see Dautigny, A. (298) 783
Berridge, M.J., see Prince, W.T. (329) 98
Bertazzoni, U., Ehrlich, S.D. and Bernardi, G.
Radioactive labeling and analysis of 3′-terminal nucleotides of DNA fragments (312) 192
Berthillier, G., Dubois, P. et Got, R.
Glucokinase microsomique du foie de rat. Localisation dans une fraction riche en appareil de Golgi (293) 370
Berthod, H., see Saran, A. (331) 154
Bertino, J.R., see Makulu, D.R. (304) 526
Bertina, R.M., see Verdouw, H. (325) 385
Bertina, R.M., Schrier, P.I. and Slater, E.C.
The binding of aurovertin to mitochondria, and its effect on mitochondrial respiration (305) 503
Bertrand, J.C., see Gallo, M. (296) 624
Berzborn, R.J. and Bishop, N.I.
Isolation and properties of chloroplast particles of Scenedesmus obliquus D_3 with high photochemical activity (292) 700
Besarab, A., see Allen, J.E. (320) 708
Best, A.N., see Singhal, R.P. (331) 357
Bettelheim, F.A. and Kaplan, D.
Small angle light scattering of bovine cornea as affected by birefringence (313) 268
Bettenhaussen, C., see Stouthamer, A.H. (301) 53
Betts, G.F., see Springham, M.G. (309) 233
Beutler, E., see Srivastava, S.K. (304) 765
Beuttel, S.C., see Eisenbarth, G.S. (331) 397
Beygu-Farber, S., see Lee, J.W. (298) 446
Bezkorovainy, A., see Wong, K.C. (328) 133
Bezkorovainy, A. and Grohlich, D.
Cyanogen bromide fragments of human serum transferrin (310) 365
Bhaduri, A., see Ray, M. (302) 129
Bhakdi, S., see Knüfermann, H. (330) 356
Bhatnagar, R.S., see Ramachandran, G.N. (322) 166
Bhatti, A.R., see Aitken, D.M. (309) 50
Bhushano Rao, K.S.P., van Roost, E., Masson, P.L., Heremans, J.F. and Andre, F.
Studies on bovine cervical mucin. I. The amino acid composition and N-terminal amino acid of bovine oestrus cervical mucin (317) 286
Bianchetta, J., see Rovery, M. (328) 391
Bieber, L.L., Markwell, M.A., Blair, M. and Helmrath, T.A.
Studies of the development of carnitine palmitoyltransferase and fatty acid oxidation in liver mitochondria of neonatal pigs (326) 145
Biedermann, M., see Schön, G. (304) 65
Biely, P., see Farkaš, V. (321) 246
Bierman, E.L., Eisenberg, S., Stein, O. and Stein, Y.
Very low density lipoprotein "remnant" particles: Uptake by aortic smooth muscle cells in culture (329) 163
Bihler, I. and Cybulsky, R.
Sugar transport at the basal and lateral aspect of the small intestinal cell (298) 429
Bilheimer, D.W., see Eisenberg, S. (326) 361
Billen, D., see Hadden, C.T. (324) 461
Billen, D., see Schneiderman, M.H. (308) 352
Billups, C., see Strickland, E.H. (303) 28
Binford, Jr, J.S., Martin, D.F. and Padilla, G.M.
Hemolysis induced by Prymnesium parvum toxin. Calorimetric studies (291) 156

Birckbichler, P.J., Dowben, R.M., Matacic, S. and Loewy, A.G.
Isopeptide bonds in membrane proteins from eukaryotic cells (291) 149
Birdsall, N.J.M., see Levine, Y.K. (291) 592
Birge, S.J., see Haddad, J.G. (329) 93
Birk, Y., see Assa, Y. (307) 83
Birnbaumer, L.
Hormone-sensitive adenylyl cyclases: Useful models for studying hormone receptor functions in cell-free systems (300) 129
Birnie, G.D., Rickwood, D. and Hell, A.
Buoyant densities and hydration of nucleic acids, proteins and nucleoprotein complexes in metrizamide (331) 283
Bishop, N.I., see Berzborn, R.J. (292) 700
Bisswanger, H. and Henning, U.
A new dihydrolipoamide transacetylase in Escherichia coli K12 (321) 143
Bjerve, K.S.
The Ca^{2+}-dependent biosynthesis of lecithin, phosphatidylethanolamine and phosphatidylserine in rat liver subcellular particles (296) 549
Bjerve, K.S.
The phospholipid substrates in the Ca^{2+}-stimulated incorporation of nitrogen bases into microsomal phospholipids (306) 396
Björkman, R. and Lönnerdal, B.
Studies on myrosinases. III. Enzymatic properties of myrosinases from Sinapis alba and Brassica napus seeds (327) 121
Blackwell, J., see Gelman, R.A. (297) 452
Blackwell, R.Q., Jim, R.T.S., Tan, T.G.H., Weng, M.-I., Liu, C.-S. and Wang, C.-L.
Hemoglobin G Waimanalo: α64Asp→Asn (322) 27
Blair, G.E. and Ellis, R.J.
Protein synthesis in chloroplasts. I. Light-driven synthesis of the large subunit of Fraction I protein by isolated pea chloroplasts (319) 223
Blair, M., see Bieber, L.L. (326) 145
Blaisdell, S.J., see Tan, C.H. (320) 469
Blanc, J., see Elharrar, M. (319) 91
Blanchaer, M.C., see Thakar, J.H. (314) 8
Blanco, A., see Domenech, C.E. (321) 54
Blanco, A., see Gerez de Burgos, N.M. (315) 250
Blanický, P., see Jirka, M. (295) 1
Blank, M.L., see Wykle, R.L. (326) 26
Blank, M.L. Wykle, R.L. and Snyder, F.
The retention of arachidonic acid in ethanolamine plasmalogens of rat testes during essential fatty acid deficiency (316) 28
Blasie, J.K., see McLaughlin, A.C. (330) 109
Bleszynski, W.S. and Roy, A.B.
Some properties of the sulphatase B of ox brain (317) 164
Bliznakov, E.G., see Casey, A.C. (326) 141
Bloemendal, H., see Van den Broek, W.G.M. (310) 278
Bloemers, H.P.J., see Van der Zeijst, B.A.M. (294) 517
Bloj, B., Morero, R.D., Farías, R.N. and Trucco, R.E.
Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+}-ATPase, (Na^+-K^+)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (311) 67
Blomberg, F. and Raftell, M.
Membrane fractions from rat hepatoma. II. Immunochemical characterization of detergent-soluble membrane esterases, glycosidases and leucyl-β-naphthylamidase (291) 431
Blomberg, F., see Raftell, M. (291) 431
Blomberg, F., see Raftell, M. (291) 442
Blostein, R., see Perrone, J.R. (291) 680
Blum, I., Schoenfeld, N. and Atsmon, A.
The effect of Dl-propanolol on δ-aminolevulinic acid synthetase activity and urinary excretion of porphyrins in allylisopropylacetamide-induced experimental porphyria (320) 242
Boardman, N.K., see Anderson, J.M. (325) 573
Bobrow, M., see Prosser, J. (319) 122
Bobrzecka, K., Konieczny, L., Rybarska, J., Bogdał, J. and Urasiński, I.
A unique IgG myeloma immunoglobulin – molecular weight and other properties (295) 564
Böck, A., see Buckel, P. (324) 184
Bock, K.W., Fröhling, W., Remmer, H. and Rexer, B.
Effects of phenobarbital and 3-methylcholanthrene on substrate specificity of rat liver microsomal UDPglucuronyltransferase (327) 46
Bodnaryk, R.P. and McGirr, L.
Purification, properties and function of a unique γ-glutamyl cyclotransferase from the housefly, Musca domestica L. (315) 352
Boedfeld, E., see Aboderin, A.A. (328) 20
Boedfeld, E., see Aboderin, A.A. (328) 31
Boegman, R.J., see Krupa, V. (304) 260
Boers, W. and Slater, E.C.

The effect of substrates, effectors, acetyl phosphate and iodoacetate on the binding of NAD^+ and NADH to rabbit-muscle glyceraldehyde-phosphate dehydrogenase (315) 272
Boers, W. and Verhoeven, J.W.
NAD^+ binding to rabbit-muscle glyceraldehydephosphate dehydrogenase. The use of N-methylnicotinamidium chloride as a spectral and conformational probe (328) 1
Bogdał, J., see Bobrzecka, K. (295) 564
Böhme, H. and Cramer, W.A.
Uncoupler-dependent decrease in midpoint potential of chloroplast cytochrome b_6 (325) 275
Bohnenkamp, W., see Jung, G. (295) 77
Bohnert, H.J.
Circular mitochondrial DNA from Acanthamoeba castellanii (Neff-strain) (324) 199
Bojesen, E., Bojesen, I. and Capito, K.
Sterol biosynthesis in vitro of rat renal inner medulla (306) 237
Bojesen, I. and Roepstorff, P.
Identification of C_{27}-sterols produced by rat renal inner medulla in vitro (316) 83
Bojesen, I., see Bojesen, E. (306) 237
Bokhon'ko, A.I., see Panchenko, L.F. (299) 103
Boldingh, J., see De Groot, J.J.M.C. (326) 279
Boldingh, J., see Egmond, M.R. (316) 1
Boldingh, J., see Finazzi-Agrò, A. (326) 462
Bolis, L., Luly, P., Becker, C. and Wilbrandt, W.
An analysis of the apparent parameters of the glucose transport system in the red cell membrane (318) 289
Bollum, F.J., see Burris Garrett, R.J. (312) 45
Bollum, F.J., see Flügel, R.M. (308) 35
Bolton, A.E. and Hunter, W.M.
The use of antisera covalently coupled to agarose, cellulose and Sephadex in radio-immunoassay systems for proteins and haptens (329) 318
Boman, D., see Berg, T. (321) 585
Bonali, F., see Tettamanti, G. (296) 160
Bonali, F., see Tettamanti, G. (306) 466
Bonanni, F., Levinson, S.S., Wolf, G. and De Luca, L.
Glycoproteins from the hamster respiratory tract and their response to vitamin A (297) 441
Bond, G.H. and Clough, D.L.
A soluble protein activator of $(Mg^{2+} + Ca^{2+})$-dependent ATPase in human red cell membranes (323) 592
Bond, J.S.
Effect of manganese and amino acids on proteolytic inactivation of beef liver arginase (327) 157
Bondar, M., see Weinstock, I.M. (294) 15
Bondareff, W., see Breen, M. (304) 828
Bondesen, S., see Quistorff, B. (320) 503
Bondi, A., see Assa, Y. (307) 83
Bonfils, C., see Marti, J. (303) 348
Bonkowsky, H.L., Collins, A., Doherty, J.M. and Tschudy, D.P.
The "glucose effect" in rat liver. Studies of δ-aminolevulinate synthase and tyrosine aminotransferase (320) 561
Bonnafous, J.C., Mousseron-Canet, M. and Olive, J.L.
Translational control in barley coleoptiles by abscisic acid (312) 165
Bonner, Jr, W.D., see Douce, R. (292) 105
Bonting, S.L., see De Grip, W.J. (303) 189
Bonting, S.L., see De Grip, W.J. (323) 125
Bonting, S.L., see De Grip, W.J. (325) 315
Bonting, S.L., see De Pont, J.J.H.H.M. (323) 487
Bonting, S.L., see Hendriks, Th. (330) 156
Bonting, S.L., see Rutten, W.J. (315) 384
Bonting, S.L., see Vreeswijk, J.H.A. (330) 173
Booyse, F.M., see Legrand, Y. (309) 406
Bopp, A., Carpy, S., Burkart, B. and Hagen, U.
Action of exonuclease III on γ-irradiated DNA (294) 47
Borgström, B., see Erlanson, C. (310) 437
Borisov, A.Yu. and Godik, V.I.
Excitation energy transfer in photosynthesis (301) 227
Borisov, A.Yu. and Il'ina, M.D.
The fluorescence lifetime and energy migration mechanism in Photosystem I of plants (305) 364
Borisov, A.Yu. and Il'ina, M.D.
The quantum yield of reaction center photooxidation in subchloroplast fragments enriched with Photosystem I (325) 240
Borová, J., Poňka, P. and Neuwirt, J.
Study of intracellular iron distribution in rabbit reticulocytes with normal and inhibited heme synthesis (320) 143
Borová, J., see Poňka, P. (304) 123
Borová, J., see Poňka, P. (304) 715
Borst, P., see Arnberg, A.C. (308) 276
Borst, P., see Grivell, L.A. (312) 358
Borst, P., see Reijnders, L. (324) 320
Borst, P., see Sanders, J.P.M. (312) 441
Borst, P., see Schutgens, R.B.H. (308) 372

Borst, P., see Tabak, H.F. (294) 184
Borst-Pauwels, G.W.F.H., Schnetkamp, P. and van Well, P.
Activation of Rb^+ and Na^+ uptake into yeast by monovalent cations (291) 274
Bortz, W.M. and Steele, L.A.
Synchronization of hepatic cholesterol synthesis, cholesterol and bile acid content, fatty acid synthesis and plasma free fatty acid levels in the fed and fasted rat (306) 85
Bortz, W.M., Steele, L., Arkens, L. and Grundhofer, B.
Studies of the alteration of hepatic cholesterol synthesis in the rat (316) 366
Borun, T.W., see Jacobs-Lorena, M. (324) 275
Bosmann, H.B.
Levels of membrane marker enzyme activity in normal and RNA and DNA virus–transformed fibroblasts (291) 582
Bosmann, H.B.
Protein catabolism. II. Identification of neutral and acidic proteolytic enzymes in Aspergillus niger (293) 476
Bosmann, H.B., see Kirschbaum, B.B. (320) 416
Botchan, M., see Hearst, J.E. (294) 173
Botti, R., see Neri, P. (322) 88
Bouchet, M., see Mazza, G. (322) 218
Bouchilloux, S., Chabaud, O. and Ronin, C.
Cell-free peptide synthesis and carbohydrate incorporation by various thyroid particles (322) 401
Bouchilloux, S., see Roques, M. (322) 437
Bouchilloux, S., see Torresani, J. (322) 421
Bouges-Bocquet, B.
Electron transfer between the two photosystems in spinach chloroplasts (314) 250
Bouges-Bocquet, B.
Limiting steps in Photosystem II and water decomposition in Chlorella and spinach chloroplasts (292) 772
Bouges-Bocquet, B., Bennoun, P. and Taboury, J.
Deactivation of oxygen precursors in presence of 3(3,4-dichlorophenyl)-1,1-dimethylurea and phenylurethane (325) 247
Bouges-Bocquet, B., see Renger, G. (292) 796
Boulter, D., see Ramshaw, J.A.M. (303) 269
Boulton, M.G., see Ross, G.W. (309) 430
Bouma, J.M.W., see Huisman, W. (297) 93
Bouma, J.M.W., see Huisman, W. (297) 98
Boundy, J.A., see Slodki, M.E. (304) 449
Bourque, D.P., see Atchison, B.A. (331) 382
Bowman, M., Kevan, L., Mukai, K. and Kimura, T.
Comparative studies on adrenal iron–sulfur protein and its selenium derivatives by electron nuclear double resonance (328) 244
Bowser, A.M., see Schiller, J.G. (293) 1
Boyd, S.L., see Delovitch, T.L. (299) 621
Boyer, H.W., see Hedgpeth, J. (331) 310
Boyer, J., see Arnaud, J. (316) 162
Boyer, J., see Charbonnier, M. (296) 471
Boyer, P.D., see Wolcott, R.G. (303) 292
Boyle, A.J.F., see Tsang, C.P. (328) 84
Bracokova, V., see Czerlinski, G. (295) 480
Bradbury, J.H. and Norton, R.S.
Carbon-13 NMR spectra of tryptophan, tryptophan peptides and of native and denatured proteins (328) 10
Brady, R.O., see Matthieu, J.-M. (329) 305
Brady, R.O., see Pentchev, P.G. (297) 491
Brady, R.O., see Tallman, J.F. (293) 434
Brand, J. and San Pietro, A.
Polylysine-enhanced effectiveness of plastocyanin in Photosystem I (325) 255
Brandon, P.C. and Elgersma, O.
Effects of α-benzyl-α-bromo-malodinitrile on the primary electron acceptor of Photosystem II in spinach chloroplasts (292) 753
Branton, D., see James, R. (323) 378
Brandt, K.D., Tsiganos, C.P. and Muir, H.
Immunological relationships between proteoglycans of different hydrodynamic size from articular cartilage of foetal and mature pigs (320) 453
Branzoli, U., see Curti, B. (327) 266
Brase, D.A. and Westfall, T.C.
Studies on the stimulation of phenylalanine hydroxylase activity by short-chain alcohols (309) 271
Brasher, M., see Gaffney, P.J. (295) 308
Braun, B.Z., see Mohanty, P. (292) 459
Braun, V., Schaller, K. and Wolff, H.
A common receptor protein for phage T5 and colicin M in the outer membrane of Escherichia coli B (323) 87
Braunstein, S.N., see Datta, A. (311) 163
Bray, G.M.
A comparison of the ouabain-sensitive $(Na^+ + K^+)$-ATPase of normal and dystrophic skeletal muscle (298) 239
Brdiczka, D. and Krebs, W.
Localization of enzymes by means of proteases (297) 203
Brecher, P., Kessler, M., Clifford, C. and Chobanian, A.V.
Cholesterol ester hydrolysis in aortic tissue (316) 386
Breckenridge, W.C., Morgan, I.G., Zanetta, J.P. and Vincendon, G.

Adult rat brain synaptic vesicles. II. Lipid composition (320) 681
Breen, M., Richardson, R., Bondareff, W. and Weinstein, H.G.
Acidic glycosaminoglycans in developing sterno-costal cartilage of the hydrocephalic (ch+/ch+) mouse (304) 828
Breillat, J.P.
Appendix. Simulation of microsome sedimentation (291) 83
Bremel, R.D., see Weber, A. (325) 333
Bremer, J. and Davis, E.J.
Fluoroacetylcarnitine: metabolism and metabolic effects in mitochondria (326) 262
Bremser, W., see Jung, G. (295) 77
Brennecke, R., see Lossen, O. (330) 132
Bressler, R., see Huxtable, R. (323) 573
Breton, J., Michel-Villaz, M. and Paillotin, G.
Orientation of pigments and structural proteins in the photosynthetic membrane of spinach chloroplasts: A linear dichroism study (314) 42
Bretthauer, R.K., Wu, S. and Irwin, W.E.
Enzymatic transfer of mannose from guanosine diphosphate mannose to dolichol phosphate in yeast (Hansenula holstii). A possible step in mannan synthesis (304) 736
Brewer, G.J., see Meyers, N.L. (320) 397
Brewer, J.M., see Oh, S.-K. (310) 421
Brewer, S.J., see Berkeley, R.C.W. (309) 157
Brewin, N.J. and Northcote, D.H.
Partial purification of a cyclic AMP phosphodiesterase from soybean callus: Isolation of a non-dialysable inhibitor (320) 104
Briand, C., see Chauvet-Monges, A.M. (304) 748
Briantais, J.M., Verhotte, C. and Moya, I.
Intersystem exciton transfer in isolated chloroplasts (325) 530
Bricker, L.A., see Cuadrado, R.R. (306) 168
Brill, W.J., see Shah, V.K. (292) 246
Brill, W.J., see Shah, V.K. (305) 445
Brocas, H., see Vassart, G. (324) 575
Brocklehurst, E., see Erecínska, M. (292) 1
Brocklehurst, J.R. Cierkosz, B.I.T. and Lee, C.-P.
Fluorescent labelling of the mitochondrial inner membrane (314) 136
Brodie, A.F., see Marquez, E.D. (321) 84
Brodsky, W.A. and Shamoo, A.E.
Binding of ATP to and release from microsomal ($Na^+ + K^+$)-ATPase (291) 208
Brody, S.S., see Reinach, P. (314) 360
Broekhoven, L.H., see Hurst, R. (321) 1
Broekhuyse, R.M., see Roelfzema, H. (306) 329
Brooks, C.J.W., Henderson, W. and Steel, G.
The use of trimethylsilylethers in the characterization of natural sterols and steroid diols by gas chromatography–mass spectrometry (296) 431
Brooks, C.J.W., see Harland, W.A. (316) 378
Brooks, R.R. and Mans, R.J.
Accentuated Type I reversibility of maize DNA denaturation: thermal stability conferred by guanine–cytosine-rich tracts (312) 14
Broomfield, C.A., see Yamamura, H.I. (302) 305
Broude, N.E. and Budowsky, E.I.
The reaction of glyoxal with nucleic acid components. V. Denaturation of DNA under the action of glyoxal (294) 378
Broughton, A., see Wagstaff, M. (320) 406
Broughton, W.J. and Dilworth, M.J.
Amino acid composition and relationships of lupin and serradella leghaemoglobins (317) 266
Brown, B.D., see Brunngraber, E.G. (304) 781
Brown, D.G. and Coffey, D.S.
Effect of different sizes of polyacrylic acid on the structure and DNA template properties of isolated rat liver nuclei and soluble chromatin (294) 74
Brown, D.M., see Rawitch, A.B. (295) 225
Brown, J.L.
The modification of the amino terminal region of Escherichia coli proteins after initiation with methionine analogues (294) 527
Brown, R.H., see Ramshaw, J.A.M. (303) 269
Bruchovsky, N., see Lesser, B. (308) 426
Brummer-Korvenkontio, M., see Luukkonen, A. (326) 256
Brunel, C. and Cathala, G.
Activation and inhibition processes of alkaline phosphatase from bovine brain by metal ions (Mg^{2+} and Zn^{2+}) (309) 104
Brunel, C., see Cathala, G. (315) 73
Brunner, A., see Piña, M.Z. (320) 79
Brunner, H. and Sussner, H.
Resonance Raman scattering on haemoglobin (310) 20
Brunngraber, E.G., Hof, H., Susz, J., Brown, B.D., Chang, I. and Aro, A.
Glycopeptides from rat brain glycoproteins (304) 781
Brunori, M., see Colosimo, A. (328) 74
Bruyneel, E., see Deman, J. (297) 486
Bryła, J., Zaleski, J. and Kubica, A.
Competition for energy between phospho-enolpyruvate and citruline synthesis in guinea-pig liver mitochondria (314) 411

Buchanan, B.B., see Knaff, D.B. (325) 94
Buchanan, K.D., see Holohan, K.N. (322) 178
Buchanan, K.D., see Murphy, R.F. (303) 118
Buckel, P. and Böck, A.
Lack of accumulation of unusual guanosine nucleotides upon amino acid starvation of two eukaryotic organisms (324) 184
Buckingham, R., see Thang, M.N. (312) 685
Budowsky, E.I., see Broude, N.E. (294) 378
Bugg, C.E., see Sternglanz, H. (308) 1
Bukrinskaya, A.G., Agaphonova, L.V. and Vovk, T.S.
Uncoiling and protein cleavage of paramyxovirus nucleocapsid after incubation with ribosomes in vitro (312) 173
Bulkin, B.J. and Hauser, R.
Lipid–protein interactions. I. Role of divalent ions in binding of glycylglycine to phosphatidylserine (326) 289
Bullock, G.R., Carter, E.E. and White, A.M.
The analysis of rat skeletal muscle mitochondria isolated by the method of tryptic lysis (292) 350
Bultmann, H. and Laird, C.D.
Mitochondrial DNA from Drosophila melanogaster (299) 196
Bunch, J.M., see Holden, J.T. (307) 640
Bünemann, H. and Dattagupta, N.
On the binding and specificity of 3,6-bis-(acetatomercurimethyl)-dioxane to DNAs of different base composition (331) 341
Buonocore, V., see Krajewska-Grynkiewicz, V. (312) 518
Burd, J.F. and Usategui-Gomez, M.
Immunochemical studies on lactate dehydrogenase. I. Purification of human monkey lactate dehydrogenase isoenzymes; preparation and characterization of rabbit antibody to acetylated human H_4 lactate dehydrogenase (310) 238
Burdman, J.A., see Szijan, I. (299) 344
Burger, M.M., see Janson, V.K. (291) 127
Burger, M.M., see Janson, V.K. (291) 136
Burger, M.M., see Reusch, V.M. (300) 79
Burgos, C., see Gerez de Burgos, N.M. (315) 250
Burkart, B., see Bopp, A. (294) 47
Burke, G.T. and Redman, C.M.
The distribution of radioactive peptides synthesized by polysomes and ribosomal subunits combined in vitro with microsomal membranes (299) 312
Burkhardt, K.-L., see Gross, W. (298) 437
Burris, R.H., see Hwang, J.C. (292) 256
Burris, R.H., see Tso, M.-Y.W. (309) 263
Burriss Garrett, R.J. and Bollum, F.J.
DNA polymerase activities in agarose column fractions of rat liver cytoplasm (312) 45
Busch, H., see Nazar, R.N. (299) 428
Busch, H., see Prestayko, A.W. (319) 323
Busiello, E. and Di Girolamo, M.
Sparsomycin requirement for inhibiting peptide bond formation (312) 581
Bussey, H. and Sherman, D.
Yeast killer factor: ATP leakage and coordinate inhibition of macromolecular synthesis in sensitive cells (298) 868
Butcher, R.W., see Chlapowski, F.J. (309) 138
Butcher, R.W., see Hittelman, K.J. (304) 188
Butcher, R.W., see Hittelman, K.J. (316) 403
Butler, J.E.
The occurrence of immunoglobulin fragments, two types of lactoferrin and a lactoferrin-IgG2 complex in bovine colostral and milk way (295) 341
Butler, L.G., see Bennett, V.L. (293) 232
Butler, W.B. and Mueller, G.C.
Control of histone synthesis in HeLa cells (294) 481
Butler, W.L., Visser, J.W.M. and Simons, H.L.
The back reaction in the primary electron transfer couple of Photosystem II of photosynthesis (325) 539
Butler, W.L., Visser, J.W.M. and Simons, H.L.
The kinetics of light-induced changes of C-550, cytochrome b_{559} and fluorescence yield in chloroplasts at low temperature (292) 140
Butler, W.L., see Davis, K.A. (325) 341
Butler, W.L., see Kitajima, M. (325) 558
Butlin, J.D., Cox, G.B. and Gibson, F.
Oxidative phosphorylation in Escherichia coli K-12: The genetic and biochemical characterisation of a strain carrying a mutation in the uncB gene (292) 366
Buttress, N., see Johnson, S.M. (307) 20
Byard, J.L.
The effect of β-galactoside accumulation on the uptake of phosphate into cells and cell nucleotides of Escherichia coli (311) 452
Byers, W., Curzon, G., Garbett, K., Speyer, B.E., Young, S.N. and Williams, R.J.P.
Anion-binding and the state of copper in caeruloplasmin (310) 38
Byrd, B.J., see Armstrong, W.McD. (330) 237
Byrd, Jr, E.W. and Kasinsky, H.E.
Nuclear accumulation of newly synthesized histones in early Xenopus development (331) 430

C

Cabib, E., see Huang, K.P. (302) 240
Cadenhead, D.A. and Müller-Landau, F.
Pure and mixed monomolecular films of 12-nitroxide stearate (307) 279
Caen, J., see Legrand, Y. (309) 406
Caflisch, C.R., see Winship, D.H. (291) 280
Cahlin, E., see Alling, C. (296) 518
Cain, J.A., see Mego, J.L. (297) 343
Calabrese, L., see Rotilio, G. (302) 229
Calabrese, L., see Rotilio, G. (321) 98
Calhoun, D.H., see Jensen, R.A. (293) 256
Calissano, P., see Amaldi, P. (299) 634
Callard, R. and Riviere, M.R.
Cyproterone acetate in normal and interstitial cell tumor grafted rats. Effects on testicular and sexual accessory organs weight and lactate dehydrogenase activity and isoenzymes (313) 190
Calvin, M., see Guttenplan, J.B. (322) 294
Calvin, M., see Guttenplan, J.B. (322) 301
Calvin, M., see Harpold, M.A. (308) 117
Camejo, G., see Barnola, F.V. (298) 84
Camejo, G., see Villegas, R. (318) 61
Camerini-Otero, R.D., see Datta, A. (311) 163
Cammarano, P., Felsani, A., Romeo, A. and Alberghina, F.M.
Particle weights of active ribosomal subunits from Neurospora crassa (308) 404
Cammarano, P., see Sacchi, A. (308) 390
Campagne, R.N., see Beintema, J.J. (310) 148
Campbell, A.D., see Pinschmidt, M.W. (323) 309
Campbell, E.W., see Enger, M.D. (324) 120
Campbell, I.D., see Coates, H.B. (310) 1
Camus, J., see Christophe, J. (308) 285
Candela, J.L.R., see Nieto, A. (322) 383
Candia, O.A.
Short-circuit current related to active chloride transport in frog cornea: Effects of furosemide and ethacrynic acid (298) 1011
Candia, O.A. and Chiarandini, J.
Transport of lithium and rectification by frog skin (307) 578
Canonico, P.G.
Lysosomal catabolism of a protein toxin: staphylococcal enterotoxin B (322) 251
Cantino, E.C., see Norrman, J. (302) 173
Cantrell, A.C.
A method of solubilizing human erythrocyte membrane proteins using mersalyl (311) 381
Capaldi, R.A.
A hydrogen–deuterium exchange study of membranous cytochrome oxidase (303) 237
Capaldi, R.A.
Properties of the major glycoprotein of the beef erythrocyte membrane (311) 386
Capaldi, R.A., see Jost, P. (311) 141
Capaldi, R.A., see Maniloff, J. (298) 180
Capdevila, J., Perry, A.S., Morello, A. and Agosin, M.
Some spectral properties of cytochrome P-450 from microsomes isolated from control, phenobarbital- and naphthalene-treated houseflies (314) 93
Capito, K., see Bojesen, E. (306) 237
Caplan, S.R., see Paul, R.J. (305) 474
Caplan, S.R., see Naparstek, A. (323) 643
Caplan, S.R., see Saito, T. (318) 371
Capps, M.J., O'Connor, P.J. and Craig, A.W.
The influence of liver regeneration on the stability of 7-methylguanine in rat liver DNA after treatment with N,N-dimethylnitrosamine (331) 33
Caprioli, R.M. and Heron, E.J.
Determination of isotopic distribution in [^{18}O]glycerol 1-phosphate by mass spectrometry (296) 321
Caprioli, R.M. and Seifert, Jr, W.E.
Direct analysis of ^{18}O in glucose by mass spectrometry (297) 213
Carbone, E., see Tasaki, I. (323) 220
Carbonell, J., see Sandoval, I.V. (315) 343
Careri, G., Mazzacurati, V., Sampoli, M., Signorelli, G. and Fasella, P.
On the technique of laser Raman spectroscopy of proteins in aqueous solutions (310) 305
Carey, E.M. and Dils, R.
Fatty acid biosynthesis. X. Specificity for chain-termination of fatty acid biosynthesis in cell-free extracts of lactating-rabbit mammary gland (306) 156
Carey, E.M., see Odutuga, A.A. (316) 115
Carey, M.C. and Small, D.M.

Solution properties of taurine and glycine conjugates of fusidic acid and its derivatives (306) 51
Carlson, J., see Suzuki, N. (304) 309
Carlson, L.M., see Jung, C.Y. (298) 101
Carlson, L.M., see Jung, C.Y. (298) 108
Carlson, N., see Ezekiel, D.H. (312) 751
Carlsson, U., Hannestad, U. and Lindskog, S.
Purification and some properties of erythrocyte carbonic anhydrase from the European moose (327) 515
Carlsson, U., Henderson, L.E. and Lindskog, S.
Denaturation and reactivation of human carbonic anhydrases in guanidine hydrochloride and urea (310) 376
Carmichael, D.J. and Dodd, C.M.
An investigation of the phosphoprotein of the bovine dentin matrix (317) 187
Carper, W.R., see Maijub, A.G. (315) 37
Carpy, S., see Bopp, A. (294) 47
Carr, H.S., see Mullinix, K.P. (312) 1
Carrasco, L., Barbacid, M. and Vazquez, D.
The trichodermin group of antibiotics, inhibitors of peptide bond formation by eukaryotic ribosomes (312) 368
Carrasco, L. and Vazquez, D.
Differences in eukaryotic ribosomes detected by the selective action of an antibiotic (319) 209
Carraway, K.L., see Kobylka, D. (307) 133
Carraway, K.L., see Mitchell, E.D. (295) 314
Carraway, K.L., see Shin, B.C. (330) 254
Carrea, G., Casellato, M.M., Manera, E., Pasta, P. and Lugaro, G.
Purification of a human urinary glycoprotein with gastric antisecretory activity (295) 274
Carrea, G., see Lugaro, G. (304) 719
Carreira, J., Leal, J.A., Rojas, M. and Munoz, E.
Membrane ATPase of Escherichia coli K 12. Selective solubilization of the enzyme and its stimulation by trypsin in the soluble and membrane-bound states (307) 541
Carter, E.E., see Bullock, G.R. (292) 350
Carter, J.R., see Avruch, J. (291) 494
Carter, Jr, J.R., Avruch, J. and Martin, D.B.
Glucose transport by trypsin-treated red blood cell ghosts (291) 506
Carvalho, A.P., see Vale, M.G.P. (325) 29
Case, G.D. and Parson, W.W.
Redistribution of electric charge accompanying photosynthetic electron transport in Chromatium (292) 677
Case, G.D. and Parson, W.W.
Shifts of bacteriochlorophyll and carotenoid absorbance bands linked to cytochrome photooxidation in Chromatium (325) 441
Casellato, M.M., see Carrea, G. (295) 274
Casellato, M.M., see Lugaro, G. (304) 719
Casey, A.C. and Bliznakov, E.G.
Ubiquinone content in peritoneal macrophages of mice (326) 141
Cashel, M., see Raué, H.A. (312) 722
Cashion, L.M. and Stanley, Jr, W.M.
Comparative studies on the properties of the eukaryotic protein synthesis initiation factor IF-I from several sources (324) 410
Caspary, W.F., see Malathi, P. (307) 613
Cass, C.E. and Paterson, A.R.P.
Mediated transport of nucleosides in human erythrocytes. Specificity toward purine nucleosides as permeants (291) 734
Cathala, G., see Brunel, C. (309) 104
Cathala, G. et Brunel, C.
L'activité pyrophosphatasique de la phosphatase alcaline du cerveau (315) 73
Catt, K., see Corvol, P. (322) 392
Cavari, B.Z. and Grossowicz, N.
Properties of homoserine dehydrogenase in a thermophilic bacterium (302) 183
Cavieres, J.D., see Jørgensen, P.L. (291) 795
Cekan, Z., Juneja, H. and Diczfaluzy, E.
De novo synthesis of cholesteryl esters in previable human foetuses (296) 196
Celier, C., see Tassin, J.-P. (315) 220
Célis, C.H., see Fernández, M.S. (323) 600
Cerbón, J., see Fernández, M.S. (298) 8
Chae, C.-B., see Smith, M.C. (317) 10
Chagoya de Sanchez, V., see Piña, N.Z. (320) 79
Chaimovich, H., see Aoyama, H. (309) 502
Chaix, P., see Frade, R. (325) 424
Chakrabarti, P., see Mikulski, A.J. (319) 294
Chambers, L.A., see Trudinger, P.A. (293) 26
Chambers, R.P., see Ford, J.R. (309) 175
Chan, H.W.-S.
Soyabean lipoxygenase: An iron-containing dioxygenase (327) 32
Chan, S.K., Reibling, A., Mahaffey, W.L. and Lin, C.C.
The δ-aminolevulinic acid synthetase activity and the effect of exogenous δ-aminolevulinate on the synthesis of cytochrome c in the thoracic muscles of the tobacco horn worm during adult development (329) 251
Chance, B., see Cittadini, A. (291) 246
Chance, B., see Sato, N. (305) 493
Chandler, M.L. and Varandani, P.T.
Insulin degradation. VIII. Protein thiols as

co-substrates for glutathione–insulin transhydrogenase (320) 258
Chandra, S. and Pechet, L.
Separation of clotting factors. II. Purification of human factor IX by isoelectric focusing (328) 456
Chandra, S., see Triantaphyllopoulos, D.C. (328) 229
Chandrasekaran, R., Lakshminarayanan, A.V., Pandya, U.V. and Ramachandran, G.N.
Conformation of the LL and LD hairpin bends with internal hydrogen bonds in proteins and peptides (303) 14
Chanet, R., Williamson, D.H. and Moustacchi, E.
Cyclic variations in killing and "petite" mutagenesis by ultraviolet light in synchronized yeast strains (324) 290
Chang, C.C. and Yang, C.C.
Immunochemical studies on the tryptophan-modified cobrotoxin (295) 595
Chang, H.C., Janke, J., Pusch, F. and Holman, R.T.
Effect of double and triple bonds in fatty acid inhibitors upon desaturation of stearic acid by rat liver microsomes (306) 21
Chang, I., see Brunngraber, E.G. (304) 781
Chang, N.C. and Fulco, A.J.
The effects of temperature and fatty acid structure on lipid metabolism on Bacillus licheniformis 9259 (296) 287
Chang, N.-C., Muramatsu, T. and Schmid, H.H.O.
Structural specificity in the formation of glycerol ethers and plasmalogens in myelinating brain (306) 437
Chantot, J.F., see Tougard, P. (308) 9
Chapron, Y., see Dognin, J. (297) 276
Charalampous, F.C., see Chen, W.L. (294) 329
Charbonneau, L., see DeSimone, R.E. (304) 851
Charbonnier, M., see Arnaud, J. (316) 162
Charbonnier, M., Arnaud, J. and Boyer, J.
Partial purification and characterisation of a fatty acyl monoester lipase from human adipose tissue (296) 471
Chase, N.M., see Hourani, B.T. (328) 520
Chatagner, F., see Lefauconnier, J.-M. (297) 135
Chaudhuri, S.
Fractionation of chromatin non-histone proteins (322) 155
Chauvet-Monges, A.M., Rogeret, C., Briand, C. and Crevat, A.
NMR study of the lability of the thiazolium proton in thiamine and its polyphosphoric esters (304) 748
Chelton, E.T.J., Evans, C.H., Jones, A.S. and Walker, R.T.
Incorporation of 5-substituted uracil derivatives into nucleic acids. II. Incorporation of 5-vinyluracil into the DNA of Escherichia coli (312) 38
Chen, C.H., see Hwang, J.C. (292) 256
Chen, J., Multani, J.S. and Mortenson, L.E.
Structural investigation of nitrogenase components from Clostridium pasteuranium and comparison with similar components of other organisms (310) 51
Chen, J.C., Ove, P. and Lansing, A.I.
In vitro synthesis of microsomal protein and albumin in young and old rats (312) 598
Chen, M.C., Lord, R.C. and Mendelsohn, R.
Laser-excited Raman spectroscopy of biomolecules. IV. Thermal denaturation of aqueous lysozyme (328) 252
Chen, M.C., see Thomas, Jr, G.J. (324) 37
Chend, W.L. and Charalampous, F.C.
Kinetics of synthesis of cytochromes a and a_3 during respiratory adaptation of yeast (294) 329
Cheng, T. and McAllister, H.
Poly(U) and transfer binding sites on reticulocyte ribosomes (319) 401
Chenoweth, M., see Hemington, J.G. (304) 552
Cherayil, J.D., see Prasado Rao, Y.S. (299) 1
Cherneikin, V.A., see Fishman, S.N. (298) 710
Chesnokov, V.N., see Mertvetsov, N.P. (315) 61
Chet, I., Retig, N. and Henis, Y.
Changes in ribonucleases during differentiation (spherulation) of Physarum polycephalum (294) 343
Cheung, H.S. and Cushman, D.W.
Inhibition of homogenous angiotensin-converting enzyme, of rabbit lung by synthetic venom peptides of Bothrops jararaca (293) 451
Chevallier, F., see Lutton, Cl. (306) 483
Chevallier, F., see Sérougne-Gautheron, C. (316) 244
Chevallier, M.R., see Kopecka, H. (319) 37
Chiarandini, J., see Candia, O.A. (307) 578
Chiarugi, V.P. and Urbano, P.
Studies on cell-coat macromolecules in normal and virus-transformed BHK_{21}/C_{13} cells (298) 195
Chiba, H., Hisatake, M., Hirose, M. and Sugimoto, E.
Roles of tryptophan residues on the

Rhizopus delemar lipase activity: Chemical modification in a water–olive oil emulsion (327) 380
Chibata, I., see Mori, T. (321) 653
Chin, A.E., see Sheid, B. (293) 304
Chiou, C.Y.
A simple and sensitive method for the determination of enzymatic hydrolysis of various esters (327) 374
Chipperfield, A.R., see Whittam, R. (307) 563
Chiu, A.O.S. and Suyama, Y.
Immunologic studies on intracellular isoenzymes; the mitochondrial and cytoplasmic leucyl-tRNA synthetases (299) 557
Chiu, J., see Wildes, R.A. (307) 162
Chiu, J.-F. and Sung, S.C.
Separation and characterization of protein factor of DNA polymerase B from developing rat brain (331) 54
Chlapowski, F.J. and Butcher, R.W.
Subcellular distribution of adenyl cyclase and phosphodiesterase in Acanthamoeba (309) 138
Cho, K.S., Benns, G. and Proulx, P.
Formation of acyl phosphatidylglycerol by Escherichia coli (326) 355
Cho, K.S. and Proulx, P.
Interactions of acyl carnitines and other lysins with erythrocytes and reconstituted erythrocyte lipoproteins (318) 50
Chobanian, A.V., see Brecher, P. (316) 386
Chou, T.-C. and Talalay, P.
Inhibition of ATP: L-methionine S-adenosyltransferase of baker's yeast by structural analogues of ATP (321) 467
Chowdhury, K., see Neogy, R.K. (299) 241
Christensen, H.N. and Cullen, A.M.
Synthesis of metabolism-resistant substrates for the transport system of cationic amino acids; their stimulation of the release of insulin and glucagon, and of the urinary loss of amino acids related to cystinuria (298) 932
Christensen, H.N., de Cespedes, C., Handlogten, M.E. and Ronquist, G.
Energization of amino acid transport, studied for the Ehrlich ascites tumor cell (300) 487
Christensen, H.N., see Ronquist, G. (323) 337
Christensen, J.M., Hippe, E., Olesen, H., Rye, M., Haber, E., Lee, L. and Thomsen, J.
Purification of human intrinsic factor by affinity chromatography (303) 319
Christiansen, E.N., see Serck-Hanssen, G. (307) 404
Christiansen, P.A., see Reiser, S. (307) 212
Christiansen, P.A., see Reiser, S. (307) 223
Christie, W.W.
The structures of bile phosphatidylcholines (316) 204
Christie, W.W. and Hunter, M.L.
Stereospecific analysis of triglycerides that contain isotopically-labelled fatty acids (316) 282
Christman, J.K.
Effect of elevated potassium level and amino acid deprivation on polysome distribution and rate of protein synthesis in L cells (294) 138
Christman, J.K., Reiss, B., Kyner, D., Levin, D.H., Klett, H. and Acs, G.
Characterization of a viral messenger ribonucleoprotein particle accumulated during inhibition of polypeptide chain initiation in reovirus-infected L cells (294) 153
Christodoulides, L., see Ketterer, B. (311) 180
Christoffersen, T., Mørland, J., Osnes, J.B. and Øye, I.
Development of cyclic AMP metabolism in rat liver: A correlative study of tissue levels of cyclic AMP, accumulation of cyclic AMP in slices, adenylate cyclase activity and cyclic nucleotide phosphodiesterase activity (313) 338
Christophe, J., Vandermeers, A., Vandermeers-Piret, M.C., Rathé, J. and Camus, J.
The relative turnover time in vivo of the intracellular transport of five hydrolases in the pancreas of the rat (308) 285
Chu, M.-L., see Jernigan, H.M. (312) 502
Chuang, H.Y.K.
Cholinesterase activities of intact platelets as measured by an improved radiometric method (321) 546
Chudapongse, P. and Haugaard, N.
The effect of phosphoenolpyruvate on calcium transport by mitochondria (307) 599
Chun, E.H.L., see Yin, L. (324) 472
Chung, J., Scanu, A.M. and Reman, F.
Effect of phospholipids on lipoprotein lipase activation in vitro (296) 116
Chung, K.C., see Iida, S. (308) 198
Chytil, F., see Spelsberg, T.C. (312) 765
Cierkosz, B.I.T., see Brocklehurst, J.R. (314) 136
Cierniewski, C., see Krajewski, T. (322) 95
Cifonelli, J.A. and King, J.

Structural studies on heparins with unusually high N-acetyl glucosamine contents (320) 331
Cipollo, D., see Berg, S. (305) 372
Cirillo, V.P., see Rottem, S. (323) 509
Cittadini, A., Scarpa, A. and Chance, B.
Calcium transport in intact Ehrlich ascites tumor cells (291) 246
Claes, P.J., see De Clercq, E. (331) 328
Clark, A.F., see Van Doorn, E.J. (309) 254
Clark, D.A., see Ting-Beall, H.P. (291) 229
Clark, R.C.
Amino acid sequence of a cyanogen bromide cleavage peptide from hen egg phosvitin (310) 174
Clarke, F.M. and Masters, C.J.
Multi-enzyme aggregates: New evidence for an association of glycolytic components (327) 223
Clausen, T., see Dahl-Hansen, A.B. (318) 147
Clausen, T., Harving, H. and Dahl-Hansen, A.B.
The relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of membrane stabilizers on the transport of K^+, Na^+ and glucose in muscle, adipocytes and erythrocytes (298) 393
Clayman, B.P., see Colbow, K. (323) 1
Clayton, R.K., see Straley, S.C. (292) 685
Clayton, R.K., see Straley, S.C. (305) 597
Clément, M., see Nordmann, R. (326) 1
Clergeon, G.H., see Pouit, L. (317) 99
Clifford, C., see Brecher, P. (316) 386
Clough, D.L., see Bond, G.H. (323) 592
Coates, H.B., McLauchlan, K.A., Campbell, I.D. and McColl, C.E.
Proton spin lattice relaxation time measurements at 90 MHz and 270 MHz (310) 1
Cocola, F., see Neri, P. (322) 88
Coe, E.L., see Greenhouse, W.V.V. (329) 183
Coe, E.L. and Greenhouse, W.V.V.
Possible regulatory interactions between compartmentalized glycolytic systems during initiation of glycolysis in ascites tumor cells (329) 171
Coffey, D.S., see Brown, D.G. (294) 74
Cogdell, R.J., see Jackson, J.B. (292) 218
Cohen, A., Silberstein, Z. and Mazor, Z.
RNA polymerase from vegetative cells and spores of Bacillus cereus T. II. Peptide composition (294) 442
Cohen, E.N., see Trudell, J.R. (291) 321
Cohen, E.N., see Trudell, J.R. (291) 328
Cohen, S.N., Baumgartner, R., Steinberg, M.S. and Weber, W.W.
Changes in the physicochemical characteristics of rabbit liver N-acetyltransferase during post-natal development (304) 473
Cohen, W., see Ford, J.R. (309) 175
Cohen Solal, M. and Labie, D.
A new case of hemoglobin Genova: $\alpha_2\beta_2{}^{28(B10)}$ Leu→Pro. Further studies on the mechanism of instability and defective synthesis (295) 67
Cohn, G.E., see Keith, A.D. (300) 379
Colbow, K.
Energy transfer in photosynthesis (314) 320
Colbow, K.
Chlorophyll in phospholipid vesicles (318) 4
Colbow, K. and Clayman, B.P.
Far-infrared absorption of the water–lecithin system (323) 1
Coleman, P.S.
Uncoupling of oxidative phosphorylation by a stable free radical and its diamagnetic homolog (305) 179
Coleman, R.
Membrane-bound enzymes and membrane ultrastructure (300) 1
Coleman, R., see Michell, R.H. (318) 306
Colilla, W. and Nordlie, R.C.
Effects of sulfhydryl reagents on synthetic and hydrolytic activities of multifunctional glucose-6-phosphatase (309) 328
Coll, J., see Estrugo, S.F. (311) 153
Colley, C.M., see Zwaal, R.F.A. (300) 159
Colley, C.M., Zwaal, R.F.A., Roelofsen, B. and van Deenen, L.L.M.
Lytic and non-lytic degradation of phospholipids in mammalian erythrocytes by pure phospholipases (307) 74
Collins, A., see Bonkowsky, H.L. (320) 561
Collins, F.D., see Trewhella, M.A. (296) 34
Collins, F.D., see Trewhella, M.A. (296) 51
Collins, J.M., Wallenstein, A. and Monty, K.J.
Regulatory features of the cysteine desulfhydrase of Salmonella typimurium (313) 156
Colombani, J., see Dautigny, A. (298) 783
Colombini, M. and Johnstone, R.M.
Preparation and properties of the $(Na^+ + K^+)$-ATPase of plasma membranes from Ehrlich ascites cells (323) 69
Colombo, V., Lorenz-Meyer, H. and Semenza, G.
Small intestinal phlorizin hydrolase: The "β-glycosidase complex" (327) 412
Colosimo, A., Stefanini, S., Brunori, M. and Antonini, E.
Ethylisocyanide equilibrium of matrix-bound hemoglobin (328) 74

Comes, P. and Kleinig, H.
Phospholipids and phospholipase D in the true slime mold Physarum polycephalum (316) 13
Comfurius, P., see Verkleij, A.J. (323) 178
Common, R.H., see Robinson, A.R. (326) 93
Commoner, B., see Vaughan, W.M. (329) 159
Comoglio, P.M., see Tarone, G. (311) 214
Condrea, E., see Barzilay, M. (311) 576
Conlon, T., see Outhred, R. (318) 446
Connellan, J.M. and Danks, D.M.
Demonstration of two forms of phenylalanine hydroxylase in human liver obtained at autopsy (293) 48
Connelly, J.L., Jones, O.T.G., Saunders, V.A. and Yates, D.W.
Kinetic and thermodynamic properties of membrane-bound cytochromes of aerobically and photosynthetically grown Rhodopseudomonas spheroides (292) 644
Conner, G.E., see Meissner, G. (298) 246
Constable, B.J., see Barnes, M.J. (328) 373
Constantopoulos, A., see Nishioka, K. (310) 217
Constantopoulos, A., see Nishioka, K. (310) 230
Convit, J., see Avila, J.L. (293) 397
Convit, J., see Avila, J.L. (293) 409
Conway, G., see Heazlitt, R. (317) 316
Conway, T.W., see Singer, R.E. (331) 102
Cook, A.F., De Czekala, A., Gabriel, T.F., Harvey, C.L., Holman, M., Michalewsky, J.E. and Nussbaum, A.L.
High pressure liquid chromatography of oligodeoxyribonucleotides (324) 433
Cook, G.M.W., see Warley, A. (323) 55
Cools, A., see Postma, P.W. (318) 91
Copeland, J.C., see Rinehart, K.V. (294) 1
Corchs, J.L., see Serrani, R.E. (330) 186
Corchs, J.L., Serrani, R.E. and Rodriquez-Garay, E.
Bilirubin uptake in vitro by the rat intestinal mucosa (291) 308
Cormane, R.H., see Asghar, S.S. (317) 539
Cormier, M.J., see Wampler, J.E. (314) 104
Corrigan, K., see Hadden, C.T. (324) 461
Corvol, P., see Fressinaud, Ph. (317) 572
Corvol, P., Rodbard, D., Drouet, J., Catt, K. and Menard, J.
Monoiodinated angiotensins: Preparation and characterization by polyacrylamide-gel electrophoresis and electrofocusing (322) 392
Coster, H.G.L. and Kaplin, I.J.
The effect of pH on the OsO_4-revealed structure of the plasma membrane of Chara corallina (330) 141
Couder, Y., see Alpert, Y. (322) 34
Coughlan, M.P. and Johnson, D.B.
Preparation and properties of immobilised xanthine oxidase (302) 200
Counis, R.
Démasquage presumé des récepteurs de la noradrénaline par enrichissement en acide linoléique des phospholipides membranaires de la cellule adipeuse. II. Activités adényl cyclase et phosphodiestérase (306) 391
Čoupek, J., see Turková, J. (322) 1
Cowden, M., see Papahadjopoulos, D. (330) 8
Cowell, J.L., Moser, K. and DeMoss, R.D.
Trypsophanase from Aeromonas liquefaciens purification, molecular weight and some chemical, catalytic and immunochemical properties (315) 449
Cox, B., see Unrau, P. (312) 626
Cox, B.A., Starcher, B.C. and Urry, D.W.
Coacervation of α-elastin results in fiber formation (317) 209
Cox, G.B., see Butlin, J.D. (292) 366
Cox, R.A., see Pratt, H. (310) 188
Cozcolluela, C., see Subirana, J.A. (317) 364
Cozzone, P., see Beaupoil-Abadie, B. (297) 436
Craddock, V.M.
The pattern of methylated purines formed in DNA of intact and regenerating liver of rats treated with the carcinogen dimethylnitrosamine (312) 202
Craig, A.W., see Capps, M.J. (331) 33
Craig, S.P. and Piatigorsky, J.
Cell elongation and δ-crystallin synthesis without RNA synthesis. Evidence for differential stabilities of messenger RNAs in cultured early embryonic chick lens epithelia (299) 642
Cramer, W.A., see Böhme, H. (325) 275
Crane, R.K., see Maestracci, D. (323) 113
Crane, R.K., see Malathi, P. (307) 613
Crane, R.K., see Schmitz, J. (323) 98
Craven, C.J. and Dawson, D.J.
The chain composition of tetanus toxin (317) 277
Crawford, N., see Harris, G.L.A. (291) 701
Crawford, N., see Harris, G.L.A. (291) 720
Creamer, L.K., see Richardson, B.C. (310) 111
Creamer, L.K., Wheelock, J.V. and Samuel, D.
The distribution of glyco-κ-casein and carbohydrate-free κ-casein between large and small bovine casein micelles, and its implication in micelle structure (317) 202
Creed, H., see Webb, M. (324) 143
Crevat, A., see Chauvet-Monges, A.M. (304) 748

Criddle, R.S., see Packer, L. (292) 92
Critchley, C. and Heinz, E.
Characterization and enzymatic synthesis of acyl galactosyl monoglyceride (326) 184
Critchley, D.R. and Macpherson, I.
Cell density dependent glycolipids in NIL2 hamster cells, derived malignant and transformed cell lines (296) 145
Crittenden, L.B., see Smith, E.J. (298) 608
Croft, L.R.
Amino and carboxy terminal sequence of γ-crystallin, from haddock lens (295) 174
Crofts, A.R., see Evans, E.H. (292) 130
Crofts, A.R., see Jackson, J.B. (292) 218
Cross, G.A.M., see Hill, G.C. (305) 590
Cuadrado, R.R. and Bricker, L.A.
An abnormality of hepatic lipogenesis in a mutant strain of "Acatalasemic" mice (306) 168
Cuatrecasas, P., see Bennett, V. (311) 362
Cullen, A.M., see Christensen, H.N. (298) 932
Cunningham, W.D., see Urry, D.W. (292) 853
Curry, M.D., see McConathy, W.J. (326) 406
Curti, B., Ronchi, S., Branzoli, U., Ferri, G. and Williams, Jr, C.H.
Improved purification, amino acid analysis and molecular weight of homogeneous D-amino acid oxidase from pig kidney (327) 266
Curzon, G., see Byers, W. (310) 38
Cushman, D.W., see Cheung, H.S. (293) 451
Cutroneo, K.R. and Scott, D.F.
The diurnal variation of peptidyl proline hydroxylase activity in different tissues of the rat (320) 227
Cutting, J.A. and Roth, T.F.
Changes in specific sequestration of protein during transport into the developing oocyte of the chicken (298) 951
Cybulsky, R., see Bihler, I. (298) 429
Czech, M.P., Lynn, D.G. and Lynn, W.S.
Phlorizin–receptor interactions in fat cell plasma membranes (323) 639
Czech, M.P. and Lynn, W.S.
Stimulation of glucose metabolism by lectins in isolated white fat cells (297) 368
Czerlinski, G. and Bracokova, V.
Kinetics and equilibria among the multiple forms of ferricytochrome c (295) 480
Cerbone, F., see Sacchi, A. (308) 390
Cerda, J., see Schmitz, J. (323) 98
Cereijido, M., see Rabito, C.A. (311) 630
Ceri, H. and Maeba, P.Y.
Association of a ribonuclease with the 50-S ribosomal subunit of Escherichia coli MRE 600 (312) 337
Cerletti, P., see Zanetti, G. (321) 41
Cerny, E.A., see Rahman, Y.E. (321) 526
Ceulen, M.Th.E., see Van Dorp, B. (299) 65
Cervone, F., Diaz Brito, J., di Prisco, G., Garofano, F., Gutierrez Noroña, L., Traniello, S. and Zito, R.
Simple procedures for separation and identification of bovine milk whey proteins (295) 555
Chabaud, O., see Bouchilloux, S. (322) 401
Chabaud, O., see Torresani, J. (322) 421

D

Daae, L.N.W.
Glycerol-3-phosphate acylation in different rat organs and in the liver of different species (including man) (306) 186
Daemen, F.J.M.
Vertebrate rod outer segment membranes (300) 255
Daemen, F.J.M., see Baadenhuijsen, H. (298) 690
Daemen, F.J.M., see De Grip, W.J. (303) 189
Daemen, F.J.M., see De Grip, W.J. (323) 125
Daemen, F.J.M., see De Grip, W.J. (325) 315
Daemen, F.J.M., see Hendriks, Th. (330) 156
D'Agnolo, G., Rosenfeld, I.S., Awaya, J., Omura, S. and Vagelos, P.R.
Inhibition of fatty acid synthesis by the antibiotic cerulenin: Specific inactivation of β-ketoacyl-acyl carrier protein synthetase (326) 155
Dahl-Hansen, A.B., see Clausen, T. (298) 393
Dahl-Hansen, A.B. and Clausen, T.
The effect of membrane stabilizers and ouabain on the transport of Na^+ and K^+ in rat soleus muscle (318) 147
Dainko, J.L., see Schlenk, F. (320) 357
Dalgleisch, D.G., see Holt, C. (328) 428
Dalton, B.P., see Hochstein, L.I. (302) 216
Dalton, H. and Zubieta, J.
Ferredoxin from Veillonella alcalescens (322) 133
Daly, J.W., see Huang, M. (329) 147
Dalziel, K., see Bell, J.E. (309) 237
Dambach, G., see Friedmann, N. (307) 399
Damerau, W., see Lassmann, G. (310) 298
Damjanovich, S., see Gáspár, Jr, R. (315) 191
Dancis, J., see Yip, L.C. (293) 359
Daniel, E.E., see Kidwai, A.M. (298) 593
Daniel, E.E., see Rangachari, P.K. (323) 297
Danks, D.M., see Connellan, J.M. (293) 48
Danø, K.
Active outward transport of daunomycin in resistant Ehrlich ascites tumor cells (323) 466
Danzig, M., see Shapiro, R. (319) 5
Danzo, B.J.
Characterization of a receptor for human chorionic gonadotrophin in luteinized rat ovaries (304) 560
Darimont, E., Schwachhofer, K. and Gaspar, Th.
Isoperoxydases et hydroxyproline dans les parois cellulaires des racines de lentille (321) 461
Dasgupta, N.N., see Dasgupta, S. (294) 38
Dasgupta, S., Misra, D.N. and Dasgupta, N.N.
Electron microscopic and spectrophotometric studies on DNA–proflavin complexes (294) 8
Datta, A., Camerini-Otero, R.D., Braunstein, S.N. and Franklin, R.M.
Proteins of the cell envelope of a marine pseudomonad, Pseudomonas BAL-31 (311) 163
Dattagupta, N., see Bünemann, H. (331) 341
Daussant, J., see Niku-Paavola, M.-L. (322) 181
Dautigny, A., Bernier, I., Colombani, J. and Jollès, P.
Purification and characterization of HL-A antigens from human platelets, solubilized by the non-ionic detergent NP-40 (298) 783
Davies, J.V., see Phillips, G.O. (295) 8
Davies, T.H.
Ferriprotoporphyrin and its imidazole complex in aqueous–ethanolic solution (329) 108
Davis, E.J., see Bremer, J. (326) 262
Davis, K.A., Hatefi, Y., Poff, K.L. and Butler, W.L.
The b-type cytochromes of bovine heart mitochondria: Absorption spectra, enzymatic properties, and distribution in the electron transfer complexes (325) 341
Davis, L.C., see Shah, V.K. (292) 246
Davis, M.A.F., Hauser, H., Leslie, R.B. and Phillips, M.C.
Protein hydrophobicity and protein–lipid interaction (317) 214
Davis, S., see Schmidt, M.E. (308) 324
Dawson, D.J., see Craven, C.J. (317) 277
Day, R.A., see Patil, G.V. (293) 490
Day, W.A., see Slack, J.R. (323) 547
Deamer, D.W., see Morse, P.D. (298) 769
Dean, B.R. and Homer, R.B.
The use of a fluorescently labelled sugar to investigate binding by Concanavalin A (322) 141
De Billy, G., see Lefauconnier, J.-M. (297) 135

De Boer, B.L., see Van de Stadt, R.J. (292) 338
De Bruin, S.H. and Janssen, L.H.M.
Comparison of the oxygen and proton binding behavior of human hemoglobin A and A_2 (295) 490
De Bruyne, C.K., see Van Wauwe, J.P. (313) 99
DeBusk, A.G., see Rao, T.K. (323) 619
De Cespedes, C., see Christensen, H.N. (300) 487
Decker, K., see Jungermann, K. (305) 268
De Clercq, E. and Claes, P.J.
A more sensitive assay system for the detection of RNA-dependent DNA polymerase in oncogenic RNA viruses (331) 328
De Clercq, E. and Janik, B.
Antiviral activity of polynucleotides: Poly(2'-fluoro-2'-deoxyuridylic acid) (324) 50
Decroly, M. and Goldfinger, M.
A study of the dissociation of the ribosomes of Xenopus laevis at various stages of development (324) 510
De Czekala, A., see Cook, A.F. (324) 433
Deeney, A.O.C., see Weber, G.H. (299) 8
Deery, D.J. and Howell, S.L.
Rat anterior pituitary adenyl cyclase activity: GTP requirement of prostaglandin E_1 and E_2 and synthetic luteinising hormone releasing hormone activation (329) 17
Degand, P., see Lamblin, G. (322) 372
Degand, P., Roussel, P., Lamblin, G. and Havez, R.
Purification and study of bronchogenic cysts mucins (320) 318
De Gier, J., see McElhaney, R.N. (298) 500
De Greef, W.J., see De Kruyff, B. (298) 479
De Grip, W.J., Bonting, S.L. and Daemen, F.J.M.
The binding site of retinaldehyde in cattle rhodopsin (303) 189
De Grip, W.J., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXII. Amino group modification in bovine rod photoreceptor membranes (323) 125
De Grip, W.J., van de Laar, G.L.M., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXIII. Sulfhydryl groups and rhodopsin photolysis (325) 315
De Groot, J.J.M.C., Garssen, G.J., Boldingh, J. and Vliegenthart, J.F.G.
The detection of linoleic acid radicals in the anaerobic reaction of lipoxygenase (326) 279
DeGuehery, L.E., see Lenz, D.E. (321) 189
De Haan, E.J., see Gimpel, J.A. (292) 582
Deinum, J. and Vänngärd, T.
The stoichiometry of the paramagnetic copper and the oxidation–reduction potentials of type 1 copper in human ceruloplasmin (310) 321
De Jong, J.G.N., see Van den Bosch, H. (296) 94
De Jong, J.G.N., van den Bosch, H., Aarsman, A.J. and van Deenen, L.L.M.
Studies on lysophospholipases. II. Substrate specificity of a lysolecithin hydrolysing carboxylesterase from beef pancreas (296) 105
De Jong, J.W. and Kalkman, C.
Myocardial adenosine kinase: comparative localization study with rapid, radiometric assay (320) 388
De Körösy, F. and Taboch, M.F.
Effect of colloidal silicic acid on lecithin bilayers (291) 608
De Kruyff, B., de Greef, W.J., van Eyk, R.V.W., Demel, R.A. and van Deenen, L.L.M.
The effect of different fatty acid and sterol composition on the erythriol flux through the cell membrane of Acholeplasma laidlawii (298) 479
De Kruyff, B., Demel, R.A., Slotboom, A.J., van Deenen, L.L.M. and Rosenthal, A.F.
The effect of the polar headgroup on the lipid–cholesterol interaction. A monolayer and differential scanning calorimetry study (307) 1
De Kruyff, B., see Rottem, S. (323) 509
De Kruyff, B., van Dijck, P.W.M., Goldbach, R.W., Demel, R.A. and van Deenen, L.L.M.
Influence of fatty acid and sterol composition on the lipid phase transition and activity of membrane-bound enzymes in Acholeplasma laidlawii (330) 269
De Kruyff, B., see Verkleij, A.J. (291) 577
DeLac, J., see Steiner, R.F. (294) 24
De Laey, P., see Ugolev, A.M. (300) 105
DeLarco, J.E. and Liener, I.E.
Involvement of an arginine residue of trypsin in its interaction with the Kunitz soybean (303) 274
Delaunay, A., see Bailey, A.J. (328) 383
Delaunay, J., Loeb, J.E., Pierre, M. and Schapira, G.
Mammalian ribosomal proteins: Studies on the in vitro phosphorylation patterns of ribosomal proteins from rabbit liver and reticulocytes (312) 147
Deller, D.J., see Mackinnon, A.M. (319) 1
Delosme, R., see Renger, G. (292) 796

Delovitch, T.L., Boyd, S.L., Tsay, H.M., Holme, G. and Sehon, A.H.
The specific immunoprecipitation of polyribosomes synthesizing an immunoglobulin light chain (299) 621
De Luca, L., see Bonanni, F. (297) 441
De Lumen, B.O. and Tappel, A.L.
Histone hydrolase activity of rat liver lysosomal cathepsin B2 (293) 217
Deman, J., Mareel, M. and Bruyneel, E.
Effects of calcium and bound sialic acid on the viscosity of mucin (297) 486
De Martínez, N.R. and Olavarria, J.M.
The sialic acids of toad oviduct mucoprotein (320) 295
De Martinez, N.R. and Olavarria, J.M.
Metabolism of sialic acids in toad oviduct (320) 301
De Meester, P., Goodgame, D.M.L., Skapski, A.C. and Warnke, Z.
X-ray evidence for adenine N(1)-metal bonding in a cobalt-9-methyladenine complex (324) 301
Demel, R.A., see De Kruyff, B. (298) 479
Demel, R.A., see De Kruyff, B. (307) 1
Demel, R.A., see De Kruyff, B. (330) 269
Demel, R.A., see London, Y. (311) 520
Demel, R.A., London, Y., Geurts van Kessel, W.S.M., Vossenberg, F.G.A. and van Deenen, L.L.M.
The specific interaction of myelin basic protein with lipids at the air–water interface (311) 507
Demel, R.A., see Verkleij, A.J. (291) 577
Demers, L.M., Gabbe, S.G., Villee, C.A. and Greep, R.O.
Human chorionic gonadotrophin-mediated glycogenolysis in human placental villi; a role of prostaglandins (313) 202
DeMoss, R.D., see Cowell, J.L. (315) 449
DeMoss, R.D., see Whitt, D.D. (309) 486
Demus, H.
Subcellular fractionation of human lymphocytes. Isolation of two plasma membrane fractions and comparison of the protein components of the various lymphocytic organelles (291) 93
De Nayer, Ph., Labrique, M. and de Visscher, M.
Synthesis and association of thyroglobulin subunits in a polyribosomal cell-free system (294) 309
Denburg, J.L.
Solubilization and properties of the soluble axonal cholinergic binding macromolecule (298) 967
Den Haan, G.A., Warden, J.T. and Duysens, L.N.M.
Kinetics of the fluorescence yield of chlorophyll a_2 in spinach chloroplasts at liquid nitrogen temperature during and following a 16 μs flash (315) 120
Denhardt, D.T., see Kato, A.C. (308) 68
Denner, W.H.B., see Stokes, A.M. (302) 64
Denner, W.H.B., see Stokes, A.M. (315) 402
Denner, W.H.B., Stokes, A.M., Rose, F.A. and Dodgson, K.S.
Separation and properties of the soluble 3′-phosphoadenosine 5′-phosphosulphate-degrading enzymes of bovine liver (315) 394
Deol, B.S., Bermingham, M.A.C., Still, J.L., Haydon, D.A. and Gale, E.F.
The action of serratamolide on ion movement in lipid bilayers and biomembranes (330) 192
De Pont, J.J.H.H.M., see Baadenhuijsen, H. (298) 690
De Pont, J.J.H.H.M., see Hendriks, Th. (330) 156
De Pont, J.J.H.H.M., see Rutten, W.J. (315) 378
De Pont, J.J.H.H.M., see Rutten, W.J. (315) 384
De Pont, J.J.H.H.M., van Prooijen-van Eeden, A. and Bonting, S.L.
Studies on Na^+–K^+-activated ATPase. XXXIV. Phosphatidylserine not essential for (Na^+–K^+)–ATPase activity (323) 487
De Pont, J.J.H.H.M., see Vreeswijk, J.H.A. (330) 173
De Ridder, J.J.M., Kleverlaan, N.T.M., Verdouw-Chamalaun, C.V.M., Schippers, P.G.M. and van Dam, K.
Uncoupler-stimulated choline oxidation by rat-liver mitochondria (325) 397
De Ridder, J.J.M. and van Dam, K.
The efflux of betaine from rat-liver mitochondria, a possible regulating step in choline oxidation (291) 557
De Robertis, E., see Ochoa, E.L.M. (295) 528
DerVartanian, D.V., Albracht, S.P.J., Berden, J.A., van Gelder, B.F. and Slater, E.C.
The EPR spectrum of isolated complex III (292) 496
DerVartanian, D.V., Iburg, L.K. and Morgan, T.V.
EPR studies on phosphorylating particles from Azotobacter vinelandii (305) 173
DeSimone, R.E., Penley, M.W., Charbonneau, L., Smith, S.G., Wood, J.M., Hill, H.A.O., Pratt, J.M., Ridsdale, S. and Williams, R.J.P.

The kinetics and mechanism of cobalamin-dependent methyl and ethyl transfer to mercuric ion (304) 851
Desmars, J.F. and Tawashi, R.
Dissolution and growth of calcium oxalate monohydrate. I. Effect of magnesium and pH (313) 256
Desnuelle, P., see Baratti, J. (315) 147
Desnuelle, P., see Dufour, C. (327) 101
Desnuelle, P., see Esposito, S. (302) 293
Desnuelle, P., see Louvard, D. (291) 747
Desnuelle, P., see Louvard, D. (309) 127
De Tomas, M.E., Peluffo, R.O. and Mercuri, O.
Effect of dietary glycerol on the [1-^{14}C]-stearic acid and [1-^{14}C]linoleic acid desaturation of normal and diabetic rats (306) 149
Dettman, G.L. and Stanley, Jr, W.M.
The ternary complex of initiation factor IF-I, Met-tRNA$_f^{Met}$ and GTP. An aurintricarboxylate-sensitive intermediate in the initiation of eukaryotic protein synthesis (299) 142
Deuticke, B., Kim, M. and Zöllner, C.
The influence of amphotericin B on the permeability of mammalian erythrocytes to nonelectrolytes, anions and cations (318) 345
DeVault, D., see Izawa, S. (314) 328
De Villiers Graaff, G. and von Holt, C.
Enzymatic histone modification during the induction of tyrosine aminotransferase with insulin and hydrocortisone (299) 480
De Visscher, M., see De Nayer, Ph. (294) 309
De Vries, A., see Barzilay, M. (311) 576
De Vries, A., see Kirschmann, C. (330) 167
De Vries, H., Arendzen, A.J. and Kroon, A.M.
The interference of the macrolide antibiotics with mitochondrial protein synthesis (331) 264
Dewey, H.K., see Greengard, O. (329) 241
DeW. Horrocks, Jr, W. and Greenberg, E.S.
Evaluation of dipolar nuclear magnetic resonance shifts in low-spin hemin systems: Ferricytochrome c and metmyoglobin cyanide (322) 38
Dey, P.M.
β-L-arabinosidase from Cajanus indicus: A new enzyme (302) 393
De Zwaan, A., see Holwerda, D.A. (309) 296
Dhalla, N.S., see Sulakhe, P.V. (293) 379
Dhalla, N.S., Sulakhe, P.V. and McNamara, D.B.
Studies on the relationship between adenylate cyclase activity and calcium transport by cardiac sarcotubular membranes (323) 276
Dhopeshwarkar, G.A., Subramanian, C. and Mead, J.F.
Metabolism of [1-^{14}C]palmitic acid in the developing brain: Persistence of radioactivity in the carboxyl carbon (296) 257
Diaz Brito, J., see Cervone, F. (295) 555
Dickinson, D.B., see Hopper, J.E. (309) 307
Diczfaluzy, E., see Cekan, Z. (296) 196
Dietrich, S.M.C.
Carbohydrates from the hyphal walls of some oomycetes (313) 95
Dietschy, J.M., see Sherrill, B.C. (311) 261
Di Girolamo, M., see Busiello, E. (312) 581
Dilley, R.A., see Selman, B.R. (292) 566
Dils, R., see Carey, E.M. (306) 156
Dilworth, M.J., see Broughton, W.J. (317) 266
Dimov, V. and Gréen, K.
Prostaglandin $F_{3\alpha}$ metabolism in the rat (306) 257
Diner, B. and Mauzerall, D.
Photosynthetic oxygen production and the size of the photosynthetic unit in a cell-free preparation from Cyanidium caldarium (292) 285
Diner, B. and Mauzerall, D.
Feedback controlling oxygen production in a cross-reaction between two photosystems in photosynthesis (305) 329
Diner, B. and Mauzerall, D.
The turnover times of photosynthesis and redox properties of the pool of electron carriers between the photosystems (305) 353
Dingle, J.T., see Morrison, R.I.G. (302) 411
Dini, M., see Harry, D.S. (296) 209
DiPolo, R.
Sodium-dependent calcium influx in dialyzed barnacle fibers (298) 279
Di Prisco, G., see Cervone, F. (295) 555
Dirheimer, G., see Gangloff, J. (294) 263
Ditjatkin, S.J., see Sabelnikov, A. (299) 492
Djembo-Taty, M., see Nagy, M. (309) 1
Dodd, C.M., see Carmichael, D.J. (317) 187
Dodgson, K.S., see Denner, W.H.B. (315) 394
Dodgson, K.S., see Stokes, A.M. (302) 64
Dodgson, K.S., see Stokes, A.M. (315) 402
Dognin, J., Girardet, J.L. et Chapron, Y.
Polarographic study of the mobilization of ferritin iron (297) 276
Doherty, J.M., see Bonkowsky, H.L. (320) 561
Dolgilevich, S.M., see Gause, Jr, G.G. (312) 179

Domenech, C.E., Machado de Domenech, E.E. and Blanco, A.
Molecular forms of L-α-hydroxy acid oxidase from rat kidney (321) 54
Donald, A.S.R.
The products of pronase digestion of purified blood group specific glycoproteins (317) 420
Donaldson, Jr, R.M., Small, D.M., Robins, S. and Mathan, V.I.
Receptors for vitamin B_{12} related to ileal surface area and absorptive capacity (311) 477
Donaldson, W.E.
Glucose stimulation of fatty acid desaturation in liver of newly-hatched chicks (316) 8
Dondon, L., see Thang, M.N. (312) 685
Donlon, J. and Fottrell, P.F.
Purification and characterization of one of the forms of peptide hydrolases from guinea-pig small intestinal mucosa (327) 425
Donlon, M., see Lesko, L. (311) 173
Donnell, G.N., see Bergren, W.R. (315) 464
Doree, M. and Guern, J.
Short time metabolism of some exogenous cytokinins in Acer pseudoplatanus cells (304) 611
Dorling, P.R. and Le Page, R.N.
A rapid yield method for the preparation of rat liver cell plasma membranes (318) 33
Dorozhko, A.I., see Kagan, Z.S. (302) 110
Dorrington, K.J., see Lapanje, S. (322) 45
Douce, R., Mannella, C.A. and Bonner, Jr, W.D.
External NADH dehydrogenases of intact plant mitochondria (292) 105
Douce, R., see McCarty, R.E. (316) 266
Doudney, C.O.
Rifampicin limitation of DNA synthesis in ultraviolet-damaged bacteria: Evidence for postirradiation replication synchrony (312) 243
Dowben, R.M., see Birckbichler, P.J. (291) 149
Dowman, J.E. and Meynell, G.G.
Chromosomal DNA and plasmid DNA of bacteria: Interaction with crystals of cadmium lauroyl sarkosinate (299) 218
Downs, F., Herp, A., Moschera, J. and Pigman, W.
Beta-elimination and reduction reactions and some applications of dimethylsulfoxide on submaxillary glycoproteins (328) 182
Draber, W., see Hauska, G. (305) 632
Drabikowski, W., Łagwińska, E. and Sarzała, M.G.
Filipin as a fluorescent probe for the location of cholesterol in the membranes of fragmented sarcoplasmic reticulum (291) 61
Drabikowski, W. and Nowak, E.
Interaction of F-actin with troponin constituents (328) 470
Drevin, H., see Karlsson, E. (328) 510
Drewes, L.R. and Gilboe, D.D.
Cerebral metabolite and adenylate energy charge recovery following ten minutes of anoxia (320) 701
Drews, G., see King, M.T. (305) 230
Dreyfus, J.-C., see Poenaru, L. (303) 171
Drouet, J., see Corvol, P. (322) 392
Drummond, H.B., see Fevold, H.R. (313) 211
Dubois, P., see Berthillier, G. (293) 370
Dubois, P., see Martel, M.B. (311) 565
Duckworth, D.H., see Pollock, P.N. (322) 321
Duda, C.T., Zaitlin, M. and Siegel, A.
In vitro synthesis of double-stranded RNA by an enzyme system isolated from tobacco leaves (319) 62
Dudek-Wojciechowska, G.A., Kłoczewiak, M., Latallo, Z.S. and Kopeć, M.
Characterization of large fragments rich in disulphide bridges from CNBr treated products of exhaustive proteolysis of fibrinogen by plasmin (295) 536
Dudman, N.B.P. and Zerner, B.
Lactate dehydrogenase: Electrophoretic behaviour, electron microscopy and structure (310) 248
Dudock, B., see Roe, B. (319) 25
Duffield, A.M., see Pereira, W.E. (313) 170
Dufour, C., Sémériva, M. and Desnuelle, P.
The role of carboxyl groups in the activity of pancreatic lipase (327) 101
Duffy, M.J. and Schwarz, V.
Calcium binding by the erythrocyte membrane (330) 294
Duiguid, D.L., see Esmon, C.T. (310) 289
Dulčić, A. and Herak, J.N.
Radiation-induced pair-wise radical formation in single crystals of thymine (319) 109
Duma, H., see Efremov, G.D. (328) 81
Dumas, P., Mazière, B., Autissier, N., Michel, R. et Süe, P.
Spécificité de l'iodotyrosine désiodase des microsomes thyroïdiens et hépatiques (293) 36
Dumont, J.E., see Lecocq, R.E. (299) 304
Dumont, J.E., see Van Sande, J. (313) 320

Dumont, J.E., see Vassart, G. (324) 575
Dunea, G., see Zeineh, R.A. (317) 1
Dunn, A., see Hemington, J.G. (304) 552
Dunnill, P., see Foster, P.R. (317) 505
Dupaix, A., see Alazard, R. (309) 379
Duram, H.A., see Levine, R.P. (325) 565
Durand, H., see Attias, J. (321) 561
Duranton, H., see Peter, R. (317) 240
Duranton, H., see Stehelin, D. (317) 253
Durbin, R.P. and Kircher, A.B.
A surface p-nitrophenyl phosphatase of frog gastric mucosa (321) 553
Dutta, S.K.
Transcription of non-repeated DNA in Neurospora crassa (324) 482
Dutton, P.L., see Jackson, J.B. (325) 102
Dutton, P.L. and Leigh, J.S.
Electron spin resonance characterization of Chromatium D hemes, non-heme irons and the components involved in primary photochemistry (314) 178
Dutton, P.L., Leigh, Jr, J.S. and Reed, D.W.
Primary events in the photosynthetic reaction centre from Rhodopseudomonas spheroides strain R26: Triplet and oxidized states of bacteriochlorophyll and the identification of the primary electron acceptor (292) 654
Duysens, L.N.M., see Den Haan, G.A. (325) 120
Dworkin, C., see Bartsch, H. (304) 42
Dysard, R., see Kessel, D. (312) 716
Dzialoszynski, L. and Hofmann, T.
Competitive inhibition of pancreatic elastase (302) 406

E

Eaker, D., see Karlsson, E. (328) 510
Eapen, J., see Narayanan, N. (312) 413
Easterby, J.S.
Coupled enzyme assays: A general expression for the transient (293) 552
Eaton, C.A., see Wedmid, Y. (326) 439
Eaton, M.A.W. and Hutchinson, D.W.
Poly(5-hydroxycytidylic acid) (319) 281
Ebel, H., see Sharp, G.W.G. (309) 339
Ebert, B., see Lassmann, G. (310) 298
Ebert, M., see Farrington, J.A. (314) 372
Eby, D., Salthe, S. and Lukton, A.
Frog lactate dehydrogenase: Kinetics at physiological enzyme levels (327) 227
Echols, W.H., see Neihof, R. (318) 23
Eckert, E.A., see Kendal, A.P. (317) 28
Edelmann, K., see Strotmann, H. (314) 202
Edenberg, H.J. and Hanawalt, P.C.
The timecourse of DNA repair replication in ultraviolet-irradiated HeLa cells (324) 206
Edminson, P.D., Siebke, J.-C. and Tjötta, E.
The effects of insulin, serum and glucose on total assayable activity and on soluble debris-bound and latent activity of the hexokinases of normal and polyoma virus-transformed BHK 21 cells (320) 33
Edmunds, Jr, L.N., see Sulzman, F.M. (320) 594
Edwards, G.S. and Allfrey, V.G.
Aflatoxin B1 and actinomycin D effects on histone acetylation and deacetylation in the liver (299) 354
Edwards, P.A.W.
Evidence for the carrier model of transport from the inhibition by N-ethylmaleimide of choline transport across the human red cell membrane (311) 123
Edwards, P.A.W.
The inactivation by fluorodinitrobenzene of glucose transport across the human erythrocyte membrane: The effect of glucose inside or outside the cell (307) 415
Efremov, G.D., Duma, H., Ruvidic, R., Rolovic, Z., Wilson, J.B. and Huisman, T.H.J.
Hemoglobin Beograd or $\alpha_2\beta_2^{Glu\rightarrow Val}$ (GH4) (328) 81
Egan, B.Z.
Separation of oligonucleotides by reversed-phase chromatography (299) 245
Egelrud, T.
Reversible binding of lipoprotein lipase from hen adipose tissue to insolubilized heparin (296) 124
Egelrud, T. and Olivecrona, T.
Purified bovine milk (lipoprotein) lipase: Activity against lipid substrates in the absence of exogenous serum factors (306) 115
Egelstaff, P.A., see Bartlett, M.W. (328) 213
Eggenton, J., see Hardcastle, P.T. (298) 95
Egmond, M.R., Vliegenthart, J.F.G. and Boldingh, J.
Synthesis of 11(n−6)L$_S$ tritium-labelled linoleic acid (316) 1
Egyed, A.
The significance of transferrin-bound bicarbonate in the uptake of iron by reticulocytes (304) 805
Ehrenberg, A., see Eriksson, L.E.G. (295) 57
Ehrlich, S.D., see Bertazzoni, U. (312) 192
Ehrlich, S.D., Thiery, J.-P. and Bernardi, G.
Pyrimidine tracts of the (A+T)-rich satellite DNA from Cancer pagurus (312) 633
Eichberg, J., see Hauser, G. (326) 201
Eichberg, J., see Hauser, G. (326) 210
Eicholz, A., see Swaminathan, N. (298) 724
Eilam, Y. and Stein, W.D.
The sodium efflux from human red blood cells (323) 606
Eilermann, L.J.M., see Bening, G.J. (292) 402
Einarsson, M., see Joner, P.E. (327) 146
Eisenbarth, G.S., Beuttel, S.C. and Lebovitz, H.E.
Fatty acid inhibition of somatomedin (serum sulfation factor) stimulated protein and RNA synthesis in embryonic chicken cartilage (331) 397
Eisenberg, S., see Bierman, E.L. (329) 163
Eisenberg, S., Bilheimer, D.W., Lindgren, F.T. and Levy, R.I.
On the metabolic conversion of human

plasma very low density lipoprotein to low density lipoprotein (326) 361
Eisenberg, R.S., see Leung, J. (298) 718
Eisenberg, S. and Rachmilewitz, D.
Metabolism of rat plasma very low density lipoprotein. I. Fate in circulation of the whole lipoprotein (326) 378
Eisenberg, S. and Rachmilewitz, D.
Metabolism of rat plasma very low density lipoprotein. II. Fate in circulation of apoprotein subunits (326) 391
Ekwall, K. and Mannervik, B.
Determination of the stereochemical configuration of S-lactoylglutathione formed by the action of glyoxalase I from porcine erythrocytes and yeast (297) 297
Elbers, P.F., see Ververgaert, P.H.J.Th. (311) 320
Elbers, P.F., see Ververgaert, P.H.J.Th. (311) 651
Elgersma, O., see Brandon, P.C. (292) 753
Elharrar, M., Hirth, C., Blanc, J. et Kirn, A.
Pathogénie de l'hépatite toxique de la souris provoquée par le fv 3 (Frog virus 3): Inhibition de la synthèse des macromolécules du foie (319) 91
Eliceiri, G.L.
Cytoplasmic ribosomal RNA of hamster–mouse hybrid cells (312) 737
Elion, J., Belkhodha, O., Wajcman, H. and Labie, D.
Two variants of hemoglobin D in the Algerian population: hemoglobin D Ouled Rabah β19 (B1) Asn→Lys; hemoglobin D Iran β22 (B4) Glu→Gln (310) 360
Elkind, M.M., see Ben-Hur, E. (331) 181
Ellar, D.J., see Thomas, T.E. (316) 180
Ellis, R.J., see Blair, G.E. (319) 223
Ellory, J.C., see Fortes, P.A.G. (318) 262
Ellory, J.C., see Lew, V.L. (323) 251
Ellsworth, R.K. and Hsing, A.S.
The reduction of vinyl side-chains of Mg–protoporphyrin IX monomethyl ester in vitro (313) 119
Elmore, D.T., see Holohan, K.N. (322) 178
Elmore, D.T., see Murphy, R.F. (303) 118
Elmslie, R.G., see Barns, R.J. (321) 624
Elsbach, P., see Franson, R. (296) 365
Elsbach, P. and Pettis, P.
Phospholipase activity associated with serum albumin (296) 89
Elson, C., Shrago, E., Sondheimer, E. and Yatvin, M.
Acceleration of gluconeogenesis following inhibition of protein synthesis in Tetrahymena pyriformis (297) 125
Elstner, E.F. and Heupel, A.
On the decarboxylation of α-keto acids by isolated chloroplasts (325) 182
Elstner, E.F. and Kramer, R.
Role of the superoxide free radical ion in photosynthetic ascorbate oxidation and ascorbate-mediated photophosphorylation (314) 340
Ely, S., see Gray, C.T. (325) 72
Emmelot, P., see Van Blitterswijk, W.J. (298) 577
Endo, Y., Seno, H., Tominaga, H. and Natori, Y.
Effects of inhibitors of protein or RNA synthesis on messenger RNA turnover rate in rat liver (299) 114
Engel, A.M. and Alexander, B. (320) 687
Engel, K.J.M., see Van der Zeijst, B.A.M. (294) 517
Engel, R.R., Modler, S., Matsen, J.M. and Petryka, Z.J.
Carbon monoxide production from hydroxycobalamin by bacteria (313) 150
Engelhardt, D.L., see Hassell, J.A. (324) 545
Enger, M.D., Campbell, E.W. and Walters, R.A.
Effects of ionizing radiation on RNA metabolism in cultured mammalian cells. I. Specific effects during division delay following exposure to X irradiation (324) 120
Ennis, H.L., Kievitt, K.D. and Peterson, R.F.
Requirement for K^+ for in vivo synthesis of Escherichia coli and Bacillus subtilis cell constituents (294) 87
Entlicher, G., see Kubánek, J. (304) 93
Epel, B.L. and Neumann, J.
The mechanism of the oxidation of ascorbate and Mn^{2+} by chloroplasts: The role of the radical superoxide (325) 520
Epton, R., McLaren, J.V. and Thomas, T.H.
Water-insoluble polyacrylamide–thermolysin conjugates (328) 418
Erbing, B., see Helting, T. (293) 94
Erdmann, E., see Kaniike, K. (298) 901
Erdmann, E. and Schoner, W.
Ouabain–receptor interactions in $(Na^+ + K^+)$-ATPase preparations from different tissues and species. I. Determination of kinetic constants and dissociation constants (307) 386
Erdmann, E. and Schoner, W.
Ouabain–receptor interactions in $(Na^+ + K^+)$-ATPase preparations. II. Effect of cations

and nucleotides on rate constants and dissociation constants (330) 302
Erdmann, E. and Schoner, W.
Ouabain–receptor interactions in $(Na^+ + K^+)$-ATPase preparations. III. On the stability of the ouabain receptor against physical treatment, hydrolases and SH reagents (330) 316
Erdös, E.G., see Kakimoto, T. (302) 178
Erdös, E.G., see Nakajima, T. (315) 430
Erecínska, M., Oshino, N., Loh, P. and Brocklehurst, E.
In vitro studies on yeast cytochrome c peroxidase and its possible function in the electron transfer and energy coupling reactions (292) 1
Erfle, J.D.
Acetyl-CoA and propionyl-CoA carboxylation by Mycobacterium phlei. Partial purification and some properties of the enzyme (316) 143
Erfle, J.D., see Mahadevan, S. (296) 234
Eriksson, B., see Augustinsson, K.-B. (293) 424
Eriksson, L.E.G. and Ehrenberg, A.
On the powder ESR and ENDOR spectra of flavoprotein radicals (295) 57
Erlanson, C., Fernlund, P. and Borgström, B.
Purification and characterization of two proteins with co-lipase activity from porcine pancreas (310) 437
Ernster, L., see Swanljung, P. (305) 519
Ersson, B., Aspberg, K. and Porath, J.
The phytohemagglutinin from sunn hemp seeds (Crotalaria juncea). Purification by biospecific affinity chromatography (310) 446
Esmon, C.T., Owen, W.G., Duiguid, D.L. and Jackon, C.M.
The action of thrombin on blood clotting factor V: Conversion of factor V to a prothrombin-binding protein (310) 289
Esposito, S., Sémériva, M. and Desnuelle, P.
Effect of surface pressure on the hydrolysis of ester monolayers by pancreatic lipase (302) 293
Essig, A., see Saito, T. (318) 371
Estrugo, S.F., Coll, J., Leal, J.A. and Muñoz, E.
Molecular organization in bacterial cell membranes. II. Reevaluation and identification of some chemical components of Micrococcus lysodeikticus membranes (311) 153
Evans, C.H., see Chelton, E.T.J. (312) 38
Evans, D.J.R., see Hancock, R.G.V. (320) 486
Evans, E.H. and Crofts, A.R.
Relationship between delayed fluorescence and the H^+ gradient in chloroplasts (292) 130
Evans, H.J., see Wildes, R.A. (307) 162
Evans, I., Linstead, D., Rhodes, P.M. and Wilkie, D.
Inhibition of RNA synthesis in mitochondria by daunomycin (312) 323
Evans, M.C.W., Telfer, A. and Smith, R.V.
The purification and some properties of the molybdenum–iron protein of Chromatium nitrogenase (310) 344
Evans, M.T.A., see Irons, L. (328) 433
Evans, P.D.
The uptake of L-glutamate by the peripheral nerves of the crab, Carcinus maenas (L) (311) 302
Evans, R.J., Pusztai, A., Watt, W.B. and Bauer, D.H.
Isolation and properties of protein fractions from navy beans (Phaseolus vulgaris) which inhibit growth of rats (303) 175
Evans, R.M. and Scholz, R.W.
Phosphopyruvate carboxylase of rat lung (321) 671
Evans, W.H., see Huang, F.L. (317) 394
Evard, R., see Slattery, C.W. (317) 529
Exton, J.H., Harper, S.C., Tucker, A.L., Flagg, J.L. and Park, C.R.
Effects of adrenalectomy and glucocorticoid replacement on gluconeogenesis in perfused livers from diabetic rats (329) 41
Exner, T. and Koppel, J.L.
Cholate enhancement of interaction between thrombin and tosyl lysine chloromethyl ketone (329) 233
Exner, T. and Koppel, J.L.
The effect of bile salts on the esterase activities of plasmin and some other enzymes (321) 303
Exton, J.H., Harper, S.C., Tucker, A.L. and Ho, R.-J.
Effects of insulin on gluconeogenesis and cyclic AMP levels in perfused livers from diabetic rats (329) 23
Eyre, D.R. and Glimcher, M.J.
Evidence for intramolecular crosslinks in chicken bone collagen: The isolation of peptides containing allysine aldol (295) 301
Ezekiel, D.H., Carlson, N. and Jenkins, T.
Incorporation of 5-methyltryptophan into the protein of Escherichia coli (312) 751

F

Fábián, F., see Faragó, A. (297) 517
Fabre, F. and Moustacchi, E.
Removal of pyrimidine dimers in cells of Schizosaccharomyces pombe mutated in different repair pathways (312) 617
Fachini, G., see Lugaro, G. (304) 719
Fager, R.S., see Mason, W.T. (306) 67
Faiferman, I., Pogo, A.O., Schwartz, J. and Kaighn, M.E.
Isolation and characterization of membrane-bound polysomes from ascites tumor cells (312) 492
Faillace, L.A., see Markley, H.G. (309) 23
Faillard, H., see Hof, L. (297) 561
Fairweather, R., see Tanzer, M.L. (310) 130
Fais, D., see Leutskaya, Z.K. (312) 103
Farace, M.G. and Bank, A.
Control of human hemoglobin synthesis: Translation of globin chains in heterozygotes with hemoglobin Riverdale-Bronx (312) 591
Faragó, A., Antoni, F., Takáts, A. and Fábián, F.
Adenosine 3′:5′-monophosphate-dependent and -independent histone kinases isolated from human tonsillar lymphocytes (297) 517
Farashyan, V.R., see Ryskov, A.P. (312) 152
Farías, R.N., see Bloj, B. (311) 67
Farías, R.N., see Goldemberg, A.L. (291) 489
Faris, B., see Lian, J.B. (328) 193
Farkaš, V., Biely, P. and Bauer, Š.
Extracellular β-glucanases of the yeast, Saccharomyces cerevisiae (321) 246
Farkas, W.R., Hankins, W.D. and Singh, R.
The guanylation of transfer RNA: An enzymatic reaction (294) 94
Farquharson, D.A., see Webb, G.D. (297) 313
Farrell, K.B., see Wright, Jr, G.L. (295) 396
Farrington, J.A., Ebert, M., Land, E.J. and Fletcher, K.
Bipyridylium quaternary salts and related compounds. V. Pulse radiolysis studies of the reaction of paraquat radical with oxygen. Implications for the mode of action of bipyridyl herbicides (314) 372
Fasella, P., see Careri, G. (310) 305
Fatkullina, L.G., see Gause, Jr, G.G. (312) 179
Faucon, J.F. and Lussan, C.
Aliphatic chain transitions of phospholipid vesicles and phospholipid dispersions determined by polarization of fluorescence (307) 459
Favre, L., Roussel, R. and Vallotton, M.B.
Influence of pH on human renin activity with different substrates: Role of substrate denaturation (302) 102
Favre, L. and Vallotton, M.B.
Kinetics of the reaction of human renin with natural substrates and tetradecapeptide substrate (327) 471
Fawcett, D.M., see Bagchi, N. (318) 235
Feather, M.S., see Stagg, C.M. (320) 64
Fee, J.A.
Studies on the reconstitution of bovine erythrocyte superoxide dismutase. I. The presence of four divalent metal binding sites on the apoprotein which are different from the native sites (295) 87
Fee, J.A.
Studies on the reconstitution of bovine erythrocyte superoxide dismutase. III. Evidence for a strong interdependence between Cu^{2+} and Zn^{2+} binding in the expression of the spectroscopic properties of the native protein and for a close proximity of the Zn^{2+} and Cu^{2+} sites (295) 107
Fee, J.A.; Natter, R. and Baker, G.S.T.
Studies on the reconstitution of bovine erythrocyte dismutase. II. Some observations on the nature of catalyzed superoxide anion dismutation as an enzymatic activity (295) 96
Feher, G., see Scholes, C.P. (322) 457
Feigelson, M.
Studies on the postnatal development of responses of hepatic histidase to endocrine control (304) 669
Feingold, D.S., see Schiller, J.G. (293) 1
Feinstein, G. and Gertler, A.
Isolation of alkaline proteinases from Aspergillus oryzae by one step affinity chromatography on ovoinhibitor–Sepharose column (309) 196
Feinstein, G., see Shtacher, G. (303) 138

Felder, M.R., Scandalios, J.G. and Liu, E.H.
Purification and partial characterization of two genetically defined alcohol dehydrogenase isozymes in maize (317) 149
Felicetti, L., see Gambino, R. (312) 377
Felicioli, R.A., see Balestreri, E. (315) 443
Felker, P., see Izawa, S. (305) 119
Felker, P., Izawa, S., Good, N.E. and Haug, A.
Effects of electron transport inhibitors on millisecond delayed light emission from chloroplasts (325) 193
Felsani, A., see Cammarano, P. (308) 404
Feltkamp, C.A., see Van Blitterswijk, W.J. (298) 577
Felts, J.M., see Harris, K.L. (316) 288
Feng, H.-W. and Riggs, T.R.
Transport of amino acid into the estrogen-primed uterus. IV. Effects of sulfhydryl agents on the uptake in vitro (318) 426
Ferber, E. and Resch, K.
Phospholipid metabolism of stimulated lymphocytes: Activation of acyl-CoA: lysolecithin acyltransferases in microsomal membranes (296) 335
Fernández, M.S., Célis, C.H. and Montal, M.
Proton magnetic resonance detection of ionophore-mediated praseodymium ion transport across phospholipid membranes (323) 600
Fernández, M.S. and Cerbón, J.
The importance of the hydrophobic interaction of local anesthetics in the displacement of polyvalent cations from artificial lipid membranes (298) 8
Fernlund, P., see Erlanson, C. (310) 437
Ferreira, H.G., see Ferreira, K.T.G. (291) 269
Ferreira, K.T.G., Guerreiro, M.M. and Ferreira, H.G.
Kinetic characterization of the chloride dependence of sodium transport in the frog skin (291) 269
Ferreira, N.P., see Steenkamp, D.J. (309) 440
Ferri, G., see Curti, B. (327) 266
Ferrini, U., see Sacchi, A. (308) 390
Ferwerda, W., see Van Dijk, W. (315) 162
Fevold, H.R. and Drummond, H.B.
Factors affecting the adrenocorticotropic hormone stimulation of rabbit adrenal 17α-hydroxylase activity (313) 211
Fex, G. and Wallinder, L.
Liver and plasma cholesteryl ester metabolism after partial hepatectomy in the rat (316) 91
Fidge, N.
The isolation and properties of pig plasma lipoproteins and partial characterisation of their apoproteins (295) 258
Fiedler, F. and Glaser, L.
Assembly of bacterial cell walls (300) 467
Field, J.B., see Yamashita, K. (304) 686
Fielding, C.J.
Kinetics of lipoprotein lipase activity: Effects of the substrate apoprotein on reaction velocity (316) 66
Finazzi-Agrò, A., Avigliano, L., Veldink, G.A., Vliegenthart, J.F.G. and Boldingh, J.
The influence of oxygen on the fluorescence of lipoxygenase (326) 462
Finazzi-Agrò, A., see Rotilio, G. (321) 98
Finch, A. and Ledward, D.A.
Differential scanning calorimetry study of collagen fibres swollen in aqueous neutral salt solutions (295) 296
Finean, J.B., see Michell, R.H. (318) 306
Fineman, E.L., see Herz, F. (304) 660
Finkler, A.E. and Green, P.D.
Vitamin B_{12} binding proteins in monkey serum and red cells (328) 359
Fiolerella, B.J., see Zeineh, R.A. (317) 1
Fiolet, J.W.T. and van Dam, K.
The effects of tetraphenylboron on energy-linked reactions in spinach chloroplasts (325) 230
Fischbarg, J., see Anderson, E.I. (307) 557
Fischer, W., Ishizuka, I., Landgraf, H.R. and Herrmann, J.
Glycerophosphoryl diglucosyl diglyceride, a new phosphoglycolipid from Streptococci (296) 527
Fischer, W., Landgraf, H.R. and Herrmann, J.
Phosphatidyldiglucosyl diglyceride from Streptococci and its relationship to other polar lipids (306) 353
Fisher, J.M., see Balkow, K. (324) 397
Fisher, R.R., see Tischler, M.E. (292) 39
Fisher, R.R., see Tischler, M.E. (305) 199
Fishman, S.N., Cherneikin, V.A. and Volkenstein, M.V.
Role of ion exchange processes in the mechanism of sodium conductance changes in excitable membranes (298) 710
Flagg, J.L., see Exton, J.H. (329) 41
Flanagan, M.T. and Hesketh, T.R.
Electrostatic interactions in the binding of fluorescent probes to lipid membranes (298) 535
Flanagan, R.W.J., see Holohan, K.N. (322) 178

Flanagan, S.D., see Reitherman, R. (297) 193
Flatmark, T., see Pedersen, J.I. (305) 219
Flatmark, T. and Pedersen, J.I.
Energy-dependent redox reactions of two b-type cytochromes in brown adipose tissue mitochondria (325) 16
Flatmark, T. and Pedersen, J.I.
Studies on the energy state of isolated brown adipose tissue mitochondria. Effect of adenine nucleotides and oligomycin on the generation and dissipation of the "energy potential" (292) 64
Flatmark, T., see Romslo, I. (305) 29
Flatmark, T., see Romslo, I. (325) 38
Flatmark, T., see Terland, O. (305) 206
Flavell, R.A., see Arnberg, A.C. (308) 276
Flavell, R.A., see Sanders, J.P.M. (312) 441
Flavell, R.A. and Trampé, P.O.
The absence of an integrated copy of mitochondrial DNA in the nuclear genome of Tetrahymena Pyriformis (308) 101
Fleischer, S., see Meissner, G. (298) 246
Fleming, B., see Baden, H.P. (317) 303
Fleming, B., see Baden, H.P. (322) 269
Flemström, G.
Oscillations of H^+ secretion and electrogenic properties in the isolated frog gastric mucosa (298) 369
Fletcher, A.P., see Ross, P.D. (313) 106
Fletcher, K., see Farrington, J.A. (314) 372
Flickinger, R.A., see Hyodo, M. (299) 24
Flügel, R.M. and Bollum, F.J.
Synthesis of poly(N^4-anisoyl deoxycytidylate) and poly(N^6-benzoyl deoxyadenylate) (308) 35
Fluharty, A.L., see Stevens, R.L. (302) 338
Focant, B., see Leger, J.J. (328) 166
Foeller, C., see Landy, A. (299) 264
Foldes, A. and Meek, J.L.
Rat brain phenolsulfotransferase partial purification and some properties (327) 365
Fonda, M.L., see Krista, M.L. (309) 83
Fong, W., see Kim, Y.S. (321) 262
Fontanive-Sangüesa, A.V., see Franze-Fernańdez, M.T. (331) 71
Ford, J.R., Chambers, R.P. and Cohen, W.
An active site titration method for immobilized trypsin (309) 175
Forget, P., see Rosso, J.-P. (321) 443
Formby, B.
Interrelationships between hydroxylamine inhibition of microsomal (Na^+, K^+)-ATPase and physicochemical changes in membrane organization (298) 291
Forstner, G.G. and Wherrett, J.R.
Plasma membrane and mucosal glycosphingolipids in the rat intestine (306) 446
Forte, J.G., Forte, T.M. and Heinz, E.
Isolation of plasma membranes from Ehrlich ascites tumor cells. Influence of amino acids on ($Na^+ + K^+$)-ATPase and K^+-stimulated phosphatase (298) 827
Forte, J.G., see Beesley, R.C. (307) 372
Forte, J.G., see Ganser, A.L. (307) 169
Forte, T.M., see Forte, J.G. (298) 827
Fortes, P.A.G., Ellory, J.C. and Lew, V.L.
Suramin: A potent ATPase inhibitor which acts on the inside surface of the sodium pump (318) 262
Fortnagel, P. and Bergmann, R.
Alteration of the ribosomal fraction of Bacillus subtilis during sporulation (299) 136
Foster, J.A., Gray, W.R. and Franzblau, C.
Isolation and characterization of cross-linked peptides from elastin (303) 363
Foster, P.R., Dunnill, P. and Lilly, M.D.
The precipitation of enzymes from cell extracts of Saccharomyces cerevisiae by polyethylene glycol (317) 505
Foster, R.L. and Thomson, A.R.
Modification of pig-heart lactate dehydrogenase: A derivative possessing enhanced thermal stability (321) 409
Fottrell, P.F., see Donlon, J. (327) 425
Foulkes, E.C. and Gieske, T.
Specificity and metal sensitivity of renal amino acid transport (318) 439
Fowden, L., see Norris, R.D. (312) 695
Fowler, C.F., Gray, B.H., Nugent, N.A. and Fuller, R.C.
Absorbance and fluorescence properties of the bacteriochlorophyll a reaction center complex and bacteriochlorophyll a protein in green bacteria (292) 692
Fowler, M.W. and ap Rees, T.
Metabolism of glucose to amino acids in the apex of roots of Pisum sativum (304) 326
Fox, B.W., see Peterson, A.R. (299) 385
Fox, L.L.B., see Geratz, J.D. (321) 296
Fox, M., see Peterson, A.R. (299) 385
Fox, S.W., see Weber, A.L. (319) 174
Frade, R. et Chaix, P.
Influence du pH sur la synthèse de l'oxydase (cytochrome a_3) chez Bacillus coagulans, microorganisme thermophile, capable d' "adaptation respiratoire" (325) 424
Franchi-Gazzola, R., Gazzola, G.C., Ronchi, P., Saibene, V. and Guidotti, G.G.

Regulation of amino acid transport in chick embryo heart cells. II. Adaptive control sites for the "A mediation" (291) 545
Franchi-Gazzola, R., see Gazzola, G.C. (311) 292
Francke, A., see Roza, M. (316) 76
Francke, A., see Roza, M. (327) 24
Franke, W.W., see Stadler, J. (311) 205
Franklin, R.M., see Datta, A. (311) 163
Franklin-Klein, W., see Van Golde, L.M.G. (326) 314
Franson, R., Beckerdite, S., Wang, P., Waite, M. and Elsbach, P.
Some properties of phospholipases of alveolar macrophages (296) 365
Franzblau, C., see Foster, J.A. (303) 363
Franzblau, C., see Kagan, H.M. (322) 258
Franzblau, C., see Lian, J.B. (328) 193
Franz-Fernańdez, M.T. and Fontanive-Sangüesa, A.V.
Effect of amino acids on the α-amanitin-insensitive RNA polymerase activity in the isolated nuclei of Ehrlich ascites cells (331) 71
Fraser, M.J., see Kato, A.C. (308) 68
Fraser, M.J., see Kato, A.C. (312) 645
Frazier, L.W. and Vanatta, J.C.
Characteristics of H^+ and NH_4^+ excretion by the urinary bladder of the toad (311) 98
Fredericks, K.K., see Spiekerman, A.M. (293) 464
Frederickson, D.S., see Quarfordt, S.H. (296) 572
Frengley, P.A., see Baran, D.T. (307) 627
Frenoy, J.P., see Fressinaud, Ph. (317) 572
Fressinaud, Ph., Corvol, P., Frenoy, J.P. and Ménard, J.
Purification of ^{125}I-labelled lysine-vasopressin by affinity chromatography on sepharose bound neurophysins (317) 572
Fretto, L. and Strickland, E.H.
Further studies on the circular dichroism of carboxypeptidase A (Anson). Reduced-monoalkylated carboxypeptidase A, and carboxypeptidase A_α, A_β, and A_γ (328) 396
Freychet, P., see Rosselin, G. (304) 541
Freysz, L., see Lastennet, A. (306) 287
Friberg, U., see Lohmander, S. (304) 430
Fridovich, I., see Beauchamp, C.O. (317) 50
Fridovich, I., see Misra, H.P. (292) 815
Friebele, E., see Puett, D. (328) 261
Fried, M., see Jernigan, H.M. (312) 502
Friedenthal, D.F. and Scott, W.N.
Amino acid transport in the cornea. I. 3-Aminoisobutyric acid uptake in the toad (323) 456
Friedman, P.A. and Kaufman, S.
Some characteristics of partially purified human liver phenylalanine hydroxylase (293) 56
Friedmann, N. and Dambach, G.
Effects of glucagon, 3',5'-AMP and 3',5'-GMP on ion fluxes and transmembrane potential in perfused livers of normal and adrenalectomized rats (307) 399
Friedrichs, D. and Schoner, W.
Stimulation of renal gluconeogenesis by inhibition of the sodium pump (304) 142
Frigeri, L., see Swanljung, P. (305) 519
Frisell, W.R. and Randolph, V.M.
Effect of adenine nucleotides on the oxidation of N-methyl groups in liver mitochondria (292) 360
Frish, A., Gazitt, Y. and Loyter, A.
Metabolically controlled hemolysis of chicken erythrocytes (291) 690
Fritze, K., see Hancock, R.G.V. (320) 486
Frizzell, R.A., Nellans, H.N., Acheson, L.S. and Schultz, S.G.
Effects of cycloheximide on influx across the brush border of rabbit small intestine (291) 302
Fröhling, W., see Bock, K.W. (327) 46
Fromherz, P.
A new method for investigation of lipid assemblies with a lipoid pH indicator in monomolecular films (323) 326
Frost, G.E. and Rosenberg, H.
The inducible citrate-dependent iron transport system in Escherichia coli K12 (330) 90
Fry, K., see Salser, W. (319) 277
Frydman, B., see Frydman, R.B. (293) 506
Frydman, R.B. and Frydman, B.
The enzymatic inactivation of porphobilinogen deaminase (293) 506
Fuhr, J.E. and Gengozian, N.
Coordination of heme and globin synthesis in primate reticulocytes (320) 53
Fujii, S., see Okamura, K. (295) 252
Fujii, S., see Sumi, H. (327) 207
Fujii, S., see Tamura, Y. (327) 437
Fujino, Y., see Nakano, M. (296) 457
Fujisawa, H., see Takeya, T. (324) 110
Fujisawa, T., Abe, S., Kawada, T., Satake, M. and Ogata, K.
Studies on the processing of 45-S RNA in rat liver nucleolus with specific reference to 29.5-S RNA (324) 226

Fujisawa, T., Abe, S., Satake, M. and Ogata, K.
Conversion of rat liver nucleolar 29.5-S RNA to 28-S RNA in vitro (324) 241
Fujita, M., Kawai, K., Asano, S. and Nakao, M.
Protein components of two different regions of an intestinal epithelial cell membrane (307) 141
Fujita, T., see Okada, H. (304) 20
Fujiwara, M. and Nozaki, M.
Protocatechuate 3,4-dioxygenase. IV. Preparation and properties of apo- and reconstituted enzymes (327) 306
Fukuba, R., see Okuda, K. (293) 15
Fukuda, M., Ogawa, T. and Sasaoka, K.
Optical configuration of γ-glutamylalanine in pea seedlings (304) 363
Fukuda, M., see Ogawa, T. (297) 60
Fukui, S. and Isobe, K.
Purification and properties of glucose 1-phosphate-binding protein in Agrobacterium tumefaciens (328) 114
Fukui, S., see Kumagai, H. (327) 510
Fukui, S., see Masugi, F. (320) 648
Fukui, S., see Sekizawa, J. (307) 104
Fukui, T., see Kamogawa, A. (302) 158
Fukunaga, N., see Nakajima, Y. (293) 242
Fukushima, H., see Nozawa, Y. (318) 335
Fulco, A.J., see Chang, N.C. (296) 287
Fuller, R.C., see Fowler, C.F. (292) 692
Fullmer, C.S. and Wasserman, R.H.
Bovine intestinal calcium-binding proteins. Purification and some properties (317) 172
Fulton, C., see Walsh, C. (312) 52
Furlan, M. and Beck, E.A.
Plasmic degradation of human fibrinogen. II. Further characterization of fragment D (310) 205
Furth, J.J., see Austin, G.E. (324) 488
Furth, J.J., see Austin, G.E. (324) 501
Furthmayr, H., see Stoltz, M. (310) 461
Furukawa, K. and Tonomura, K.
Cytochrome C involved in the reductive decomposition of organic mercurials. Purification of cytochrome C-1 from mercury-resistant Pseudomonas and reactivity of cytochromes C from various kinds of bacteria (325) 413

G

Gabbe, S.G., see Demers, L.M. (313) 202
Gabriel, T.F., see Cook, A.F. (324) 433
Gabrielle, F., see Jacobs-Lorena, M. (324) 275
Gacesa, P., Hill, M.W. and Bangham, A.D.
Tetrodotoxin–cholesterol interactions at the air–water interface (307) 467
Gadot, N., see Barenholz, Y. (306) 341
Gaffney, P.J. and Brasher, M.
Subunit structure of the plasmin-induced degradation products of crosslinked fibrin (295) 308
Gaillardon, J., see Rosa, R. (293) 285
Galante, E., see Viotti, A. (324) 72
Galante, Y.M., see Zanetti, G. (321) 41
Gale, E.F., see Deol, B.S. (330) 192
Gallo, A.A. and Sable, H.Z.
Rate enhancement of pyruvate aldolization by divalent cations: A model for class II aldolases (302) 443
Gallo, M., Bertrand, J.C., Roche, B. and Azoulay, E.
Alkane oxidation in Candida tropicalis (296) 624
Gallop, P.M., see Tanzer, M.L. (310) 130
Gallo-Torres, H.E., see Horning, D. (320) 549
Galun, E., see Stavy, R. (323) 167
Gambale, F., Gliozzi, A. and Robello, M.
Determination of rate constants in carrier-mediated diffusion through lipid bilayers (330) 325
Gambino, R., Metafora, S., Felicetti, L. and Raisman, J.
Properties of the ribosomal salt wash from unfertilized and fertilized sea urchin eggs and its effect on natural mRNA translation (312) 377
Gamble, Jr, J.L.
Transport of potassium and sodium with citrate across the mitochondrial membrane (323) 240
Gammeltoft, S. and Gliemann, J.
Binding and degradation of [^{125}I]insulin by isolated rat fat cells (320) 16
Gan, J.C., see Trujillo, J.L. (304) 32
Gangloff, J. and Dirheimer, G.
Studies on aspartyl-tRNA synthetase from baker's yeast. I. Purification and properties of the enzyme (294) 263
Ganguly, J., see Parthasarathy, S. (296) 62
Ganguly, P., see James, H.L. (328) 448
Ganrot, K.
α_2-Acute phase globulin in rat serum. Purification, determination and interaction with trypsin (295) 245
Ganrot, K.
Rat α_2-acute phase globulin, a human α_2-macroglobulin homologue. Interaction with plasmin and trypsin (322) 62
Gans, J.H.
The effect of carbon tetrachloride administration on cholesterol metabolism in mice (326) 116
Ganser, A.L. and Forte, J.G.
K^+-stimulated ATPase in purified microsomes of bullfrog oxyntic cells (307) 169
Gantt, R., see Stromberg, K. (304) 1
Garbett, K., see Byers, W. (310) 38
Garcia, A.F., see Ke, B. (292) 226
Garcia, R.C., San Martin de Viale, L.C., Tomio, J.M. and Grinstein, M.
Porphyrin biosynthesis. I. Porphyrinogen carboxylyase from avian erythrocytes. Further properties (309) 203
Garcia-Partone, M., Gonzalez, N.S. and Algranati, I.D.
Association of ribosomal subunits. III. Properties of the 30 S–50 S couples produced in vitro by the association factor from Bacillus stearothermophilus (299) 452
Gardner, D.G. and Wittliff, J.L.
Characterization of a distinct gluco-corticoid-binding protein in the lactating mammary gland of the rat (320) 617
Gardner, T.L., see Yamamura, H.I. (302) 305
Garfinkel, A.S. and Schotz, M.C.
Sequential induction of two species of lipoprotein lipase (306) 128
Garnier, J., see Maroc, J. (292) 477
Garofano, F., see Cervone, F. (295) 555
Garren, L.D., see Barrieux, A. (312) 228
Garrett, R.H. and Greenbaum, P.
The inhibition of the Neurospora crassa nitrate reductase complex by metal-binding agents (302) 24
Garssen, G.J., see De Groot, J.J.M.C. (326) 279

Garvey, III, T.Q., Millar, F.K. and Anderson, E.P.
ATP:UMP–CMP phosphotransferase from Tetrahymena pyriformis. II. Kinetic studies and reaction mechanism with UMP (302) 38
Gasaryan, K.G., see Kafiani, C.A. (324) 133
Gáspár, Jr, R. and Damjanovich, S.
Proton magnetic resonance studies on SH groups in glycogen phosphorylase b (315) 191
Gaspar, Th., see Darimont, E. (321) 461
Gatenby, A.D., see Atkinson, A. (320) 195
Gates, B.J. and Travis, J.
Amino acid sequence in the vicinity of the reactive serine residue in shrimp trypsin (310) 137
Gatt, S., see Barenholz, Y. (306) 341
Gause, Jr, G.G., Dolgilevich, S.M., Fatkullina, L.G. and Mikhailov, V.S.
Heterogeneous rapidly labeled DNA with the properties of replicating form in isolated rat liver mitochondria (312) 179
Gause, Jr, G.G. and Mikhailov, V.S.
State of the DNA-synthesizing system in isolated mitochondria from the mature eggs of the loach (Misgurnus fossilis) (324) 189
Gazitt, Y., see Frish, A. (291) 690
Gazzola, G.C., see Franchi-Gazzola, R. (291) 545
Gazzola, G.C., Franchi-Gazzola, R., Ronchi, P. and Guidotti, G.G.
Regulation of amino acid transport in chick embryo heart cells. III. Formal identification of the 'A mediation' as adaptive transport system (311) 292
Geisert, M., see Weinblum, D. (299) 231
Geisler, R.W., McClure, A.M. and Hansen, R.J.
Kinetic analysis of partially purified glucose-6-phosphate dehydrogenases from rat muscle, adipose tissue, and liver, and from baker's yeast (327) 1
Geller, G., see Heldt, H.W. (314) 224
Geller, M., Pohorille, A. and Jaworski, A.
Electronic structure of thiouracils and their interaction with adenine (331) 1
Gelman, R.A. and Blackwell, J.
Mucopolysaccharide–polypeptide interactions: Effect of the position of the sulfate group (297) 452
Gengozian, N., see Fuhr, J.E. (320) 53
Gentry, M.K., see Olsson, R.A. (311) 242
Geokas, M.C., see Rinderknecht, H. (295) 233
Georgiev, G.P., see Ryskov, A.P. (312) 152
Geratz, J.D. and Fox, L.L.B.
On the irreversible inhibition of α-chymotrypsin, trypsin, pancreatic kallikrein, thrombin and elastase by N(β-pyridylmethyl)-3,4-dichlorophenoxyacetamide-p-fluorosulfonyl acetanilide bromide (321) 296
Gerchman, L.L. and Ludlum, D.B.
The properties of O^6-methylguanine in templates for RNA polymerase (308) 310
Gerday, C., see Gosselin-Rey, C. (303) 90
Gerez de Burgos, N.M., Burgos, C., Gutierrez, M. and Blanco, A.
Effect of temperature upon catalytic properties of lactate dehydrogenase isoenzymes from a poikilotherm (315) 250
Gerhardt, S., see Schnell, K.F. (318) 474
Gerner, E.W. and Humphrey, R.M.
The cell-cycle phase synthesis of non-histone proteins in mammalian cells (331) 117
Gerritsen, W.F., see Verkleij, A.J. (291) 577
Gertler, A., see Feinstein, G. (309) 196
Gertz, E.W., see Stam, Jr, A.C. (298) 927
Gestetner, B., see Assa, Y. (307) 83
Getz, M.J. and Saunders, G.F.
Origins of human leukocyte chromatin-associated RNA (312) 555
Geurts van Kessel, W.S.M., see Demel, R.A. (311) 507
Geurts van Kessel, W.S.M., see London, Y. (311) 520
Geyer, R.P., see Lengle, E. (296) 411
Gholson, R.K., see Suzuki, N. (304) 309
Ghosh, B.K., see Schmitz, J. (323) 98
Ghosh, D., Williams, M.A. and Tinoco, J.
The influence of lecithin structure on their monolayer behavior and interactions with cholesterol (291) 351
Ghosh, H.P., see Sen, G.C. (308) 106
Gibbes, D.C., see Redwood, W.R. (318) 10
Gibson, F., see Butlin, J.D. (292) 366
Gibson, Q.H., see Wharton, D.C. (292) 611
Giddings, T.H., see Norrman, J. (302) 173
Giese, S., see Menon, K.M.J. (304) 203
Gieske, T., see Foulkes, E.C. (318) 439
Gilbert, J.D., see Harland, W.A. (316) 378
Gilboa-Garber, N. and Mizrahi, L.
Peroxidase attachment to Sepharose mediated by bacterial hemagglutinin of Pseudomonas aeruginosa (317) 106
Gilboa-Garber, N., Zakut, V. and Mizrahi, L.
Production of cholinesterase by Pseudomonas aeruginosa, its regulation by glucose and cyclic AMP and inhibition by antiserum (297) 120
Gilboe, D.D., see Drewes, L.R. (320) 701

Gilham, P.T., see Ho, N.W.Y. (308) 53
Gillespie, J.B., see Berkeley, R.C.W. (309) 157
Gillessen, D., see Kerdelhúe, B. (297) 540
Gimpel, J.A., de Haan, E.J. and Tager, J.M.
Permeability of isolated mitochondria to oxaloacetate (292) 582
Gimpel, L.P., see Rillema, J.A. (297) 527
Ginsborg, B.L.
Electrical changes in the membrane in junctional transmission (300) 289
Giordano, G., Rivière, C. and Azoulay, E.
Membrane reconstitution in chl-r mutants of Escherichia coli K 12. V. ATPase incorporation in particles formed by complementation (307) 513
Giotta, G.J. and Wang, H.H.
Mobility of spin-labelled sulphydryl sites in excitable tissue (298) 986
Giovagnoli, C., see Morpurgo, L. (322) 204
Girardet, J.L., see Dognin, J. (297) 276
Giudice, G., Pirrone, A.M., Roccheri, M. and Trapani, M.
Maturational cleavage of nucleolar rRNA precursor can be catalyzed by non-specific endonuclease (319) 72
Giudicelli, Y., see Nordmann, R. (326) 1
Gjone, E., see McConathy, W.J. (326) 406
Gläsel, R.M., see Gradmann, D. (323) 151
Glaser, L., see Fiedler, F. (300) 467
Glasgow, M.S. and Quarles, R.H.
Appearance of ^3H_2O in rat tissues resulting from the metabolism of L-[^{3}H]fucose by intestinal bacteria (304) 586
Gleisner, J.M. and Liener, I.E.
Chemical modification of the histidine residue located at the active site of ficin (317) 482
Gliemann, J., see Gammeltoft, S. (320) 16
Glimcher, M.J., see Eyre, D.R. (295) 301
Glimcher, M.J., see Spector, A.R. (303) 360
Gliozzi, A., see Gambale, F. (330) 325
Glossman, H. and Neville, Jr, D.M.
Phlorizin receptors in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity receptors and unspecific binding sites (323) 408
Glukhoded, I.S., see Kochetkov, N.K. (326) 74
Glushevitzky-Strachman, D., see Gutman, Y. (304) 533
Glynn, I.M., see Jørgensen, P.L. (291) 795
Godik, V.I., see Borisov, A.Yu. (301) 227
Godin, C., see Hanna, N. (331) 141
Godson, G.N.
Action of the single-stranded DNA specific nuclease S_1 on double-stranded DNA (308) 59
Godson, G.N. and Vapnek, D.
A simple method of preparing large amounts of ϕX174 RF I (299) 516
Goedheer, J.C.
Chlorophyll a forms in Phaeodactylum tricornutum: Comparison with other diatoms and brown algae (314) 191
Goedheer, J.C.
Fluorescence polarization and pigment orientation in photosynthetic bacteria (292) 665
Goedken, M.P., see Lim, R. (322) 359
Goettlich-Riemann, W., see Rucker, R.B. (317) 193
Gold, E.W. and Veitch, F.P.
Studies on a pyrophosphatase and glucose-6-phosphatase from Aspergillus oryzae (327) 166
Goldbach, R.W., see De Kruyff, B. (330) 269
Goldberg, A.L., see Goldspink, D.F. (299) 521
Goldberg, I.H., see Ayuso, M. (294) 118
Goldberg, I.H., see Stewart, M.L. (294) 123
Goldemberg, A.L., Farías, R.N. and Trucco, R.E.
Allosteric transitions and membrane-bound ATPase from rat tissues: The effect of fat deprivation on the allosteric inhibition by fluoride (291) 489
Goldenberg, J., see Vessey, D.A. (309) 58
Goldenberg, J., see Vessey, D.A. (309) 75
Goldenberg, J., see Zakim, D. (297) 497
Goldenberg, J., see Zakim, D. (309) 67
Goldfinger, M., see Decroly, M. (324) 510
Goldman, A.S. and Sheth, K.
Inhibitors of human placental C_{19} and C_{21} 3β-hydroxysteroid dehydrogenases (315) 233
Goldman, R., see Hexter, C.S. (307) 421
Goldman, R. and Kaplan, A.
Rupture of rat liver lysosomes mediated by L-amino acid esters (318) 205
Goldsmith, L.A., see Baden, H.P. (317) 303
Goldsmith, L.A., see Baden, H.P. (322) 269
Goldsmith, P.K., see Stetten, M.R. (327) 82
Goldspink, D.F. and Goldberg, A.L.
Problems in the use of [Me-^{3}H]thymidine for the measurement of DNA synthesis (299) 521
Goldstein, I.J., Reichert, C.M., Misaki, A. and Gorin, P.A.J.
An "extension" of the carbohydrate binding specificity of concanavalin A (317) 500
Goldstein, J., see Waldman, A.A. (331) 243

Goldstein, L.
A new polyamine carrier for the immobilization of protein. Water-insoluble derivatives of pepsin and trypsin (327) 132
Goldstein, L.
Immobilized enzymes. Synthesis of a new type of polyanionic and polycationic resins and their utilization for the preparation of water-insoluble enzyme derivatives (315) 1
Golińska, B. and Legocki, A.B.
Purification and some properties of elongation factor 1 from wheat germ (324) 156
Goll, D.E., see Suzuki, A. (295) 188
Golovinsky, E.V., see Hadjiolova, K.V. (319) 373
Gombos, G., see Morgan, I.G. (320) 671
Gomez de Gracia, D. and Jollès-Bergeret, B.
Sulfinic and sulfonic analogs of γ-aminobutyric acid and succinate semialdehyde, new substrates for the aminobutyrate aminotransferase and the succinate semialdehyde dehydrogenase of Pseudomonas fluorescens (315) 49
Gonser, U., see Maeda, Y. (303) 230
Gonzales, L.W. and Meizel, S.
Acid phosphatases of rabbit spermatozoa. I. Electrophoretic characterization of the multiple forms of acid phosphatase in rabbit spermatozoa and other semen constituents (320) 166
Gonzales, L.W. and Meizel, S.
Acid phosphatases of rabbit spermatozoa. II. Partial purification and biochemical characterization of the multiple forms of rabbit spermatozoan acid phosphatase (320) 180
Gonzalez, N.S., see Garcia-Partone, M. (299) 452
Good, N.E., see Izawa, S. (305) 119
Good, S., see Felker, P. (325) 193
Goodall, M.C. and Urry, D.W.
A synthetic transmembrane channel (291) 317
Goodchild, D.J., see Anderson, J.M. (325) 573
Goodgame, D.M.L., see De Meester, P. (324) 301
Goodman, D.B.P., see Allen, J.E. (320) 708
Goodman, E.M., see LeStourgeon, W.M. (317) 524
Goodman, N.C., see Ruprecht, R.M. (294) 192
Gorab, M.E. and Underwood, B.A.
Solubilization of β-carotene and retinol into aqueous solutions of mixed micelles (306) 58
Gorchein, A.
Structure of the ornithine-containing lipid from Rhodopseudomonas spheroides (306) 137
Gordon, E.E., see Moroff, G. (325) 406
Gordon, J.K., see Shah, V.K. (292) 246
Gorecki, M. and Patchornik, A.
Polymer-bound dihydrolipoic acid: A new insoluble reducing agent for disulfides (303) 36
Gorin, P.A.J., see Goldstein, I.J. (317) 500
Gorman, R.R. and Miller, O.V.
Specific prostaglandin E_1 and A_1 binding sites in rat adipocyte plasma membranes (323) 560
Gosselin-Rey, C., Bernard, N. and Gerday, C.
Conformation and immunochemistry of parvalbumin III from pike white muscle. Modification of the arginine residue with 1,2-cyclohexanedione (303) 90
Got, R., see Berthillier, G. (293) 370
Got, R., see Martel, M.B. (311) 565
Goto, H., see Ogasawara, N. (327) 233
Goto, M., see Suzuki, A. (304) 222
Gottlieb, A.A., see O'Cuinn, G. (324) 78
Gottlieb, A.M., Inglefield, P.T. and Lange, Y.
Water–lecithin binding in lecithin–water lamellar phases at 20 °C (307) 444
Gotto, Jr, A.M., see Hoff, H.F. (296) 653
Gottschling, H., see Wittig, B. (331) 221
Gould, H.J., see Barrett, T. (294) 165
Gould, H.J., see Martini, O.H.W. (295) 621
Gould, J.M., see Izawa, S. (305) 119
Gould, J.M. and Izawa, S.
Studies on the energy coupling sites of photophosphorylation. I. Separation of Site I and Site II by partial reactions of the chloroplast electron transport chain (314) 211
Gould, J.M. and Ort, D.R.
Studies on the energy coupling sites of photophosphorylation. III. The different effects of methylamine and ADP plus phosphate on electron transport through coupling sites I and II in isolated chloroplasts (325) 157
Govindjee, see Mohanty, P. (292) 459
Govindjee, see Mohanty, P. (305) 95
Gradmann, D., Wagner, G. and Gläsel, R.M.
Chloride efflux during light-triggered action potentials in Acetabularia mediterranea (323) 151
Gráf, L., Patthy, A., Barabás, E.B. and Bagdy, B.
On the NH_2-terminal residue of hirudin (310) 416

Graham, A.B. and Wood, G.C.
Factors affecting the response of microsomal UDP-glucuronyltransferase to membrane perturbants (311) 45
Graham, E.R.B. and Roy, A.B.
The sulphatase of ox liver. XVIII. Sulphatase A as a glycoprotein (329) 88
Gräsbeck, R., see Visuri, K. (310) 508
Gray, B.H., see Fowler, C.F. (292) 692
Gray, C.T., Jacobs, N.J. and Ely, S.
A new cytochrome b-like pigment with a peak at 567 nm and a low redox potential in denitrifying bacteria (325) 72
Gray, E.D.
Requirement of protein synthesis for maturation of ribosomal RNA in Rhodopseudomonas spheroides (331) 390
Gray, W.R., see Foster, J.A. (303) 363
Graziani, Y. and Livne, A.
Bilayer lipid membrane as a model for vasopressin, prostaglandin and Ca^{2+} effects on water permeability (291) 612
Grebner, E.E. and Tucker, J.
Human urinary N-acetyl-β-hexosaminidases (321) 228
Green, D.H. and Salton, M.R.J.
The use of a PMR probe for studying the hydrophobic properties of Micrococcus lysodeikticus membranes and membrane fractions (298) 664
Green, J.P., Phillips, M.C. and Shipley, G.G.
Structural investigations of lipid, polypeptide and protein multilayers (330) 243
Green, J.P., see Shipley, G.G. (311) 531
Green, J.W., see Atlas, S.J. (323) 194
Gréen, K., see Dimov, V. (306) 257
Green, M., see Landgraf-Leurs, M. (312) 667
Green, P.D., see Finkler, A.E. (328) 359
Green, R.C. and O'Brien, P.J.
The involvement of semidehydroascorbate reductase in the oxidation of NADH by lipid peroxide in mitochondria and microsomes (293) 334
Greenbaun, P., see Garratt, R.H. (302) 24
Greenberg, E.S., see DeW. Horrocks, Jr, W. (322) 38
Greengard, O. and Dewey, H.K.
The effect of glucose ingestion on basal and induced enzyme levels in rat tissues (329) 241
Greengard, O., see Richards, T.C. (304) 842
Greenhouse, W.V.V., see Coe, E.L. (329) 171
Greenhouse, W.V.V. and Coe, E.L.
The effect of K^+ depletion on the initial kinetics of glycolysis in ascites tumor cells (329) 183
Greenzaid, P., see Werber, M.M. (293) 208
Greep, R O., see Demers, L.M. (313) 202
Gregory, II, D.H. and Strickland, R.D.
Solubilization and characterization of hepatic bilirubin UDP glucuronyltransferase (327) 36
Grenouillet, P., Martin, R.P., Rossi, A. and Ptak, M.
Interactions between copper(II) ions and L-threonine, L-allo-threonine and L-serine in aqueous solution (322) 185
Griffith, G., see Suzuki, N. (304) 309
Griffith, O.H., see Jost, P. (311) 141
Grigor, M.R. and Bell, Jr, I.C.
Synthesis of fatty acid esters of short-chain alcohols by an acyltransferase in rat liver microsomes (306) 26
Grigorescu, A. and Villee, C.A.
Antagonistic effects of dihydrotestosterone and cyproterone acetate on the synthesis of RNA (319) 165
Grimmelikhuijzen, C.J.P. and Slater, E.C.
Antimycin-insensitive mutants of Candida utilis. I. Isolation and characterization of mutant 28 (305) 67
Grinstein, M., see Garcia, R.C. (309) 203
Grisebach, H., see Baron, D. (293) 526
Grisebach, H., see Sutter, A. (309) 289
Grisebach, H., see Wallace, J.W. (304) 837
Grisham, C.M. and Barnett, R.E.
The effects of long-chain alcohols on membrane lipids and the $(Na^+ + K^+)$-ATPase (311) 417
Grivell, L.A., Netter, P., Borst, P. and Slonimski, P.P.
Mitochondrial antibiotic resistance in yeast: Ribosomal mutants resistant to chloramphenicol, erythromycin and spiramycin (312) 358
Groen, A., see Hindriks, F.R. (315) 94
Grohlich, D., see Bezkorovainy, A. (310) 365
Groot, P.H.E. and Hülsmann, W.C.
The activation and oxidation of octanoate and palmitate by rat skeletal muscle mitochondria (316) 124
Grosch, W., see Arens, D. (327) 295
Gross, M., see Kinsella, J.E. (316) 109
Gross, M. and Rabinovitz, M.
Control of globin synthesis by haemin. Effect of temperature on globin synthesis by the reticulocyte cell-free system and the activity of translational repressors formed in the absence of haemin (299) 472

Gross, W. and Burkhardt, K.-L.
Multiple transport systems for basic amino acid transport in Streptomyces hydrogenans (298) 437
Grossowicz, N., see Cavari, B.Z. (302) 183
Groudinsky, O., see Keller, R. (328) 233
Gruber, M., see Beintema, J.J. (310) 148
Gruber, M., see Beintema, J.J. (310) 161
Gruber, M., see Bergink, E.W. (294) 497
Gruber, M., see Huisman, W. (297) 93
Gruber, M., see Huisman, W. (297) 98
Gruenstein, E., see Huang, M. (329) 147
Grundhofer, B., see Bortz, W.M. (316) 366
Grunnet, N., see Quistorff, B. (320) 503
Gudat, J.C., Singh, J. and Wharton, D.C.
Cytochrome oxidase from Pseudomonas aeruginosa. I. Purification and some properties (292) 376
Gudat, J.C., see Wharton, D.C. (292) 611
Guern, J., see Doree, M. (304) 611
Guerreiro, M.M., see Ferreira, K.T.G. (291) 269
Guerrieri, F., see Papa, S. (292) 20
Guidoni, A., see Rovery, M. (328) 391
Guidotti, G.G., see Franchi-Gazzola, R. (291) 545
Guidotti, G.G., see Gazzola, G.C. (311) 292
Guild, W.R., see Morrison, D.A. (299) 545
Gukovskaja, A.S., see Antonovsky, V.L. (331) 9
Gumpen, S.A. and Norum, K.R.
The relative amounts of long-chain acyl-carnitines, short-chain acylcarnitines and carnitine in heart, liver and brown adipose tissue from rats fed on rapeseed oil (316) 48
Güngerlich, U., see Weinblum, D. (299) 231
Gunstone, F.D., see Tamai, Y. (296) 563
Günther, Th., see Zimmermann, U. (311) 442
Gupta, R.K.
Electron transfer in cytochrome c. Role of the polypeptide chain (292) 291
Gupta, R.K. and Yonetani, T.
Nuclear magnetic resonance study of the interaction of cytochrome c with cytochrome c peroxidase (292) 502
Gursky, G.V., see Beabealashvilly, R.Sh. (294) 425
Gürler, L.G. and Horstmann, H.J.
Subunit structure of toxin and agglutinin of Ricinus communis (295) 582
Guschlbauer, W., see Tougard, P. (308) 9
Guss, P.L., see Krysan, J.L. (296) 466
Gustafsson, J.-Å.
Formation of 16,17-dihydroxylated C_{19} steroids from 16-dehydro C_{19} steroids in liver microsomes from male and female rats (296) 179
Gutierrez, M., see Gerez de Burgos, N.M. (315) 250
Gutierrez Noroña, L., see Cervone, F. (295) 555
Gutman, Y. and Glushevitzky-Strachman, D.
Effect of dehydration, food deprivation, saline and adrenalectomy on microsomal $(Na^+ + K^+)$-dependent ATPase in the salivary glands and intestinal mucosa (304) 533
Gutman, Y., Hochman, S. and Wald, H.
The differential effect of lithium on microsomal ATPase in cortex, medulla and papilla of the rat kidney (298) 284
Gutnick, D.L., see Nieuwenhuis, F.J.R.M. (325) 62
Guttenplan, J.B. and Calvin, M.
Tertiary and quaternary structure of tobacco mosaic virus and protein. I. Effect of pH on fluorescence and 2-p-toluidinylnaphthalene-6-sulfonate binding (322) 294
Guttenplan, J.B. and Calvin, M.
Tertiary and quaternary structure of tobacco mosaic virus and protein. II. Emission, excitation, polarization and position of 2-p-toluidinylnaphthalene-6-sulfonate binding (322) 301

H

Habeeb, A.F.S.A., Lee, C.-L. and Atassi, M.Z.
Conformational studies on modified proteins and peptides. VII. Conformation of ϵ-prototoxin and ϵ-toxin from Clostridium perfringens. Conformational changes associated with toxicity (322) 245

Habeeb, A.F.S.A., see Atassi, M.Z. (303) 203

Haber, E., see Christensen, J.M. (303) 319

Habermann, E., see Ohsaka, A. (323) 415

Hachimori, A. and Nosoh, Y.
Conformational change with temperature of ATPase from Bacillus stearothermophilus (315) 481

Haddad, J.G., Hahn, T.J. and Birge, S.J.
Vitamin D metabolites: specific binding by rat intestinal cytosol (329) 93

Hadden, C.T., Billen, D. and Corrigan, K.
Stimulation of non-conservative DNA synthesis by ultraviolet light in freeze-treated Bacillus subtilis (324) 461

Hadjiolov, A.A., see Hadjiolova, K.V. (319) 373

Hadjiolova, K.V., Golovinsky, E.V. and Hadjiolov, A.A.
The site of action of 5-fluoroorotic acid on the maturation of mice liver ribonucleic acids (319) 373

Haehnel, W.
Electron transport between plastoquinone and chlorophyll a_1 in chloroplasts (305) 618

Hafez-Zedan, H. and Plourde, R.
Steroid 1-dehydrogenation and side-chain degradation enzymes in the life cycle of Fusarium solani (326) 103

Haga, T. and Noda, H.
Choline uptake systems of rat brain synaptosomes (291) 564

Hagen, C.
Effect of purine analogues on IMP pyrophosphorylase (293) 105

Hagen, U., see Bopp, A. (294) 47

Hagen, U., see Landbeck, L. (331) 318

Hahlbrock, K. and Wellmann, E.
Light-independent induction of enzymes related to phenylpropanoid metabolism in cell suspension cultures from parsley (304) 702

Hahlbrock, K., see Lindl, T. (302) 457

Hahn, T.J., see Haddad, J.G. (329) 93

Hakomori, S., see Siddiqui, B. (330) 147

Haksar, A. and Péron, F.G.
The role of calcium in the steroidogenic response of rat adrenal cells to ACTH (313) 363

Hall, D.O., see Reeves, S.G. (314) 66

Hamang, P.M., see Armstrong, W.McD. (330) 237

Hamberger, A., see Karlsson, J.-O. (298) 219

Hammerton, K. and Messer, M.
The subcellular and submicrosomal distribution of rat liver α-amylase activity (321) 597

Hammes, G.G., see Tondre, C. (314) 245

Hamming, J.L., see Bennett, V.L. (293) 232

Hammond, J.R.M.
A membrane component of the cellular slime mould Dictyostelium discoideum, rapidly labelled with [^{32}P]orthophosphate (291) 371

Hammonds, Jr, R.G., see Puett, D. (328) 261

Hamrell, B.B., see Webb, G.D. (297) 313

Hanahan, D.J.
The erythrocyte membrane. Variability and membrane enzyme activity (300) 319

Hanahan, D.J., see Benson, B.J. (329) 81

Hanahan, D.J., see Kisiel, W. (304) 103

Hanahan, D.J., see Kisiel, W. (329) 221

Hanawalt, P.C., see Edenberg, H.J. (324) 206

Hanawalt, P.C., see Swinton, D.C. (294) 385

Hancher, C.W., see Pearson, R.L. (294) 236

Hancock, R.G.V., Evans, D.J.R. and Fritze, K.
Manganese proteins in blood plasma (320) 486

Handlogten, M.E., see Christensen, H.N. (300) 487

Hankins, W.D., see Farkas, W.R. (294) 94

Hanna, N., Bellemare, G. and Godin, C.
Free and membrane-bound ribosomes. I. Separation by two-dimensional gel electrophoresis of protein from rat liver monosomes (331) 141

Hanna, R., Pickens, M. and Mendicino, J.
Purification of a specific D-apiitol dehydrogenase from a micrococcus isolated from the

surface of germinating parsley seeds (315) 259
Hannestad, U., see Carlsson, U. (327) 515
Hanoune, J., see Pichard, A.-L. (315) 370
Hansen, H.J., see Tan, C.H. (320) 469
Hansen, O. and Skou, J.C.
A study on the influence of the concentration of Mg^{2+}, P_i, K^+, Na^+, and Tris on ($Mg^{2+} + P_i$)-supported g-strophanthin binding to (Na^+–K^+)-activated ATPase from ox brain (311) 51
Hansen, O., see Jørgensen, P.L. (291) 795
Hansen, R.J., see Geisler, R.W. (327) 1
Hanson, A.N., see Rokosova, B. (320) 442
Hanson, J.B., see Jung, D.W. (325) 189
Hanson, J.P., Repke, D.I., Katz, A.M. and Aledort, L.M.
Calcium ion control of platelet thrombosthenin ATPase activity (314) 382
Hao, Y.-L. and Wickerhauser, M.
Development of large-scale fractionation methods. IV. A simple method for the large-scale preparation of α_1-acid glycoprotein (322) 99
Hara, I., see Hayashi, M. (291) 335
Harada, T., see Yokobayashi, K. (293) 197
Harbers, E., see Warnecke, P. (331) 295
Hardcastle, P.T. and Eggenton, J.
The effect of acetylcholine on the electrical activity of intestinal epithelial cells (298) 95
Harding, B.W., see Ramseyer, J. (315) 306
Hards, J.M., see Vassar, P.S. (291) 107
Hardy, Jr, M.A., see Lew, V.L. (323) 251
Hare, J.D., see Lemkin, J.A. (318) 113
Hare, J.D., see Lesko, L. (311) 173
Harewood, K.R., Vidrine, J.G., Larson, D.L., Wolf III, J.S., Schidlovsky, G. and Mayyashi, S.A.
Biochemical and morphological studies of Simian sarcoma virus, type 1 (308) 252
Harik, S.I., Pasternak, G.W. and Snyder, S.H.
An enzymatic-isotopic microassay for putrescine (304) 753
Harik, S.I. and Snyder, S.H.
Ornithine decarboxylase: Inhibition by α-hydrazinoornithine (327) 501
Harland, W.A., Gilbert, J.D. and Brooks, C.J.W.
Lipids of human atheroma. VIII. Oxidised derivatives of cholesteryl linoleate (316) 378
Harley, E.H., White, J.S. and Rees, K.R.
The identification of different structural classes of nucleic acids by electrophoresis in polyacrylamide gels of different concentration (299) 253
Harman, M., see Stevens, R.L. (302) 338
Harper, A.E., see Ip, C.C.Y. (331) 251
Harper, S.C., see Exton, J.H. (329) 23
Harper, S.C., see Exton, J.H. (329) 41
Harpold, M.A. and Calvin, M.
Amino acid–nucleotide interactions on an insoluble solid support. I. A simple model of the amino acid acceptor terminus of a tRNA (308) 117
Harrap, K.R., Jackson, R.C., Riches, P.G., Smith, C.A. and Hill, B.T.
The occurrence of protein-bound mixed disulfides in rat tissues (310) 104
Harrington, J.P., Pandolfelli, E.R. and Herskovits, T.T.
Solution studies on heme proteins: Circular dichroism and optical rotation of Lumbricus terrestris and Glycera dibranchiata hemoglobin (328) 61
Harris, D.A., Rosing, J., van de Stadt, R.J. and Slater, E.C.
Tight binding of adenine nucleotides to beef-heart mitochondrial ATPase (314) 149
Harris, D.C. and Aisen, P.
Facilitation of Fe(II) autoxidation by Fe(III) complexing agents (329) 156
Harris, G.L.A. and Crawford, N.
Isolation of pig platelet membranes and granules. Distribution and validity of marker enzymes (291) 701
Harris, G.L.A. and Crawford, N.
The subcellular distribution and characterisation of ATPase activity in pig platelets (291) 720
Harris, J.R., Price, M.R. and Baldwin, R.W.
The purification of membrane-associated tumour antigens by preparative polyacrylamide gel electrophoresis (311) 600
Harris, K.L. and Felts, J.M.
Kinetics of chylomicron triglyceride removal from plasma in rats: The effect of diet (316) 288
Harris, K.L. and Harris, P.A.
Kinetics of chylomicron triglyceride removal from plasma in rats: Effect of dose on the volume of distribution (326) 12
Harris, P.A., see Harris, K.L. (326) 12
Harris, W.E., Swanson, P.D. and Stahl, W.L.
Ouabain binding sites and the (Na^+,K^+)-ATPase of brain microsomal membranes (298) 680
Harrison, J.H., see Mathewson, P.R. (321) 413
Harrison, R., see Newman, R.A. (298) 798

Harry, D.S., Dini, M. and McIntyre, N.
Effect of cholesterol feeding and biliary obstruction on hepatic cholesterol biosynthesis in the rat (296) 209
Hart, M.B., see Millard, S.A. (308) 230
Hartiala, K., see Terho, T.T. (304) 591
Hartman, K.A., see Thomas, Jr, G.J. (312) 311
Hartman, K.A., see Thomas, Jr, G.J. (324) 37
Harvey, C.L., see Cook, A.F. (324) 433
Harvey, M.S., Wirtz, K.W.A., Kamp, H.H., Zegers, B.J.M. and van Deenen, L.L.M.
A study on phospholipid exchange proteins present in the soluble fractions of beef liver and brain (323) 234
Harving, H., see Clausen, T. (298) 393
Hasin, M., see Rottem, S. (298) 876
Hasin, M., see Rottem, S. (323) 520
Hassell, J.A. and Engelhardt, D.L.
Translational inhibition in extracts from serum-deprived animal cells (324) 545
Hasunuma, K.
Repressible extracellular nucleases in Neurospora crassa (319) 288
Hata, R. and Nagai, Y.
Distribution of acidic glycosaminoglycans in tadpole back skin (304) 408
Hata, T., see Kito, M. (298) 69
Hatanaka, H., see Shimizu, I. (296) 310
Hatefi, Y., see Davis, K.A. (325) 341
Hatton, M.W.C. and Regoeczi, E.
A simple method for the purification of commercial neuraminidase preparations free from proteases (327) 114
Hatzfeld, J.
Correlation between degradation, replication and repair of yeast DNA irradiated by ultraviolet or γ-rays (299) 43
Hatzfeld, J.
DNA labelling and its assay in yeast (299) 34
Haug, A., see Felker, P. (325) 193
Haugaard, N., see Chudapongse, P. (307) 599
Hauser, G. and Eichberg, J.
Improved conditions for the preservation and extraction of polyphosphoinositides (326) 201
Hauser, G. and Eichberg, J.
The subcellular distribution of polyphosphoinositides in myelinated and unmyelinated rat brain (326) 210
Hauser, H., see Davis, M.A.F. (317) 214
Hauser, R., see Bulkin, B.J. (326) 289
Hauska, G., Trebst, A. and Draber, W.
Lipophilicity and catalysis of photophosphorylation. II. Quinoid compounds as artificial carriers in cyclic photophosphorylation and photoreductions by Photosystem I (305) 632
Havez, R., see Degand, P. (320) 318
Hawley, S.A.
Chromatographic separation of conformational states of α-chymotrypsinogen A at high pressures (317) 236
Hayashi, A., see Matsubara, T. (296) 171
Hayashi, A., Suzuki, T. and Shin, M.
An enzymic reduction system for metmyoglobin and methemoglobin and its application to functional studies of oxygen carriers (310) 309
Hayashi, H., Suga, T. and Niinobe, S.
Studies on peroxisomes. III. Further studies on the intraparticulate localization of peroxisomal components in the liver of the rat (297) 110
Hayashi, H., see Maniloff, J. (298) 180
Hayashi, M., Muramatsu, T. and Hara, I.
Surface properties of synthetic phospholipids. II. Thermal phase transitions in monolayers (291) 335
Hayashi, M., Unemoto, T. and Hayashi, M.
pH and anion dependent salt modifications of alkaline phosphatase from a slightly halophilic Vibrio alginolyticus (315) 83
Hayashi, M., see Hayashi, M. (315) 83
Hayashi, M., see Unemoto, T. (327) 490
Hayashi, R., see Nishimune, T. (328) 124
Hayatsu, H., see Iida, S. (308) 198
Haydon, D.A. and Myers, V.B.
Surface charge, surface dipoles and membrane conductance (307) 429
Haydon, D.A., see Deol, B.S. (330) 192
Haydon, D.A., see Hladky, S.B. (318) 464
Haydon, D.A., see Zingsheim, H.P. (298) 755
Haynes, B., see Mackler, B. (292) 88
Hayon, E., see Rao, P.S. (292) 516
Hayward, C., see Warrington, R.C. (331) 231
Hazelhof, E., see Nugteren, D.H. (326) 448
Heald, P.J. and O'Hare, A.
Changes in rat uterine nuclear RNA during early pregnancy (324) 86
Hearst, J.E., Botchan, M., Kram, R. and Beals, E.
The use of buoyant density profiles in determining the length and spacing of repeated sequences in DNA (294) 173
Heath, R.L.
Ethyl red as a probe into the mechanism of light-driven proton translocation by isolated chloroplasts. I. The spectral shift of ethyl

red and membrane conformational changes (292) 444
Heazlitt, R., Conway, G. and Montag, J.
The role of actin sulfhydryls in actin–myosin interaction (317) 316
Heber, U.
Stoichiometry of reduction and phosphorylation during illumination of intact chloroplasts (305) 140
Heber, U., Tyankova, L. and Santarius, K.A.
Effects of freezing on biological membranes in vivo and in vitro (291) 23
Hecht, N.B.
Interconvertibility of mouse DNA polymerase activities derived from the nucleus and cytoplasm (312) 471
Hecht, S.M. and Kozarich, J.W.
A chemical synthesis of [γ-^{32}P]ATP (331) 307
Hedgpeth, J. and Boyer, H.W.
Hydrolysis of adenosine triphosphate accompanying interaction between Escherichia coli B restriction endonuclease and unmodified deoxyribonucleic acid (331) 310
Hedley-Whyte, J., see Leeuwenkroon-Strosberg, E. (295) 178
Hégésippe, M., see Rolleri, E. (295) 429
Hegner, D., Schummer, U. and Schnepel, G.H.
The effect of calcium on temperature-induced phase changes in liquid–crystalline cardiolipin structure (307) 452
Hegner, D., Schummer, U. and Schnepel, G.H.
The interaction of a lytic peptide, melittin, with spin-labeled membranes (291) 15
Hegyvary, C.
Effects of some organic solvents on the reactivity of sodium plus potassium ion-transport ATPase (311) 272
Heijneker, H.L., see Van Dorp, B. (299) 65
Heimberg, M., see Weinstein, I. (296) 300
Heinz, E., see Critchley, C. (326) 184
Heinz, E., see Forte, J.G. (298) 827
Heizmann, P., see Verdier, G. (312) 528
Hekman, A. and Sluyser, M.
Antigenic determinants on lysine-rich histones (295) 613
Helander, H.F., see Spenney, J.G. (311) 545
Helbert, J., see Mukai, K. (295) 49
Heldt, H.W., Werdan, K., Milovancev, M. and Geller, G.
Alkalization of the chloroplast stroma caused by light-dependent proton flux into the thylakoid space (314) 224
Hele, P.
Hydroxylamine-dependent reactions catalysed by a lysyl-tRNA synthetase of Escherichia coli B (294) 273
Helenius, A. and Söderlund, H.
Stepwise dissociation of the Semliki Forest virus membrane with Triton X-100 (307) 287
Helgeland, L., see Vidnes, A. (328) 365
Hell, A., see Birnie, G.D. (331) 283
Helle, K.B.
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, dopamine-β-hydroxylase and chro.nogranin A after freezing and thawing of the isolated granule membranes (318) 167
Helle, K.B.
Formation in vitro of matrix-like aggregates of chromogranins and phospholipids derived from chromaffin granules of the bovine adrenal medulla (318) 181
Helmrath, T.A., see Bieber, L.L. (326) 145
Helmsing, P.J. and van Eupen, O.
Chromatin of Drosophila: Isolation and characterization of chromatin of two larval cell types (308) 154
Helting, T. and Erbing, B.
Galactosyl transfer in mouse mastocytoma: Purification and properties of N-acetyl-lactosamine synthetase (293) 94
Hemington, J.G., Chenoweth, M. and Dunn, A.
Cyclic nucleotide phosphodiesterase activity in the plasma and erythrocytes of normal and diabetic rats (304) 552
Hemker, H.C., see Reekers, P.P.M. (317) 559
Hemminki, K.
Composition and synthesis of plasma membranes and smooth endoplasmic reticulum in isolated cells of newborn rat brain (298) 810
Hemminki, K.
Relative turnover of tubular subunits in rat brain (310) 285
Hemminki, K. and Suovaniemi, O.
Preparation of plasma membranes from isolated cells of new born rat brain (298) 75
Henderson, L.E., see Carlsson, U. (310) 376
Henderson, R.E.L., Kirkegaard, L.H. and Leonard, N.J.
Reaction of diethyl pyrocarbonate with nucleic acid components. Adenosine-containing nucleotides and dinucleoside phosphates (294) 356

Henderson, W., see Brooks, C.J.W. (296) 431
Hendricks, J., see Weidekamm, E. (323) 539
Hendrickson, W.A.
Structural effects accompanying ligand change in crystalline lamprey hemoglobin (310) 32
Hendriks, Th., de Pont, J.J.H.H.M., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXIV. Adenylate cyclase and rod photoreceptor membranes: A critical appraisal (330) 156
Hengesh, E.J. and Morris, A.J.
Inhibition of peptide bond formation by cytidyl derivatives of puromycin (299) 654
Henis, Y., see Chet, I. (294) 343
Henn, F.A., see Karlsson, J.-O. (298) 219
Henneberry, G.O., see Robinson, A.R. (326) 93
Henning, R., Plattner, H. and Stoffel, W.
Nature and localization of acidic groups on lysosomal membranes (330) 61
Henning, U., see Bisswanger, H. (321) 143
Henry, J.I., see Vaughan, W.M. (329) 159
Hepner, G.W. and Hofmann, A.F.
Different effects of free and conjugated bile acids and their keto derivatives on (Na^+,K^+)-stimulated and Mg^{2+}-ATPase of rat intestinal mucosa (291) 237
Heptinstall, S., see Archibald, A.R. (291) 629
Herak, J.N., see Dulčić, A. (319) 109
Herbst, E.J., see Wyatt, G.R. (304) 482
Herbst, J.J., see Koldovský, O. (309) 370
Heremans, J.F., see Bhushana Rao, K.S.P. (317) 286
Heremans, J.F., see Kobayashi, K. (303) 105
Heremans, J.F., see Kobayashi, K. (317) 517
Heremans, J.F., see Van Snick, J.L. (322) 231
Herman, G., see Keryer, G. (297) 186
Hermes, Y., see Sluyser, M. (295) 605
Heron, E.J., see Caprioli, R.M. (296) 321
Herp, A., see Downs, F. (328) 182
Herrera, A.E.R. and Lehmann, H.
The myoglobin of primates. V. Prosimians: Galago crassicaudatus (thick-tailed galago) and Lepilemur mustelinus (sportive lemur) (322) 10
Herrera, M.G., see Trueheart, P.A. (313) 310
Herrmann, J., see Fischer, W. (296) 527
Herrmann, J., see Fischer, W. (306) 353
Hershey, H., Stieber, J. and Mueller, G.C.
Effect of inhibiting the cellular synthesis of RNA, DNA and protein on DNA replicative activity of isolated S-phase nuclei (312) 509
Herskovits, T.T., see Harrington, J.P. (328) 61
Hertz, R. and Barenholz, Y.
Glucose release measurements from liposomes with an oxygen electrode (330) 1
Herz, F., Kaplan, E. and Fineman, E.L.
Regulation of alkaline phosphatase activity in KB cells: Influence of serum (304) 660
Herzberg, G.R. and Lerner, J.
Intestinal absorption of choline in the chick (307) 234
Hesketh, T.R., see Flanagan, M.T. (298) 535
Heslot, H., see Nagy, M. (309) 1
Hess, J.J., see Taylor, A. (298) 376
Hesse, H., see Strotmann, H. (314) 202
Heupel, A., see Elstner, E.F. (325) 182
Hewitt, N.A., see Kagan, H.M. (322) 258
Hexter, C.S. and Goldman, R.
Interaction of D-β-hydroxybutyrate dehydrogenase with lecithin vesicles (307) 421
Heyde, E.
Interaction between polypeptide chains within the catalytic subunit of aspartate transcarbamylase (293) 351
Hiatt, V.S. and Snyder, L.A.
Phenylalanine transfer RNA species in early development of barley (324) 57
Hickey, E.D. and Klein, N.W.
The effect of protein deprivation on RNA and protein breakdown in subcellular fractions of the cultured chick embryo (294) 297
Hicks, R.M., see Ketterer, B. (311) 180
Higuchi, E., see Okuda, K. (293) 15
Hijazi, N.H. and Laidler, K.J.
Influence of premixing on transient-phase kinetics for two-substrate enzyme systems (315) 209
Hikami, K., see Igarashi, K. (299) 325
Hildebrand, C.E. and Tobey, R.A.
Temporal organization of DNA in Chinese hamster cells: Cell-cycle dependent association of DNA with membrane (331) 165
Hildebrandt, A. and Sauer, H.W.
Thymidine phosphorylation in the cell cycle of Physarum polycephalum and the effect of 5-fluoro-2′-deoxyuridine and hydroxyurea (294) 8
Hill, B.T., see Harrap, K.R. (310) 104
Hill, E., see Wade, M. (322) 124
Hill, G.C. and Cross, G.A.M.
Cyanide-resistant respiration and a branched cytochrome system in Kinetoplastidae (305) 590

Hill, H.A.O., see DeSimone, R.E. (304) 851
Hill, M.W., see Gacesa, P. (307) 467
Hill, R.K., see Sawada, S. (315) 204
Hillcoat, B.L., Marshall, L. and Patterson, J.
Dihydrofolate reductase induced by folic acid in cultured human cells (293) 281
Hillel, Z., see Lumpkin, O. (305) 281
Hindriks, F.R., Groen, A. and Kroon, A.M.
On the relation of heavy metals to the activity and heat stability of alkaline phosphatase from human placenta (315) 94
Hippe, E., see Christensen, J.M. (303) 319
Hiramatsu, K., see Aoki, K. (328) 323
Hirano, S.
Preparation of a conformationally transitional hyaluronate (329) 152
Hirao, M., see Yokobayashi, K. (293) 197
Hirata, K., see Miyahara, M. (325) 47
Hiratsuka, T. and Uchida, K.
Preparation and properties of 2'(or 3')-O-(2,4,6-trinitrophenyl) adenosine 5'-triphosphate, an analog of adenosine triphosphate (320) 635
Hirayama, H., see Taniguchi, M. (296) 65
Hiromi, K., Nitta, Y., Numata, C. and Ono, S.
Subsite affinities of glucoamylase: Examination for validity of subsite theory (302) 362
Hirose, M., see Chiba, H. (327) 380
Hirose, S., Tamaura, Y., Iida, K. and Inada, Y.
Energy-linked conformational change of the mitochondrial membrane measured with the NH_2-modifying reagent, acrolein (305) 52
Hirose, S., see Igarashi, K. (299) 325
Hirose, S., see Igarashi, K. (299) 331
Hirth, C., see Elharrar, M. (319) 91
Hisatake, M., see Chiba, H. (327) 380
Hittelman, K.J. and Butcher, R.W.
Effects of antilipolytic agents and adrenergic antagonists on cyclic AMP metabolism in hamster white adipocytes (316) 403
Hittelman, K.J., Wu, C.F. and Butcher, R.W.
Control of cyclic AMP levels in isolated fat cells from hamsters (304) 188
Hizukuri, S., see Okada, H. (304) 20
Hladky, S.B.
The effect of stirring on the flux of carriers into black lipid membranes (307) 261
Hladky, S.B. and Haydon, D.A.
Membrane conductance and surface potential (318) 464
Hnilica, L.S., see Johnson, A.W. (295) 140
Hnilica, L.S., see Johnson, A.W. (295) 150
Ho, H.C., Wirch, E. and Wang, J.H.-C.
Effect of reductive alkylation on catalytic properties of glycogen phosphorylase b. Enzyme derivatives with changed nucleotide affinities (317) 462
Ho, H.C., see Shatsky, M.A. (303) 298
Ho, N.W.Y. and Gilham, P.T.
The analysis of polydeoxyribonucleotides by digestion with phosphatase and phosphodiesterases (308) 54
Ho, R.-J., see Exton, J.H. (329) 23
Hobza, P., Hurych, J. and Zahradník, R.
Quantum chemical study of the mechanism of collagen proline hydroxylation (304) 466
Hoch, J.A., see Rado, T.A. (321) 114
Hochman, S., see Gutman, Y. (298) 284
Hochstein, L.I. and Dalton, B.P.
Studies of a halophilic NADH dehydrogenase. I. Purification and properties of the enzyme (302) 216
Hodgins, L.T. and Wheatley, V.R.
Cutaneous lipogenesis. III. The incorporation of valine carbons into the branched-chain fatty acids of rodent ear skin lipids (316) 173
Hodson, S. and Riley, M.V.
A sensitive method for measuring the charge of water soluble polyanions (304) 236
Hoek, J.B. and Tager, J.M.
The oxidoreduction state of free (NAD)P and mass-action ratio of total nicotinamide nucleotides in isolated rat-liver mitochondria (325) 197
Hoekstra, S.P., see Schutgens, R.B.H. (308) 372
Hoenders, H.J., see Van Kamp, G.J. (295) 166
Hoenders, H.J., see Van Kamp, G.J. (303) 194
Hof, H., see Brunngraber, E.G. (304) 781
Hof, L. and Faillard, H.
The serum dependence of the occurrence of N-glycolylneuraminic acid in Hela cells (297)
Hoff, H.F., Morrisett, J.D. and Gotto, Jr, A.M.
Interaction of phosphatidylcholine and apolipoprotein–alanine: Electron microscopic studies (296) 653
Hoffman, D.J. and Niyogi, S.K.
Differential effects of sigma factor, ionic strength, and ribonucleoside triphosphate concentration on the transcription of phage T4 DNA with the ribonucleic acid polymerase of Escherichia coli (299) 588
Hofmann, A.F., see Hepner, G.W. (291) 237
Hofmann, T., see Dzialoszynski, L. (302) 406
Hofschneider, P.H., see Keil, T.U. (312) 297

Hogarth, C., see Adams, R.L.P. (331) 214
Høisaeter, P.A.
The androgen cytosol receptor in the ventral prostate of the rat (317) 492
Holden, J.T. and Bunch, J.M.
Asparagine transport in Lactobacillus plantarum and Streptococcus faecalis (307) 640
Holden, T.M., see Bartlett, M.W. (328) 213
Holladay, D.W., see Pearson, R.L. (294) 236
Holleman, W.H.
The use of absorption optics to measure dissociation of yeast enolase into enzymatically active monomers (327) 176
Holloman, L., see Keenan, R.W. (326) 84
Holman, M., see Cook, A.F. (324) 433
Holman, R.T., see Chang, H.C. (306) 21
Holme, G., see Delovitch, T.L. (299) 621
Holme, T., see Arvidson, S. (302) 135
Holmgren, A., see Sjöberg, B.-M. (315) 176
Holmlund, C.E.
Growth inhibition of Tetrahymena pyriformis by a hypocholesteremic compound and the mechanism of its reversal by various lipids (296) 221
Holmsen, H., see Sixma, J.J. (298) 460
Holohan, K.N., Murphy, R.F., Flanagan, R.W.J., Buchanan, K.D. and Elmore, D.T.
Enzymic iodination of the histidyl residue of secretin: A radioimmunoassay of the hormone (322) 178
Holt, C., Dalgleish, D.G. and Parker, T.G.
Particle size distributions in skim milk (328) 428
Holton, J.S., see Lenz, D.E. (321) 189
Holwerda, D.A. and de Zwaan, A.
Kinetic and molecular characteristics of allosteric pyruvate kinase from muscle tissue of the sea mussel Mytilus edulis L (309) 296
Holý, A., see Votruba, I. (324) 14
Holz, Jr, G.G., see Beach, D.H. (316) 56
Homann, P.H., see Vredenberg, W.J. (314) 261
Homer, R.B., see Dean, B.R. (322) 141
Homma, T., see Maeda, Y. (303) 230
Hommes, F.A., see Berger, R. (314) 1
Honegger, J.L., see Silbert, D.F. (311) 349
Honegger, P. and Semenza, G.
Multiplicity of carriers for free glucalogues in hamster small intestine (318) 390
Hopkins, T.R., see Avery, M.J. (310) 142
Hopper, J.E. and Dickinson, D.B.
Sugar nucleotide inhibition of UDPglucose pyrophosphorylase from calf liver (309) 307
Hopper, K.E.
Apparent heterogeneity of bovine α-lactalbumin A and B in DEAE-Sephadex chromatography (295) 364
Hopper, K.E. and McKenzie, H.A.
Minor components of bovine α-lactalbumin A and B (295) 352
Hora, J.
Stabilization of Bacillus subtilis amylase by amino group acylation (310) 264
Hørder, M.
Inorganic pyrophosphate–phosphohydrolytic activity in human serum. Catalytic properties of the ionic species of PP_i and $MgPP_i$ complexes (321) 329
Hořejší, V. and Kocourek, J.
Studies on phytohemagglutinins. XII. O-Glycosyl polyacrylamide gels for affinity chromatography of phytohemagglutinins (297) 346
Horgen, P.A. and Key, J.L.
The DNA-directed RNA polymerases of soybean (294) 227
Hori, H., see Nagai, Y. (312) 742
Hori, M., see Kunimoto, T. (298) 513
Horn, R.S., Walaas, O. and Walaas, E.
The influence of sodium, potassium and lithium on the response of glycogen synthetase I to insulin and epinephrine in the isolated rat diaphragm (313) 296
Horn, R.S., see Høstmark, A.T. (304) 389
Horng, A.J. and Yang, S.F.
Peroxidase-catalyzed oxidation of indole-3-acetaldehyde to 4-hydroxyquinoline in the presence of bisulfite ion: Elimination of pyrrole ring C_2 as formic acid (321) 456
Hornig, D., Gallo-Torres, H.E. and Weiser, H.
A biliary metabolite of ascorbic acid in normal and hypophysectomized rats (320) 549
Horowitz, M.I., see Slomiany, B.L. (316) 35
Horowitz, M.I., see Slomiany, B.L. (326) 224
Horstmann, H.J., see Gürtler, L.G. (295) 582
Horton, A.W., Schuff, A.R. and McClure, D.W.
Ionic transport through model membranes. II. Function of cholesterol and steroid hormones (318) 225
Horvat, A.
The occurrence and intracellular localization of sucrase activity in rat liver (297) 413
Horvath, C. and Sovak, M.
Membrane coarctation by calcium as a regulator for bound enzymes (298) 850

Horwitz, A.F., Michaelson, D.M. and Klein, M.P.
Magnetic resonance studies on membrane and model membrane systems. III. Molecular motion in aqueous lecithin dispersions (298) 1
Hoshino, J., see Simon, D. (321) 361
Høstmark, A.T. and Horn, R.S.
Stimulation of sensitivity of the glycogen phosphorylase converting system in skeletal muscle by metabolic inhibitors (304) 389
Hourani, B.T., Chase, N.M. and Pincus, J.H.
Plasma membrane glycoproteins from nucleated cells. I. Preparative techniques for isolation and partial characterization of a membrane glycoprotein extract from L1210 cells with lectin receptor activity (328) 520
Hout, A. and Schuite, A.
The measurement of the ATP-dependent nuclease in crude extracts of wild-type and RecA cells of Escherichia coli (308) 366
Houtsmuller, U.M.T., see Struijk, C.B. (296) 253
Howe, L.A., see Barns, R.J. (321) 624
Howell, S.L. and Montague, W.
Adenylate cyclase activity in isolated rat islets of Langerhans: Effects of agents which alter rates of insulin secretion (320) 44
Howell, S.L., see Deery, D.J. (329) 17
Howland, J.L., Lichtman, J.W. and Settlemire, C.T.
Inhibition of the mitochondrial respiratory chain by alkylhydroxynaphthoquinones: Reversal on discharge of the energized state (314) 154
Hoyano, Y., see Pereira, W.E. (313) 170
Hsiao, T.C., see Ramagopal, S. (299) 460
Hsing, A.S., see Ellsworth, R.K. (313) 119
Hsu, J.M., see McClain, P.E. (304) 457
Huang, C.H., Keyhani, E. and Lee, C.P.
Fractionation by sucrose density gradient centrifugation of membrane fragments derived by sonic disruption of beef heart mitochondria (305) 455
Huang, F.L. and Evans, W.H.
Differences in protein and glycoprotein patterns between mature and immature neutrophil leukocytes (317) 394
Huang, J.W. and Kaplan, S.
Membrane proteins of Rhodopseudomonas spheroides. III. Isolation, purification and characterization of cell envelope proteins (307) 301
Huang, J.W. and Kaplan, S.
Membrane proteins of Rhodopseudomonas spheroides. IV. Characterization of chromatophore proteins (307) 317
Huang, J.W. and Kaplan, S.
Membrane proteins of Rhodopseudomonas spheroides. V. Additional chemical characterization of a pigment–lipid-associated protein isolated from chromatophores (307) 332
Huang, K.P. and Cabib, E.
Yeast glycogen synthetase in the glucose 6-phosphate independent form: A case of cold lability without major changes in molecular size (302) 240
Huang, M., Gruenstein, E. and Daly, J.W.
Deplorization-evoked accumulation of cyclic AMP in brain slices: Inhibition by exogenous adenosine deaminase (329) 147
Huang, R.T.C.
Isolation and characterization of the gangliosides of butter milk (306) 82
Hubálková, O., see Turková, J. (322) 1
Hubbell, W.L., see Trudell, J.R. (291) 321
Hubbell, W.L., see Trudell, J.R. (291) 328
Hudock, G.A., see Karn, R.C. (293) 567
Hudock, P., see Ramalay, R.F. (315) 22
Huet, C., see Inbar, M. (311) 594
Huet, M.
Active unit of D-amino acid oxidase from hog kidney (322) 234
Huf, E.G., see Pinschmidt, M.W. (323) 309
Huf, E.G., see Smith, T.C. (291) 465
Hug, D.H. and Roth, D.
Inhibition of urocanase by cupric ion (293) 497
Hughes, H.N., see Jezyk, P.F. (296) 24
Hui, F.K. and Barton, P.G.
Mesomorphic behaviour of some phospholipids with aliphatic alcohols and other non-ionic substances (296) 510
Huisman, J., see Souverijn, J.H.M. (305) 185
Huisman, T.H.J., see Efremov, G.D. (328) 81
Huisman, W., Bouma, J.M.W. and Gruber, M.
Influence of thiols, ATP and CoA on protein breakdown by subcellular fractions from rat liver (297) 93
Huisman, W., Bouma, J.M.W. and Gruber, M.
Involvement of thiol enzymes in the lysosomal breakdown of native and denatured proteins (297) 98
Hülsmann, W.C., see Groot, P.H.E. (316) 124
Hülsmann, W.C., see Jansen, H. (296) 241
Hülsmann, W.C., see Lamers, J.M.J. (313) 1
Hülsmann, W.C., see Struijk, C.B. (296) 253
Hülsmann, W.C., see Van Berkel, Th.J.C. (293) 118

Hülsmann, W.C., see Van Berkel, Th.J.C. (321) 171
Hultin, T., Näslund, P.H. and Sjoqvist, A. Conditions of structural anf functional destabilization of mammalian ribosomes by magnesium ions (319) 81
Humayun, M.Z. and Jacob, T.M. Immunologic studies on nucleic acids and their components. I. An analysis of the specificity of anti-deoxyadenylate antibodies by a membrane-binding technique (331) 41
Humphrey, R.M., see Gerner, E.W. (331) 117
Hunt, D. and Watanabe, M. Reversal of inhibition of membrane-bound RNA synthesis in Escherichia coli infected with R23 (319) 304
Hunter, M.L., see Christie, W.W. (316) 282
Hunter, W.M., see Bolton, A.E. (329) 318
Hurst, R., Pincock, A. and Broekhoven, L.H. Model discrimination and nonlinear parameter estimation in the analysis of the mechanism of action of β-hydroxybutyrate dehydrogenase from Rhodopseudomonas spheroides (321) 1
Hurych, J., see Hobza, P. (304) 466
Hutchinson, D.W., see Eaton, M.A.W. (319) 281
Huxtable, R. and Bressler, R. Effect of taurine on a muscle intracellular membrane (323) 573
Hwang, J.C., Chen, C.H. and Burris, R.H. Inhibition of nitrogenase-catalyzed reductions (292) 256
Hynie, S., see Sharp, G.W.G. (309) 339
Hyodo, M. and Flickinger, R.A. Replicon growth rates during DNA replication in developing frog embryos (299) 24

I

Iburg, L.K., see DerVartanian, D.V. (305) 173
Ichimura, S., see Zama, M. (294) 214
Ichishima, E. and Arai, T.
Specificity and mode of action of acid carboxypeptidase from Aspergillus saitoi (293) 444
Igarashi, K., Hikami, K., Sugawara, K. and Hirose, S.
Effect of polyamines on polypeptide synthesis in rat liver cell-free system (299) 325
Igarashi, K., Kurosawa, R., Terada, K., Takahashi, K. and Hirose, S.
Comparison of rat liver and Escherichia coli cell-free system in inhibition of polypeptides synthesis by deoxycholate (299) 331
Igarashi, S., Trelstad, R.L. and Kang, A.H.
Physical chemical properties of chick cartilage collagen (295) 514
Igic, R., see Nakajima, T. (315) 430
Igo-Kemenes, T., see Spadafora, C. (312) 674
Iguchi, M., Mori, K., Ohyama, H. and Matsumura, Y.
Collagen metabolism. II. Enzymic formation of pyrrole-2-carboxylic acid from L-hydroxyproline in rat (315) 285
Iida, H., see Nozawa, Y. (318) 335
Iida, K., see Hirose, S. (305) 52
Iida, S., Chung, K.C. and Hayatsu, H.
The reaction of hydroxylamine with 4-thiouridine (308) 198
Iizuka, K., see Nohara, H. (319) 55
Ikawa, M., see Sullivan, Jr, J.D. (309) 11
Ikenaka, T., see Kawahara, K. (295) 505
Il'ina, M.D., see Borisov, A.Yu. (305) 364
Il'ina, M.D., see Borisov, A.Yu. (325) 240
Illingworth, D.R., see Portman, O.W. (326) 34
Illingworth, D.R., Portman, O.W., Robertson, Jr, A.L. and Magyar, W.A.
The exchange of phospholipids between plasma lipoproteins and rapidly dividing human cells grown in tissue culture (306) 422
Iljashenko, B.N., see Sabelnikov, A. (299) 492
Imai, K., see Tyuma, I. (310) 317
Imai, K. and Tyuma, I.
Simulation of biphasic oxygen equilibrium curves of hemoglobin in the presence of small amounts of 2,3-diphosphoglycerate (293) 290
Imamura, T., see Sumida, I. (322) 23
Imaoka, N. and Nakajima, T.
Hypusine N^6-(4-amino-2-hydroxybutyl)-2,6-diaminohexanoic acid, in tissue proteins of mammals (320) 97
Inada, Y., see Hirose, S. (305) 52
Inada, Y., see Makino, H. (295) 543
Inbar, M., Ben-Bassat, H., Sachs, L., Huet, C. and Oseroff, A.R.
Inhibition of lectin agglutinability by fixation of the cell surface membrane (311) 594
Infante, R., see Alcindor, L.-G. (306) 347
Infante, R., see Soler-Argilaga, C. (326) 167
Inglefield, P.T., see Gottlieb, A.M. (307) 444
Ingraham, L.L., see Kim, C.S. (297) 220
Innanen, V.T. and Nicholls, D.M.
Isolation of release factor from mammalian liver and the use of rat liver ribosome in the release assay (324) 533
Inoue, H., see Ono, M. (304) 495
Inoue, I., Ishida, N. and Kobatake, Y.
Studies of excitable membrane formed on the surface of protoplasmic drops isolated from Nitella. IV. Excitability of the drop membrane in various compositions of the external salt solution (330) 27
Inoue, I., Kobatake, Y. and Tasaki, I.
Excitability, instability and phase transitions in squid axon membrane under internal perfusion with dilute salt solutions (307) 471
Inoue, I., see Miyake, M. (323) 367
Inoue, I., Ueda, T. and Kobatake, Y.
Structure of excitable membranes formed on the surface of protoplasmic drops isolated from Nitella. I. Conformation of surface membrane determined from the refractive index and from enzyme actions (298) 653
Inoue, I., see Ueda, T. (318) 326
Inoue, K., see Masuzawa, Y. (326) 339
Inoue, S.
The determination of iduronic acid and glucuronic acid in heparins by a new

technique. Re-evaluation of the variable hexuronic acid composition of mammalian heparins (329) 264
Inoue, S. and Miyawaki, M.
Variations in the hexuronic acid composition of mammalian heparins and mammalian heparin fractions (320) 73
Inoue, Y., Ogawa, T. and Shibata, K.
Light-induced spectral changes of P700 in the 800-nm region in Anacystis and spinach lamellae (305) 483
Inouye, A., see Kamino, K. (330) 39
Inouye, K., see Berg, R.A. (328) 553
Inouye, K., see Kamino, K. (330) 39
Inouye, K., see Sakakibara, S. (303) 198
Inouye, K., see Yoshida, N. (321) 615
Ip, C.C.Y. and Harper, A.E.
Effect of threonine supplementation on hepatic polysome patterns and protein synthesis of rats fed a threonine-deficient diet (331) 251
Ipaktchi, M., see Lefauconnier, J.-M. (297) 135
Ipata, P.L., see Balestreri, E. (315) 443
Irons, L., Evans, M.T.A., Jones, M. and Miller, P.J.
Effect of succinylation and acylation on the physicochemical properties of α_{s1}-casein B (328) 433
Irschik, H. and Oelze, J.
Membrane differentiation in photo-trophically growing Rhodospirillum rubrum during transition from low to high light intensity (330) 80
Irwin, W.E., see Bretthauer, R.K. (304) 736
Isaacson, R.A., see Scholes, C.P. (322) 457
Isaakidou, I., see Stathakos, D. (302) 80
Isac, T., see Papahadjopoulos, D. (311) 330
Isaksson, L.A.
Formation in vitro of 1-methylguanine in 23-S RNA from Escherichia coli. The effects of spermidine and two proteins (312) 134
Isaksson, L.A.
Partial purification of ribosomal RNA (m^1G)- and rRNA (m^2G) methylases from Escherichia coli and demonstration of some proteins affecting their apparent activity (312) 122
Ishida, N., see Inoue, I. (330) 27
Ishihara, K., Oguri, K. and Taniguchi, H.
Isolation and characterization of fucose sulfate from jelly coat glycoprotein of sea urchin egg (320) 628
Ishii, H., Joly, J.G. and Lieber, C.S.
Effect of ethanol on the amount and enzyme activities of hepatic rough and smooth microsomal membranes (291) 411
Ishikawa, S., see Nishihara, H. (302) 429
Ishinaga, M., see Kito, M. (298) 69
Ishitani, K., see Urushizaki, I. (328) 95
Ishiwata, S.
A study on the F-actin–tropomyosin–troponin complex. I. Gel-filament transformation (303) 77
Ishizuka, I., see Fischer, W. (296) 527
Isobe, K., see Fukui, S. (328) 114
Israel, A., Verjus, M.-A. and Semmel, M.
Isolation and characterization of surface membranes from chorioallantoic cells and chick fibroblasts (318) 155
Israelachvili, J.N.
Theoretical considerations on the asymmetric distribution of charged phospholipid molecules on the inner and outer layers of curved bilayer membranes (323) 659
Issaly, A.S., Issaly, I.M. and Reissig, J.L.
Release of ribosome-bound aspartate transcarbamylase after in vitro complementation (331) 410
Issaly, I.M., see Issaly, A.S. (331) 410
Ito, A., see Sugiura, M. (309) 357
Ito, A., see Sugiura, M. (328) 407
Ito, T.
Diffusion of acridine molecules to a genetic site in living cells (329) 140
Ito, T., see Miyake, Y. (328) 173
Ito, Y., see Nozawa, Y. (307) 92
Itoh, K.B., see Sogami, M. (310) 118
Itoh, S., see Murata, N. (325) 463
IUPAC–IUB Commission on Biochemical Nomenclature
Nomenclature of iron–sulfur proteins (1973 Recommendations) (310) 295
Iwamura, H.
The effects of hydrogen bonding and solvents on the absorption spectra of a 4-thiouracil derivative (308) 333
Iwashima, A., Nishino, H. and Nose, Y.
Carrier-mediated transport of thiamine in baker's yeast (330) 222
Izawa, S., see Felker, P. (325) 193
Izawa, S., Gould, J.M., Ort, D.R., Felker, P. and Good, N.E.
Electron transport and photophosphorylation in chloroplasts as a function of the electron acceptor. III. A dibromothymoquinone-insensitive phosphorylation reaction associated with Photosystem II (305) 119
Izawa, S., see Gould, J.M. (314) 211
Izawa, S., Kraayenhof, R., Ruuge, E.K. and DeVault, D.

The site of KCN inhibition in the photosynthetic electron transport pathway (314) 328
Izawa, S., see Ouitrakul, R. (305) 105
Izumi, K.
Structural analysis of Agar-type polysaccharides by NMR spectroscopy (320) 311
Izumi, Y., Tani, Y. and Ogata, K.
The conversion of bisnorbiotin and bisnordethiobiotin to biotin and dethiobiotin, respectively, by microorganisms (326) 485
Izutsu, K., see Okada, Y. (291) 116

J

Jack, G.W., see Atkinson, A. (308) 41
Jackson, C.M., see Esmon, C.T. (310) 289
Jackson, C.M., see Taylor, J.A.G. (323) 157
Jackson, J.B., Cogdell, R.J. and Crofts, A.R.
Some effects of o-phenanthroline on electron transport in chromatophores from photosynthetic bacteria (292) 218
Jackson, J.B. and Dutton, P.L.
The kinetic and redox potentiometric resolution of the carotenoid shifts in Rhodopseudomonas spheroides chromatophores: Their relationship to electric field alterations in electron transport and energy coupling (325) 102
Jackson, R.C., see Harrap, K.R. (310) 104
Jacob, T.M., see Humayun, M.Z. (331) 41
Jacobs, B.O. and Krahl, M.E.
The effects of divalent cations and insulin on protein synthesis in adipose cells (319) 410
Jacobs, N.J., see Gray, C.T. (325) 72
Jacobs-Lorena, M., Gabrielle, F., Borun, T.W. and Baglioni, C.
Studies on the translational control of histone synthesis I. Translation of histone messenger RNA by heterologous cell-free systems prepared from cells inactive in DNA synthesis (324) 275
Jacobson, K., see Papahadjopoulos, D. (311) 330
Jacquez, J.A.
Sodium dependence of maximum flux, J_M, and of K_m of amino acid transport in Ehrlich ascites cells (318) 411
Jacquot-Armand, Y.
α_2-Macroglobulin free or bound to trypsin (303) 128
Jaffe, R.B., see Menon, K.M.J. (304) 203
Jagendorf, A.T., see Tao, K.-L.J. (324) 518
Jakob, K.M. and Tal, I.
Methyl methionine labeling of a higher plant tissue: The incorporation into RNA and pectinic acid of nucleic acid extracts (308) 296
James, H.L. and Ganguly, P.
Studies on platelet proteins. IX. The identity of fibrinogen (328) 448
James, R. and Branton, D.
Lipid- and temperature-dependent structural changes in Acholeplasma laidlawii cell membranes (323) 378
Jameson, D.M., see Klapper, B.F. (304) 505
Jameson, D.M., see Klapper, B.F. (304) 513
Jamieson, G.A., see Ross, P.D. (313) 106
Janik, B., see De Clercq, E. (324) 50
Janke, J., see Chang, H.C. (306) 21
Jänne, O., see Kontula, K. (328) 145
Jannsen, S. and Witte, I.
Mutants for the specific labelling of DNA in Saccharomyces cerevisae (299) 681
Jansen, H. and Hülsmann, W.C.
Long-chain acyl-CoA hydrolase activity in serum: Identity with clearing factor lipase (296) 241
Jansen, H., see Struijk, C.B. (296) 253
Janson, J.-C., see Lönnerdal, B. (315) 421
Janson, V.K. and Burger, M.M.
Isolation and characterization of agglutinin receptor sites. II. Isolation and partial purification of a surface membrane receptor for wheat germ agglutinin (291) 127
Janson, V.K., Sakamoto, C.K. and Burger, M.M.
Isolation and characterization of agglutinin receptor sites. III. Studies on the interaction with other lectins (291) 136
Janssen, L.H.M., see De Bruin, S.H. (295) 490
Jardetzky, O., see Matthews, K.S. (295) 159
Järnefelt, J., see Skulskii, I.A. (298) 702
Jastorff, B., see Konijn, T.M. (304) 774
Jaworski, A., see Geller, M. (331) 1
Jayle, M.F., see Savu, L. (328) 533
Jeffery, J., see White, I.H. (296) 604
Jellinck, P.H. and Smith, G.
Aryl hydroxylase induction in the chick embryo by polycyclic hydrocarbons (304) 520
Jendrisak, J. and Becker, W.M.
Isolation, purification and characterization of RNA polymerase from wheat germ (319) 48
Jenkins, T., see Ezekiel, D.H. (312) 751
Jensen, R.A., Calhoun, D.H. and Stenmark, S.L.
Allosteric inhibition of 3-deoxy-D-arabino-heptulosonate 7-phosphate synthetase by

tyrosine, tryptophan and phenylpyruvate in Pseudomonas aeruginosa (293) 256
Jerfy, A. and Roy, A.B.
The sulphatase of ox liver. XVI. A comparison of the arylsulphatase and cerebroside sulphatase activities of sulphatase A (293) 178
Jernigan, H.M., Chu, M.-L. and Fried, M.
Polymorphism in fowl serum albumin. IV. Isolation and characterisation of liver polyribosomes (312) 502
Jessee, Jr, F., see Watlington, C.O. (330) 102
Jetschmann, K., see Solomonson, L.P. (309) 32
Jetten, A.M. and Vogels, G.D.
Effects of colicin A and staphylococcin 1580 on amino acid uptake into membrane vesicles of Escherichia coli and Staphylococcus aureus (311) 483
Jezyk, P.F. and Hughes, H.N.
Synthetic 1-acylglycerophospholipid analogues as lipid substrates. I. Studies on microsomal acylation and uptake into liver slices of 1-acyl analogues containing various polar bases (296) 24
Jim, R.T.S., see Blackwell, R.Q. (322) 27
Jirgensons, B.
Reconstructive denaturation of immunoglobulins by sodium dodecylsulfate. Circular dichroism studies (317) 131
Jirgensons, B.
Sensitivity of some nonhelical proteins to structural modification by sodium dodecylsulfate and its homologues. Circular dichroism studies on Bence Jones protein, concanavalin A, soybean trypsin inhibitor and trypsin (328) 314
Jirgensons, B., see Nakagawa, Y. (328) 42
Jirka, M. and Blanický, P.
Quantitative immunoelectrofocusing of proteins with respect to their heterogeneity (295) 1
Job, C., see Mazza, G. (322) 218
Johansson, Å., Lundberg, J., Mattiasson, B. and Mosbach, K.
The application of immobilized enzymes in flow microcalorimetry (304) 217
Johansson, C.-J., Måhlén, A. and Pettersson, G.
Kinetic studies on citrate synthase from pig heart (309) 466
Johnson, A.H. and Baker, J.R.
The enzymatic sulphation of heparin sulphate by hen's uterus (320) 341
Johnson, A.W., Wilhelm, J.A. and Hnilica, L.S.
Nuclear basic protein acetylation during early sea urchin development (295) 150
Johnson, A.W., Wilhelm, J.A., Ward, D.N. and Hnilica, L.S.
The composition of sea urchin sperm and embryo histones (295) 140
Johnson, C., Attridge, T. and Smith, H.
Advantages of the fixed-angle rotor for the separation of density-labelled from unlabelled proteins by isopycnic equilibrium centrifugation (317) 219
Johnson, D.B., see Coughlan, M.P. (302) 200
Johnson, E.J., see Mazzotta, M.Y. (321) 512
Johnson, J.D.
Neutral hetero-β-galactosidase from rabbit small intestine (302) 382
Johnson, M.E., Simon, S., Kauffman, J.W. and MacDonald, R.C.
A synthetic lecithin containing branched-chain fatty acids. Physical properties and membrane studies (291) 587
Johnson, S.M.
The effect of charge and cholesterol on the size and thickness of sonicated phospholipid vesicles (307) 27
Johnson, S.M. and Buttress, N.
The osmotic insensitivity of sonicated liposomes and the density of phospholipid cholesterol mixtures (307) 20
Johnson, S.M., Miller, K.W. and Bangham, A.D.
The opposing effects of pressure and general anaesthetics on the cation permeability of liposomes of varying lipid composition (307) 42
Johnson, T.C., see Banks, S.P. (294) 450
Johnstone, R.M., see Colombini, M. (323) 69
Johnstone, R.M., see Tsang, D. (318) 217
Joliot, A., see Joliot, P. (305) 302
Joliot, A., see Joliot, P. (305) 317
Joliot, P., Bennoun, P. and Joliot, A.
New evidence supporting energy transfer between photosynthetic units (305) 317
Joliot, P. and Joliot, A.
Different types of quenching involved in Photosystem II centers (305) 302
Jollès, P., see Dautigny, A. (298) 783
Jollès-Bergeret, B., see Gomez de Gracia, D. (315) 49
Jolley, G.M. and Ormerod, M.G.
An improved method for measuring cross-links in the DNA of mammalian cells: The effect of nitrogen mustard (308) 242
Joly, J.G., see Ishii, H. (291) 411
Jonák, J. and Rychlík, I.
Study of conditions for the inhibitory effect

of N-tosyl-L-phenylalanylchloromethane on protein synthesis and the possibility of existence of difference forms of the elongation factor S_3 in Bacillus stearothermophilus (324) 554
Jonák, J., Sedláček, J. and Rychlík, I.
Mode of action of N-tosyl-L-phenylalanylchloromethane on the elongation protein-synthesizing S_3 factor from Bacillus stearothermophilus (294) 322
Joner, P.E., Kristiansen, T. and Einarsson, M.
Purification and properties of L-asparaginase A from Acinetobacter calcoaceticus (327) 146
Jones, A.S., see Chelton, E.T.J. (312) 38
Jones, A.S., MacCoss, M. and Walker, R.T.
Synthetic analogues of polynucleotides X. The synthesis of poly-(3′-O-carboxymethyl-2′-deoxyadenosine) and its interaction with polynucleotides (294) 365
Jones, A.S., Walker, R.T. and Youngs, V.
Preparation of a stable mercury derivative of tyrosine transfer RNA (299) 293
Jones, F.R., see Wagstaff, M. (320) 406
Jones, G. and Mach, B.
The function of Met-tRNA$_F$ in the initiation of protein synthesis in mouse myeloma tumors (312) 399
Jones, G.M. and Mayer, R.J.
Hexokinase in isolated epithelial cells from rat intestine (304) 634
Jones, K.W., see Prosser, J. (319) 122
Jones, M., see Irons, L. (328) 433
Jones, O.T.G., see Barnes, R. (304) 304
Jones, O.T.G., see Connelly, J.L. (292) 644
Jones, O.T.G., see Saunders, V.A. (305) 581
Jørgensen, P.L., Hansen, O., Glynn, I.M. and Cavieres, J.D.
Antibodies to pig kidney ($Na^+ + K^+$)-ATPase inhibit the sodium pump in human red cells provided they have access to the inner surface of the cell membranes (291) 795
Josefsson, L., see Norén, O. (327) 446
Josefsson, L., see Sjöström, H. (327) 457
Jost, P., Griffith, O.H., Capaldi, R.A. and Vanderkooi, G.
Identification and extent of fluid bilayer regions in membranous cytochrome oxidase (311) 141
Joubert, F.J.
Snake venom toxins. The amino acid sequences of two toxins from Ophiophagus hannah (King cobra) venom (317) 85
Juliano, R.L.
The proteins of the erythrocyte membrane (300) 341
Jumawan, J., see Koldovský, O. (309) 370
Juneja, H., see Cekan, Z. (296) 196
Jung, C.Y., Carlson, L.M. and Balzer, C.J.
Characteristics of the permeability barrier of human erythrocyte ghosts to non-electrolytes (298) 101
Jung, C.Y., Carlson, L.M. and Balzer, C.J.
Effect of proteolytic digestion on glucose transport carrier of human erythrocyte ghosts (298) 108
Jung, D.W. and Hanson, J.B.
Atractyloside inhibition of adenine nucleotide transport in cauliflower mitochondria (325) 189
Jung, G., Ottnad, M., Bohnenkamp, W., Bremser, W. and Weser, U.
X-Ray photoelectron spectroscopic studies of copper– and zinc–amino acid complexes and superoxide dismutase (295) 77
Jungas, R.L., see Trueheart, P.A. (313) 310
Jungermann, K., Thauer, R.K., Leimenstoll, G. and Decker, K.
Function of reduced pyridine nucleotide–ferredoxin oxidoreductases in saccharolytic Clostridia (305) 268
Jungmann, R.A., see Leier, D.J. (329) 196
Junowicz, E. and Paris, J.E.
Affinity chromatography by enzyme–substrate interaction of some rat liver (321) 234
Junowicz, E. and Spencer, J.H.
Studies on bovine pancreatic deoxyribonuclease A. I. General properties and activation with different bivalent metals (312) 72
Junowicz, E. and Spencer, J.H.
Studies on bovine pancreatic deoxyribonuclease A. II. The effect of different bivalent metals on the specificity of degradation of DNA (312) 85
Just, M., see Ohsaka, A. (323) 415
Jutisz, M., see Kerdelhúe, B. (297) 540

K

Kafiani, C.A., Akhalkatsi, R.G. and Gasaryan, K.G.
Nuclear RNA polymerase activity and template efficiency of developing loach (Misgurnus fossilis) embryos (324) 133

Kagan, H.M., Hewitt, N.A. and Franzblau, C.
A microenvironmental probe of elastin. Properties of a solubilized Congo red–elastin complex (322) 258

Kagan, V.E., Shvedova, A.A., Novikov, K.N. and Kozlov, Yu.P.
Light-induced free radical oxidation of membrane lipids in photoreceptors of frog retina (330) 76

Kagan, Z.S. and Dorozhko, A.I.
pH dependent intermediate plateaux in the kinetics of the reaction catalyzed by "biosynthetic" L-threonine dehydratase of Escherichia coli K-12 (302) 110

Kagawa, H.
Polymerization of flagellin into P-filament in the presence of deoxycholate (317) 114

Kahn, A., see Nielsen, O.F. (292) 117

Kaighn, M.E., see Faiferman, I. (312) 492

Kaji, A., see Tanaka, S. (331) 128

Kakimoto, T., Oshima, G., Yeh, H.S.J. and Erdös, E.G.
Purification of prolylcarboxypeptidase (angiotensinase C) (302) 178

Kalb, A.J. and Pecht, I.
Visible absorption and circular dichroism of the cobalt complexes of concanavalin A (303) 264

Kalb, A.J., see Meirovitch, E. (303) 258

Kaldor, G.J., see Schlisefeld, L.H. (328) 481

Kalev, R. and Kaplan, R.
Purine–pyrimidine requirement for ribonucleic acid synthesis in an Escherichia coli mutant defective in potassium accumulation (312) 540

Kalkman, C., see De Jong, J.W. (320) 388

Kalkman, M.L., see Van der Vusse, G.J. (297) 179

Kalman, T.I., see Mikulski, A.J. (319) 294

Kamada, M., see Aoki, K. (328) 323

Kamen, M.D., see Meyer, T.E. (292) 634

Kamerling, J.P., see Vilkas, E. (297) 423

Kamigawara, Y., see Tyuma, I. (310) 317

Kamino, K., Inouye, K. and Inouye, A.
Potassium ion-induced swelling of nerve-ending particles by light-scattering measurement (330) 39

Kamogawa, A. and Fukui, T.
Inhibition of α-glucan phosphorylase by bisulphite. Competition at the phosphate binding site (302) 158

Kamp, H.H., Wirtz, K.W.A. and van Deenen, L.L.M.
Some properties of phosphatidylcholine exchange protein purified from beef liver (318) 313

Kamp, H.H., see Harvey, M.S. (323) 234

Kanaoka, Y., Machida, M., Machida, M. and Sekine, T.
Fluorescent thiol reagents. VI. N-(1-anilino-naphthyl-4) maleimide; a fluorescent hydrophobic probe directed to thiol groups in protein (317) 563

Kanfer, J.N. and Spielvogel, C.H.
Hexosaminidase activity of cultured human skin fibroblasts (293) 203

Kanfer, J.N. and Spielvogel, C.H.
The inhibition of β-N-acetylhexosaminidase by lactones (327) 405

Kanfer, J.N., see Raghavan, S.S. (328) 205

Kang, A.H., see Igarashi, S. (295) 514

Kaniike, K., Erdmann, E. and Schoner, W.
ADP binding to (Na^+–K^+)-ATPase (298) 901

Kann, Jr, H.E., see Kohn, K.W. (324) 93

Kanner, B.I., see Nieuwenhuis, F.J.R.M. (325) 62

Kanno, M., see Narumi, S. (311) 80

Kanoh, H. and Ohno, K.
Utilization of endogenous phospholipids by the back-reaction of CDP-choline(-ethanolamine): 1,2-diglyceride choline(ethanolamine) phosphotransferase in rat liver microsomes (306) 203

Kanoh, H. and Ohno, K.
Studies on 1,2-diglycerides formed from endogenous lecithins by the back-reaction of rat liver microsomal CDPcholine: 1,2-diacylglycerol cholinephosphotransferase (326) 17

Kanungo, M.S., see Moudgil, V.K. (329) 211
Kao, P.C., Regan, J.D. and Volkin, E.
Fate of homologous and heterologous DNAs after incorporation into human skin fibroblasts (324) 1
Kao, P.C., see Volkin, E. (324) 334
Kaplan, A., see Goldman, R. (318) 205
Kaplan, B.H., see Bases, R. (312) 574
Kaplan, D., see Bettelheim, F.A. (313) 268
Kaplan, E., see Herz, F. (304) 660
Kaplan, J.-C., see Pichard, A.-L. (315) 370
Kaplan, J.G., see Aitken, D.M. (309) 50
Kaplan, J.H.
The effects of lysozyme on anion and cation diffusion from phospholipid liposomes (311) 1
Kaplan, R., see Kalev, R. (312) 540
Kaplan, S., see Huang, J.W. (307) 301
Kaplan, S., see Huang, J.W. (307) 317
Kaplan, S., see Huang, J.W. (307) 332
Kaplin, I.J., see Coster, H.G.L. (330) 141
Kapuler, A.M., see Warrington, R.C. (331) 231
Karadsheh, N.S., Tejwani, G.A. and Ramaiah, A.
Sedoheptulose-7-phosphate kinase activity of phosphofructokinase from different tissues of rabbit (327) 66
Karibian, D.
Dihydro-orotate dehydrogenase of Escherichia coli K12: Effects of Triton X100 and phospholipids (302) 205
Karkhanis, Y.D., see Wampler, J.E. (314) 104
Karlan, D., see Reichman, M. (299) 173
Karlander, S.-G., Karlsson, K.-A. and Pascher, I.
Analysis of polar parts of phospholipids. N-Demethylation of choline-containing lipids for gas chromatography and mass spectrometry (326) 174
Karlsson, E., Eaker, D. and Drevin, H.
Modification of the invariant tryptophan residue of two Naja naja neurotoxins (328) 510
Karlsson, J.-O., Hamberger, A. and Henn, F.A.
Polypeptide composition of membranes derived from neuronal and glial cells (298) 219
Karlsson, K.-A., Samuelsson, B.E. and Steen, G.O.
Identification of hitherto unknown branched-chain bases in sulphatides of the salt (rectal) gland of spiny dogfish (306) 307
Karlsson, K.-A., Samuelsson, B.E. and Steen, G.O.
Separation of monoglycosylceramides (cerebrosides) of bovine kidney into subgroups and characterization by mass spectrometry (306) 317
Karlsson, K.-A., Samuelsson, B.E. and Steen, G.O.
The sphingolipid composition of bovine kidney cortex, medulla and papilla (316) 317
Karlsson, K.-A., Samuelsson, B.E. and Steen, G.O.
Detailed structure of sphingomyelins and ceramides from different regions of bovine kidney with special reference to long-chain bases (316) 336
Karlsson, K.-A., see Karlander, S.-G. (326) 174
Karlstam, B.
Evidence of the requirement of a full complement of manganese and calcium ions for optimal binding of carbohydrates to electrophoretically homogeneous concanavalin A (329) 295
Karn, R.C., Kivic, P.A. and Hudock, G.A.
A procedure for the electrophoretic analysis of phosphoenolpyruvate carboxylase (293) 567
Karran, P. and Ormerod, M.G.
Is the ability to repair damage to DNA related to the proliferative capacity of a cell The rejoining of X-ray-produced strand breaks (299) 54
Kasai, M., see Kondo, M. (311) 391
Kasarda, D.D., see Silano, V. (317) 139
Kasarov, L.B. and Moat, A.G.
Biosynthesis of NAD in Haemophilus haemoglobinophilus (320) 372
Kasinsky, H.E., see Byrd, E.W. (331) 430
Kassner, R.J. and Walchak, H.
Heme formation from Fe (II) and porphyrin in the absence of ferrochelatase activity (304) 294
Kastelijn, D., see Verkleij, A.J. (323) 178
Katagiri, T., see Morkin, E. (324) 420
Kataoka, T., Williamson, J.R. and Kinsky, S.C.
Release of macromolecular markers (enzymes) from liposomes treated with antibody and complement: An attempt at correlation with electron microscopic observations (298) 158
Katchalski, E., see Becker, J.M. (291) 388
Kates, M., see Kushwaha, S.C. (316) 235
Kates, M., see Pugh, E.L. (316) 305
Kato, A.C., Bartok, K., Fraser, M.J. and Denhardt, D.T.
Sensitivity of superhelical DNA to a DNA single-strand specific endonuclease (308) 68
Kato, A.C. and Fraser, M.J.
Action of single-strand specific Neurospora crassa endonuclease on ultraviolet light-irradiated native DNA (312) 645

Kato, K., see Sato, N. (305) 493
Kato, K., see Sugiura, M. (309) 357
Kato, M., see Kito, M. (298) 69
Katoh, S., see Kimimura, M. (325) 167
Katsuki, H., see Shimizu, I. (296) 310
Katz, A.M. and Repke, D.I.
Calcium transport by rabbit skeletal muscle microsomes ("fragmented sarcoplasmic reticulum") (298) 270
Katz, A.M., see Hanson, J.P. (314) 382
Katz, H.B. and Kustin, K.
Thiamine pyrophosphate–metal ion complexation: Equilibrium and kinetics (313) 235
Katze, J.R. and Mason, K.H.
Comparison of the acceptance activity of the ribosome bound and the total cellular transfer ribonucleic acids from SV 40-transformed mouse fibroblasts (331) 369
Kauffman, H.F. and van Gelder, B.F.
The respiratory chain of Azotobacter vinelandii. I. Spectral properties of cytochrome d (305) 260
Kauffman, H.F. and van Gelder, B.F.
The respiratory chain of Azotobacter vinelandii. II. The effect of cyanide on cytochrome d (314) 276
Kauffman, J.W., see Johnson, M.E. (291) 587
Kaufman, S., see Friedman, P.A. (293) 56
Kawachi, T., Tanaka, N., Kogure, K. and Sugimura, T.
Changes in aldolase isozymes of the digestive tract during postnatal development (320) 59
Kawada, T., see Fujisawa, T. (324) 226
Kawaguchi, A., Nozoe, S. and Okuda, S.
Subcellular distribution of sesterterpene- and sterol-biosynthesizing activities in Cochliobolus heterostrophus (296) 615
Kawahara, K., Ikenaka, T., Nimberg, R.B. and Schmid, K.
The effect of the sialyl residues on the thermodynamic and hydrodynamic properties of α_1-acid glycoprotein (295) 505
Kawai, K., see Fujita, M. (307) 141
Kawakita, M., see Arai, K.I. (324) 440
Kawasaki, N. and Saito, K.
Purification and some properties of lysophospholipase from Penicillium notatum (296) 426
Kay, J.E., see Ahern, T. (331) 91
Kay, W.W., see Wolfinbarger, Jr, L. (307) 243
Kay, W.W., see Wolfinbarger, Jr, L. (330) 335
Kaziro, Y., see Arai, K.I. (324) 440
Ke, B.
The primary electron acceptor of Photosystem I (301) 1
Ke, B., Garcia, A.F. and Vernon, L.P.
Light-induced absorption changes in chromatium subchromatophore particles exhaustively extracted with non-polar solvents (292) 226
Kean, E.A. and Rainford, I.J.
Investigation of hepatic ATP and glucose 6-phosphate as indices of hypoglycin toxicity (297) 31
Kean, E.A. and Rainford, I.J.
Inhibition of gluconeogenesis in vitro by a metabolite of hypoglycin (320) 557
Keenan, R.W., Matula, J.M. and Holloman, L.
Studies on the biosynthesis of glucolipid in Tetrahymena pyriformis (326) 84
Keil, T.U. and Hofschneider, P.H.
Secondary structure of RNA phage M12 replicative intermediates in vivo (312) 297
Keith, A.D., Sharnoff, M. and Cohn, G.E.
A summary and evaluation of spin labels used as probes for biological membrane structure (300) 379
Keleti, T., see Nuridsány, M. (302) 191
Kelleher, P.C., see Smith, C.J. (317) 231
Keller, P.J., see Stiefel, D.J. (302) 345
Keller, R., Groudinsky, O. and Wüthrich, K.
Proton magnetic resonances in cytochrome b_2 core: Structural similarities with cytochrome b_5 (328) 233
Kellerman, G.M., see Towers, N.R. (299) 153
Kelley, P.R., see Polgar, P. (297) 378
Kelly, J.J. and Alpers, D.H.
Properties of human intestinal glucoamylase (315) 113
Kelmers, A.D., see Pearson, R.L. (294) 236
Kemp, Jr, A., see Passam, H.C. (305) 88
Kemp, Jr, A., see Souverijn, J.H.M. (305) 185
Kemp, G. and Wenner, C.
Cation binding by valinomycin and trinactin at the air–water interface: Cooperativity in cation binding by valinomycin (323) 161
Kemper, B. and Rich, A.
Identification of presumptive histone messenger RNA in rapidly labelled polysomal RNA of mouse myelomas (319) 364
Kempson, G.E., Muir, H., Pollard, C. and Tuke, M.
The tensile properties of the cartilage of human femoral condyles related to the content of collagen and glycosaminoglycans (297) 456

Kendal, A.P., Kiley, M.P. and Eckert, E.A.
Isoelectric focusing studies of A_2/1957 influenza neuraminidase and its subunits (317) 28
Kendall, A.G., Barr, R.D., Lang, A. and Lehmann, H.
Haemoglobin J Nyanza: α21 (B2) Ala–Asp (310) 357
Kennel, S.J., see Meyer, T.E. (292) 634
Kepes, A., see Benard-Bentaboulet, M. (307) 197
Kepes, A., see Roisin, M.P. (305) 249
Kerdelhúe, B., Jutisz, M., Gillessen, D. and Studer, R.O.
Obtention of antisera against a hypothalamic decapeptide (Luteinizing hormone/follicle stimulating hormone releasing hormone) which stimulates the release of pituitary gonadotropins and development of its radioimmunoassay (297) 540
Keren-Zur, M., see Sussman, J.L. (308) 189
Keresztes-Nagy, S., see Rao, A.L. (304) 575
Keresztes-Nagy, S., see Rao, A.L. (313) 249
Kershenobich, D. and Rojkind, M.
Effect of the administration of L-azetidine-2-carboxylic acid on albumin and transferrin biosynthesis by liver slices of rats treated with carbon tetrachloride (319) 216
Keryer, G., Herman, G. and Rossignol, B.
Mucin of the rat submaxillary gland: Influence of the animal's age and sex on the composition of its glucidic fraction (297) 186
Kessel, D. and Dysard, R.
Effects of camptothecin on RNA synthesis in L1210 cells (312) 716
Kessel, D., see Spataro, A.C. (331) 194
Kessler, M., see Brecher, P. (316) 386
Kester, M.V., see Sullivan, P.T. (293) 343
Ketterer, B., Hicks, R.M., Christodoulides, L. and Beale, D.
Studies of the chemistry of the luminal plasma membrane of rat bladder epithelial cells (311) 180
Kevan, L., see Bowman, M. (328) 244
Kevan, L., see Mukai, K. (295) 49
Key, J.L., see Horgen, P.A. (294) 227
Keyhani, E. and Storey, B.T.
Energy conservation capacity and morphological integrity of mitochondria in hypotonically treated rabbit epididymal spermatozoa (305) 557
Keyhani, E., see Huang, C.H. (305) 455
Kidby, D.K., see Schibeci, A. (311) 15
Kidby, D.K., see Schibeci, A. (323) 532
Kidder, III, G.W.
Effects of the ATP analog 5'-adenylyl methylenediphosphonate on acid secretion in frog gastric mucosa (298) 732
Kidwai, A.M., Radcliffe, M.A., Lee, E.Y. and Daniel, E.E.
Isolation and properties of skeletal muscle plasma membrane (298) 593
Kiely, M.E., Stuart, A.L. and Wood, T.
Partial purification and kinetic properties of ribose 5-phosphate ketol isomerase and ribulose 5-phosphate 3-epimerase from various sources (293) 534
Kievitt, K.D., see Ennis, H.L. (294) 87
Kihara, H., see Stevens, R.L. (302) 338
Kihara, T. and McGray, J.A.
Water and cytochrome oxidation–reduction reactions (292) 297
Kikuchi, K. and Tsuiki, S.
Purification and properties of UDP-N-acetyl-glucosamine 2'-epimerase from rat liver (327) 193
Kikuchi-Torii, K., see Maeda, Y. (303) 230
Kiley, M.P., see Kendal, A.P. (317) 28
Kim, C.S. and Ingraham, L.L.
The question of orbital steering in the reaction, water + formaldehyde (297) 220
Kim, M., see Deuticke, B. (318) 345
Kim, S., see Paik, W.K. (313) 181
Kim, Y.S., McCarthy, D.M., Lane, W. and Fong, W.
Alterations in the levels of peptide hydrolases and other enzymes in brush-border and soluble fractions of rat small intestinal mucosa during starvation and refeeding (321) 262
Kim, Y.S., see Bella, Jr, A. (304) 580
Kimble, E.A. and Ostroy, S.E.
Kinetics of reaction of the sulfhydryl groups of rhodopsin (325) 323
Kimelberg, H., see Papahadjopoulos, D. (330) 8
Kimimura, M. and Katoh, S.
Studies on electron transport associated with Photosystem I. III. The reduction sites of various Hill oxidants in the photosynthetic electron transport system (325) 167
Kimmich, G.A.
Coupling between Na^+ and sugar transport in small intestine (300) 31
Kimura, T., see Bowman, M. (328) 244
Kimura, T., see Mukai, K. (295) 49
Kindâs-Mügge, I., see Bachmayer, H. (302) 399
King, J., see Cifonelli, J.A. (320) 331

King, L. and Leberman, R.
Derivatisation of carboxyl groups of tobacco mosaic virus with cystamine (322) 279
King, M.T. and Drews, G.
The function and the localization of ubiquinone in the NADH and succinate oxidase systems of Rhodopseudomonas palustris (305) 230
Kingdon, H.S., see Morley, C.G.D. (308) 260
Kinnier, W., see Steiner, R.F. (294) 24
Kinsella, J.E. and Gross, M.
Palmitic acid and initiation of mammary glyceride synthesis via phosphatidic acid (316) 109
Kinsky, S.C., see Kataoka, T. (298) 158
Kinsky, S.C., see Tillack, T.W. (323) 43
Kinzel, V. and Mueller, G.C.
Phosphorylation of surface proteins of HeLa cells using an exogenous protein kinase and [γ-^{32}P]ATP (322) 337
Kircher, A.B., see Durbin, R.P. (321) 553
Kirkegaard, L.H., see Henderson, R.E.L. (294) 356
Kirkpatrick, F.H. and Sandberg, H.E.
Effect of anionic surfactants, nonionic surfactants and neutral salts on the conformation of spin-labelled erythrocyte membrane proteins (298) 209
Kirkwood, D., see Poznansky, M. (330) 351
Kirn, A., see Elharrar, M. (319) 91
Kirschbaum, B.B. and Bosmann, H.B.
The interaction of folic acid and glycoprotein: Glycosyltransferase activities of rat kidney (320) 416
Kirschmann, C., Levy, I. and de Vries, A.
Stabilization by cations of microsomal ATPase against heat inactivation (330) 167
Kiryukhin, I.F., see Troitsky, G.V. (322) 53
Kishida, Y., see Berg, R.A. (328) 553
Kishida, Y., see Sakakibara, S. (303) 198
Kisiel, W. and Hanahan, D.J.
Purification and characterization of human Factor II (304) 103
Kisiel, W. and Hanahan, D.J.
The action of factor Xa thrombin and trypsin on human Factor II (329) 221
Kisiel, W., see Benson, B.J. (329) 81
Kitajima, M. and Butler, W.L.
C-550 in Photosystem II subchloroplast particles (325) 558
Kitajima, Y., see Nozawa, Y. (307) 92
Kitchen, B. and Barman, T.E.
Maleyl-α-lactalbumin as lactose synthetase specifier protein (298) 861
Kito, M., Aibara, S., Kato, M., Ishinaga, M. and Hata, T.
Effect of changes in fatty acid composition of phospholipid species on the β-galactoside transport system of Escherichia coli K-12 (298) 69
Kito, Y., see Azuma, M. (295) 520
Kivic, P.A., see Karn, R.C. (293) 567
Klahr, S., Nawar, T. and Schoolwerth, A.C.
Effects of catecholamines on ammoniagenesis and gluconeogenesis by renal cortex in vitro (304) 161
Klaiber, M.S., see Yellin, T.O. (320) 478
Klapper, B.F., Jameson, D.M. and Mayer, R.M.
The purification and properties of an extracellular protease from Aspergillus oryzae NRRL 2160 (304) 505
Klapper, B.F., Jameson, D.M. and Mayer, R.M.
Factors affecting the synthesis and release of the extracellular protease of Aspergillus oryzae NRRL 2160 (304) 513
Klausner, H.A., see Weinstein, I. (296) 300
Klein, M.P., see Horwitz, A.F. (298) 1
Klein, N.W., see Hickey, E.D. (294) 297
Kleinig, H. and Reichenbach, H.
Biosynthesis of carotenoid glucoside esters in Myxococcus fulvus (Myxobacterales): Inhibition by nicotine and carotenoid turnover (306) 249
Kleinig, H., see Comes, P. (316) 13
Kleinig, H., see Wunderlich, F. (298) 39
Kleppe, K., see Lillehaug, J.R. (327) 92
Klett, H., see Christman, J.K. (294) 153
Klevecz, R.R., see Remington, J.A. (308) 422
Kleverlaan, N.T.M., see De Ridder, J.J.M. (325) 397
Klietmann, W., see Sato, N. (305) 493
Kłoczewiak, M., see Dudek-Wojciechowska, G.A. (295) 536
Kloos, G., see Arens, D. (327) 295
Kloosterboer, H.J., see Bergink, E.W. (294) 497
Kloppstech, K. and Schweiger, H.-G.
80-S ribosomes from Acetabularia (324) 365
Knaff, D.B.
Contrasting effects of plastocyanin on the photoreduction and photooxidation of cytochrome f in chloroplasts (292) 186
Knaff, D.B.
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, cytochrome b_{559}, C550, and P700 in noncyclic electron transport (325) 284

Knaff, D.B., Buchanan, B.B. and Malkin, R.
Effect of oxidation–reduction potential on light-induced cytochrome and bacteriochlorophyll reactions in chromatophores from the photosynthetic green bacterium Chlorobium (325) 94
Knaff, D.B., see Malkin, R. (325) 336
Knights, B.A., see Thompson, E.D. (304) 132
Knook, D.L., van 't Riet, J. and Planta, R.J.
The participation of cytochromes in the process of nitrate respiration in Klebsiella (Aerobacter) aerogenes (292) 237
Knowles, C.J., see Weston, J.A. (305) 11
Knüfermann, H., Bhakdi, S., Schmidt-Ullrich, R. and Wallach, D.F.H.
N-Terminal amino acid analyses reveal peptide heterogeneity in major electrophoretic protein components of erythrocyte ghosts (330) 356
Knüfermann, H., see Schmidt-Ullrich, R. (307) 353
Ko, G.K.W. and Raghupathy, E.
Glycoprotein biosynthesis in the developing rat brain. IV. Effects of guanosine nucleotides on soluble glycoprotein galactosyltransferase and N-acetyl galactosaminyltransferases (313) 277
Kobatake, Y., see Inoue, I. (298) 653
Kobatake, Y., see Inoue, I. (307) 471
Kobatake, Y., see Inoue, I. (330) 27
Kobatake, Y., see Miyake, M. (323) 367
Kobatake, Y., see Ueda, T. (318) 326
Kobayashi, K., Roberts, T.K., Vaerman, J.-P., Masson, P.L. and Heremans, J.F.
Esterase activity associated with secretory IgA and free secretory component preparations from human milk (317) 517
Kobayashi, M., see Koike, K. (324) 452
Kobayashi, T. and Laidler, K.J.
Kinetic analysis for solid-supported enzymes (302) 1
Kobayashi, T.K. and Pedrini, V.
Proteoglycans–collagen interactions in human and costal cartilage (303) 148
Kobayashi, T.K., Vaerman, J.-P. and Heremans, J.F.
Improved procedure for the isolation of J-chain from human polymeric immunoglobulins (303) 105
Kobayashi, Y., see Berg, R.A. (328) 553
Kobayashi, Y., see Sakakibara, S. (303) 198
Kobylka, D. and Carraway, K.L.
Proteolytic digestion of proteins of the milk fat globule membrane (307) 133
Kochetkov, N.K., Zhukova, I.G., Smirnova, G.P. and Glukhoded, I.S.
Isolation and characterization of a sialoglycolipid from the sea urchin Strongylocentrotus intermedius (326) 74
Kocourek, J., see Hořejší, V. (297) 346
Kocourek, J., see Kubánek, J. (304) 93
Kodicek, E., see Barnes, M.J. (328) 373
Kogure, K., see Kawachi, T. (320) 59
Kohn, K.W., Snyder, A.L. and Kann, Jr, H.E.
Size distributions of high molecular weight RNA synthesized by L1210 cells. Effects of DNA-reactive drugs (324) 93
Koike, K. and Kobayashi, M.
Synthesis of mitochondrial DNA in vitro: Two classes of nascent DNAs (324) 452
Kok, B., see Radmer, R. (314) 28
Koketsu, J. and Atassi, M.Z.
Immunochemistry of sperm-whale myoglobin. XVIII. Accurate delineation of the single reactive region in sequence 120–153 by study of synthetic peptides (328) 289
Kolarova, N., Masler, L. and Sikl, D.
Cell wall glycopeptides of Candida albicans serotype A and B (328) 221
Kolaskar, A.S., see Ramachandran, G.N. (303) 8
Kolaskar, A.S., see Ramachandran, G.N. (303) 385
Koldovský, O., Jumawan, J., Herbst, J.J. and Palmieri, M.
Corticosteroid-dependent cycloheximide-evoked increase of sucrase and maltase in the jejunum of suckling rats (309) 370
Komai, Y., Matsukawa, S. and Satake, M.
Lipid composition of the nervous tissue of invertebrates, gastropod Aplysia kurodai and arthropod Cambarus clarki (316) 271
Komatsu, Y.
Adenosine uptake by isolated membrane vesicles from Escherichia coli K-12 (330) 206
Komatsu, Y. and Tanaka, K.
Deoxycytidine uptake by isolated membrane vesicles from Escherichia coli K-12 (311) 496
Kondo, M. and Kasai, M.
The effects of n-alcohols on sarcoplasmic reticulum vesicles (311) 391
Konieczny, L., see Bobrzecka, K. (295) 564
Konijn, T.M. and Jastorff, B.
The chemotactic effect of 5'-amido analogues of adenosine cyclic 3',5'-monophosphate in the cellular slime moulds (304) 774

Kontula, K., Jänne, O., Luukkainen, T. and Vihko, R.
Progesterone-binding protein in human myometrium. Ligand specificity and some physicochemical characteristics (328) 145
Kook, A.I., see Bar-On, H. (306) 106
Kopeć, M., see Dudek-Wojciechowska, G.A. (295) 536
Kopecka, H., Chevallier, M.R., Prunell, A. and Bernardi, G.
Degradation of transforming Hemophilus influenzae DNA by deoxyribonucleases (319) 37
Kopelovitch, L., see Sabine, J.R. (296) 493
Kop-Klaassen, B.H.M., see Reekers, P.P.M. (317) 559
Koppel, J.L., see Exner, T. (321) 303
Koppel, J.L., see Exner, T. (329) 233
Korn, E.D., see Batzri, S. (298) 1015
Kornel, L., see Wong, K.C. (328) 133
Korngold, L., see Okonkwo, P.O. (321) 503
Kornguth, S.E., see Kozel, L.R. (317) 380
Kornguth, S.E., see Wannamaker, B.B. (303) 333
Kosicki, G.W., see Phillips, T.M. (293) 125
Koster, J.F., see Van Berkel, Th.J.C. (293) 118
Koster, J.F., see Van Berkel, Th.J.C. (293) 134
Koster, J.F., see Van Berkel, Th.J.C. (321) 171
Koster, J.F., see Van Berkel, Th.J.C. (321) 496
Kostyo, J.L., see Rillema, J.A. (297) 527
Kothari, H.V., Miller, B.F. and Kritchevsky, D.
Aortic cholesterol esterase: Characteristics of normal rat and rabbit enzyme (296) 446
Kothari, H.V., see Kritchevsky, D. (326) 489
Kotyk, A.
Mechanisms of nonelectrolyte transport (300) 183
Kovács-Proszt, G., see Sanner, T. (303) 68
Koyama, N., see Yamazaki, Y. (314) 257
Kozarich, J.W., see Hecht, S.M. (331) 307
Kozel, L.R. and Kornguth, S.E.
Isolation and partial characterization of the myelin basic protein from fetal calf brains (317) 380
Koziell, D.A., see Arfin, S.M. (321) 348
Koziell, D.A., see Arfin, S.M. (321) 356
Kozlov, Yu.P., see Kagan, V.E. (330) 76
Kraayenhof, R., see Izawa, S. (314) 328
Kragh-Hansen, U. and Møller, J.V.
Protein small molecule binding. I. Effect of pH and inorganic salts on the combination of phenol red with proteins (295) 438
Kragh-Hansen, U. and Møller, J.V.
Protein small molecule binding. II. Role of electrostatic forces for binding of phenol red by human serum albumin (295) 447
Krahl, M.E., see Jacobs, B.O. (319) 410
Krahl, M.E., see Lostroh, A.J. (291) 260
Krajewski, T., Banàs, Z. and Cierniewski, C.
The presence of phosphoserine and phosphothreonine in tryptic digest degradation products of pig fibrinogen (322) 95
Krajewska-Grynkiewicz, K., Buonocore, V. and Schlesinger, S.
Studies on the interaction of tyrosyl-tRNA synthetase from Escherichia coli K12 with tyrosine and with tyrosyl-AMP (312) 518
Kram, R., see Hearst, J.E. (294) 173
Kramer, M.F., see Van Venrooij, W.J. (312) 392
Kramer, R., see Elstner, E.F. (314) 340
Krasny, J., see Poulson, R. (299) 533
Krause, G.H.
The high-energy state of the thylakoid system as indicated by chlorophyll fluorescence and chloroplast shrinkage (292) 715
Krebs, G., see Jacquot-Armand, Y. (303) 128
Krebs, W., see Brdiczka, D. (297) 203
Kreil, G., see Bachmayer, H. (302) 399
Kreil, G., see Mollay, C. (316) 196
Kremer, M.L.
The effect of dimerization on the catalytic activity of haemin (297) 268
Kremers, J.H.W., see Verhoef, N.J. (304) 114
Kreuzaler, F., see Lindl, T. (302) 457
Krista, M.L. and Fonda, M.L.
Beef brain cytoplasmic aspartate aminotransferase. Purification, kinetics, and physical properties (309) 83
Kristiansen, T., see Joner, P.E. (327) 146
Kritchevsky, D. and Kothari, H.V.
Aortic cholesterol esterase: Studies in White Carneau and Show Racer pigeons (326) 489
Kritchevsky, D., see Kothari, H.V. (296) 446
Křiváková, M., see Turková, J. (322) 1
Kröger, H., see Simon, D. (321) 361
Krogmann, D.W., see Berg, S. (305) 372
Kroon, A.M., see De Vries, H. (331) 264
Kroon, A.M., see Hindriks, F.R. (315) 94
Krueger, R.C. and Allison, D.P.
Further studies on a compact form of salt-soluble deoxyribonucleoprotein (312) 259
Krulwich, T.A., see Wolfson, E.B. (321) 181
Krupa, V., Boegman, R.J. and Marks, G.S.
Investigation of procedures for subcellular fractionation of rabbits aortic tissue (304) 260
Kruse, K., see Warnecke, P. (331) 295

Krysan, J.L. and Guss, P.L.
On the regulation of lipolysis in an insect egg. Observations in vitro (296) 466
Kryvi, H.
Thermal stability of phosphoribosyladenosine triphosphate synthetase as reflected in its circular dichroism and activity properties. Effect of inhibitors (317) 123
Kubánek, J., Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XIII. A phytohemagglutinin receptor from human erythrocytes (304) 93
Kubica, A., see Bryła, J. (314) 411
Kuff, E.L., see Miller, Jr, J.V. (294) 507
Kühn, K., see Muthiah, P. (304) 12
Kuiper, P.J.C., see Livne, A. (318) 41
Kuksis, A., see Subbiah, M.T.R. (306) 95
Kulaev, I.S., see Afanasieva, T.P. (321) 336
Kumagai, H., Yamada, H., Masugi, F. and Fukui, S.
Interaction of tyrosine phenol-lyase with pyridoxal phosphate N-oxide and 2'-hydroxy pyridoxal phosphate (327) 510
Kumagai, H., see Sawada, S. (315) 204
Kumar, R., Tao, M., Piotrowski, R. and Solomon, L.
Multiple forms of adenosine 3',5'-cyclic monophosphate-dependent protein kinase from monkey skin (315) 66
Kunimoto, T., Hori, M. and Umezawa, H.
Mechanism of action of diketocoriolin B (298) 513
Kunimoto, T. and Umezawa, H.
Kinetic studies on the inhibition of $(Na^+ + K^+)$-ATPase by diketocoriolin B (318) 78
Kunz, F.
Separation of "neutral" lipids, particularly if all classes of partial glycerides by one-dimensional thin-layer chromatography (296) 331
Kupchen, S.M., see Lillehaug, J.R. (327) 92
Kurihara, Y.
Effect of taste stimuli on extraction of lipids from bovine taste papillae (306) 478
Kurokawa, K. and Rasmussen, H.
Ionic control of renal gluconeogenesis. I. The interrelated effect of calcium ions and hydrogen ions (313) 17
Kurokawa, K., Ohno, T. and Rasmussen, H.
Ionic control of renal gluconeogenesis. II. The effects of calcium ions and hydrogen ions upon the response to parathyroid hormone and cyclic AMP (313) 32
Kurokawa, K. and Rasmussen, H.
Ionic control of renal gluconeogenesis. III. The effects of changes in hydrogen ion concentration pCO_2, and bicarbonate concentration (313) 42
Kurokawa, K. and Rasmussen, H.
Ionic control of renal gluconeogenesis. IV. Effect of extracellular phosphate concentration (313) 59
Kurosawa, R., see Igarashi, K. (299) 331
Kusai, A. and Yamanaka, T.
An NAD(P) reductase isolated from Chlorobium thiosulfatophilum: Purification and some properties (292) 621
Kusai, K. and Yamanaka, T.
The oxidation mechanisms of thiosulphate and sulphide in Chlorobium thiosulphatophilum: Roles of cytochrome c-551 and cytochrome c-553 (325) 304
Kusch, M. and Wilson, T.H.
Defective lactose utilization by a mutant of Escherichia coli energy-uncoupled for lactose transport. The advantages of active transport versus facilitated diffusion (311) 109
Kusel, J.P. and Storey, B.T.
Low-temperature spectral properties of the respiratory chain cytochromes of mitochondria from Crithidia fasciculata (305) 570
Kusel, J.P. and Storey, B.T.
CO-binding pigments and the functional terminal oxidase of the trypanosomatid hemoflagellate Crithidia fasciculata (314) 164
Kushwaha, S.C. and Kates, M.
Isolation and identification of "bacteriorhodopsin" and minor C_{40}-carotenoids in Halobacterium cutirubrum (316) 235
Kušnír, J. and Meloun, B.
Sequence of 36 amino acid residues between the 1st and 2nd methionine of human plasma albumin (310) 124
Kustin, K., see Katz, H.B. (313) 235
Kuusela, P., see Ruoslahti, E. (322) 352
Kuyper-Lenstra, A.H., see Van Venrooij, W.J. (312) 392
Kuznar, J., Schwencke, J. and Magaña-Schwencke, N.
Sarcosine and imino acid uptake in Saccharomyces chevalieri. Derepression by nitrogen starvation (318) 273
Kuznar, J., see Magaña-Schwencke, N. (318) 281

Kuznetsov, A.N., see Lassmann, G. (310) 298
Kwee, S. and Lund, H.
Electrochemistry of some substituted pteridines (297) 285
Kwiatkowska, J.
Rabbit reticulocyte phosphofructokinase. Purification and some properties (321) 475
Kyner, D., Zabos, P. and Levin, D.H.
Inhibition of protein chain initiation in eukaryotes by deacylated tRNA and its reversibility by spermine (324) 386
Kyner, D., see Christman, J.K. (294) 153
Kyogoku, Y., Nishikimi, M., Yu, B.-S. and Yagi, K.
Complex formation of D-amino acid oxidase with barbiturates and uracil derivatives (321) 437
Kyogoku, Y., see Yu, N.-T. (331) 21
Kyrtopoulos, S.A. and Satchell, D.P.N.
Kinetic studies with phosphotransacetylase. V. The mechanism of activation by univalent cations (321) 126

L

Laasberg, L.H., see Leeuwenkroon-Strosberg, E. (295) 178

LaBadie, J.H. and Aronson, Jr, N.N.
Lysosomal β-D-mannosidase of rat liver (321) 603

Labia, R., see Le Goffic, F. (315) 439

Labie, D., see Cohen Solal, M. (295) 67

Labie, D., see Elion, J. (310) 360

Labie, D., see Wajcman, H. (295) 495

Labrique, M., see De Nayer, Ph. (294) 309

Lacave, C. and Panos, C.
A lipoprotein from the membranes of Streptococcus pyogenes and its stabilized L-form (307) 118

Lacave, C.S., see Walker, R.W. (326) 52

Lacko, A.G., see Rutenberg, H.L. (326) 419

Lacombe, G., v. Thiem, N. and v. Thoai, N.
Multiple effects of ions on ATP: L-arginine phosphotransferase and ATP: creatine phosphotransferases (293) 150

Lacroix, S., see Rothwell, J.D. (304) 871

Ladenson, R.C., see Silbert, D.F. (311) 349

Łagwińska, E., see Drabikowski, W. (291) 61

Lahiri, B. and Shainoff, J.R.
Fate of fibrinopeptides in the reaction between human plasmin and fibrinogen (303) 161

Laidler, K.J., see Hijazi, N.H. (315) 209

Laidler, K.J., see Kobayashi, T. (302) 1

Laird, C.D., see Bultmann, H. (299) 196

Lajtha, A., see Seta, K. (294) 472

Lakshmi, M.S., see Sherbet, G.V. (298) 50

Lakshminarayanan, A.V., see Chandrasekaran, R. (303) 14

Lakshminarayanan, A.V., see Ramachandran, G.N. (303) 8

Lambert, R.W., see Ringrose, P.S. (299) 374

Lamblin, G., see Degand, P. (320) 318

Lamblin, G., Lhermitte, M., Degand, P., Sergeant, Y.H. and Roussel, P.
Isolation and immunological properties of neutral bronchial mucins from a patient with chronic bronchitis (322) 372

Lamed, R., Levin, Y. and Oplatka, A.
Enzymatic mechanochemistry. I. The interaction of heavy meromyosin with "immobilized adenosine triphosphate" (305) 163

Lamed, R., Levin, Y. and Wilchek, M.
Covalent coupling of nucleotides to agarose for affinity chromatography (304) 231

Lamers, J.M.J. and Hülsmann, W.C.
The effect of fructose on the stores of energy-rich phosphate in rat jejunum in vivo (313) 1

Lamy, F., see Baurain, R.M. (295) 18

Lancaster, G., Mohyuddin, F., Scriver, C.R. and Whelan, D.T.
A γ-aminobutyrate pathway in mammalian kidney cortex (297) 229

Land, E.J., see Bensasson, R. (325) 175

Land, E.J., see Farrington, J.A. (314) 372

Landbeck, L. and Hagen, U.
Action of DNA polymerase I on γ-irradiated DNA (331) 318

Landgraf, H.R., see Fischer, W. (296) 527

Landgraf, H.R., see Fischer, W. (306) 353

Landgraf-Leurs, M. and Green, M.
DNA strand selection during the transcription of the adenovirus 2 genome in infected and transformed cells (312) 667

Lands, W.E.M., see Tamai, Y. (296) 563

Lands, W.E.M., see Vanderhoek, J.Y. (296) 374

Lands, W.E.M., see Vanderhoek, J.Y. (296) 382

Landy, A., Ross, W. and Foeller, C.
Generation of DNA fragments by enzymatic cleavage at sites sensitive to denaturation (299) 264

Lane, R.S.
Binding of transferrin and metal ions by suspensions of reticulocyte-rich rabbit blood (320) 133

Lane, W., see Kim, Y.S. (321) 262

Lang, A., see Kendall, A.G. (310) 357

Langdon, R.G., see Taverna, R.D. (298) 412

Langdon, R.G., see Taverna, R.D. (298) 422

Langdon, R.G., see Taverna, R.D. (323) 207

Lange, Y., see Gottlieb, A.M. (307) 444

Lansing, A.I., see Chen, J.C. (312) 598

Lapanje, S. and Dorrington, K.J.
Influence of subunit interaction and inter-subunit disulphide bonds on the unfolding of immunoglobulin G by guanidine hydrochloride (322) 45

Lapanje, S., see Span, J. (295) 371

Lapidot, Y., see Sussman, J.L. (308) 189
Laquin, G. and Vignais, P.V.
Adenine nucleotide translocation in yeast mitochondria. Effect of inhibitors of mitochondrial biogenesis on the ADP translocase (305) 534
LaRaia, P.J., see Morkin, E. (324) 420
Larner, J., see Rosenkrans, A.M. (315) 317
Larner, J., see Schlender, K.K. (293) 73
Larner, J., see Thomas, J.A. (293) 62
Larner, J., see Thomas, J.A. (293) 84
Larosa, D., see Papa, S. (292) 20
Larson, D.L., see Harewood, K.R. (308) 252
Larsson, A.
Ribonucleotide reductase from regenerating rat liver. II. Substrate phosphorylation level and effect of deoxyadenosine triphosphate (324) 447
Larsson, K.
The occurrence of different molecular conformations of diglycerides at the air–water interface (318) 1
Larsson, K. and Rand, R.P.
Detection of changes in the environment of hydrocarbon chains by Raman spectroscopy and its application to lipid–protein systems (326) 245
Larsson-Raźnikiewicz, M., see Arvidsson, L. (310) 430
Lassmann, G., Ebert, B., Kuznetsov, A.N. and Damerau, W.
Characterization of hydrophobic regions in proteins by a spin labeling technique (310) 298
Lastennet, A., Freysz, L. and Mandel, P.
Métabolisme des sphingomyélines cérébrales: Incorporation in vivo de [^{14}C]acétate et de $^{32}PO_4^{3-}$ dans deux types de sphingomyélines du cerveau de rat (306) 287
Latallo, Z.S., see Dudek-Wojciechowska, G.A. (295) 536
Lau, E.P. and Lygre, D.G.
Glucose-6-phosphatase activity in a soluble fraction from cotyledon tissue of Brassica nigra (309) 318
Laüger, P.
Ion transport through pores: A rate-theory analysis (311) 423
Laumas, K.R., see Verma, U. (317) 403
Laurell, C.-B. and Persson, U.
Analysis of plasma α_1-antitrypsin variants and their microheterogeneity (310) 500
Lauter, C.J., see Solyom, A. (298) 743
Lavorel, J.
Kinetics of luminescence in the 10^{-6}–10^{-4}-S range in Chlorella (325) 213
Law, P.Y. and Wood, J.M.
Studies on the mechanism of ethanolamine–ammonia lyase using 2-ethoxyethylamine as a substrate (321) 382
Lawler, D., see Wyatt, G.R. (304) 482
Lazdunski, A. and Shapiro, B.M.
The significance of membrane alterations seen in DNA synthesis mutants of Escherichia coli (298) 59
Lea, O.A.
Isolation and characterisation of a progesterone- and testosterone-binding globulin from pregnant guinea pig serum (317) 351
Lea, O.A.
On the steroid specificity of the pregnant guinea pig progesterone binding globulin (322) 68
Leach, F.N., see Milner, R.D.G. (304) 225
Leal, J.A., see Carreira, J. (307) 541
Leal, J.A., see Estrugo, S.F. (311) 153
Leberman, R., see King, L. (322) 279
Lebovitz, H.E., see Eisenbarth, G.S. (331) 397
Lecocq, R.E. and Dumont, J.E.
In vivo and in vitro effects of thyrotropin on ribosomal pattern of dog thyroid (299) 304
Ledward, D.A., see Finch, A. (295) 296
Lee, A.G., see Levine, Y.K. (291) 592
Lee, C.-L., see Habeeb, A.F.S.A. (322) 245
Lee, C.-P., see Brocklehurst, J.R. (314) 136
Lee, C.-P., see Huang, C.H. (305) 455
Lee, C.P., see Storey, B.T. (292) 554
Lee, E.Y., see Kidwai, A.M. (298) 593
Lee, H.J., see Angus, C.W. (309) 169
Lee, J.W., Beygu-Farber, S. and Vidaver, G.A.
Glycine transport by membrane vesicles from pigeon erythrocytes (298) 446
Lee, L., see Christensen, J.M. (303) 319
Lee, M.J., Penman, M. and Malt, R.A.
The use of deoxyribonuclease in the isolation of nucleoli and purification of nuclear RNA – A caution (294) 461
Lee, T.-C. and Snyder, F.
Phospholipid metabolism in rat liver endoplasmic reticulum: Structural analyses, turnover studies and enzymic activities (291) 71
Lee, T.-C., Stephens, N., Moehl, A. and Snyder, F.
Turnover of rat liver plasma membrane

phospholipids with microsomal membranes (291) 86
Leeuwenkroon-Strosberg, E., Laasberg, L.H. and Hedley-Whyte, J.
Myosin conformation and enzymatic activity: Effect of chloroform, diethyl ether and halothane on ORD and ATPase (295) 178
Lefauconnier, J.-M., Portemer, C., de Billy, G., Ipaktchi, M. and Chatagner, F.
Redistribution of pyridoxal phosphate in the male rat liver as a result of repeated injections of hydrocortisone (297) 135
Lefort-Tran, M., see Sadler, D.M. (298) 620
Leger, J.J. and Focant, B.
Low molecular weight components of cow smooth muscle myosins: Characterisation and comparison with those of striated muscle (328) 166
Leget, J.N., see Van den Broek, W.G.M. (310) 278
Legocki, A.B., see Golińska, B. (324) 156
Legocki, A.B., see Twardowski, T. (324) 171
Le Goffic, F., Labia, R. and Andrillon, J.
Affinity chromatography of β-lactamases (315) 439
Legrand, Y., Caen, J., Booyse, F.M., Rafelson, M.E., Robert, B. and Robert, L.
Studies on a human blood platelet protease with elastolytic activity (309) 406
Lehky, P., Lisowski, J., Wolf, D.P., Wacker, H. and Stein, E.A.
Pig kidney particulate aminopeptidase, a zinc metalloenzyme (321) 274
Lehmann, H., see Ahern, E.J. (303) 242
Lehmann, H., see Herrera, A.E.R. (322) 10
Lehmann, H., see Kendall, A.G. (310) 357
Lehmann, H., see Luan Eng, L.-I. (322) 224
Lehmann, H., see Romero Herrera, A.E. (317) 65
Lehrach, H. and Scheit, K.H.
Synthesis and properties of a new fluorescent polynucleotide, poly(1,N^6-ethenoadenylic acid) (308) 28
Leibman, A., see Aisen, P. (304) 797
Leier, D.J. and Jungmann, R.A.
Adrenocorticotropic hormone and dibutyryl adenosine cyclic monophosphate-mediated Ca^{2+} uptake by rat adrenal glands (329) 196
Leigh, Jr, J.S., see Dutton, P.L. (292) 654
Leigh, J.S., see Dutton, P.L. (314) 178
Leijnse, B., see Verhoef, N.J. (304) 114
Leimenstoll, G., see Jungermann, K. (305) 268
Leisenger, Th., see Urm, E. (302) 249
Lelievre, J. and Rich, G.T.
The permeability of lipid membranes to non-electrolytes (298) 15
Lelievre, L.
Plasma membranes from fibroblastic cells in culture. Isolation, morphological and enzymatic identification (291) 662
Lelievre, L. and Paraf, A.
Enzyme activities in membranes from three phenotypes of the murine plasmocytoma MOPC 173, cultivated in vitro (291) 671
LeMaire, W.J., see Marsh, J.M. (304) 197
Lembach, K.J., see Taylor, J.M. (329) 58
Lemkin, J.A. and Hare, J.D.
Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following adenosine and serum or insulin stimulation (318) 113
Lengle, E. and Geyer, R.P.
Strain L fibroblast lipases. Purification and properties (296) 411
Lenz, D.E., deGuehery, L.E. and Holton, J.S.
On the nature of the serum enzyme catalyzing paraoxon hydrolysis (321) 189
Leonard, N.J., see Henderson, R.E.L. (294) 356
Leone, E., see Libonati, M. (317) 160
Le Page, R.N., see Dorling, P.R. (318) 33
Lepke, S. and Passow, H.
Asymmetric inhibition by phlorizin of sulfate movements across the erythrocyte membrane (298) 529
Lepke, S., see Schnell, K.F. (318) 474
Leppink, G.J. and Thomas, J.B.
On the identity of the 640-nm component observed in chlorophyll b absorption spectra in vivo (305) 610
Leprêtre, M., see Nicot, C. (322) 109
Lerner, J., see Herzberg, G.R. (307) 234
Lesko, L., Donlon, M., Marinetti, G.V. and Hare, J.D.
A rapid method for the isolation of rat liver plasma membranes using an aqueous two-phase polymer system (311) 173
Leslie, R.B., see Davis, M.A.F. (317) 214
Lesser, B. and Bruchovsky, N.
The effects of testosterone, 5′-dihydrotestosterone and adenosine 3′,5′-monophosphate on cell proliferation and differentiation in rat prostate (308) 426
Lester, R.L., see Talwalkar, R.T. (306) 412
LeStourgeon, W.M., Goodman, E.M. and Rusch, H.P.
The nuclear acidic proteins from haploid and diploid cell states of Physarum polycephalum (317) 524

Leung, J. and Eisenberg, R.S.
The effects of the antibiotics gramicidin A, amphotericin B and nystatin on the electrical properties of frog skeletal muscle (298) 718
Leutskaya, Z.K. and Fais, D.
The presence of vitamin A in animal cell ribosomes (312) 103
Lev, T., see Slor, H. (312) 637
Levin, D.H., see Christman, J.K. (294) 153
Levin, D.H., see Kyner, D. (324) 386
Levin, Y., see Lamed, R. (304) 231
Levin, Y., see Lamed, R. (305) 163
Levine, R.P. and Duram, H.A.
The polypeptides of stacked and unstacked Chlamydomonas reinhardi chloroplast membranes and their relation to Photosystem II activity (325) 565
Levine, Y.K., Lee, A.G., Birdsall, N.J.M., Metcalfe, J.C. and Robinson, J.D.
The interaction of paramagnetic ions and spin labels with lecithin bilayers (291) 592
Levinson, S.S., see Bonanni, F. (297) 441
Levitch, M.E., see Wagner, C. (304) 623
Levy, D.
Preparation of photo-affinity probes for the insulin receptor site in adipose and liver cell membranes (322) 329
Levy, D.
The esterification of insulin with triethyloxonium tetrafluoroborate (310) 406
Levy, D.
The selective chloromercuration of insulin (317) 473
Levy, D.
The synthesis of several tert-butyloxycarbonyl insulin derivatives (328) 107
Levy, D. and Paselk, R.A.
The trifluoroacetylation of insulin (310) 398
Levy, I., see Kirschmann, C. (330) 167
Levy, M.R.
Decrease of peroxisomal enzymes in Tetrahymena and its prevention by actinomycin D and cycloheximide (304) 367
Levy, R.I., see Eisenberg, S. (326) 361
Levy, R.I., see Quarfordt, S.H. (296) 572
Lew, V.L., see Fortes, P.A.G. (318) 262
Lew, V.L., Hardy, Jr, M.A. and Ellory, J.C.
The uncoupled extrusion of Na^+ through the Na^+ pump (323) 251
Lewis, B.C., see Prestayko, A.W. (319) 323
Lewis, P.N., Momany, F.A. and Scheraga, H.A.
Chain reversals in proteins (303) 211
Lewis, S.D. and Shafer, J.A.
Conversion of exposed aspartyl and glutamyl residues in proteins to asparaginyl and glutaminyl residues (303) 284
Lex, M. and Stewart, W.D.P.
Algal nitrogenase, reductant pools and Photosystem I activity (292) 436
Lexa, D., see Momenteau, M. (320) 652
Lezius, A.G., see Rohde, W. (308) 361
Lhermitte, M., see Lamblin, G. (322) 372
Li, Y.-S., see Bennoun, P. (292) 162
Lian, J.B., Morris, S., Faris, B., Albright, J. and Franzblau, C.
Effects of acetic acid and pepsin on the cross-linkages and ultrastructure of corneal collagen (328) 193
Libonati, M., Taniguchi, T. and Leone, E.
Resistance of ribonuclease dimers to subtilisin (317) 160
Lichtin, N.N., Shafferman, A. and Stein, G.
Reaction of cytochrome c with one-electron redox reagents. I. Reduction of ferricytochrome c by the hydrated electron produced by pulse radiolysis (314) 117
Lichtman, J.W., see Howland, J.L. (314) 154
Lichtman, M.A., see Baran, D.T. (307) 627
Lieber, C.S., see Ishii, H. (291) 411
Lieberherr, M., Vreven, J. and Vaes, G.
The acid and alkaline phosphatases, inorganic pyrophosphatases and phosphoprotein phosphatase of bone. I. Characterization and assay (293) 160
Lieberherr, M., see Vreven, J. (293) 170
Lieberman, M.W.
DNA mouse fractionation in preparative Ag^+–Cs_2SO_4 gradients (324) 309
Liener, I.E., see DeLarco, J.E. (303) 274
Liener, I.E., see Gliesner, J.M. (317) 482
Light, R.J.
Identification and analysis of arachidonic acid in plexaura homomalla, var. R. and var. S. (296) 461
Lilien, J.E., see McQuiddy, P. (291) 774
Lillehaug, J.R., Kleppe, K., Sigel, C.W. and Kupchen, S.M.
Reaction of biological thiols with the tumor inhibitor jatrophone. Inhibition of RNA polymerase (327) 92
Lilley, R.McC., see Schwenn, J.D. (325) 586
Lilley, R.McC., Schwenn, J.D. and Walker, D.A.
Inorganic pyrophosphatase and photosynthesis by isolated chloroplasts. II. The controlling influence of orthophosphate (325) 596

Lilley, R.McC. and Walker, D.A.
The measurement of cyclic photophosphorylation in isolated chloroplasts by determination of hydrogen ion consumption. An evaluation of the method using titration at constant pH (314) 354
Lilly, M.D., see Foster, P.R. (317) 505
Lim, P.E. and Tate, M.E.
The phytases. II. Properties of phytase fractions F_1 and F_2 from wheat brain and the myo-inositol phosphates produced by fraction F_2 (302) 316
Lim, R. and Goedken, M.P.
A partially purified membrane protein specific to the brain (322) 359
Lin, C.C., see Chan, S.K. (329) 251
Lin, P.S., see Wallach, D.F.H. (300) 211
Lin, P.S., see Weidekamm, E. (323) 539
Linder, E., see Ruoslahti, E. (322) 352
Linder, M.C., Moor, J.R., Scott, L.E. and Munro, H.N.
Mechanism of sex difference in rat tissue iron stores (297) 70
Lindgren, F.T., see Eisenberg, S. (326) 361
Lindholm, B., see Arvidson, S. (302) 135
Lindhout, M.J., see Reekers, P.P.M. (317) 559
Lindl, T., Kreuzaler, F. and Hahlbrock, K.
Synthesis of p-coumaroyl coenzyme A with a partially purified p-coumarate: CoA ligase from cell suspension cultures of soybean (Glycine max) (302) 457
Lindskog, S., see Carlsson, U. (310) 376
Lindskog, S., see Carlsson, U. (327) 515
Lindskog, S. and Nilsson, A.
The location of tryptophanyl groups in human and bovine carbonic anhydrases. Ultraviolet difference spectra and chemical modification (295) 117
Lingrel, J.B., see Lockard, R.E. (299) 148
Linnane, A.W., see Towers, N.R. (299) 153
Linstead, D., see Evans, I. (312) 323
Lion, Y., see Van de Vorst, A. (294) 349
Lis, H., see Sela, B.-A. (310) 273
Lisowski, J., see Lehky, P. (321) 274
Lissitzky, S., see Rolland, M. (303) 338
Lissitzky, S., see Roques, M. (322) 437
Lissitzky, S., see Torresani, J. (322) 421
Litchfield, C., see Wedmid, Y. (326) 439
Little, S.A., see Thompson, W.J. (302) 329
Litwack, M.D., see Stromberg, K. (319) 140
Liu, C.-S., see Blackwell, R.Q. (322) 27
Liu, E.H., see Felder, M.R. (317) 149
Livne, A., see Graziani, Y. (291) 612
Livne, A. and Kuiper, P.J.C.
Unique properties of the camel erythrocyte membrane (318) 41
Livne, A., see Raz, A. (311) 222
Lizuka, T. and Orii, Y.
Studies on chlorocruorohemoproteins: Spectral properties of reconstituted chlorocruoromyoglobin (328) 239
Ljones, T.
Nitrogenase from Clostridium pasteurianum. Changes in optical absorption spectra during electron transfer and effects of ATP, inhibitors and alternative substrates (321) 103
Lloyd, J.L., see Balcavage, W.X. (305) 41
Lo, C.-H.
The plasma membranes of bovine circumvallate papillae. Isolation and partial characterization (291) 650
Lo, C.-H. and Ma, T.
The plasma membranes of bovine taste papillae. Polyacrylamide gel electrophoresis of circumvallate membrane proteins (307) 343
Lockard, R.E. and Lingrel, J.B.
Translation of mammalian globin mRNAs in an avian reticulocyte cell-free system (299) 148
Loeb, J.E., see Delaunay, J. (312) 147
Loeffler, L.J. and Pierce, J.V.
Acyl azide derivatives in affinity chromatography. Immobilization of enzymatically active trypsin on beaded agarose and porous glass (317) 20
Loewy, A.G., see Birckbichler, P.J. (291) 149-
Loh, P., see Erecínska, M. (292) 1
Lohmander, S., Antonopoulos, C.A. and Friberg, U.
Chemical and metabolic heterogeneity of chondroitin sulfate and keratan sulfate in guinea pig cartilage and nucleus pulposus (304) 430
Lombardo, A., see Tettamanti, G. (306) 466
London, Y., see Demel, R.A. (311) 507
London, Y., Demel, R.A., Geurts van Kessel, W.S.M., Vossenberg, F.G.A. and van Deenen, L.L.M.
The protection of A_1 myelin basic protein against the action of proteolytic enzymes after interaction of the protein with lipids at the air–water interface (311) 520
London, Y. and Vossenberg, F.G.A.
Specific interaction of central nervous system myelin basic protein with lipids.

Specific regions of the protein sequence protected from the proteolytic action of trypsin (307) 478
Long, G.L., see Barrieux, A. (312) 228
Lönnerdal, B., see Björkman, R. (327) 121
Lönnerdal, B. and Janson, J.-C.
Studies on myrosinases. II. Purification and characterization of a myrosinase from rapeseed (Brassica napus L.) (315) 421
Loontiens, F.G., see Van Wauwe, J.P. (313) 99
Lord, R.C., see Chen, M.C. (328) 252
Lorenz-Meyer, H., see Colombo, V. (327) 412
Loring, R.H., see Mitchell, E.D. (295) 314
Lorusso, M., see Papa, S. (292) 20
Lossen, O., Brennecke, R. and Schubert, D.
Electrical properties of black membranes from oxidized cholesterol and a strongly bound protein fraction of human erythrocyte membranes (330) 132
Lostroh, A.J. and Krahl, M.E.
Insulin action. Accumulation in vitro of Mg^{2+} and K^+ in rat uterus: Ion pump activity (291) 260
Louvard, D., see Baratti, J. (315) 147
Louvard, D., see Baratti, J. (321) 632
Louvard, D., Maroux, S., Baratti, J. and Desnuelle, P.
On the distribution of enterokinase in porcine intestine and on its subcellular localization (309) 127
Louvard, D., Maroux, S., Baratti, J., Desnuelle, P. and Mutaftschiev, S.
On the preparation and some properties of closed membrane vesicles from hog duodenal and jejunal brush border (291) 747
Louvard, D., see Maroux, S. (321) 282
Lowe, A.G., see Atkinson, A. (320) 195
Loyter, A., see Frish, A. (291) 690
Luan Eng, L.-I., Wiltshire, B.G. and Lehmann, H.
Structural identification of haemoglobin F Kuala Lumpur ($\alpha_2\gamma_2$22 (B_4) Asp→Gly; 136 Ala) (322) 224
Luck, G., see Zimmer, C. (312) 215
Ludlum, D.B., see Gerchman, L.L. (308) 310
Lugaro, G., see Carrea, G. (295) 274
Lugaro, G., Carrea, G., Casellato, M.M., Mazzola, G. and Fachini, G.
Evidence for a peptidic factor in spermatozoa inhibiting the ovarian maturation (304) 719
Lugtenberg, E.J.J., see Venkateswaren, P.S. (293) 570
Luisi, P.L., see Aboderin, A.A. (328) 20
Luisi, P.L., see Aboderin, A.A. (328) 31
Lukton, A., see Eby, D. (327) 227
Luly, P., see Bolis, L. (318) 289
Lumpkin, O. and Hillel, Z.
Isolation of a fast decay in submillisecond Chlorella luminescence (305) 281
Lunasin, A., see Steiner, R.F. (294) 24
Lund, H., see Kwee, S. (297) 285
Lundberg, J., see Johansson, Å. (304) 217
Lunde, G.
The presence of lipid-soluble selenium compounds in marine oils (304) 76
Lundgren, D.W. and Ogur, M.
Inhibition of yeast Δ^1-pyrroline-5-carboxylate dehydrogenase by common amino acids and the regulation of proline catabolism (297) 246
Lunenfeld, B., see Sulimovici, S. (321) 27
Lusis, A.J. and Becker, R.R.
The β-glucosidase system of the thermophilic fungus Chaetomium thermophile var. Coprophile n. var. (329) 5
Lussan, C., see Faucon, J.F. (307) 459
Lusted, D.
Rheologic hysteresis curve shape specificity of mixed lipid films (307) 270
Lutton, Cl., Mathé, D. and Chevallier, F.
Vitesses des processus de rénouvellement du cholestérol contenu dans son espace de transfert, chez le rat. VI. Influence de la ligature du cholédoque et l'ingestion d'acides biliaires ou de cholestyramine (306) 483
Luukkainen, T., see Kontula, K. (328) 145
Luukkonen, A., Brummer-Korvenkontio, M. and Renkonen, O.
Lipids of cultured mosquito cells (Aedes albopictus); comparison with cultured mammalian fibroblasts (BHK 21 cells) (326) 256
Lygre, D.G., see Lau, E.P. (309) 318
Lynn, D.G., see Czech, M.P. (323) 639
Lynn, J.K., Murty, C.N. and Sidransky, H.
Osmoregulation of ribosomal function in mouse liver (299) 444
Lynn, W.S., see Czech, M.P. (297) 368
Lynn, W.S., see Czech, M.P. (323) 639

M

Ma, T., see Lo, C.-H. (307) 343
Maayan, R., see Shtacher, G. (303) 138
Mabuchi, I.
ATPase in the cortial layer of sea urchin egg: Its properties and interaction with cortex protein (297) 317
McAllister, H., see Cheng, T. (319) 401
McBride-Warren, P.A. and Rickert, W.S.
Structural and functional determinants of mucor miehei protease. II. Circular dichroic studies on the native and periodate oxidized enzyme (328) 52
McCarthy, B.J., see Thomson, L.R. (331) 202
McCarthy, B.J., see Ullmann, J.S. (294) 396
McCarthy, B.J., see Ullman, J.S. (294) 405
McCarthy, B.J., see Ullman, J.S. (294) 416
McCarthy, D.M., see Kim, Y.S. (321) 262
McCarty, K.S., see Miller, D.M. (317) 437
McCarty, R.E., Douce, R. and Benson, A.A.
The acyl lipids of highly purified plant mitochondria (316) 266
McClain, P.E.
Isolation and characterization of the cyanogen bromide peptides from the α1 and α2 chains of soluble bovine striated muscle collagen (310) 469
McClain, P.E., Wiley, E.R., Beecher, G.R., Anthony, W.L. and Hsu, J.M.
Influence of zinc deficiency on synthesis and cross-linking of rat skin collagen (304) 457
McClellan, W.M. and Schafer, J.A.
Transport of the amino acid analog, 2-amino-bicyclo(2,2,1)heptane-2-carboxylic acid by Ehrlich ascites tumor cells (311) 462
McCloskey, J.A., see Panzica, R.P. (331) 147
McClure, A.M., see Geisler, R.W. (327) 1
McClure, D.W., see Horton, A.W. (318) 225
McColl, C.E., see Coates, H.B. (310) 1
McConathy, W.J., Alaupovic, P., Curry, M.D., Magnani, H.N., Torsvik, H., Berg, K. and Gjone, E.
Identification of lipoprotein families in familial lecithin: Cholesterol acyltransferase deficiency (326) 406
MacCoss, M., see Jones, A.S. (294) 365
MacDonald, I.A., Williams, C.N. and Mahony, D.E.
7α-Hydroxysteroid dehydrogenase from Escherichia coli B: Preliminary studies (309) 243
MacDonald, R.C., see Johnson, M.E. (291) 587
McDowall, M.A.
The action of proteinase A_2 of Actinidia chinensis on the B-chain of oxidized insulin (293) 226
McElhaney, R.N., de Gier, J. and van der Neut-Kok, E.C.M.
The effect of alterations in fatty acid composition and cholesterol content on the nonelectrolyte permeability of Acholeplasma laidlawii B cells and derived liposomes (298) 500
MacGillivray, A.J., see Rickwood, D. (299) 162
McGirr, L., see Bodnaryk, R.P. (315) 352
McGray, J.A., see Kihara, T. (292) 297
Mach, B., see Jones, G. (312) 399
Machado de Domenech, E.E., see Domenech, C.E. (321) 54
Machida, M., see Kanaoka, Y. (317) 563
McIntyre, N., see Harry, D.S. (296) 209
McKenzie, H.A., see Hopper, K.E. (295) 352
MacKenzie, J.J. and Sorensen, L.B.
Guanosine 5′-phosphate reductase of human erythrocytes (327) 282
Mackinnon, A.M. and Deller, D.J.
Purine nucleotide biosynthesis in gastro-intestinal mucosa (319) 1
Mackler, B. and Haynes, B.
Studies of oxidative phosphorylation in Saccharomyces cerevisiae and Saccharomyces carlsbergensis (292) 88
MacLachlan, G.A., see Shore, G. (329) 271
McLaren, J.V., see Epton, R. (328) 418
McLauchlan, K.A., see Coates, H.B. (310) 1
McLaughlin, A.C., Podo, F. and Blasie, J.K.
Temperature and frequency dependence of longitudinal proton relaxation times in sonicated lecithin dispersions (330) 109
McLaughlin, C.W.
Control of sodium, potassium and water content and utilization of oxygen in rat liver

slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (323) 285
McNamara, D.B., see Dhalla, N.S. (323) 276
McNamara, D.J. and Webb, T.E.
A common component involved in the induction of hepatic tyrosine transaminase by hydrocortisone and glucagon (313) 356
MacPherson, I., see Critchley, D.R. (296) 145
McQuade, A.B., see Sparrow, L.G. (302) 90
McQuiddy, P. and Lilien, J.E.
The binding of exogenously added neuraminidase to cells and tissues in culture (291) 774
Maddox, I.S.
The role of copper in prostaglandin synthesis (306) 74
Madeira, V.M.C. and Antunes-Madeira, M.C.
Chemical composition of sarcolemma isolated from rabbit skeletal muscle (298) 230
Madeira, V.M.C. and Antunes-Madeira, M.C.
Interaction of Ca^{2+} and Mg^{2+} with synaptic plasma membranes (323) 396
Maden, B.E.H., see Robertson, J.S. (331) 61
Madhusudanan Nair, P., see Ramaswamy, N.K. (293) 269
Maeda, A., see Seto, A. (324) 305
Maeda, H., Suzuki, H. and Yamauchi, A.
Preparation of immobilized enzymes by γ-ray irradiation (315) 18
Maeba, P.Y., see Ceri, H. (312) 337
Maeda, Y., Trautwein, A., Gonser, U., Yoshida, K., Kikuchi-Torii, K., Homma, T. and Ogura, Y.
Mössbauer effect in bacterial catalase (303) 230
Maestracci, D., Schmitz, J., Preiser, H. and Crane, R.K.
Proteins and glycoproteins of the human intestinal brush border membrane (323) 113
Maestracci, D., see Schmitz, J. (323) 98
Maffly, R.H., see Taylor, A. (298) 376
Magaña-Schwencke, N., Kuznar, J. and Schwencke, J.
Imino acid transport in yeast. The uptake of sarcosine (318) 281
Magaña-Schwencke, N., see Kuznar, J. (318) 273
Magee, W.E., Armour, S.B. and Miller, O.V.
Prostaglandin absorption by the intestine and vagina of the rat (306) 270
Magnani, F., see Sturani, E. (319) 153
Magnani, H.N., see McConathy, W.J. (326) 406
Maguire, J., see Melnick, R.L. (311) 230
Magyar, W.A., see Illingworth, D.R. (306) 422
Mahadevan, S., Malaiyandi, M., Erfle, J.D. and Sauer, F.
An evaluation of the chemical identity of acylcarnitine esters of hexadecanoic acids (296) 234
Mahaffey, W.L., see Chan, S.K. (329) 251
Mâhlén, A., see Johansson, C.-J. (309) 466
Mahony, D.E., see MacDonald, I.A. (309) 243
Maijub, A.G., Pecht, M.A., Miller, G.R. and Carper, W.R.
Arabinose(fucose) dehydrogenase from pig liver. I. Isolation and purification (315) 37
Mailer, C. and Taylor, C.P.S.
Rapid adiabatic passage EPR of ferricytochrome c: Signal enhancement and determination of the spin-lattice relaxation time (322) 195
Maki, Y., see Narumi, S. (311) 90
Makino, H. and Inada, Y.
Photooxidation of histidine residues in asparaginase in relation to its enzymic activity (295) 543
Makita, A. and Shimojo, H.
Polysaccharides of SV 40-transformed green monkey kidney cells (304) 571
Makulu, D.R., Smith, E.F. and Bertino, J.R.
Effects of steroids, folate deprivation and protein deprivation upon tetrahydrofolate dehydrogenase levels in mammalian tissues (304) 526
Malaiyandi, M., see Mahadevan, S. (296) 234
Malathi, P., Ramaswamy, K., Caspary, W.F. and Crane, R.K.
Studies on the transport of glucose from disaccharides by hamster small intestine in vitro. I. Evidence for a disaccharidase-related transport system (307) 613
Malette, M.F., see Addy, M.E. (295) 385
Malhotra, O.P., Philip, G. and Singh, P.
Effect of kinetic parameters and inhibitors on intestinal esterase (309) 97
Malkin, R. and Bearden, A.J.
Light-induced changes of bound chloroplast plastocyanin as studied by EPR spectroscopy: The role of plastocyanin in non-cyclic photosynthetic electron transport (292) 169
Malkin, R., see Bearden, A.J. (325) 266
Malkin, R. and Knaff, D.B.
Effect of oxidizing treatment on chloroplast Photosystem II reactions (325) 336
Malkin, R., see Knaff, D.B. (325) 94
Malkin, S. and Hardt, H.
Kinetic characterization of T-jump thermo-

luminescence in isolated chloroplasts (305) 292
Malone, B., see Snyder, F. (316) 259
Maloney, P.C. and Wilson, T.H.
Quantitative aspects of active transport by the lactose transport system of Escherichia coli (330) 196
Malt, R.A., see Lee, M.J. (294) 461
Manchester, K.L., see Turner, L.V. (299) 612
Manchester, K.L., see Turner, L.V. (320) 352
Mandel, P., see Aunis, D. (327) 313
Mandel, P., see Lastennet, A. (306) 287
Mandelli, M., Piceni Sereni, L. and Sereni, F.
Spontaneous development of cytosolic phosphoenolpyruvate carboxylase in foetal rat liver cultures (309) 515
Manera, E., see Carrea, G. (295) 274
Maniloff, J., Vanderkooi, G., Hayashi, H. and Capaldi, R.A.
Optical analysis of electron micrographs of cytochrome oxidase membranes (298) 180
Mannella, C.A., see Douce, R. (292) 105
Mannervik, B., see Ekwall, K. (297) 297
Manninen, V., see Skulskii, I.A. (298) 702
Mans, R.J., see Brooks, R.R. (312) 14
Mansbach, II, C.M.
Complex lipid synthesis in hamster intestine (296) 386
Mapelli, S., see Torti, G. (324) 254
Marceau, N. and Aspin, N.
The association of the copper derived from ceruloplasmin with cytocuprein (328) 351
Marceau, N. and Aspin, N.
The intracellular distribution of the copper derived from ceruloplasmin and from albumin (328) 338
Marcel, Y.L. and Vezina, C.
A method for the determination of the initial rate of reaction of lecithin: Cholesterol acyltransferase in human plasma (306) 497
Marchesini, S., see Tettemanti, G. (296) 160
Marchis-Mouren, G., see Beaupoil-Abadie, B. (297) 436
Marciani, D.J. and Tolbert, B.M.
Effects of gamma irradiation on the enzymatic properties of lysozyme (302) 376
Marcu, K., see Roe, B. (319) 25
Mareel, M., see Deman, J. (297) 486
Margison, G.P. and O'Connor, P.J.
Biological implications of the instability of the N-glycosidic bond of 3-methyldeoxy-adenosine in DNA (331) 349
Margolis, R.K. and Margolis, R.U.
Alkali-labile oligosaccharides of brain glycoproteins (304) 421
Margolis, R.K. and Margolis, R.U.
The turnover of hexosamine and sialic acid in glycoproteins and mucopolysaccharides of brain (304) 413
Margolis, R.U., see Margolis, R.K. (304) 413
Margolis, R.U., see Margolis, R.K. (304) 421
Marinetti, G.V., see Lesko, L. (311) 173
Marinetti, G.V., see Ozols, R.F. (296) 10
Marjanen, L.A.
Comparison of aldehyde dehydrogenases from cytosol and mitochondria of rat liver (327) 238
Markley, H.G., Faillace, L.A. and Mezey, E.
Xanthine oxidase activity in rat brain (309) 23
Marklund, S.
Tryptic digestion and alkaline denaturation of catalase. The influence on catalatic activity, peroxidatic activity towards phenolic compounds, and the reactivity with methyl- and ethyl-hydroperoxide (321) 90
Markovits, J., see Vilkas, E. (297) 423
Marks, F.
The second messenger system of mouse epidermis. III. Guanyl cyclase (309) 349
Marks, G.S., see Krupa, V. (304) 260
Markwell, M.A., see Bieber, L.L. (326) 145
Maroc, J. and Garnier, J.
Recherche du cytochrome b-563 et du P700 chez trois mutants non photosynthétiques de Chlamydomonas reinhardti (292) 477
Maroux, S., see Baratti, J. (315) 147
Maroux, S., see Baratti, J. (321) 632
Maroux, S., see Louvard, D. (291) 747
Maroux, S., see Louvard, D. (309) 127
Maroux, S., Louvard, D. and Baratti, J.
The aminopeptidase from hog intestinal brush border (321) 282
Marquez, E.D. and Brodie, A.F.
The effect of cations on the heat stability of a halophilic nitrate reductase (321) 84
Marsh, D. and Smith, I.C.P.
An interacting spin label study of the fluidizing and condensing effects of cholesterol on lecithin bilayers (298) 133
Marsh, J.M., Mills, T.M. and LeMaire, W.J.
Preovulatory changes in the synthesis of cyclic AMP by rabbit Graafian follicles (304) 197
Marshall, L., see Hillcoat, B.L. (293) 281
Marsheck, W.J. and Miyano, M.
Microbiological optical resolution of a racemic synthetic prostaglandin intermediate (316) 363

Marston, S.
The nucleotide complexes of myosin in glycerol-extracted muscle fibres (305) 397
Martel, M.B., Dubois, P. et Got, R.
Membranes des globules lipidiques du lait humain. Préparation, étude morphologique et composition chimique (311) 565
Marti, J., Aliau, S., Bonfils, C., Vigne, C. and Moretti, J.
Preparation, physical constants and chemical composition of sheep fetuin (303) 348
Martin, D.B., see Avruch, J. (291) 494
Martin, D.B., see Carter, Jr, J.R. (291) 506
Martin, D.F., see Binford, Jr, J.S. (291) 156
Martin, II, J.H., see Smith, T.C. (291) 465
Martin, R.P., see Grenouilles, P. (322) 185
Martini, O.H.W. and Gould, H.J.
Phosphorylation of rabbit reticulocyte ribosomal proteins (295) 621
Maruo, B., see Yamane, K. (295) 323
Mashimo, K., see Ohtaki, S. (292) 825
Mäsiar, P. and Shaw, D.C.
Two isoenzymes of arginine kinase from Panulirus longpipes (303) 308
Masler, L., see Kolarova, N. (328) 221
Mason, K.H., see Katze, J.R. (331) 369
Mason, R.J., Stossel, T.P. and Vaughan, M.
Quantitative studies of phagocytosis by alveolar macrophages (304) 864
Mason, W.T., Fager, R.S. and Abrahamson, E.W.
Characterization of the lipid composition of a squid rhabdome outer segment (306) 67
Massari, S., see Azzone, G.F. (301) 195
Massaro, E.J., see Traugott, C. (295) 549
Massey, V., see Mayhew, S.G. (315) 181
Masson, P.L., see Bhushano Rao, K.S.P. (317) 286
Masson, P.L., see Kobayashi, K. (317) 517
Masson, P.L., see Van Snick, J.L. (322) 231
Masters, C.J., see Clarke, F.M. (327) 223
Masugi, F., see Kumagai, H. (327) 510.
Masugi, F., Natori, Y., Shimizu, S. and Fukui, S.
Comparison of coenzymatic activities of 2-nor-2-hydroxymethylpyridoxal 5'-phosphate for mitochondrial and cytoplasmic aspartate aminotransferases (320) 648
Masuzawa, Y., Osawa, T., Inoue, K. and Nojima, S.
Effects of various mitogens on the phospholipid metabolism of human peripheral lymphocytes (326) 339
Matacic, S., see Birckbichler, P.J. (291) 149
Mathan, V.I., see Donaldson, Jr, R.M. (311) 477
Mathé, D., see Lutton, Cl. (306) 483
Matheson, A., see Rosenthal, S.L. (318) 252
Mathewson, P.R., Yost, Jr, F.J. and Harrison, J.H.
The absence of zinc in the mitochondrial and supernatant forms of malate dehydrogenase (321) 413
Mathis, P., see Vermeglio, A. (292) 763
Mathis, P., see Vermeglio, A. (314) 57
Matsen, J.M., see Engel, R.R. (313) 150
Matsubara, T. and Hayashi, A.
Identification of molecular species of ceramide aminoethylphosphonate from oyster adductor by gas–liquid chromatography–mass spectrometry (296) 171
Matsukawa, S., see Komai, Y. (316) 271
Matsumoto, M. and Miwa, M.
Study on the new phospholipid, N-acyl-1-alkyl glycerophosphorylethanolamine, from bovine erythrocytes (296) 350
Matsumura, Y., see Iguchi, M. (315) 285
Matsuzaki, K. and Takeda, Y.
Aminoacyl transfer RNA formation. III. Mechanism of aminoacylation stimulated by polyamines (308) 339
Matsuzaki, S., Pochet, R. and Schell-Frederick, E.
A comparison of the subcellular distribution of 5'-nucleotidase, (Na^+–K^+)-ATPase and adenyl cyclase in beef thyroid gland (313) 328
Matthaei, H., see Scheulen, M. (299) 468
Matthews, H.R., see Matthews, K.S. (295) 159
Matthews, K.S., Matthews, H.R., Thielmann, H.W. and Jardetzky, O.
Ultraviolet difference spectra of the lactose repressor protein (295) 159
Matthieu, J.-M., Quarles, R.H., Brady, R.O. and Webster, H. de F.
Variation of proteins, enzyme markers and gangliosides in myelin subfractions (329) 305
Mattiasson, B., see Johansson, A. (304) 217
Mattoon, J.R., see Balcavage, W.X. (305) 41
Matula, J.M., see Keenan, R.W. (326) 84
Maurice, A., see Baraud, J. (296) 481
Mauzerall, D., see Diner, B. (292) 285
Mauzerall, D., see Diner, B. (305) 329
Mauzerall, D., see Diner, B. (305) 353
Mauzerall, D.C., see Straley, S.C. (305) 597
Mavrias, D.A. and Mayer, R.J.
Metabolism of fructose in the small

intestine. I. The effect of fructose feeding on fructose and metabolism in rat small intestine (291) 531
Mavrias, D.A. and Mayer, R.J.
Metabolism of fructose in the small intestine. II. The effect of fructose feeding on fructose transport and metabolism in guinea pig small intestine (291) 538
Mayer, R.J., see Jones, G.M. (304) 634
Mayer, R.J., see Mavrias, D.A. (291) 531
Mayer, R.J., see Mavrias, D.A. (291) 538
Mayer, R.M., see Klapper, B.F. (304) 505
Mayer, R.M., see Klapper, B.F. (304) 513
Mayes, J.S. and Miller, L.R.
The metabolism of galactose by galactosemic fibroblasts in vitro (313) 9
Mayhew, S.G. and Massey, V.
Studies on the kinetics and mechanism of reduction of flavodoxin from Peptostreptococcus elsdenii by sodium dithionite (315) 181
Mayol, R.F., see Amer, M. (309) 149
Mayor, H.D. and Ratner, J.
Analysis of adeno-associated satellite virus DNA (299) 189
Mayyashi, S.A., see Harewood, K.R. (308) 252
Mazaitis, A.J., see Zouzias, D. (312) 484
Mazelis, A.G. and Petermann, M.L.
Physical–chemical properties of stable yeast ribosomes and ribosomal subunits (312) 111
Mazière, B., see Dumas, P. (293) 36
Mazin, A.L., see Vanyushin, B.F. (299) 397
Mazor, Z., see Cohen, A. (294) 442
Mazza, G., Job, C. and Bouchet, M.
Chemical composition and hydrodynamic characteristics of turnip peroxidases (322) 218
Mazzacurati, V., see Careri, G. (310) 305
Mazzola, G., see Lugaro, G. (304) 719
Mazzotta, M.Y. and Johnson, E.J.
Adenylate kinase from Thiobacillus neapolitanus: Unique properties, possibly designed to serve a unique metabolic function (321) 512
Mbawa, E., see Zeineh, R.A. (317) 1
Mead, J.F., see Dhopeshwarkar, G.A. (296) 257
Meek, J.L., see Foldes, A. (327) 365
Mego, J.L. and Cain, J.A.
The effect of carbon tetrachloride on lysosome function in kidneys and livers of mice (297) 343
Meirovitch, E. and Kalb, A.J.
Magnetic resonance relaxation of ^{1}H and ^{17}O in aqueous solutions of concanavalin A (303) 258
Meisner, H.
Inhibition of metabolite anion uptake in mitochondria by tetraphenylboron (318) 383
Meissner, G.
ATP and Ca^{2+} binding by the Ca^{2+} pump protein of sarcoplasmic reticulum (298) 906
Meissner, G., Conner, G.E. and Fleischer, S.
Isolation of sarcoplasmic reticulum by zonal centrifugation and purification of Ca^{2+}-pump and Ca^{2+}-binding proteins (298) 246
Meizel, S., see Gonzales, L.W. (320) 166
Meizel, S., see Gonzales, L.W. (320) 180
Melandri, B.A., see Baccarini Melandri, A. (314) 298
Melnick, R.L., Tinberg, H.M., Maguire, J. and Packer, L.
Studies on mitochondrial proteins. I. Separation and characterization by polyacrylamide gel electrophoresis (311) 230
Meloun, B., see Kušnír, J. (310) 124
Melrose, G.J.H., see Sleigh, R.W. (310) 453
Ménard, J., see Corvol, P. (322) 392
Ménard, J., see Fressinaud, Ph. (317) 572
Mendicino, J., see Hanna, R. (315) 259
Mendelson, I.S. and Anderson, K.M.
Rat mammary gland nuclear RNA polymerases in late pregnancy and lactation (299) 576
Mendelsohn, R., see Chen, M.C. (328) 252
Menon, K.M.J., Giese, S. and Jaffe, R.B.
Hormone- and fluoride-sensitive adenylate cyclases in human foetal tissues (304) 203
Mercado, E. and Rosado, A.
Structural properties of the membrane of intact human spermatozoa. A study with fluorescent probes (290) 639
Mercuri, O., see De Tomas, M.E. (306) 149
Merritt, W.D. and Morré, D.J.
A glycosyl transferase of high specific activity in secretory vesicles from isolated Golgi apparatus of rat liver (304) 397
Mertvetsov, N.P., Chesnokov, V.N. and Salganik, R.I.
Specific changes in the activity of tyrosine aminotransferase isoenzymes in rat liver after cortisol treatment and partial hepatectomy (315) 61
Messer, M., see Hammerton, K. (321) 597
Messmer, T.O.
A comparison of the interaction of chinese hamster fibroblasts with human and bovine transferrins and conalbumin (chick-egg transferrin) (320) 663

Mestecky, J., see Schrohenloher, R.E. (295) 576
Metafora, S., see Gambino, R. (312) 377
Metcalfe, J.C., see Levine, Y.K. (291) 592
Metz, S.H.M., Mulder, I. and van den Bergh, S.G.
Lipolysis regulation in bovine adipose tissue by the degree of saturation of plasma albumin with fatty acids (306) 42
Mével-Ninio, M., see Yamamoto, T.H. (314) 267
Meyer, J. and Vignais, P.M.
Kinetic study of glutamate transport in rat liver mitochondria (325) 375
Meyer, T.A., see Sands, H. (302) 267
Meyer, T.A., see Sands, H. (321) 489
Meyer, T.E., Kennel, S.J., Tedro, S.M. and Kamen, M.D.
Iron protein content of Thiocapsa pfennigii, a purple sulfur bacterium of atypical chlorophyll composition (292) 634
Meyers, N.L. and Brewer, G.J.
Iron–ATP a by-product of acid extraction of whole blood or red blood cells (320) 397
Meynell, G.G., see Dowman, J.E. (299) 218
Mezey, E., see Markley, H.G. (309) 23
Michaelson, D.M., see Horwitz, A.F. (298) 1
Michalewsky, J.E., see Cook, A.F. (324) 433
Michel, J.P. et Thibault, P.
Etude cinétique de la synthèse d'ATP in vivo en lumière mono- et bichromatique chez Zea mays: Effet antagoniste rouge–rouge lointain (390) 396
Michel, R., see Dumas, P. (293) 36
Michell, R.H., Coleman, R. and Finean, J.B.
Hydrolysis of 1,2-diglyceride by membrane-associated lipase activity during phospholipase C treatment of membranes (318) 306
Michel-Villaz, M., see Breton, J. (314) 42
Mikhailov, V.S., see Gause, Jr, G.G. (312) 179
Mikhailov, V.S., see Gause, Jr, G.G. (324) 189
Mikulski, A.J., Bardos, T.J., Chakrabarti, P., Kalman, T.I. and Zsindely, A.
Inhibition of DNA-dependent RNA polymerase with partially thiolated polynucleotides (319) 294
Milgrom, E., Atger, M. and Baulieu, E.-E.
Studies on estrogen entry into uterine cells and on estradiol–receptor complex attachment to the nucleus. Is the entry of estrogen into uterine cells a protein-mediated process? (320) 267
Millar, F.K., see Garvey, III, T.Q. (302) 38
Millard, S.A., Hart, M.B. and Shimek, J.F.
Enzymes controlling cerebral DNA synthesis: Response to 2,4,5-trichlorophenoxyacetic acid and hexachlorophene (308) 230
Miller, B.F., see Kothari, H.V. (296) 446
Miller, B.G.
Effects of progesterone on the synthesis of ribonucleic acids in the uterus (299) 568
Miller, D.M., Williams, R. and McCarty, K.S.
Localization and in vitro specificity of histone acetylation (317) 437
Miller, E.C., see Bartsch, H. (304) 42
Miller, G.R., see Maijub, A.G. (315) 37
Miller, I.R., see Pincus, M. (311) 317
Miller, J.A., see Bartsch, H. (304) 42
Miller, Jr, J.V., Wilson, S.H., Kuff, E.L. and Thompson, E.B.
Inhibition of cell-free globin synthesis by polydeoxythymidylate (294) 507
Miller, K., see Perdue, J.F. (298) 817
Miller, K.W., see Johnson, S.M. (307) 42
Miller, L.R., see Mayes, J.S. (313) 9
Miller, O.V., see Gorman, R.R. (323) 560
Miller, O.V., see Magee, W.E. (306) 270
Miller, P.J., see Irons, L. (328) 433
Miller, S.T., see Berliner, L.J. (315) 195
Millis, A.J.T. and Pious, D.A.
Oxidative phosphorylation in mitochondria isolated from human fibroblasts (292) 73
Mills, T.M., see Marsh, J.M. (304) 197
Milner, R.D.G., Leach, F.N. and Ashworth, M.A.
The onotogeny of insulin secretion mechanisms (304) 225
Milovancev, M., see Heldt, H.W. (314) 224
Minaker, E., see Sturgess, J.M. (320) 123
Minchiotti, L., see Speranza, M.L. (327) 274
Mingins, J., see Taylor, J.A.G. (323) 157
Minssen, M. and Munkres, K.D.
Preparation of mitochondrial membrane proteins from Neurospora crassa: Prevention of lipid autoxidation damage by an antioxidant (291) 398
Miras-Portugal, M.-T., see Aunis, D. (327) 313
Mirsky, R. and Barlow, V.
Molecular weight, amino acid composition and other properties of membrane-bound ATPase from Bacillus megaterium KM (291) 480
Misaki, A., see Goldstein, I.J. (317) 500
Misharin, A.Yu., see Polyanovsky, O.L. (327) 57
Mispelter, J., see Momenteau, M. (320) 652
Misra, D.N., see Dasgupta, S. (294) 38
Misra, H.P. and Fridovich, I.
A peroxide-dependent reduction of cytochrome c by NADH (292) 815

Mitchel, R.E.J.
Micrococcus radiodurans 5'-nucleotidase (309) 116
Mitchell, E.D., Riquetti, P., Loring, R.H. and Carraway, K.L.
Quaternary structure of B. subtilis α-amylase. Anomalous behaviour in sodium dodecylsulfate (295) 314
Mitchell, J.L.A. and Rusch, H.P.
Regulation of polyamine synthesis in Physarum polycephalum during growth and differentiation (297) 503
Mitchell, W.M., see Nishioka, K. (310) 217
Mitchell, W.M., see Spelsberg, T.C. (312) 765
Mitranic, M.M., see Sturgess, J.M. (320) 123
Mitropoulos, K.A., Balasubramaniam, S. and Myant, N.B.
The effect of interruption of the entero-hepatic circulation of bile acids and of cholesterol feeding on cholesterol 7α-hydroxylase in relation to the diurnal rhythm in its activity (326) 428
Miwa, M., see Matsumoto, M. (296) 350
Miyagishi, A. and Andoh, T.
The DNA of Tetrahymena pyriformis GL strain. A mild method for preparation and its characterization (299) 507
Miyahara, M., Hirata, K., Tada, H. and Seno, S.
Mitochondrial metabolism in porphyric rat liver (325) 47
Miyake, M., Inoue, I. and Kobatake, Y.
Studies of excitable membrane formed on the surface of protoplasmic drops isolated from Nitella. III. Impedance of the surface membrane (323) 367
Miyake, Y. and Ito, T.
Isolation of elastase inhibitor from rat plasma (328) 173
Miyano, M., see Marsheck, W.J. (316) 363
Miyawaki, M., see Inoue, S. (320) 73
Miyazawa, T., see Takagi, T. (310) 11
Mizrahi, L., see Gilboa-Garber, N. (297) 120
Mizrahi, L., see Gilboa-Garber, N. (317) 106
Mizuno, S., see Balkow, K. (324) 397
Mizuno, T., see Noharo, H. (319) 55
Moar, M., see Prosser, J. (319) 122
Moat, A.G., see Kasarov, L.B. (320) 372
Mochinaga, S., see Yazaki, Y. (328) 464
Modesto, R.R. and Pesce, A.J.
Use of tolylene diisocyanata for the preparation of a peroxidase-labelled antibody conjugate: Quantitation of the amount of diisocyanate bound (295) 283
Modler, S., see Engel, R.R. (313) 150
Moehl, A., see Lee, T.-C. (291) 86
Mohanty, P., Braun, B.Z. and Govindjee
Light-induced slow changes in chlorophyll a fluorescence in isolated chloroplasts: Effects of magnesium and phenazine methosulfate (292) 459
Mohanty, P. and Govindjee
Light-induced changes in the fluorescence yield of chlorophyll a in Anacystis nidulans. I. Relationship of slow fluorescence changes with structural changes (305) 95
Mohyuddin, F., see Lancaster, G. (297) 229
Mol, A., see Slater, E.C. (292) 534
Mol, J.N.M., see Sanders, J.P.M. (312) 441
Mollay, C. and Kreil, G.
Fluorimetric measurements on the interaction of melittin with lecithin (316) 196
Möllby, R. and Wadström, T.
Purification of phospholipase C (alpha-toxin) from Clostridium perfringens (321) 569
Mollenhauer, H.H., see Nyquist, S.E. (315) 103
Møller, J.V., see Kragh-Hansen, U. (295) 438
Møller, J.V., see Kragh-Hansen, U. (295) 447
Molloy, G.R., see Sitz, T.O. (319) 103
Momany, F.A., see Lewis, P.N. (303) 211
Momenteau, M.
The physical chemistry of haemes and haemopeptides. I. Physicochemical properties and reduction of chloro-deuterohaemin in organic solvent (304) 814
Momenteau, M., Mispelter, J. and Lexa, D.
The physical chemistry of hemes. II. Electron paramagnetic resonance study of the interaction of some iron (III) porphyrins with fluoride ion in dimethylformamide (320) 652
Mondovi, B., see Rotilio, G. (302) 229
Mondovi, B., see Rotilio, G. (321) 98
Monfoort, C.H., Schiphof, R., Rozijn, T.H. and Steyn-Parvé, E.P.
Amino acid composition and carboxyl-terminal structure of some basic chromosomal proteins of mammalian spermatozoa (322) 173
Montag, J., see Heazlitt, R. (317) 316
Montague, W., see Howell, S.L. (320) 44
Montal, M.
Asymmetric lipid bilayers. Response to multivalent ions (298) 750
Montal, M., see Fernández, M.S. (323) 600
Montanaro, L., Novello, F. and Stirpe, F.
Inhibition of ribonucleic acid and of protein synthesis in the organs of rats and mice poisened with α-amanitin (319) 188

Montecuccoli, G., Novello, F. and Stirpe, F.
Effect of α-amanitin poisoning on the synthesis of deoxyribonucleic acid and of protein in regenerating rat liver (319) 199
Montfort, M.-F., see Rolland, M. (303) 338
Monty, K.J., see Collins, J.M. (313) 156
Moor, J.R., see Linder, M.C. (297) 70
Moore, A.L., see Wilson, S.B. (292) 603
Morello, A., see Capdevila, J. (314) 93
Morero, R.D., see Bloj, B. (311) 67
Moret, V., see Baggio, B. (315) 347
Moretti, J., see Marti, J. (303) 348
Moreux, J.C., see Baurain, R.M. (295) 18
Morgan, E.H., see Tsang, C.P. (328) 84
Morgan, H.E., see Whitfield, C.F. (307) 181
Morgan, I.G., Vincendon, G. and Gombos, G.
Adult rat brain synaptic vesicles. I. Isolation and characterization (320) 671
Morgan, I.G., see Breckenridge, W.C. (320) 681
Morgan, T.V., see DerVartanian, D.V. (305) 173
Mori, K., see Iguchi, M. (315) 285
Mori, T., Tosa, T. and Chibata, I.
Enzymatic properties of microcapsules containing asparaginase (321) 653
Morihara, K., Tsuzuki, H. and Oka, T.
On the specificity of Pseudomonas aeruginosa alkaline proteinase with synthetic peptides (309) 414
Morin, J.G., see Wampler, J.E. (314) 104
Morin, R.J.
Cholesteryl ester synthesis and hydrolysis by subcellular fractions of corpora lutea and interstitial tissue from ovaries of pregnant rabbits (296) 203
Morita, H., see Tanaka, R. (298) 842
Morkin, E., Yazaki, Y., Katagiri, T. and LaRaia, P.J.
Comparison of the synthesis of the light and heavy chains of adult skeletal myosin (324) 420
Mørland, J., see Christoffersen, T. (313) 338
Morley, C.G.D. and Kingdon, H.S.
The regulation of cell growth. I. Identification and partial characterization of a DNA synthesis stimulating factor from the serum of partially hepatectomized rats (308) 260
Moroff, G. and Gordon, E.E.
Effect of K^+ deficiency on oxidative metabolism in Ehrlich ascites tumor cells (325) 406
Morpurgo, L., Giovagnoli, C. and Rotilio, G.
Studies of the metal sites of copper proteins. V. A model compound for the copper site of superoxide dismutase (322) 204
Morpurgo, L., see Rotilio, G. (302) 229
Morré, D.J., see Merritt, W.D. (304) 397
Morris, A.J., see Hengesh, E.J. (299) 654
Morris, H.P., see Petri, W.A. (321) 681
Morris, H.P., see Sabine, J.R. (296) 493
Morris, S., see Lian, J.B. (328) 193
Morrisett, J.D., see Hoff, H.F. (296) 653
Morrisett, J.D., see Yamamura, H.I. (302) 305
Morrison, D.A. and Guild, W.R.
Breakage prior to entry of donor DNA in Pneumococcus transformation (299) 545
Morrison, R.I.G., Barrett, A.J. and Dingle, J.T.
Cathepsins B1 and D. Action on human cartilage proteoglycans (302) 411
Morrison, W.R.
Long-chain bases in the sphingolipids of bovine milk and kidney, rumen bacteria, rumen protozoa, hay and concentrate (316) 98
Morse, II, P.D. and Deamer, D.W.
Interaction of cytochrome c with lipid monolayers (298) 769
Mortenson, L.E., Zumft, W.G. and Palmer, G.
Electron paramagnetic resonance studies on nitrogenase. III. Function of magnesium adenosine 5′-triphosphate and adenosine 5′-diphosphate in catalysis by nitrogenase (292) 422
Mortenson, L.E., see Chen, J. (310) 51
Mortenson, L.E., see Zumft, W.G. (292) 413
Morton, L.F., see Barnes, M.J. (328) 373
Mosbach, K., see Johansson, Å. (304) 217
Moscarello, M.A., see Sturgess, J.M. (320) 123
Moschera, J., see Downs, F. (328) 182
Moser, K., see Cowell, J.L. (315) 449
Moudgil, V.K. and Kanungo, M.S.
Effect of age of the rat on induction of acetylcholinesterase of the brain by 17β-estradiol (329) 211
Mousseron-Canet, M., see Bonnafous, J.C. (312) 165
Moustacchi, E., see Chanet, R. (324) 290
Moustacchi, E., see Fabre, F. (312) 617
Moxon, G.H. and Slifkin, M.A.
The potentiation of the reversal of metachromasia in a toluidine blue–heparin complex by amino acids in the presence of some heterocyclic nitrogen drugs (304) 693
Moya, F., see Nieto, A. (322) 383
Moya, I., see Briantais, J.M. (325) 530
Mueller, G.C., see Butler, W.B. (294) 481
Mueller, G.C., see Hershey, H. (312) 509
Mueller, G.C., see Kinzel, V. (322) 337
Mugibayashi, Y., see Sawada, S. (315) 204

Mühlbach, H.-P., see Wegmann, K. (314) 79
Muijsers, A.O., see Tiesjema, R.H. (305) 19
Muijsers, A.O., see Wever, R. (325) 1
Muijsers, A.O., see Wever, R. (325) 8
Muir, H., see Brandt, K.D. (320) 453
Muir, H., see Kempson, G.E. (297) 456
Mukai, K., Kimura, T., Helbert, J. and Kevan, L.
Environment of the iron–sulfur chromophore in adrenodoxin studied by ESR and ENDOR spectroscopy (295) 49
Mukai, K., see Bowman, M. (328) 244
Mulder, I., see Metz, S.H.M. (306) 42
Müller, W.E.G., see Yamazaki, Z. (308) 412
Müller-Landau, F., see Cadenhead, D.A. (307) 279
Mullinix, K.P., Rosenkranz, S., Carr, H.S. and Rosenkranz, H.S.
Reaction between DNA and N-hydroxy-urethan (312) 1
Multani, J.S., see Chen, J. (310) 51
Munden, J.W. and Swarbrick, J.
Time-dependent surface behavior of dipalmitoyllecithin and lung alveolar surfactant monolayers (291) 344
Munford, R.E., see Richardson, B.C. (310) 111
Munkres, K.D., see Minssen, M. (291) 398
Muñoz, E., see Carreira, J. (307) 541
Muñoz, E., see Estrugo, S.F. (311) 153
Munro, H.N., see Baliga, B.S. (299) 337
Munro, H.N., see Baliga, B.S. (312) 349
Munro, H.N., see Linder, M.C. (297) 70
Munsche, D. und Wollgiehn, R.
Die Synthese von ribosomaler RNA in Chloroplasten von Nicotiana rustica (294) 106
Murad, F.
Beta-blockade of epinephrine-induced cyclic AMP formation in heart, liver, fat and trachea (304) 181
Muramatsu, T. and Schmid, H.H.O.
The metabolism of 1-hydroxy-2-ketohepta-decane in myelinating brain (296) 265
Muramatsu, T., see Chang, N.-C. (306) 437
Muramatsu, T., see Hayashi, M. (291) 335
Muramatu, M., see Okamura, K. (295) 252
Muramatu, M., see Sumi, H. (327) 207
Murata, N., Itoh, S. and Okada, M.
Induction of chlorophyll a fluorescence in isolated spinach chloroplasts at liquid nitrogen temperature (325) 463
Murofushi, H.
Purification and characterization of a protein kinase in Tetrahymena cilia (327) 354
Murphy, B.E.P., see Wong, K.C. (328) 133
Murphy, R.F., Buchanan, K.D. and Elmore, D.T.
Isolation of glucagon-like immunoreactivity of gut by affinity chromatography on anti-glucagon antibodies coupled to Sepharose 4B (303) 118
Murphy, R.F., see Holohan, K.N. (322) 178
Murty, C.N., see Lynn, J.K. (299) 444
Mutaftschiev, S. and Azoulay, E.
Membrane reconstruction in chl-r mutants of Escherichia coli K 12. VI. Morphological study of membrane assembly during complementation between extracts of chl-r mutants (307) 525
Mutaftschiev, S., see Louvard, D. (291) 747
Mutaftschiev, S., see Negrel, R. (291) 635
Muthiah, P. and Kühn, K.
Studies on proteoglycans obtained from bovine knee joint and ear cartilages: Sequential extraction, fractionation, characterization and their effects on fibril formation (304) 12
Myant, N.B., see Mitropoulos, K.A. (326) 428
Myers, R.B., see Norrman, J. (302) 173
Myers, V.B., see Haydon, D.A. (307) 429

N

Nachbar, M.S. and Oppenheim, J.D.
The production and purification of specific anti-soybean agglutinin antibody by affinity chromatography (320) 494
Nagai, J., see Shimizu, I. (296) 310
Nagai, Y., see Hata, R. (304) 408
Nagai, Y. and Hori, H.
Evidence for de novo synthesis of collagenase by tadpole skin explant (312) 742
Nagano, H., Shimada, T. and Shukuya, R.
Further characterization of bullfrog serum albumin (310) 495
Nagaoka, S., see Aoki, K. (328) 323
Nagaoka, S., see Aoki, K. (328) 334
Nagaoka, S., see Sogami, M. (310) 118
Nagasawa, K., see Oshima, G. (291) 1
Nagy, M., Djembo-Taty, M. and Heslot, H.
Regulation of the biosynthesis of purine nucleotides in Schizosaccharomyces pombe (309) 1
Nakagawa, Y. and Jirgensons, B.
Effect of sodium dodecylsulfate on circular dichroism and enzyme activities of carboxypeptidases A and B (328) 42
Naider, F., see Becker, J.M. (291) 388
Naito, Y. and Tsushima, K.
Alkaline phosphatase of chicken liver microsomes. II. Activity with AMP and other substrates (327) 398
Najjar, V.A., see Nishioka, K. (310) 217
Najjar, V.A., see Nishioka, K. (310) 230
Nakagawa, M. and Nishida, T.
Role of high density lipoproteins in the lecithin–cholesterol acyltransferase activity with sonicated cholesterol lecithin dispersions as substrate (296) 577
Nakajima, T., see Imaoka, N. (320) 97
Nakajima, T., Oshima, G., Yeh, H.S.J., Igic, R. and Erdös, E.G.
Purification of the angiotensin I converting enzyme of the lung (315) 430
Nakajima, Y., Fukunaga, N., Sasaki, S. and Usami, S.
Purification and properties of NADP pyrophosphatase from Proteus vulgaris (293) 242
Nakamura, K.D., see Trewyn, R.W. (327) 336
Nakamura, K.D., Trewyn, R.W. and Parks, L.W.
Purification and characterization of serine transhydroxymethylase from Saccharomyces cerevisiae (327) 328
Nakamura, M. and Yamazaki, I.
One-electron transfer reactions in biochemical systems. VII. Two types of electron-outlets in milk xanthine oxidase (327) 238
Nakamura, T., see Yamaguchi, M. (317) 312
Nakamura, T., see Yamaguchi, M. (328) 154
Nakano, M. and Fujino, Y.
Enzymatic conversion of labeled keto-dihydrosphingosine to sphingosine (296) 457
Nakano, M., see Ushijima, Y. (320) 284
Nakao, M., see Fujita, M. (307) 141
Nanjo, H., see Urabe, I. (302) 73
Nanninga, N., Tijssen, F.C. and op den Kamp, J.A.F.
Electron microscopy of Bacillus subtilis protoplast membrane after treatment with phospholipase A_2 and phospholipase C (298) 184
Nantel, G. and Proulx, P.
Lipase activity in Escherichia coli (316) 156
Naparstek, A., Thomas, D. and Caplan, S.R.
An experimental enzyme–membrane oscillator (323) 643
Napias, C., see Baraud, J. (296) 481
Narayanan, N. and Eapen, J.
Protein synthesis by cardiac muscle myofibrils of rats (312) 413
Narumi, S. and Kanno, M.
Effects of gastric acid stimulants and inhibitors on the activities of HCO_3^--stimulated, Mg^{2+}-dependent ATPase and carbonic anhydrase in rat gastric mucosa (311) 80
Narumi, S. and Maki, Y.
Possible role of cyclic AMP in gastric acid secretion in rat. Activation of carbonic anhydrase (311) 90
Näskalski, J.W., see Sznajd, J. (302) 282
Näslund, P.H., see Hultin, T. (319) 81
Naso, R.B., Wang, C.S., Tsai, S. and Arlinghaus, R.B.

Ribosomes from Rauscher leukemia virus-infected cells and their response to Rauscher viral RNA and polyuridylic acid (324) 346
Nathans, D., see Adler, S.P. (299) 177
Natori, Y., see Endo, Y. (299) 114
Natori, Y., see Masugi, F. (320) 648
Natter, R., see Fee, J.A. (295) 96
Nawar, T., see Klahr, S. (304) 161
Nazar, R.N. and Busch, H.
Structural analyses of mammalian ribosomal ribonucleic acid and its precursors. The distribution of polypyrimidine sequences in ribosomal 18-S ribonucleic acid (299) 428
Nazar, R.N. and Wong, J.T.
Azide- or cyanide-induced methionine starvation in Escherichia coli (324) 218
Ne'eman, Z., see Rottem, S. (323) 495
Négrel, R., Ailhaud, G. and Mutaftschiev, S.
Comparative inhibition studies of the phosphotransferase and glycerophosphate acylation systems in membrane vesicles of Escherichia coli (291) 635
Neihof, R. and Echols, W.H.
Physicochemical studies of microbial cell walls. I. Comparative electrophoretic behavior of intact cells and isolated cell walls (318) 23
Nekrasova, G.V., see Antonovsky, V.L. (331) 9
Nellans, H.N., see Frizzell, R.A. (291) 302
Nelson, Jr, J.H., see Sheid, B. (324) 69
Neogy, R.K., Chowdhury, K. and Thakurta, G.G.
Interaction of nogalamycin with deoxyribonucleic acid (299) 241
Neri, P., Arezzini, C., Botti, R., Cocola, F. and Tarli, P.
Modification of the tryptophanyl residue and its effect on the immunological and biological activity of human chorionic somatomammotropin (322) 88
Netter, P., see Grivell, L.A. (312) 358
Neuman, W.F., see Scarpace, P.J. (323) 267
Neumann, J., see Epel, B.L. (325) 520
Neuwirt, J., see Borová, J. (320) 143
Neuwirt, J., see Poňka, P. (304) 123
Neuwirt, J., see Poňka, P. (304) 715
Neville, Jr, D.M., see Glossman, H. (323) 408
Neville, M.C.
Amino acid accumulation in frog muscle. I. Steady-state glycine accumulation at 0 °C (291) 287
Newkirk, J.D. and Waite, M.
Phospholipid hydrolysis by phospholipases A_1 and A_2 in plasma membranes and microsomes of rat liver (298) 562
Newman, R.A. and Harrison, R.
Characterisation of the surface of bovine milk fat globule membrane using micro-electrophoresis (298) 798
Newton, A.A., see Rubery, E.D. (324) 24
Ng, M.H. and Vilček, J.
Temperature-sensitive interferon production in rabbit kidney cell cultures treated with toyocamycin (294) 284
Ng, W.G., see Bergren, W.R. (315) 464
Nguyen, A., see Wilkes, G.L. (304) 267
Nguyen, Le, T., see Nicot, C. (322) 109
Nicholas, D.J.D., see Aminuddin, M. (325) 81
Nicholas, D.J.D., see Tronson, D.A. (310) 331
Nichols, B.W., see Shipley, G.G. (311) 531
Nicholls, D.M.
Increased translation in liver involves a supernatant factor following laser irradiation (308) 169
Nicholls, D.M., see Innanen, V.T. (324) 533
Nicot, C., Nguyen, Le, T., Leprêtre, M. and Alfsen, A.
Study of Folch-Pi apoprotein: I. Isolation of two components, aggregation during delipidation (322) 109
Nielsen, O.F. and Kahn, A.
Kinetics and quantum yield of photo-conversion of protochlorophyll(ide) to chlorophyll(ide) a (292) 117
Niemi, W.D., see Webb, G.D. (297) 313
Nieto, A., Moya, F. and Candela, J.L.R.
Isolation and properties of two calcitonins from chicken ultimobranchial glands (322) 383
Nieuwenhuis, F.J.R.M., Kanner, B.I., Gutnick, D.L., Postma, P.W. and van Dam, K.
Energy conservation in membranes of mutants of Escherichia coli defective in oxidative phosphorylation (325) 62
Nigon, V., see Richard, F. (313) 130
Nigon, V., see Verdier, G. (312) 528
Niinobe, M., see Tamura, Y. (327) 437
Niinobe, S., see Hayashi, H. (297) 110
Niitsu, Y., see Urushizaki, I. (328) 95
Nijjar, M.S. and Pritchard, E.T.
Calcium binding by a plasma membrane fraction isolated from rat submandibular glands (323) 391
Nikezić, G., see Sladić-Simić, D. (310) 353
Niku-Paavola, M.-L., Shakoun, A., Nummi, M. and Daussant, J.
The polymorphism of barley β-amylase (322) 181

Nilsson, A., see Lindskog, S. (295) 117
Nilsson, Å., Nordén, H. and Wilhelmsson, L.
Hydrolysis and formation of cholesterol esters with rat liver lysosomes (296) 593
Nilsson, A., see Offenbartl, K. (306) 460
Nimberg, R.B., see Kawahara, K. (295) 505
Nir, S., see Papahadjopoulos, D. (311) 330
Nishida, T., see Nakagawa, M. (296) 577
Nishihara, H., Ishikawa, S., Shinkai, K. and Akedo, H.
Multiple forms of human adenosine deaminase. II. Isolation and properties of a conversion factor from human lung (302) 429
Nishikaze, O., see Sakamoto, W. (329) 72
Nishikimi, M., see Kyogoku, Y. (321) 437
Nishikimi, M., see Yagi, K. (321) 64
Nishimune, T. and Hayashi, R.
Purification and some properties of thiamine-binding protein of Escherichia coli (328) 124
Nishimura, S., see Arai, K.I. (324) 440
Nishino, H., see Iwashima, A. (330) 222
Nishino, T., Ogura, K. and Seto, S.
Comparative specificity of prenyltransferase of pig liver and pumpkin with respect to artificial substrates (302) 33
Nishioka, K., Constantopoulos, A., Satoh, P.S., Mitchell, W.M. and Najjar, V.A.
Characteristics and isolation of the phagocytosis-stimulating peptide, tuftsin (310) 217
Nishioka, K., Satoh, P.S., Constantopoulos, A. and Najjar, V.A.
The chemical synthesis of the phagocytosis-stimulating tetrapeptide tuftsin (THR–LYS–PRO–ARG) and its biological properties (310) 230
Nishioka, L., see Woodin, T. (309) 211
Nishioka, L., see Woodin, T. (309) 224
Nishizaki, Y.
Kinetics of ATP formation and proton efflux by acid–base transition in chloroplasts (314) 312
Nitta, K., see Sugai, S. (328) 35
Nitta, Y., see Hiromi, K. (302) 362
Niwa, S., see Uchiyama, T. (315) 412
Niyogi, S.K., see Hoffman, D.J. (299) 588
Noda, H., see Haga, T. (291) 564
Noda, H., see Sasaki, T. (310) 76
Noda, H., see Sasaki, T. (310) 91
Nohara, H., Mizuno, T. and Iizuka, K.
The effect of exonuclease I on the transcription of various DNA preparations by rat liver RNA polymerase I and II (319) 55
Nojima, S., see Masuzawa, Y. (326) 339
Nokin, P., see Vassart, G. (324) 575
Nolan, R.D., see Baliga, B.S. (312) 349
Nordén, H., see Nilsson, Å. (296) 593
Nordlie, R.C., see Colilla, W. (309) 328
Nordmann, J., see Nordmann, R. (326) 1
Nordmann, R., Giudicelli, Y., Beaugé, F., Clément, M., Ribière, C., Rouach, H. and Nordmann, J.
Studies on the mechanisms involved in the isopropanol-induced fatty liver (326) 1
Norén, O., see Sjöström, H. (327) 457
Norén, O., Sjöström, H. and Josefsson, L.
Studies on a soluble dipeptidase from pig intestinal mucosa. I. Purification and specificity (327) 446
Norris, R.D. and Fowden, L.
Substrate protection during selective heat inactivation of aminoacyl-tRNA synthetases and its use in enzyme studies (312) 695
Norrman, J., Myers, R.B., Giddings, T.H. and Cantino, E.C.
Partial purification of L-glutamine:D-fructose 6-phosphate aminotransferase from zoospores of Blastocladiella emersonii (302) 173
Northcote, D.H., see Brewin, N.J. (320) 104
Norton, R.S., see Bradbury, J.H. (328) 10
Norton, S.J., see Sullivan, P.T. (293) 343
Norum, K.R., see Gumpen, S.A. (316) 48
Nose, Y., see Iwashima, A. (330) 222
Nosoh, Y., see Hachimori, A. (315) 481
Nosoh, Y., see Yamazaki, Y. (314) 257
Novaković, M.B., see Petrović, S.L. (308) 317
Novello, F., see Montanaro, L. (319) 188
Novello, F., see Montecuccoli, G. (319) 199
Novikov, K.N., see Kagan, V.E. (330) 76
Nowak, E., see Drabikowski, W. (328) 470
Nozaki, M., see Fujiwara, M. (327) 306
Nozawa, Y., Fukushima, H. and Iida, H.
Isolation and lipid composition of nuclear membranes from macronuclei of Tetrahymena pyriformis (318) 335
Nozawa, Y., Kitajima, Y. and Ito, Y.
Chemical and ultrastructural studies of isolated cell walls of Epidermophyton floccosum. Presence of chitin inferred from X-ray diffraction analysis and electron microscopy (307) 92
Nozoe, S., see Kawaguchi, A. (296) 615
Nozu, K., see Yamada, Y. (299) 121
Nucca, R., see Viotti, A. (324) 72

Nugent, N.A., see Fowler, C.F. (292) 692
Nugteren, D.H. and Hazelhof, E.
Isolation and properties of intermediates in prostaglandin biosynthesis (326) 448
Numata, C., see Hiromi, K. (302) 362
Numıni, M., see Niku-Paavola, M.-L. (322) 181
Nunez, E.A., see Savu, L. (328) 533
Nuridsány, M., see Ovádi, J. (302) 191
Nussbaum, A.L., see Cook, A.F. (324) 433
Nyquist, S.E. and Mollenhauer, H.H.
A golgi apparatus acid phosphatase (315) 103

O

O'Brien, P.J., see Green, R.C. (293) 334
O'Brien, R.J., see Rodgers, J.B. (326) 345
Ochiai, K., see Oshima, H. (306) 227
Ochoa, E.L.M. and De Robertis, E.
Receptor hydrophobic protein fraction from intestinal smooth muscle binding muscarinic ligands (295) 528
O'Connor, M.L., see Trewyn, R.W. (327) 336
O'Connor, P.J., see Capps, M.J. (331) 33
O'Connor, P.J., see Margison, G.P. (331) 349
O'Cuinn, G., Persico, F.J. and Gottlieb, A.A.
Two ribonuclease H activities from the murine myeloma MOPC-21 (324) 78
Odutuga, A.A., Carey, E.M. and Prout, R.E.S.
Changes in the lipid and fatty acid composition of developing rabbit brain (316) 115
Oelze, J., see Irschik, H. (330) 80
Offenbartl, K., Wennerberg, J., Sundler, R., Åkesson, B. and Nilsson, A.
Kinetics of phosphatidylethanolamine biosynthesis from [1,2-$^3H_2$]sphingosine in rat liver (306) 460
Ogasawara, N., Watanabe, T. and Goto, H.
Bilirubin: A potent inhibitor of NAD-linked isocitrate dehydrogenase (327) 233
Ogata, K., see Fujisawa, T. (324) 226
Ogata, K., see Fujisawa, T. (324) 241
Ogata, K., see Izumi, Y. (326) 485
Ogata, K., see Sawada, S. (315) 204
Ogawa, K.
Studies on flagellar ATPase from sea urchin spermatoza. II. Effect of trypsin digestion on the enzyme (293) 514
Ogawa, M., see Okada, Y. (291) 116
Ogawa, T., Fukuda, M. and Sasaoka, K.
Occurrence of N-malonyl-D-alanine in pea seedlings (297) 60
Ogawa, T., see Fukuda, M. (304) 363
Ogawa, T., see Inoue, Y. (305) 483
Ogawara, H. and Umezawa, H.
Affinity labelling of an Escherichia coli β-lactamase (327) 481
Ogiso, T., see Sugiura, M. (309) 357
Ogiso, T., see Sugiura, M. (328) 407
Ogur, M., see Lundgren, D.W. (297) 246
Ogura, K., see Nishino, T. (302) 33
Ogura, S., see Sogami, M. (310) 487
Ogura, Y., see Maeda, Y. (303) 230
Oguri, K., see Ishihara, K. (320) 628
Oh, R. and Tamaoki, B.
In vitro steroidogenesis in canine and feline testes (316) 395
Oh, S.-K., Travis, J. and Brewer, J.M.
Cysteines in yeast enolase (310) 421
O'Hare, A., see Heald, P.J. (324) 86
Ohishi, N., see Nishikimi, M. (321) 64
Ohki, S., see Seimiya, T. (298) 546
Ohki, S., see Wobschall, D. (291) 363
Ohlson, K., see Swanljung, P. (305) 519
Ohlsson, K. and Tegner, H.
Anionic and cationic dog trypsin. Isolation and partial characterization (317) 328
Ohlsson, P.-I. and Paul, K.-G.
Horseradish peroxidase with 2,4-modified haematins, including vinyl homologues (315) 293
Ohnishi, T.
Mechanism of electron transport and energy conservation in the Site I region of the respiratory chain (301) 105
Ohnishi, T., see Balcavage, W.X. (305) 41
Ohnishi, T., see Urry, D.W. (292) 853
Ohno, K., see Kanoh, H. (306) 203
Ohno, K., see Kanoh, H. (326) 17
Ohno, T., see Kurokawa, K. (313) 32
Ohsaka, A., Just, M. and Habermann, E.
Action of snake venom hemorrhagic principles on isolated glomerular basement membrane (323) 415
Ohta, Y., see Sumida, I. (322) 23
Ohtaki, S., Mashimo, K. and Yamazaki, I.
Hydrogen peroxide generating system in hog thyroid microsomes (292) 825
Ohyama, H. and Yamada, T.
X-Ray modification of the allosteric functions of rat thymocyte phosphofructokinase (302) 261
Ohyama, H., see Iguchi, M. (315) 285
Oka, T., see Morihara, K. (309) 414
Okada, H., Tabata, S., Fujita, T. and Hizukuri, S.
Biosynthesis of cell wall polysaccharide from maltose by a strain of Saccharomyces cerevisiae incapable of maltose fermentation (304) 20

Okada, M., see Murata, N. (325) 463
Okada, Y., Ogawa, M., Aoki, N. and Izutsu, K.
The effect of K^+ on the membrane potential in HeLa cells (291) 116
Okado, H., see Urabe, I. (302) 73
Okamura, K., Muramatu, M. and Fujii, S.
Purification of C1s, a subunit of the first component of complement from human plasma (295) 252
Okamura, Y., see Tatsumi, N. (305) 433
Okano, R., see Takagi, T. (310) 11
Okonkwo, P.O., Askari, A. and Korngold, L.
Human erythrocyte phosphoglycerate kinase: Purification, properties, and interaction with its antibody (321) 503
Okuda, H., see Tamura, Y. (327) 437
Okuda, K., Higuchi, E. and Fukuba, R.
Horse liver 3α,7α,12α-trihydroxy-5β-cholestan-26-al dehydrogenase as a liver aldehyde dehydrogenase (293) 15
Okuda, S., see Kawaguchi, A. (296) 615
Olavarria, J.M., see De Martinez, N.R. (320) 295
Olavarria, J.M., see De Martinez, N.R. (320) 301
Oleson, H., see Christensen, J.M. (303) 319
Olive, J.L., see Bonnafous, J.C. (312) 165
Olive, T., see Unrau, P. (312) 626
Olivecrona, T., see Egelrud, T. (306) 115
Olson, J.M., Philipson, K.D. and Sauer, K.
Circular dichroism and absorption spectra of bacteriochlorophyll protein and reaction center complexes from Chlorobium thiosulfatophilum (292) 206
Olsson, R.A., Gentry, M.K. and Snow, J.A.
Steric requirements for binding of adenosine to a membrane carrier in canine heart (311) 242
O'Malley, B.W., see Spelsberg, T.C. (312) 765
Omura, D., see D'Agnolo, G. (326) 155
Onishi, T., Shimada, K. and Takagi, Y.
Effect of bleomycin on Escherichia coli strains with various sensitivities to radiations (312) 248
Ono, M., Inoue, H. and Takeda, Y.
Effect of thioamide derivatives on induction of ornithine decarboxylase in rat liver (304) 495
Ono, S., see Hiromi, K. (302) 362
Ooba, J.-I., see Suzuki, K. (293) 111
Op den Kamp, J.A.F., see Nanninga, N. (298) 184
Oplatka, A., see Lamed, R. (305) 163
Oppenheim, J.D. and Salton, M.R.J.
Localization and distribution of Micrococcus lysodeikticus membrane ATPase determined by ferritin labeling (298) 297
Oppenheim, J.D., see Nachbar, M.S. (320) 494
O'Reilly, J.E.
Oxidation–reduction potential of the ferro–ferricyanide system in buffer solutions (292) 509
Orii, Y., see Lizuka, T. (328) 239
Orme-Johnson, W.H., see Shah, V.K. (292) 246
Ormerod, M.G., see Jolley, G.M. (308) 242
Ormerod, M.G., see Karran, P. (299) 54
Ort, D.R., see Gould, J.M. (325) 157
Ort, D.R., see Izawa, S. (305) 119
Ortiz, J.M., see Berkeley, R.C.W. (309) 157
Osawa, T., see Masuzawa, Y. (326) 339
Osenholts, M., see Segal, E. (308) 79
Osenholts, M., Yankofsky, S.A. and Segal, E.
Ribosomal RNA cistron topography in Escherichia coli (308) 88
Oseroff, A.R., see Inbar, M. (311) 594
Oshima, G. and Nagasawa, K.
Binding and aggregate formation of phospholipid liposomes containing phosphatidic acid with ovalbumin (291) 1
Oshima, G., see Kakimoto, T. (302) 178
Oshima, G., see Nakajima, T. (315) 430
Oshima, H. and Ochiai, K.
On testicular 17β-hydroxysteroid oxidoreductase: Product activation of testosterone formation from androstenedione in vitro (306) 227
Oshino, N., see Erecínska, M. (292) 1
Osnes, J.B., see Christoffersen, T. (313) 338
Ostroy, S.E., see Kimble, E.A. (325) 323
Otaka, T., see Tanaka, S. (331) 128
Otavsky, W.I., see Rickli, E. (295) 381
Otokawa, M.
Inhibitory effect of inorganic phosphate in the axonemal ATPase of cilia from Tetrahymena pyriformis (292) 834
Ottnad, M., see Jung, G. (295) 77
Ouitrakul, R. and Izawa, S.
Electron transport and photophosphorylation in chloroplasts as a function of the electron acceptor. II. Acceptor-specific inhibition by KCN (305) 105
Outhred, R. and Conlon, T.
The volume dependence of the erythrocyte water diffusion permeability (318) 446
Ovádi, J., Nuridsány, M. and Keleti, T.
SH-groups masked by subunit interaction in glyceraldehyde-3-phosphate dehydrogenase (302) 191
Ove, P., see Chen, J.C. (312) 598
Overath, P., see Träuble, H. (307) 491
Owens, K., Weglicki, W.B., Ruth, R.C., Stam, A.C. and Sonneblick, E.H.

Lipid composition, Ca^{2+} binding and Ca^{2+}-stimulated ATPase activity of sarcoplasmic reticulum of the cardiomyopathic hamster (296) 71
Owen, W.G., see Esmon, C.T. (310) 289
Oya, H., see Yamaguchi, M. (317) 312
Øye, I., see Christoffersen, T. (313) 338
Ozaki, M. and Valentine, R.C.
Inhibition of bacterial cell wall mucopeptide synthesis: A new function of RNA bacteriophage Qβ (304) 707
Ozols, R.F. and Marinetti, G.V.
The mechanism of the nicotinamide adenine dinucleotide stimulation of lipid phosphorylation in a rat liver microsome–cytosol system (296) 10
Ozon, R. et Bellé, R.
Recepteurs de l'oestradiol-17β dans le foie de poule et de l'amphibien Discoglossus pictus (297) 155
Ozon, R. and Bellé, R.
Progesterone receptor associated with the "melanosome" fraction of Pleuodeles waltlii oocytes (Urodela amphibian) (320) 588

P

Packer, K.J., see Belton, P.S. (304) 56
Packer, L., Williams, M.A. and Criddle, R.S.
Freeze–fracture studies on mitochondria from wild-type and respiratory-deficient yeasts (292) 92
Packer, L., see Melnick, R.L. (311) 230
Packer, L., see Wang, A.Y.-I. (305) 488
Padilla, G.M., see Binford, Jr, J.S. (291) 156
Paik, W.K. and Kim, S.
Protein methylases during the development of rat brain (313) 181
Paillotin, G., see Breton, J. (314) 42
Pain, V.M.
Influence of streptozotocin diabetes on the ability of muscle cell sap to support protein synthesis by ribosomes in cell-free systems (308) 180
Palau, J., see Subirana, J.A. (317) 364
Paleček, E., see Vorlíčková, M. (331) 276
Pallavicini, C., see Andrews, A.T. (321) 197
Palmer, F.B. St. C.
Lipids of Crithidia fasciculata: The occurrence and turnover of phosphoinositides (316) 296
Palmer, F.B. St. C.
Triphosphoinositide phosphodiesterase in a protozoan – Crithidia fasciculata (326) 194
Palmer, G., see Mortenson, L.E. (292) 422
Palmer, G., see Zumft, W.G. (292) 413
Palmer, J.M., see Passam, H.C. (305) 80
Palmieri, M., see Koldovský, O. (309) 370
Pals, D.T.F., see Wessels, J.M.C. (291) 165
Panchenko, L.F., Stelletskaya, N.V., Syrota, T.V., Bokhon'ko, A.I. and Schuppe, N.G.
Effect of inhibitors of energetic metabolism on the RNA turnover in animal cells (299) 103
Pande, S.V.
Reversal by CoA of palmityl-CoA inhibition of long chain acyl-CoA synthetase activity (306) 1
Pandolfelli, E.R., see Harrington, J.P. (328) 61
Pandya, U.V., see Chandrasekaran, R. (303) 14
Pangborn, W.A., see Rand, R.P. (318) 299
Panos, C., see Lacave, C. (307) 118
Panzica, R.P., Townsend, L.B., von Minden, D.L., Wilson, M.S. and McCloskey, J.A.
Formation of 3,5,5-trimethyl derivatives of dihydrouracil nucleosides by reaction with methylsulfinyl carbanion and methyl iodide (331) 147
Papa, S., Guerrieri, F., Simone, S., Lorusso, M. and Larosa, D.
Mechanism of respiration-driven proton translocation in the inner mitochondrial membrane. Kinetics of proton translocation and role of cations (292) 20
Papaconstantinou, J., see Zapisek, W.F. (299) 603
Papahadjopoulos, D., Cowdon, M. and Kimelberg, H.
Role of cholesterol in membranes: Effects on phospholipid–protein interactions, membrane permeability and enzymatic activity (330) 8
Papahadjopoulos, D., Jacobson, K., Nir, S. and Isac, T.
Phase transitions in phospholipid vesicles: Fluorescence polarization and permeability measurements concerning the effect of temperature and cholesterol (311) 330
Papahadjopoulos, D., Poste, G. and Schaeffer, B.
Fusion of mammalian cells by unilamellar lipid vesicles: Influence of lipid surface charge, fluidity and cholesterol (323) 23
Paraf, A., see Lelievre, L. (291) 671
Paris, J.E., see Junowicz, E. (321) 234
Parisi, M., see Piccinni, Z. (311) 625
Park, C.R., see Exton, J.H. (329) 41
Parker, T.G., see Holt, C. (328) 428
Parkes, J.G. and Thompson, W.
Synthesis in vivo of phospholipids of liver mitochondria and endoplasmic reticulum from glycerol and fatty acids (306) 403
Parkinson, D.K., see Sharp, G.W.G. (309) 339
Parks, L.W., see Nakamura, K.D. (327) 328
Parks, L.W., see Thompson, E.D. (304) 132
Parks, L.W., see Trewyn, R.W. (327) 336
Parson, W.W., see Case, G.D. (292) 677
Parson, W.W., see Case, G.D. (325) 441
Parson, W.W., see Straley, S.C. (305) 597

Parthasarathy, S. and Ganguly, J.
A simple biosynthetic method for the preparation of glycerol-labelled phosphatidylcholine (296) 62
Paschen, W. and Weser, U.
Singlet oxygen decontaminating activity of erythrocuprein (superoxide dismutase) (327) 217
Pascher, I., see Karlander, S.-G. (326) 174
Paselk, R.A., see Levy, D. (310) 398
Passam, H.C., Berden, J.A. and Slater, E.C.
The cytochrome b spectrum of plant mitochondria and its response to ATP and antimycin (325) 54
Passam, H.C. and Palmer, J.M.
The ATPase activity of Jerusalem-artichoke mitochondria and submitochondrial particles (305) 80
Passam, H.C., Souverijn, J.H.M. and Kemp, Jr, A.
Adenine nucleotide translocation in Jerusalem-artichoke mitochondria (305) 88
Passow, H., see Lepke, S. (298) 529
Passow, H., see Schnell, K.F. (318) 474
Pasta, P., see Carrea, G. (295) 274
Pastan, I., see Anderson, W.B. (320) 577
Pasternak, G.W., see Harik, S.I. (304) 753
Paszewski, A., see Pieniążek, N.J. (297) 37
Patchornik, A., see Gorecki, M. (303) 36
Patel, T.N., see Ammon, H.P.T. (297) 352
Paterson, A.R.P., see Cass, C.E. (291) 734
Patil, G.V. and Day, R.A.
Involvement of a carboxyl group in the active site of Bacillus cereus 569/H penicillinase (β-lactamase I) (293) 490
Paton, D.M., see Rangachari, P.K. (323) 297
Patterson, J., see Hillcoat, B.L. (293) 281
Patthy, A., see Gráf, L. (310) 416
Patton, S., see Plantz, P.E. (291) 51
Paul, K.-G., see Ohlsson, P.-I. (315) 293
Paul, R.C. and Ratledge, C.
Further studies on anthranilate N-acetyl transferase and the metabolism of N-acetylanthranilic acid in Aerobacter aerogenes (320) 9
Paul, R.J., Peterson, J.W. and Caplan, S.R.
Oxygen consumption rate in vascular smooth muscle: Relation to isometric tension (305) 474
Paul-Gardais, A., see Picard, J. (320) 427
Pavić, D., see Sladić-Simić, D. (310) 353
Pavlić, M.R.
On the nature of the acceleration by tetraethylammonium of the methanesulfonylation of acetylcholinesterase (327) 393
Payne, J.W.
Peptide utilization in Escherichia coli: Studies with peptides containing β-alanyl residues (298) 469
Peak, J.G., see Peak, M.J. (293) 312
Peak, M.J., Peak, J.G. and Ting, I.P.
Function and regulation of malate dehydrogenase in Euglena gracilis Z. (293) 312
Pearson, R.L., Hancher, C.W., Weiss, J.F., Holladay, D.W. and Kelmers, A.D.
Preparation of crude tRNA and chromatographic purification of five tRNAs from calf liver (294) 236
Pecci, J. and Ulrich, F.
Binding of 8-anilino-1-naphthalene sulfonic acid to viable pulmonary macrophages (311) 251
Pechet, L., see Chandra, S. (328) 456
Pecht, I., see Kalb, A.J. (303) 264
Pecht, M.A., see Maijub, A.G. (315) 37
Peck, W.A., see Baran, D.T. (307) 627
Pedersen, J.I. and Flatmark, T.
Studies on the energy of isolated brown adipose tissue mitochondria. A comparative study of cold-stressed and warm-readapted guinea pigs (305) 219
Pedersen, J.I., see Flatmark, T. (292) 64
Pedersen, J.I., see Flatmark, T. (325) 16
Pedrini, V., see Kobayashi, T.K. (303) 148
Pegg, A.E.
Methylation of purified transfer RNAs by liver extracts from normal and mestranol-treated rats (319) 354
Peled, Y. and Tietz, A.
Fat transport in the locust, Locusta migratoria: The role of protein synthesis (296) 499
Peleg, E. and Tietz, A.
Phospholipids of a moderately halophilic halotolerant bacterium. Isolation and identification of glucosylphosphatidylglycerol (306) 368
Peltz, R.
The integrity of "giant" nuclear RNA (308) 148
Peluffo, R.O., see De Tomas, M.E. (306) 149
Penley, M.W., see DeSimone, R.E. (304) 851
Penman, M., see Lee, M.J. (294) 461
Penman, S., see Abelson, H.T. (312) 292
Penman, S., see Reichman, M. (299) 173
Penman, S., see Reichman, M. (324) 282
Pentchev, P.G. and Brady, R.O.
The effect of a heat-stable factor in human

spleen on glucocerebrosidase and acid β-glucosidase activities (297) 491
Peraino, C., see Rahman, Y.E. (321) 526
Perdue, J.F., Warner, D. and Miller, K.
The isolation and characterization of plasma membrane from cultured cells. V. The chemical composition of plasma membranes isolated from chicken tumors initiated with virus-transformed cells (298) 817
Pereira, W.E., Hoyano, Y., Summons, R., Bacon, V.A. and Duffield, A.M.
Chlorination studies. II. The reaction of aqueous hypochlorous acid with α-amino acids and dipeptides (313) 170
Perlstein, M.T., see Atassi, M.Z. (328) 278
Péron, F.G., see Haksar, A. (313) 363
Perrone, J.R. and Blostein, R.
Asymmetric interaction of inside-out and right-side-out erythrocyte membrane vesicles with ouabain (291) 680
Perry, A.L., see Bartholomew, B.A. (315) 123
Perry, A.S., see Capdevila, J. (314) 93
Pershia, D., see Pullman, B. (299) 497
Persico, F.J., see O'Cuinn, G. (324) 78
Persson, U., see Laurell, C.-B. (310) 500
Pesce, A.J., see Modesto, R.R. (295) 283
Peter, C., see Peter, R. (317) 240
Peter, R., see Stehelin, D. (317) 253
Peter, R., Stehelin, D., Reinbolt, J., Peter, C. et Duranton, H.
Étude de la structure primaire de la protéine du virus de la mosaïque jaune du navet. II. Séquence des peptides trypsiques de la protéine aminoéthylée (317) 240
Petermann, M.L., see Mazelis, A.G. (312) 111
Peters, R.
The effect of rehydration on the thickness of erythrocyte membranes as observed by energy transfer (318) 469
Peters, R.
The thickness of air-dried human erythrocyte membranes as determined by energy transfer (330) 53
Peterson, A.R., Fox, B.W. and Fox, M.
Alkaline sucrose sedimentation studies of DNA from P388F lymphoma cells treated with difunctional alkylating agents (299) 385
Peterson, J.W., see Paul, R.J. (305) 474
Peterson, R.F., see Ennis, H.L. (294) 87
Pethica, B.A., see Taylor, J.A.G. (323) 157
Petri, W.A., Poirier, L.A. and Morris, H.P.
A lipotrope-dependent increase of histidase and urocanase in the livers of choline-deficient rats and in the Reuber H-35 transplanted hepatoma (321) 681
Petrović, J.S., see Petrović, S.L. (308) 317
Petrović, S.L., Petrović, J.S. and Novaković, M.B.
Retention of ribosomal ribonucleic acids in agarose gels (308) 317
Petryka, Z.J., see Engel, R.R. (313) 150
Pettersen, J.E.
In vitro studies on the metabolism of hexadecanedioic acid and its mono-L-carnitine ester (306) 1
Pettersen, J.E. and Aas, M.
ATP-dependent activation of dicarboxylic acids in rat liver (326) 305
Pettersen, J.E. and Stokke, O.
Branched short-chain dicarboxylic acids in human urine (304) 316
Pettersson, G., see Johansson, C.-J. (309) 466
Pettis, P., see Elsbach, P. (296) 89
Philip, G., see Malhotra, O.P. (309) 97
Philip, G., see Soman, G. (321) 149
Philippot, J. and Authier, M.H.
Study of human red blood cell membrane using sodium deoxycholate. II. Effects of cold storage, EDTA and small deoxycholate concentrations on ATPase activities (298) 887
Philips, G.O., Power, D.M., Robinson, C. and Davies, J.V.
Interactions of bovine serum albumin with penicillins and cephalosporins studied by pulse radiolysis (295) 8
Philipson, K.D., see Olson, J.M. (292) 206
Phillips, M.C., see Davis, M.A.F. (317) 214
Phillips, M.C., see Green, J.P. (330) 243
Phillips, T.M., Kosicki, G.W. and Schmidt, Jr, D.E.
Stereoselective reduction of pyruvate by $NaBH_4$ catalyzed by pyruvate kinase (293) 125
Piantadosi, C., see Snyder, F. (316) 259
Piatigorsky, J., see Craig, S.P. (299) 642
Picard, J., Paul-Gardais, A. and Vedel, M.
Sulfated glycoproteins from egg shell membranes and hen oviduct. Isolation and characterization of sulfated glycopeptides (320) 427
Piccinni, Z. and Parisi, M.
Effect of guanosine 3′:5′-monophosphate on the hydroosmotic activity of adenosine 3′:5′-monophosphate in toad urinary bladder (311) 625
Piceni Sereni, L., see Mandelli, M. (309) 515
Pichard, A.-L., Hanoune, J. and Kaplan, J.-C.
Multiple forms of cyclic adenosine 3′,5′-

monophosphate phosphodiesterase from human blood platelets. I. Kinetic and electrophoretic characterization of two molecular species (315) 370
Pichinoty, F., see Rosso, J.-P. (321) 443
Pick, U. and Avron, M.
Inorganic sulfate and selenate as energy transfer inhibitors of photophosphorylation (325) 297
Pickens, M., see Hanna, R. (315) 259
Pieniążek, N.J., Stępién, P.P. and Paszewski, A.
An Aspergillus nidulans mutant lacking cystathionine β-synthase: Identification of L-serine sulfhydrylase with cystathionine β-synthase and its distinctness from O-acetyl-L-serine sulfhydrylase (297) 37
Pierce, J.V., see Loeffler, L.J. (317) 20
Pierre, M., see Delaunay, J. (312) 147
Pigman, W., see Downs, F. (328) 182
Pillay, V.K.G., see Zeineh, R.A. (317) 1
Pilwat, G., see Zimmermann, U. (311) 442
Piña, E., see Piña, M.Z. (320) 79
Piña, M.Z., Brunner, A., Chagoya, de Sanchez, V. and Piña, E.
Role of the redox state of nicotinamide adenine dinucleotides in the in vivo regulation of inositol biosynthesis in Neurospora crassa (320) 79
Pincock, A., see Hurst, R. (321) 1
Pincus, J.H., see Hourani, B.T. (328) 520
Pincus, M., Windreich, S. and Miller, I.R.
The preparation of stable mixed monolayers of β-carotene and their transfer to glass slides (311) 317
Pinschmidt, M.W., Campbell, A.D. and Huf, E.G.
Role of Na^+ and anions in the triple response of isolated frog skin to norepinephrine (323) 309
Pinteric, L., Tinker, D.O. and Wei, J.
Tubular structures formed by pig erythrocyte globoside in aqueous systems (298) 630
Piotrowski, R., see Kumar, R. (315) 66
Pious, D.A., see Millis, A.J.T. (292) 73
Pirrone, A.M., see Giudice, G. (319) 72
Planta, R.J., see Knook, D.L. (292) 237
Planta, R.J., see Van den Bos, R.C. (294) 464
Plantz, P.E. and Patton, S.
Plasma membrane fragments in bovine and caprine skim milks (291) 51
Plattner, H., see Henning, R. (330) 61
Pleasants, J.R., see Reddy, B.S. (320) 1
Plourde, R., see Hafez-Zedan, H. (326) 103
Pocchiari, F., see Silano, V. (317) 139
Pochet, R., see Matsuzaki, S. (313) 329
Podo, F., see McLaughlin, A.C. (330) 109
Poenaru, L. and Dreyfus, J.-C.
Electrophoretic heterogeneity of human α-mannosidase (303) 171
Poff, K.L., see Davis, K.A. (325) 341
Pogo, A.O., see Faiferman, I. (312) 492
Pohl, G.W., Stark, G. and Trissl, H.-W.
Interaction of liposomes with black lipid membranes (318) 478
Pohorecky, L.A., see Baliga, B.S. (299) 337
Pohorille, A., see Geller, M. (331) 1
Poirier, L.A., see Petri, W.A. (321) 681
Polgár, L.
Deuterium isotope effects on acylation of subtilisin (321) 639
Polgar, P., Vera, C., Kelley, P.R. and Rutenburg, A.M.
Adenylate cyclase activity in normal and leukemic human leukocytes as determined by a radioimmunoassay for cyclic AMP (297) 378
Polglase, W.J., see Poulson, R. (329) 256
Pollard, C., see Kempson, G.E. (297) 456
Pollock, P.N. and Duckworth, D.H.
Outer membrane proteins induced by T4 bacteriophage (322) 321
Polonovski, J., see Alcindor, L.-G. (306) 347
Polonovski, J., see Soler-Argilaga, C. (326) 167
Polyanovsky, O.L., Timofeev, V.P., Shaduri, M.I., Misharin, A.Yu. and Volkenstein, M.V.
Conformational changes of aspartate aminotransferases in the region of Cys-45 residue observed by means of spin label (327) 57
Pondman, K.W., see Asghar, S.S. (317) 539
Poňka, P., Borová, J. and Neuwirt, J.
Accumulation of haeme in mitochondria from rabbit reticulocytes with inhibited globin synthesis (304) 715
Poňka, P., Neuwirt, J. and Borová, J.
The use of exogenous δ-aminolaevulinic acid for the studies of the regulation of haem synthesis in rabbit reticulocytes (304) 123
Poňka, P., see Borová, J. (320) 143
Popp, R.A.
Sequence of amino acids in the β chain of single hemoglobins from C57BL, SWR, and NB mice (303) 52
Popp, R.A. and Bailiff, E.G.
Sequence of amino acids in the major and minor β chains of the diffuse hemoglobin from BALB/c mice (303) 61
Porath, J., see Ersson, B. (310) 446
Portemer, C., see Lefauconnier, J.-M. (297) 135
Portman, O.W. and Illingworth, D.R.
Lysolecithin binding to human and squirrel monkey plasma and tissue components (326) 34

Portman, O.W., see Illingworth, D.R. (306) 422
Poste, G. and Allison, A.C.
Membrane fusion (300) 421
Poste, G., see Papahadjopoulos, D. (323) 23
Postma, P.W., Cools, A. and van Dam, K.
The transport of Krebs-cycle intermediates in Azotobacter vinelandii under various metabolic conditions (318) 91
Postma, P.W., Visser, A.S. and van Dam, K.
The movement of cations connected with metabolism in Azotobacter vinelandii (298) 341
Postma, P.W., see Nieuwenhuis, F.J.R.M. (325) 62
Postma, P.W., see Van Thienen, G. (323) 429
Postma, P.W., see Visser, A.S. (298) 333
Potashner, S.J., see Baker, P.F. (318) 123
Pouit, L., Clergeon, G.H. and Suscillon, M.
Electron microscopy study of positive charges on fibrin fibres (317) 99
Poulos, A., Voglmayr, J.K. and White, I.G.
Phospholipid changes in spermatozoa during passage through the genital tract of the bull (306) 194
Poulson, R. and Beevers, L.
Ribonucleic acid metabolism during the development of cotyledons of Pisum Sativum, L. (308) 381
Poulson, R., Krasny, J. and Zbarsky, S.H.
Distribution and properties of DNA polymerase in subcellular fractions of rat intestinal mucosa (299) 533
Poulson, R. and Polglase, W.J.
Evidence for the identification of P-503 with prototetrahydroporphyrin IX (329) 256
Poulson, R. and Zbarsky, S.H.
DNA polymerase from mitochondria of rat intestinal mucosa (299) 404
Pouphile, M., see Sadler, D.M. (298) 620
Pouwels, P.H., see Van Dorp, B. (299) 65
Poverenny, A.M., see Siomin, Yu.A. (331) 27
Power, D.M., see Philips, G.O. (295) 8
Poznansky, M., Kirkwood, D. and Solomon, A.K.
Modulation of red cell K^+ transport by membrane lipids (330) 351
Prasado Rao, Y.S. and Cherayil, J.D.
Separation of ^{35}S-labeled thionucleosides of Escherichia coli and Pseudomonas aeruginosa transfer RNAs on a phosphocellulose column (299) 1
Prat, M., see Tarone, G. (311) 214
Pratt, H. and Cox, R.A.
Proteins from biologically active ribosomal subparticles of Xenopus laevis (310) 188
Pratt, J.M., see DeSimone, R.E. (304) 851
Preiser, H., see Maestracci, D. (323) 113
Preiser, H., see Schmitz, J. (323) 98
Prescott, J.M., see Spiekerman, A.M. (293) 464
Pressey, R. and Avants, J.K.
Two forms of polygalacturonase in tomatoes (309) 363
Prestayko, A.W., Lewis, B.C. and Busch, H.
Purification and properties of a nucleolar endoribonuclease from Novikoff hepatoma (319) 323
Preti, A., see Tettamanti, G. (306) 466
Price, A.H., see Spenney, J.G. (311) 545
Price, H.D., see Avruch, J. (291) 494
Price, M.R., see Harris, J.R. (311) 600
Price, S.
Pancreatic cell membranes: Extraction of a possible glucoreceptor (318) 459
Prince, W.T., Rasmussen, H. and Berridge, M.J.
The role of calcium in fly salivary gland secretion analyzed with the ionophore A-23187 (329) 98
Prins, R.A., see Van Golde, L.M.G. (326) 314
Pritchard, E.T., see Nijjar, M.S. (323) 391
Privett, O.S., see Tan, W.C. (296) 586
Prockop, D.J., see Berg, R.A. (328) 553
Prockop, D.J., see Sakakibara, S. (303) 198
Profera, C., see Shrager, P. (318) 141
Prome, J.-C., see Walker, R.W. (326) 52
Prosser, J., Moar, M., Bobrow, M. and Jones, K.W.
Satellite sequences in chimpanzee (Pan troglodytes) (319) 122
Proulx, P., see Cho, K.S. (318) 50
Proulx, P., see Cho, K.S. (326) 355
Proulx, P., see Nantel, G. (316) 156
Prout, R.E.S., see Odutuga, A.A. (316) 115
Prunell, A., see Kopecka, H. (319) 37
Ptak, M., see Grenouillet, P. (322) 185
Puett, D., Friebele, E. and Hammonds, Jr, R.G.
A comparison of the conformational stabilities of homologous hemoproteins. Myoglobin from several species, human hemoglobin and subunits (328) 261
Pugh, E.L. and Kates, M.
Desaturation of phosphatidylcholine and phosphatidylethanolamine by a microsomal enzyme system from Candida lipolytica (316) 305
Pulles, M.P.J., see Amesz, J. (325) 472
Pullman, B., see Saran, A. (299) 497
Pullman, B., see Saran, A. (331) 154
Pusch, F., see Chang, H.C. (306) 21
Pusztai, A., see Evans, R.J. (303) 175

Q

Quarfordt, S.H., Levy, R.I. and Frederickson, D.S.
The kinetic properties of very low density lipoprotein triglyceride in Type III hyperlipoproteinemia (296) 572
Quarles, R.H., see Glasgow, M.S. (304) 586
Quarles, R.H., see Matthieu, J.-M. (329) 305
Quist, E.E., see Roufogalis, B.D. (321) 536
Quistorff, B., Bondesen, S. and Grunnet, N.
Preparation and biochemical characterization of parenchymal cells from rat liver (320) 503

R

Raben, M.S., see Yazaki, Y. (328) 464
Rabinovitz, M., see Balkow, K. (324) 397
Rabinovitz, M., see Gross, M. (299) 472
Rabito, C.A., Rodríguez Boulan, E. and Cereijido, M.
Effect of the composition of the inner bathing solution on transport properties of the frog skin (311) 630
Rachmilewitz, D., see Eisenberg, S. (326) 378
Rachmilewitz, D., see Eisenberg, S. (326) 391
Radcliffe, M.A., see Kidwai, A.M. (298) 593
Radda, G.K. and Smith, D.S.
Human erythrocyte ghosts: Relationships between membrane permeability and binding kinetics of the fluorescent probe 1-anilinonaphthalene-8-sulphonate (318) 197
Radmer, R. and Kok, B.
A kinetic analysis of the oxidizing and reducing sides of the O_2-evolving system of photosynthesis (314) 28
Rado, T.A. and Hoch, J.A.
Phosphotransacetylase from Bacillus subtilis: Purification and physiological studies (321) 114
Radola, B.J.
Isoelectric focusing in layers of granulated gels. I. Thin-layer isoelectric focusing of proteins (295) 412
Rafelson, M.E., see Legrand, Y. (309) 406
Raffalli, M., see Beaupoil-Abadie, B. (297) 436
Raftell, M. and Blomberg, F.
Membrane fractions from rat hepatoma. I. Isolation and characterization (291) 421
Raftell, M., see Blomberg, F. (291) 431
Raftell, M. and Blomberg, F.
Membrane fractions from rat hepatoma. III. Immunochemical characterization of detergent-soluble membrane phosphatases electron transport chains and catalase (291) 442
Raghavan, S.S., Rhoads, D.B. and Kanfer, J.N.
Effects of trypsin on purified myelin (328) 205
Raghupathy, E., see Ko, G.K.W. (313) 277
Ragot, M., see Sari, J.-C. (305) 1
Rahman, Y.E., Cerny, E.A. and Peraino, C.
Purification and some properties of rat spleen phospholipase A (321) 526
Rainford, I.J., see Kean, E.A. (297) 31
Rainford, I.J., see Kean, E.A. (320) 557
Raisman, J., see Gambino, R. (312) 377
Raison, J.K., see Shneyour, A. (292) 152
Raison, J.K., see Towers, N.R. (299) 153
Raivio, K.O. and Seegmiller, J.E.
Adenine, hypoxanthine and guanine metabolism in fibroblasts from normal individuals and from patients with hypoxanthine phosphoribosyltransferase deficiency (299) 273
Raivio, K.O. and Seegmiller, J.E.
Role of glutamine in purine synthesis and in guanine nucleotide formation in normal fibroblasts and in fibroblasts deficient in hypoxanthine phosphoribosyltransferase activity (299) 283
Ramachandran, G.N., Bansal, M. and Bhatnagar, R.S.
A hypothesis of the role of hydroxyproline in stabilizing collagen structure (322) 166
Ramachandran, G.N. and Kolaskar, A.S.
The non-planar peptide unit. II. Comparison of theory with crystal structure data (303) 385
Ramachandran, G.N., Lakshminarayanan, A.V. and Kolaskar, A.S.
Theory of the non-planar peptide unit (303) 8
Ramagopal, S.
Polyribosomes from maize leaves: Isolation at high pH and amino acid incorporation (299) 460
Ramaiah, A., see Karadsheh, N.S. (327) 66
Ramaley, R.F. and Hudock, P.
Purification and properties of isocitrate dehydrogenase (NADP) from Thermus aquaticus YT-1, Bacillus subtilis-168 and Chlamydomonas reinhardi-Y-2 (315) 22
Ramasarma, T., see Susheela, L. (292) 50
Ramasarma, T., see Susheela, L. (321) 423
Ramaswamy, K., see Malathi, P. (307) 613
Ramaswamy, N.K. and Madhusudanan Nair, P.

δ-Aminolevulinic acid synthetase from cold-stored potatoes (293) 269
Rambeck, W.A. and Bassham, J.A.
Tritium incorporation and retention in photosynthesizing algae (304) 725
Ramseyer, J. and Harding, B.W.
Solubilization and properties of bovine adrenal cortical cytochrome P-450 which cleaves the cholesterol side chain (315) 306
Ramshaw, J.A.M., Brown, R.H., Scawen, M.D. and Boulter, D.
Higher plant plastocyanin (303) 269
Rand, R.P., see Larsson, K. (326) 245
Rand, R.P. and Pangborn, W.A.
A structural transition in egg lecithin–cholesterol bilayers (318) 299
Randolph, V.M., see Frisell, W.R. (292) 360
Rangachari, P.K., Daniel, E.E. and Paton, D.M.
Regulation of cellular volume in rat myometrium (323) 297
Rao, A.L. and Keresztes-Nagy, S.
Chloride ion binding at non-coordination sites in hemerythrin (313) 249
Rao, A.L. and Keresztes-Nagy, S.
Gel filtration studies of the rate of dissociation of hemerythrin (304) 575
Rao, Ch.V. and Saxena, B.B.
Gonadotropin receptors in the plasma membranes of rat luteal cells (313) 372
Rao, P.S. and Hayon, E.
One-electron redox reactions of free radicals in solution. Rate of electron transfer processes to quinones (292) 516
Rao, T.K. and DeBusk, A.G.
Characteristics of a transport-deficient mutant (nap) of Neurospora crassa (323) 619
Raps, S.
Reversion of Scenedesmus photosynthetic mutants (305) 384
Rasburn, M. and Wynn, C.H.
Purification and properties of an isoenzyme of arylsulphatase from Aspergillus oryzae (293) 191
Rasmussen, H., see Allen, J.E. (320) 708
Rasmussen, H., see Kurokawa, K. (313) 17
Rasmussen, H., see Kurokawa, K. (313) 32
Rasmussen, H., see Kurokawa, K. (313) 42
Rasmussen, H., see Kurokawa, K. (313) 59
Rasmussen, H., see Prince, W.T. (329) 98
Rathé, J., see Christophe, J. (308) 285
Ratledge, C., see Paul, R.C. (320) 9
Ratliff, R.L., see Walters, R.A. (319) 336
Ratner, J., see Mayor, H.D. (299) 189
Rattray, J.B.M., see Schibeci, A. (311) 15
Rattray, J.B.M., see Schibeci, A. (323) 532
Raué, H.A. and Cashel, M.
Regulation of RNA synthesis in Escherichia coli. I. Characterization of cells subjected to simultaneous temperature and osmotic shock (312) 722
Rawitch, A.B. and Brown, D.M.
The structure of human thyroglobulin: Sedimentation equilibrium studies in 6 M guanidine hydrochloride (295) 225
Ray, M. and Bhaduri, A.
Two forms of UDPglucose-4-epimerase from mammalian liver (302) 129
Ray, R.K. and Rüger, W.
Isolation and partial characterization of RNA polymerase binding sites from T4 DNA (308) 137
Raz, A. and Livne, A.
Differential effects of lipids on the osmotic fragility of erythrocytes (311) 222
Razin, S., see Rottem, S. (298) 876
Razin, S., see Rottem, S. (323) 495
Razin, S., see Rottem, S. (323) 509
Razin, S., see Rottem, S. (323) 520
Rea, C. and Segal, S.
Dibutyryl cyclic adenosine monophosphate enhancement of α-methyl-D-glucoside accumulation by kidney cortex slices (311) 615
Rea, C., see Segal, S. (291) 519
Rebhun, L.I. and Villar-Palasi, C.
Stimulation of purified muscle protein kinase by cyclic AMP and its butyrated derivatives (321) 165
Rector, E., see Singh, H. (312) 276
Reddy, B.S., Pleasants, J.R. and Wostmann, B.S.
Metabolic enzymes in liver and kidney of the germfree rat (320) 1
Redman, C.M., see Burke, G.T. (299) 312
Redwood, W.R., Gibbes, D.C. and Thompson, T.E.
Interaction of a solubilized membrane ATPase with lipid bilayer membranes (318) 10
Reed, D.W., see Dutton, P.L. (292) 654
Reekers, P.P.M., Lindhout, M.J., Kop-Klaassen, B.H.M. and Hemker, H.C.
Demonstration of three anomalous plasma proteins induced by a vitamin K antagonist (317) 559
Rees, K.R., see Harley, E.H. (299) 253
Rees, T. ap, see Fowler, M.W. (304) 326
Reeves, S.G. and Hall, D.O.
The stoichiometry (ATP/$2e^-$ ratio) of non-

cyclic photophosphorylation in isolated spinach chloroplasts (314) 66
Regan, J.D., see Kao, P.C. (324) 1
Regan, J.D., see Volkin, E. (324) 334
Reggio, H.
Influence de divers traitements in vivo sur la vitesse de sécrétion de l'amylase, de la lipase et du chymotrypsinogène par des coupes de pancréas de pigeon (297) 81
Regoeczi, E., see Hatton, M.W.C. (327) 114
Reibling, A., see Chan, S.K. (329) 251
Reichard, D.W., see Yamamura, H.I. (302) 305
Reichenbach, H., see Kleinig, H. (306) 249
Reichert, C.M., see Goldstein, I.J. (317) 500
Reichman, M., Karlan, D. and Penman, S.
Destructive processing of the 45-S ribosomal precursor in the presence of 5-azacytidine (299) 173
Reichman, M. and Penman, S.
The mechanism of inhibition of protein synthesis by 5-azacytidine in HeLa cells (324) 282
Reijnders, L., Sloof, P., Sival, J. and Borst, P.
Gel electrophoresis of RNA under denaturing conditions (324) 320
Reijnders, L., see Schutgens, R.B.H. (308) 372
Reijngoud, D.J. and Tager, J.M.
Measurement of intralysosomal pH (297) 174
Reimer, S., see Trebst, A. (305) 129
Reimer, S., see Trebst, A. (325) 546
Reinach, P., Aubrey, B.B. and Brody, S.S.
Monomolecular films of bacteriochlorophyll and derivatives at an air–water interface: Surface and spectral properties (314) 360
Reinbolt, J., see Peter, R. (317) 240
Reiner, E., see Škrinjarić-Špoljar, M. (315) 363
Reinert, K.E.
DNA stiffening and elongation caused by the binding of ethidium bromide (319) 135
Reiser, S. and Christiansen, P.A.
Exchange transport and amino acid charge as the basis for Na^+-independent lysine uptake by isolated intestinal epithelial cells (307) 223
Reiser, S. and Christiansen, P.A.
The properties of Na^+-dependent and Na^+-independent lysine uptake by isolated intestinal epithelial cells (307) 212
Reiss, B., see Christman, J.K. (294) 153
Reiss, U. and Tappel, A.L.
Decreased activity in protein synthesis systems from liver of vitamin E-deficient rats (312) 608
Reissig, J.L., see Issaly, A.S. (331) 410
Reitherman, R., Flanagan, S.D. and Barondes, S.H.
Electromotive phenomena in partition of erythrocytes in aqueous polymer two phase systems (297) 193
Reman, F., see Chung, J. (296) 116
Remington, J.A. and Klevecz, R.R.
Poly-L-lysine binding to small quantities of different chromatin preparations (308) 422
Remmer, H., see Bock, K.W. (327) 46
Renger, G.
Studies on the mechanism of destabilization of the positive charges trapped in the photosynthetic water-splitting enzyme system Y by a deactivation-accelerating agent (314) 390
Renger, G.
The action of 3-(3,4-dichlorophenyl)-1,1-dimethylurea on the water-splitting enzyme system Y of photosynthesis (314) 113
Renger, G., Bouges-Bocquet, B. and Delosme, R.
Studies on the ADRY agent-induced mechanism of the discharge of the holes trapped in the photosynthetic water-splitting enzyme system Y (292) 796
Renkonen, O., see Luukkonen, A. (326) 256
Repke, D.I., see Hanson, J.P. (314) 382
Repke, D.I., see Katz, A.M. (298) 270
Resch, K., see Ferber, E. (296) 335
Ressler, N. and Ziauddin
An improved technique for the near infrared study of water binding by proteins: Illustration with gelatin (295) 30
Retig, N., see Chet, I. (294) 343
Reusch, V.M. and Burger, M.M.
The bacterial mesosome (300) 79
Reuter, S., see Wittig, B. (331) 221
Reutter, W., see Bauer, C. (293) 11
Rexer, B., see Bock, K.W. (327) 46
Rhoads, D.B., see Raghavan, S.S. (328) 205
Rhodes, P.M., see Evans, I. (312) 323
Ribière, C., see Nordmann, R. (326) 1
Rich, A., see Kemper, B. (319) 364
Rich, G.T., see Lelievre, J. (298) 15
Richard, F. and Nigon, V.
Synthesis of δ-aminolevulinic acid and chlorophyll during illumination of etiolated Euglena gracilis (313) 130
Richards, T.C. and Greengard, O.
Distribution of glutamine hexosephosphate aminotransferase in rat tissues: Changes with state of differentiation (304) 842

Richardson, B.C., Creamer, L.K. and Munford, R.E.
Comparative micelle structure. I. The isolation and chemical characterization of caprine κ-casein (301) 111
Richardson, R., see Breen, M. (304) 828
Riches, P.G., see Harrap, K.R. (310) 104
Riches, P.G., see Rickwood, D. (299) 162
Rickenberg, H.V., see Sands, H. (302) 267
Rickenberg, H.V., see Schröder, J. (302) 50
Rickert, W.S., see McBride-Warren, P.A. (328) 52
Rickli, E. and Otavsky, W.I.
Release of an N-terminal peptide from human plasminogen during activation of urokinase (295) 381
Rickwood, D., see Birnie, G.D. (331) 283
Rickwood, D., Riches, P.G. and MacGillivray, A.J.
Studies of the in vitro phosphorylation of chromatin non-histone proteins in isolated nuclei (299) 162
Ridsdale, S., see DeSimone, R.E. (304) 851
Rigano, C., Violante, U. and Aliotta, G.
Kinetic aspects of nitrate reductase from Cyanidium caldarium. Inhibition by reduced pyridine nucleotides (327) 19
Riggs, T.R. and Feng, H.-W. (318) 426
Rijven, A.H.G.C. and Zwar, J.A.
Methylation patterns of ribonucleic acids from chloroplasts and cytoplasm of fenugreek (Trigonella foenum-graecum L.) cotyledons (299) 564
Riley, M.V., see Hodson, S. (304) 236
Rillema, J.A., Kostyo, J.L. and Gimpel, L.P.
Inhibition of metabolic effects of growth hormone by various inhibitors of cyclic nucleotide phosphodiesterase (297) 527
Rinderknecht, H. and Geokas, M.C.
On the physiological role of α_2-macroglobulin (295) 233
Rinehart, K.V. and Copeland, J.C.
Evidence that thymine is not a normal metabolite in wild-type Bacillus subtilis (294) 1
Ringrose, P.S.
Effects of colicin E2 on DNA and the bacterial membrane in vivo (312) 656
Ringrose, P.S. and Lambert, R.W.
The action of novel chloramphenicol analogues on eukaryotic and prokaryotic systems (299) 374
Riquetti, P., see Mitchell, E.D. (295) 314
Ristrophe, D.L., see Bennett, V.L. (293) 232
Ritchie, G.A.F., see Tronson, D.A. (310) 331
Rivière, C., see Giordano, G. (307) 513
Riviere, M., see Callard, R. (313) 190
Robello, M., see Gambale, F. (330) 325
Robert, B., see Legrand, Y. (309) 406
Robert, L., see Legrand, Y. (309) 406
Robert-Baudouy, J.M. et Stoeber, F.R.
Purification et propriétés de la D-mannonate hydrolase d'Escherichia coli (309) 473
Roberts, D.B., see Wright, Jr, G.L. (295) 396
Roberts, D.W.A.
A survey of the multiple forms of invertase in the leaves of winter wheat, Triticum aestivum L. emend thell. ssp. vulgare (321) 220
Roberts, T.K., see Kobayashi, K. (317) 517
Robertson, Jr, A.L., see Illingworth, D.R. (306) 422
Robertson, J.S. and Maden, B.E.H.
Nucleotide sequences from the non-conserved region of HeLa cell 32-S ribosomal precursor RNA (331) 61
Robins, S., see Donaldson, Jr, R.M. (311) 477
Robinson, A.R., Henneberry, G.O. and Common, R.H.
Steroid estrogen conjugates of hen's urine: Identification of radioactive estrone-β-glucuronide, estradiol-17β-3-β-glucuronide, estradiol-17α-3-sulphate as metabolites of sulphate, estradiol-17β-3-sulphate and estradiol-17α-3-sulphate as metabolites of injected [^{14}C]estrone (326) 93
Robinson, C., see Phillips, G.O. (295) 8
Robinson, J.D.
Cation sites of the ($Na^+ + K^+$)-dependent ATPase: Mechanism for Na^+-induced changes in K^+ affinity of the phosphatase activity (321) 662
Robinson, J.D., see Levine, Y.K. (291) 592
Robson, R.M. and Zeece, M.G.
Comparative studies of α-actinin from porcine cardiac and skeletal muscle (295) 208
Roccheri, M., see Giudice, G. (319) 72
Roche, B., see Gallo, M. (296) 624
Rodbard, D., see Corvol, P. (322) 392
Rodgers, A.
Ribosomal proteins in rapidly growing and non-proliferating mouse cells (294) 292
Rodgers, J.B., Tandon, R. and O'Brien, R.J.
Activities of lipid reesterifying enzymes in jejunal microsomes of bile fistula rats: Attempts to correlate enzyme activities with microsomal phospholipid content (326) 345
Rodriguez-Garay, E., see Corchs, J.L. (291) 308

Rodriguez-Garay, E., see Serrani, R.E. (330) 186
Rodríguez Boulan, E., see Rabito, C.A. (311) 630
Roe, B., Marcu, K. and Dudock, B.
The isolation and sequence analysis of transfer RNA: The use of plaskon chromatography (RPC-5) (319) 25
Roelfzema, H., Broekhuyse, R.M. and Veerkamp, J.H.
Lipids in tissues of the eye. VIII. Sphingomyelinase of the lens (306) 329
Roelofsen, B., see Colley, C.M. (307) 74
Roelofsen, B., see Verkleij, A.J. (323) 178
Roelofsen, B., see Zwaal, R.F.A. (300) 159
Roepstorff, P., see Bojesen, I. (316) 83
Rogeret, C., see Chauvet-Monges, A.M. (304) 748
Rogers, G.E., see Steinert, P.M. (312) 403
Rohde, W. and Lezius, A.G.
Synthesis and properties of an alternating polydeoxynucleotide containing 4-thiodeoxyuridine: poly[d(A-s^{4}U) d(A-s^{4}U)] (308) 361
Roisin, M.P. and Kepes, A.
The membrane ATPase of Escherichia coli. II. Release into solution, allotopic properties and reconstitution of membrane-bound ATPase (305) 249
Rojas, M., see Carreira, J. (307) 541
Rojkind, M., see Kershenobich, D. (319) 216
Rokosová, B. and Bentley, J.P.
The uptake of [^{14}C]glucose into rabbit ear cartilage proteoglycans isolated by differential extraction and by collegenase digestion (297) 473
Rokosová, B., Hanson, A.N. and Bentley, J.P.
Evidence for the presence of a low molecular weight proteoglycan aggregation factor in rabbit ear cartilage (320) 442
Rolland, M., Montfort, M.F. and Lissitzky, S.
Efficiency of thyroglobulin as a thyroid hormone forming protein (303) 338
Rolleri, E. and Hégésippe, M.
Use of serum albumin microspheres as a reversible absorbent for studying protein–small molecule interactions (295) 429
Rolovic, Z., see Efremov, G.D. (328) 81
Romeo, A., see Cammarino, P. (308) 404
Romero Herrera, A.E. and Lehmann, H.
The myoglobin of primates. IV. New World monkeys: Cebidae: (1) Saimiri sciureus (squirrel monkey); (2) Lagothrix lagothricha (Humboldt's woolly monkey). Callitrichidae: Callithrix jacchus (common marmoset) (317) 65
Romslo, I. and Flatmark, T.
Energy-dependent accumulation of iron by isolated rat liver mitochondria. I. General features (305) 29
Romslo, I. and Flatmark, T.
Energy-dependent iron accumulation by isolated rat liver mitochondria. II. Relationship to the active Ca^{2+} transport (325) 38
Ronchi, P., see Franchi-Gazzola, R. (291) 545
Ronchi, P., see Gazzola, G.C. (311) 292
Ronchi, S., see Curti, B. (327) 266
Ronchi, S., see Speranza, M.L. (327) 274
Ronin, C., see Bouchilloux, S. (322) 401
Ronin, C., see Torresani, J. (322) 421
Ronquist, G. and Christensen, H.N.
Amino acid stimulation of alkali-metal-independent ATP cleavage by an Ehrlich cell membrane preparation (323) 337
Ronquist, G., see Christensen, H.N. (300) 487
Ronzio, R.A.
Glycoprotein synthesis in the adult rat pancreas I. Subcellular distributions of UDP galactose: Glycoprotein galactosyltransferase and thiamine pyrophosphate phosphohydrolase (313) 286
Roques, M., Torresani, J., Bouchilloux, S. and Lissitzky, S.
Sodium dodecylsulfate–polyacrylamide gel electrophoresis of thyroglobulin-related components synthesized in vitro (322) 437
Rosa, J., see Rosa, R. (293) 285
Rosa, R., Gaillardon, J. and Rosa, J.
Characterization of 2,3-diphosphoglycerate phosphatase activity: Electrophoretic study (293) 285
Rosado, A., see Mercado, E. (298) 639
Rose, F.A., see Denner, W.H.B. (315) 394
Rose, F.A., see Stokes, A.M. (302) 64
Rosenberg, H., see Frost, G.E. (330) 90
Rosenberg, R.N., see Tencati, J.R. (293) 542
Rosenberry, T.L., see Bartels, E. (298) 873
Rosendall, A.F., see Anderson, J.W. (304) 384
Rosenfeld, I.S., see D'Agnolo, G. (326) 155
Rosenhagen, M., see Segal, S. (291) 519
Rosenkrans, A.M. and Larner, J.
Proof of phosphorylation and evidence for different primary structure of phosphorylated sites of glycogen synthases from rabbit and frog tissues (315) 317
Rosenkranz, S., see Mullinix, K.P. (312) 1
Rosenthal, A.F., see Atassi, M.Z. (303) 379
Rosenthal, A.F., see De Kruyff, B. (307) 1
Rosenthal, S.L. and Matheson, A.
ATPase in isolated membranes of Bacillus subtilis (318) 252

Rosing, J., see Harris, D.A. (314) 149
Rosing, J., see Slater, E.C. (292) 534
Rosing, J., see Souverijn, J.H.M. (305) 185
Ross, G.W. and Boulton, M.G.
Purification of β-lactamases on QAE-sephadex (309) 430
Ross, P.D., Fletcher, A.P. and Jamieson, G.A.
Microcalorimetric study of isolated blood platelets in the presence of thrombin and other aggregating agents (313) 106
Ross, W., see Landy, A. (299) 264
Rosselin, G. and Freychet, P.
Basal and hormone-stimulated adenylate cyclase in liver plasma membranes: Measurement by radioimmunoassay of cyclic AMP (304) 541
Rossi, A., see Grenouillet, P. (322) 185
Rossignol, B., see Keryer, G. (297) 186
Rosso, J.-P., Forget, P. et Pichinoty, F.
Les nitrate-réductases bactériennes. Solubilisation, purification et propriétés de l'enzyme A de Micrococcus halodenitrificans (321) 443
Roth, D., see Hug, D.H. (293) 497
Roth, T.F., see Cutting, J.A. (298) 951
Rothaus, K., see Wyatt, G.R. (304) 482
Rothwell, J.D., Lacroix, S. and Sweeney, G.D.
Evidence against a regulatory role of heme oxygenase in hepatic heme synthesis (304) 871
Rotilio, G., Calabrese, L., Finazzi Agrò, A., Argento-Cerù, M.P., Autuori, F. and Mondovi, B.
Intracellular localization of superoxide dismutase and its relation to the distribution and mechanism of hydrogen peroxide-producing enzymes (321) 98
Rotilio, G., see Morpurgo, L. (322) 204
Rotilio, G., Morpurgo, L., Calabrese, L. and Mondovi, B.
On the mechanism of superoxide dismutase. Reaction of the bovine enzyme with hydrogen peroxide and ferrocyanide (302) 229
Rottem, S., Cirillo, V.P., de Kruyff, B., Shinitzky, M. and Razin, S.
Cholesterol in mycoplasma membranes. Correlation of enzymic and transport activities with physical state of lipids in membranes of Mycoplasma mycoides var. capri adapted to grow with low cholesterol concentrations (323) 509
Rottem, S., Hasin, M. and Razin, S.
Differences in susceptibility to phospholipase C of free and membrane-bound phospholipids of Mycoplasma hominis (323) 520
Rottem, S., Hasin, M. and Razin, S.
Protein binding to mycoplasma membranes (298) 876
Rottem, S. and Samuni, A.
Effect of proteins on the motion of spin-labeled fatty acids in mycoplasma membranes (298) 32
Rottem, S., Yashouv, J., Ne'eman, Z. and Razin, S.
Cholesterol in mycoplasma membranes. Composition, ultrastructure and biological properties of membranes from Mycoplasma mycoides var. capri cells adapted to grow with low cholesterol concentrations (323) 495
Rouach, H., see Nordmann, R. (326) 1
Roufogalis, B.D.
Properties of a (Mg^{2+} + Ca^{2+})-dependent ATPase of bovine brain cortex. Effects of detergents, freezing, cations and local anesthetics (318) 360
Roufogalis, B.D., Quist, E.E. and Wickson, V.M.
Effect of ligands on a discontinuous temperature dependence of the decarbamylation reaction of erythrocyte acetylcholinesterase (321) 536
Rouhandeh, H., see Yau, T. (299) 210
Roussel, P., see Degand, P. (320) 318
Roussel, P., see Lamblin, G. (322) 372
Roussel, R., see Favre, L. (302) 102
Rovery, M., Bianchetta, J. and Guidoni, A.
Chemical structure of porcine pancreatic lipase. End group determination and cyanogen bromide peptides (328) 391
Roy, A.B., see Bleszynski, W.S. (317) 164
Roy, A.B., see Graham, E.R.B. (329) 88
Roy, A.B., see Jerfy, A. (293) 178
Roy-Burman, S., see Von Dippe, P.J. (318) 105
Royer, G.P., see Berliner, L.J. (315) 195
Roza, M. and Francke, A.
Product specificity of soyabean lipoxygenases (316) 76
Roza, M. and Francke, A.
Soyabean lipoxygenase: An iron-containing enzyme (327) 24
Rozijn, T.H., see Monfoort, C.H. (322) 173
Rubery, E.D. and Newton, A.A.
DNA-methylation in normal and tumour virus-transformed cells in tissue culture: (1) The level of DNA methylation in BHK21 cells and in BHK21 cells transformed by polyoma virus (PyY cells) (324) 24

Rubin, A.D., see Schmidt, M.E. (308) 324
Rubin, M.S., see Tzagoloff, A. (301) 71
Rucker, R.B., Goettlich-Riemann, W. and Tom, K.
Properties of chick tropoelastin (317) 193
Rudick, V.L. and Weisman, R.A.
DNA-dependent RNA polymerase from trophozoites and cysts of Acanthamoeba castellanii (299) 91
Ruenwongsa, P., see Yuthavong, Y. (303) 44
Rüger, W., see Ray, R.K. (308) 137
Ruokonen, A.
Free and sulphate-conjugated 16-unsaturated C_{19} steroids in human testis tissue (316) 251
Ruoslahti, E., Vaheri, A., Kuusela, P. and Linder, E.
Fibroblast surface antigen: A new serum protein (322) 352
Ruprecht, R.M., Goodman, N.C. and Spiegelman, S.
Conditions for the exclusive synthesis of DNA complementary to template RNA (294) 192
Rusca, G., see Amaldi, P. (299) 634
Rusch, H.P., see LeStourgeon, W.M. (317) 524
Rusch, H.P., see Mitchell, J.L.A. (297) 503
Rush, M., see Zouzias, D. (312) 484
Rutenburg, A.M., see Polgar, P. (297) 378
Rutenberg, H.L., Lacko, A.G. and Soloff, L.A.
Inhibition of lecithin: Cholesterol acyltransferase following administration of intravenous heparin (326) 419
Ruth, R.C., see Owens, K. (296) 71
Rutman, R.J., see Yin, L. (324) 472
Rutten, W.J., Schoot, B.M. and de Pont, J.J.H.H.M.
Adenosine 3′,5′-monophosphate phosphodiesterase assay in tissue homogenates (315) 378
Rutten, W.J., Schoot, B.M., de Pont, J.J.H.H.M. and Bonting, S.L.
Adenosine 3′,5′-monophosphate phosphodiesterase in rat pancreas (315) 384
Ruuge, E.K., see Izawa, S. (314) 328
Ruvidic, R., see Efremov, G.D. (328) 81
Ryan, J.N., see Woessner, Jr, J.F. (309) 397
Rybarska, J., see Bobrzecka, K. (295) 564
Rychlík, I., see Jonák, J. (294) 322
Rychlík, I., see Jonák, J. (324) 554
Rye, M., see Christensen, J.M. (303) 319
Ryoyama, K.
Studies on the biological properties of coelomic fluid of sea urchin. I. Naturally occurring hemolysin in sea urchin (320) 157
Ryskov, A.P., Saunders, G.F., Farashyan, V.R. and Georgiev, G.P.
Double-helical regions in nuclear precursor of mRNA (pre-mRNA) (312) 152

S

Sabelnikov, A.G., Ditjatkin, S.J. and Iljashenko, B.N.
About the role of protamine in transfection (299) 492

Sabine, J.R., Kopelovitch, L., Abraham, S. and Morris, H.P.
Control of lipid metabolism in hepatomas: Conversion of glutamate carbon to fatty acid carbon via citrate in several transplantable hepatomas (296) 493

Sable, H.Z., see Gallo, A.A. (302) 443

Sacchi, A., Cerbone, F., Cammarano, P. and Ferrini, U.
Physicochemical characterization of ribosome-like (55-S) particles from rat liver mitochondria (308) 390

Saccomani, G., see Starcher, B.C. (310) 481

Sachs, G., see Spenney, J.G. (311) 545

Sachs, L., see Inbar, M. (311) 594

Sachs, L., see Sela, B.-A. (310) 273

Sackmann, E., see Stier, A. (311) 400

Sadler, D.M., Lefort-Tran, M. and Pouphile, M.
Structure of photosynthetic membranes of Euglena using X-ray diffraction (298) 620

Safe, S.
The effect of environment on the free and hydrosoluble sterols of Mucor rouxii (326) 471

Saibene, V., see Franchi-Gazzola, R. (291) 545

Saito, K., see Kawasaki, N. (296) 426

Saito, T., Essig, A. and Caplan, S.R.
The effect of aldosterone on the energetics of sodium transport in the frog skin (318) 371

Sakagami, T., see Taniguchi, M. (296) 65

Sakakibara, E., see Sakamoto, W. (329) 72

Sakakibara, S., see Berg, R.A. (328) 553

Sakakibara, S., Inouye, K., Shudo, K., Kishida, Y., Kobayashi, Y. and Prockop, D.J.
Synthesis of $(Pro-Hyp-Gly)_n$ of defined molecular weights. Evidence for the stabilization of collagen triple helix by hydroxyproline (303) 198

Sakakibara, S., see Yamaguchi, K. (297) 48

Sakamoto, C.K., see Janson, V.K. (291) 136

Sakamoto, W., Nishikaze, O. and Sakakibara, E.
Isolation of an inhibitor of β-glucuronidase from porcine sublingual gland (329) 72

Sakata, S., see Sogami, M. (310) 118

Sala, E., see Viotti, A. (324) 72

Salerno, D.M. and Beeler, D.A.
The biosynthesis of phospholipids and their precursors in rat liver involving de novo methylation, and base-exchange pathways, in vivo (326) 325

Salganik, R.I., see Mertvetsov, N.P. (315) 61

Salser, W., Fry, K., Wesley, R.D. and Simpson, L.
Use of nucleic acid fingerprints to estimate the complexity of minicircle DNA (319) 277

Salthe, S., see Eby, D. (327) 227

Salton, M.R.J., see Green, D.H. (298) 664

Salton, M.R.J., see Oppenheim, J.D. (298) 297

Samejima, T., see Sawada, F. (299) 596

Samli, M.H., see Todd, J.M. (297) 11

Samorajski, T., see Sun, G.Y. (316) 19

Sampoli, M., see Careri, G. (310) 305

Samuel, D., see Creamer, L.K. (317) 202

Samuelsson, B.E., see Karlsson, K.-A. (306) 307

Samuelsson, B.E., see Karlsson, K.-A. (306) 317

Samuelsson, B.E., see Karlsson, K.-A. (316) 317

Samuelsson, B.E., see Karlsson, K.-A. (316) 336

Samuilov, V.D., see Barsky, E.L. (325) 454

Samuni, A., see Rottem, S. (298) 32

Sandberg, H.E. and Balegh, M.S.
Evidence for the coordination of a histidyl residue to heme. I. Far ultraviolet spectral studies of model complexes heme coordination (295) 37

Sandberg, H.E., see Kirkpatrick, F.H. (298) 209

Sanders, J.P.M., Flavell, R.A., Borst, P. and Mol, J.N.M.
Nature of the base sequence conserved in the mitochondrial DNA of a low-density petite (312) 441

Sanders, R.D., see Weinhold, P.A. (326) 43

Sandoval, I.V. and Carbonell, J.
Adaptability of pyruvate kinase L in rat liver kidney, and reticulocytes without accompanying changes in the A isoenzyme (315) 343

Sands, H. and Meyer, T.A.
Phosphorylation of muscle proteins by cyclic AMP-dependent protein kinase from muscle (321) 489

Sands, H., Meyer, T.A. and Rickenberg, H.V.

Adenosine 3′,5′-monophosphate-dependent protein kinase of bovine tracheal smooth muscle (302) 267
Sands, M.A., see Sellinger, O.Z. (315) 128
Saneyoshi, M., see Sawada, F. (299) 596
San Martin de Viale, L.C., see Garcia, R.C. (309) 203
Sanner, T. and Kovács-Proszt, G.
Kinetic studies on the aggregation of κ-casein by Mucor pusillus protease (303) 68
San Pietro, A., see Brand, J. (325) 247
Sansur, M., see Seta, K. (294) 472
Santarius, K.A.
Freezing: The effect of eutectic crystallization on biological membranes (291) 38
Santarius, K.A., see Heber, U. (291) 23
Santiago, J.C., see Sellinger, O.Z. (315) 128
Sanwal, G.G., see Singh, S. (309) 280
Saran, A., Berthod, H. and Pullman, B.
Molecular orbital calculations on the conformation of nucleic acids and their constituents. VIII. Conformations of 2′,3′- and 3′,5′-cyclic nucleotides (331) 154
Saran, A., Pullman, B. and Pershia, D.
Molecular orbital calculations on the nucleic acids conformation and their constituents. VI. Conformation about the exocyclic C(4′)–C(5′) bond in α-nucleosides (299) 497
Sargent, M.L.
Use of liquid nitrogen and high ionic strength for the isolation of functional polyribosomes from Neurospora crassa (324) 267
Sari, J.-C., Ragot, M. and Belaich, J.-P.
"pH stat" titration method for the determination of the thermodynamic quantities associated with the formation of ATP–magnesium complexes (305) 1
Sarzała, M.G., see Drabikowski, W. (291) 61
Sasaki, A., see Yoshida, N. (321) 615
Sasaki, S., see Nakajima, Y. (293) 242
Sasaki, T. and Noda, H.
Studies on silk fibroin of Bombyx mori directly extracted from the silk gland. I. Molecular weight determination in guanidine hydrochloride or urea solutions (310) 76
Sasaki, T. and Noda, H.
Studies on silk fibroin of Bombyx mori directly extracted from the silk gland. II. Effect of reduction of disulfide bonds and subunit structure (310) 91
Sasaoka, K., see Fukuda, M. (304) 363
Sasaoka, K., see Ogawa, T. (297) 60
Satake, M., see Fujisawa, T. (324) 226
Satake, M., see Fujisawa, T. (324) 241
Satake, M., see Komai, Y. (316) 271
Satchell, D.P.N., see Kyrtopoulos, S.A. (321) 126
Sato, K., see Aoki, K. (328) 323
Sato, N., Chance, B., Kato, K. and Klietmann, W.
Comparative study of cytochromes between virus-transformed and untransformed cells (305) 493
Satoh, P.S., see Nishioka, K. (310) 217
Satoh, P.S., see Nishioka, K. (310) 217
Sauer, F., see Mahadevan, S. (296) 234
Sauer, H.W., see Hildebrandt, A. (294) 8
Sauer, K., see Babcock, G.T. (325) 483
Sauer, K., see Babcock, G.T. (325) 504
Sauer, K., see Olson, J.M. (292) 206
Saunders, G.F., see Getz, M.J. (312) 555
Saunders, G.F., see Ryskov, A.P. (312) 152
Saunders, V.A., see Connelly, J.L. (292) 644
Saunders, V.A. and Jones, O.T.G.
Oxidative phosphorylation and effects of aerobic conditions on Rhodopseudomonas viridis (305) 581
Savotchkina, L.P., see Beabealashvilly, R.Sh. (294) 425
Savotchkina, L.P., see Beabealashvilly, R.Sh. (294) 434
Savu, L., Vallette, G., Nunez, E.A. et Jayle, M.F.
Liaison du sulfate d'oestrone par les protéines sériques du rat au cours de son developpement (328) 533
Sawada, F., Samejima, T. and Saneyoshi, M.
Interaction of 6-thioguanylic acid homologues with ribonuclease T_1. Spectrophotometric and gel filtration studies (299) 596
Sawada, S., Kumagai, H., Yamada, H., Hill, R.K., Mugibayashi, Y. and Ogata, K.
Stereochemistry of ammonia elimination from L-tyrosine with L-phenylalamine ammonia-lyase (315) 204
Sawada, Y. and Yamazaki, I.
One-electron transfer reactions in biochemical systems. VIII. Kinetic study of superoxide dismutase (327) 257
Saxena, B.B., see Rao, Ch.V. (313) 372
Scandalios, J.G., see Felder, M.R. (317) 149
Scanu, A.M., see Chung, J. (296) 116
Scarpa, A., see Balcavage, W.X. (305) 41
Scarpa, A., see Cittadini, A. (291) 246
Scarpace, P.J. and Neuman, W.F.
Quantitation of Ca^{2+} fluxes in chick calvaria (323) 267
Scawen, M.D., see Ramshaw, J.A.M. (303) 269

Schabort, J.C., see Steenkamp, D.J. (309) 440
Schadt, M.
Photoresponse of bimolecular lipid membranes pigmented with retinal and vitamin A acid (323) 351
Schaeffer, B., see Papahadjopoulos, D. (323) 23
Schafer, J.A., see McClellan, W.M. (311) 462
Schaller, K., see Braun, V. (323) 87
Schapira, G., see Delaunay, J. (312) 147
Schats, L.H.M., see Van Kamp, G.J. (295) 166
Schaumburg, B.P.
Binding of prostaglandin E_1 to rat thymocytes (326) 127
Schechter, N.M.
Studies of RNA polymerase in mature avian erythrocytes (308) 129
Schechtman, M.G., see Baliga, B.S. (312) 349
Scheit, K.H., see Lehrach, H. (308) 28
Schell-Frederick, E., see Matsuzaki, S. (313) 329
Scheraga, H.A., see Lewis, P.N. (303) 211
Scherstén, T., see Alling, C. (296) 518
Scheulen, M., Schmidt, B. and Matthaei, H.
Mechanisms in protein synthesis. XIV. Competitive inhibition of natural mRNA-stimulated amino acid incorporation by aminoacyl-tRNA (299) 468
Schibeci, A., Rattray, J.B.M. and Kidby, D.K.
Isolation and identification of yeast plasma membrane (311) 15
Schibeci, A., Rattray, J.B.M. and Kidby, D.K.
Electron microscope autoradiography of labelled yeast plasma membrane (323) 532
Schidlovsky, G., see Harewood, K.R. (308) 252
Schiechl, H.
Investigation of HCl-extraction of human erythrocyte membranes (307) 65
Schiller, J.G., Bowser, A.M. and Feingold, D.S.
Partial purification and properties of UDPG dehydrogenase from Escherichia coli (293) 1
Schimmel, R.J.
The influence of extracellular calcium ions on hormone-activated lipolysis (326) 272
Schimmer, B.P.
Influence of Li^+ on epinephrine-stimulated adenylate cyclase activity in cultured glial tumor cells (327) 186
Schiphof, R., see Monfoort, C.H. (322) 173
Schippers, P.G.M., see De Ridder, J.J.M. (325) 397
Schlender, K.K.
Regulation of renal glycogen synthase: Interconversion of two forms in vitro (297) 384
Schlender, K.K. and Larner, J.
Purification and properties of glycogen synthase I from skeletal muscle: Two kinetic forms (293) 73
Schlender, K.K., see Thomas, J.A. (293) 84
Schlenk, F., Zydek-Cwick, C.R. and Dainko, J.L.
5'-Methylthioadenosine and related compounds as precursors of S-adenosyl-methionine in yeast (320) 357
Schlesinger, S., see Krajewska-Grynkiewicz, K. (312) 518
Schliselfeld, L.H. and Kaldor, G.J.
Kinetic study of the pre-steady state formation and the decay of the heavy meromyosin–adenosine triphosphate complex (328) 481
Schmid, H.H.O., see Chang, N.-C. (306) 437
Schmid, H.H.O., see Muramatsu, T. (296) 265
Schmid, K., see Kawahara, K. (295) 505
Schmid, W. and Sekeris, C.E.
Possible involvement of nuclear DNA-like RNA in the control of ribosomal RNA synthesis (312) 549
Schmidt, B., see Scheulen, M. (299) 468
Schmidt, Jr, D.E., see Phillips, T.M. (293) 125
Schmidt, M.E., Davis, S., Sodomann, C.P. and Rubin, A.D.
Synthesis and processing of nuclear RNA in human monocytes after phagocytosis of polystyrene particles (308) 324
Schmidt, R.R., see Sitz, T.O. (319) 103
Schmidt-Ullrich, R., see Knüfermann, H. (330) 356
Schmidt-Ullrich, R., Knüfermann, H. and Wallach, D.F.H.
The reaction of 1-dimethylaminonaphthalene-5-sulfonyl chloride (DANSCl) with erythrocyte membranes: A new look at "vectorial" membrane probes (307) 353
Schmitz, J., see Maestracci, D. (323) 113
Schmitz, J., Preiser, H., Maestracci, D., Ghosh, B.K., Cerda, J. and Crane, R.K.
Purification of the human intestinal brush border membrane (323) 98
Schmukler, M., see Zieve, P.D. (313) 350
Schneiderman, M.H. and Billen, D.
Methylation of rapidly reannealing DNA during the cell cycle of Chinese hamster cells (308) 352
Schnell, K.F., Gerhardt, S., Lepke, S. and Passow, H.
Asymmetric inhibition by phlorizin of halide movements across the red blood cell membrane (318) 474

Schnepel, G.H., see Hegner, D. (291) 15
Schnepel, G.H., see Hegner, D. (307) 452
Schnetkamp, P., see Borst-Pauwels, G.W.F.H. (291) 274
Schnoes, H.K., see Takayama, K. (316) 212
Schoenfeld, N., see Blum, I. (320) 242
Scholes, C.P., Isaacson, R.A., Yonetani, T. and Feher, G.
Electron nuclear double resonance studies on heme proteins: Interaction of the electron spin with the $^{57}Fe^{3+}$ nucleus in metmyoglobin and methemoglobin (322) 457
Scholte, H.R.
Liver malonyl-CoA decarboxylase (309) 457
Scholte, H.R.
On the triple localization of creatine kinase in heart and skeletal muscle cells of the rat: Evidence for the existence of myofibrillar and mitochondrial isoenzymes (305) 413
Scholte, H.R.
The separation and enzymatic characterization of inner and outer membranes of rat-heart mitochondria (330) 283
Scholte, H.R., Weijers, P.J. and Wit-Peeters, E.M.
The localization of mitochondrial creatine kinase, and its use for the determination of the sidedness of submitochondrial particles (291) 764
Scholz, R.W., see Evans, R.M. (321) 671
Schön, G. and Biedermann, M.
Growth and adaptive hydrogen production of Rhodospirillum rubrum F_1 in anaerobic dark cultures (304) 65
Schoner, W., see Erdmann, E. (307) 386
Schoner, W., see Erdmann, E. (330) 302
Schoner, W., see Erdmann, E. (330) 316
Schoner, W., see Friedrichs, D. (304) 142
Schoner, W., see Kaniike, K. (298) 901
Schoolwerth, A.C., see Klahr, S. (304) 161
Schoot, B.M., see Rutten, W.J. (315) 378
Schoot, B.M., see Rutten, W.J. (315) 384
Schotz, M.C., see Garfinkel, A.S. (306) 128
Schrier, P.I., see Bertina, R.M. (305) 503
Schröder, J. and Rickenberg, H.V.
Partial purification and properties of the cyclic AMP and the cyclic GMP phosphodiesterases of bovine liver (302) 50
Schrohenloher, R.E., Mestecky, J. and Stanton, Th.H.
Molecular weight of a human J chain (295) 576
Schubert, D., see Lossen, O. (330) 132
Schuff, A.R., see Horton, A.W. (318) 225
Schuite, A., see Hout, A. (308) 366
Schultz, S.G., see Frizzell, R.A. (291) 302
Schulz, I., see Wizemann, V. (307) 366
Schummer, U., see Hegner, D. (291) 15
Schummer, U., see Hegner, D. (307) 452
Schuppe, N.G., see Panchenko, L.F. (299) 103
Schutgens, R.B.H., Reijnders, L., Hoekstra, S.P. and Borst, P.
Transcription of Tetrahymena mitochondrial DNA in vivo (308) 372
Schwachhofer, K., see Darimont, E. (321) 461
Schwartz, J., see Faiferman, I. (312) 492
Schwarz, V., see Duffy, M.J. (330) 294
Schweiger, H.-G., see Kloppstech, K. (324) 365
Schwencke, J., see Kuznar, J. (318) 273
Schwencke, J., see Magaña-Schwencke, N. (318) 281
Schwenn, J.D., see Lilley, R. McC. (325) 596
Schwenn, J.D., Lilley, R. McC. and Walker, D.A.
Inorganic pyrophosphatase and photosynthesis by isolated chloroplasts. I. Characterisation of chloroplast pyrophosphatase and its relation to the response to exogenous pyrophosphate (325) 586
Scott, D.F., see Cutroneo, K.R. (320) 227
Scott, L.E., see Linder, M.C. (297) 70
Scott, W.N., see Friedenthal, D.F. (323) 456
Scriver, C.R., see Lancaster, G. (297) 229
Seaman, G.V.F., see Vassar, P.S. (291) 107
Sedláček, J., see Jonák, J. (294) 322
Seegmiller, J.E., see Raivio, K.O. (299) 273
Seegmiller, J.E., see Raivio, K.O. (299) 283
Segal, E., see Osenholts, M. (308) 88
Segal, E., Osenholts, M. and Yankofsky, S.A.
Differentiation of 23-S ribosomal RNA cistrons from 16-S ribosomal RNA cistrons in Escherichia coli by the sequence complementarity test (308) 79
Segal, S., see Rea, C. (311) 615
Segal, S., Rosenhagen, M. and Rea, C.
Developmental and other characteristics of α-methyl-D-glucoside transport by rat kidney cortex slices (291) 519
Sehon, A.H., see Delovitch, T.L. (299) 621
Seibert, M., Alfano, R.R. and Shapiro, S.L.
Picosecond fluorescent kinetics of in vivo chlorophyll (292) 493
Seifter, S., see Takahashi, S. (327) 138
Seifert, Jr, W.E., see Caprioli, R.M. (297) 213
Seilmeier, W., see Arens, D. (327) 295
Seimiya, T. and Ohki, S.
Ionic structure of phospholipid membranes, and binding of calcium ions (298) 546
Sekeris, C.E., see Abraham, A.D. (297) 142
Sekeris, C.E., see Schmid, W. (312) 549

Sekine, T., see Kanaoka, Y. (317) 563
Sekine, T., see Yamaguchi, M. (317) 312
Sekine, T., see Yamaguchi, M. (328) 154
Sekizawa, J. and Fukui, S.
Isolation, solubilization and reaggregation of outer membrane of Escherichia coli (307) 104
Sela, B.-A., Lis, H., Sharon, N. and Sachs, L.
Isolectins from wax bean with differential agglutination of normal and transformed mammalian cells (310) 273
Sellinger, O.Z., Santiago, J.C., Sands, M.A. and Sloat, B.F.
N-Acetyl-β-D-glucosaminidase of nerve cells: A developmental study of two molecular components (315) 128
Sellwood, T.C., see Belton, P.S. (304) 56
Selman, B.R., Bannister, T.T. and Dilley, R.A.
Trypsin inhibition of electron transport (292) 566
Semenza, G., see Colombo, V. (327) 412
Semenza, G., see Honegger, P. (318) 390
Sémériva, M., see Dufour, C. (327) 101
Sémériva, M., see Esposito, S. (302) 293
Semmel, M., see Israel, A. (318) 155
Semmler, E.J., see Takayama, K. (316) 212
Sen, G.C. and Ghosh, H.P.
Coding properties of isoaccepting lysine transfer RNA species from baker's yeast (308) 106
Senda, N., see Tatsumi, N. (305) 433
Senior, A.E.
The structure of mitochondrial ATPase (301) 249
Seno, H., see Endo, Y. (299) 114
Seno, S., see Miyahara, M. (325) 47
Serck-Hanssen, G. and Christiansen, E.N.
Uptake of calcium in chromaffin granules of bovine adrenal medulla stimulated in vitro (307) 404
Sereni, F., see Mandelli, M. (309) 515
Sergeant, Y.H., see Lamblin, G. (322) 372
Sérougne-Gautheron, C. and Chevallier, F.
Time course of biosynthetic cholesterol in the adult rat brain (316) 244
Serrani, R.E., see Corchs, J.L. (291) 308
Serrani, R.E., Corchs, J.L. and Rodriguez-Garay, A.E.
Sodium effect on bilirubin uptake by the rat intestinal mucosa (330) 186
Seta, K., Sansur, M. and Lajtha, A.
The rate of incorporation of amino acids into brain proteins during infusion in the rat (294) 472
Seto, A., Shinozawa, T. and Maeda, A.
Inactivation of infectious deoxyribonucleic acid of bacteriophage ΦX174 by colicin E2 (324) 305
Seto, S., see Nishino, T. (302) 33
Settlemire, C.T., see Howland, J.L. (314) 154
Shaduri, M.I., see Polyanovsky, O.L. (327) 57
Shafferman, A., see Lichtin, N.N. (314) 117
Shah, D.O., see Benedetto, D.A. (298) 145
Shah, V.K. and Brill, W.J.
Nitrogenase. IV. Simple method of purification to homogeneity of nitrogenase components from Azotobacter vinelandii (305) 445
Shah, V.K., Davis, L.C., Gordon, J.K., Orme-Johnson, W.H. and Brill, W.J.
Nitrogenase. III. Nitrogenaseless mutants of Azotobacter vinelandii: Activities, cross-reactions and EPR spectra (292) 246
Shainoff, J.R., see Lahiri, B. (303) 161
Shakoun, A., see Niku-Paavola, M.-L. (322) 181
Shamoo, A.E., see Brodsky, W.A. (291) 208
Shanbhag, V.P.
Diffusion of proteins across a liquid–liquid interface (320) 517
Shands, Jr, J.W., see Benedetto, D.A. (298) 145
Shany, S., see Assa, Y. (307) 83
Shapiro, B., see Atlas, S.J. (323) 194
Shapiro, B.M., see Lazdunski, A. (298) 59
Shapiro, R. and Danzig, M.
Acidic hydrolysis of pyrimidine deoxyribonucleotides (319) 5
Shapiro, S.L., see Seibert, M. (292) 493
Sharma, O.K.
Differences in the transfer RNA methyltransferases from normal rat liver and Novikoff hepatoma (299) 415
Sharnoff, M., see Keith, A.D. (300) 379
Sharon, N., see Sela, B.-A. (310) 273
Sharp, G.W.G., Hynie, S., Ebel, H., Parkinson, D.K. and Witkum, P.
Properties of adenylate cyclase in mucosal cells of the rabbit ileum and the effect of cholera toxin (309) 339
Shatsky, M.A., Ho, H.C. and Wang, J.H.-C.
Stabilization of glycogen phosphorylase by reductive alkylation with aliphatic aldehydes (303) 298
Shearer, M.J. and Barkhan, P.
Studies on the metabolites of phylloquinone (Vitamin K_1) in the urine of man (297) 300
Shechter, I.
Biosynthesis of trans-farnesyl triphosphate in Gibberella fujikuroi (316) 222

Sheid, B. and Chin, A.E.
Evidence for the existence of lactate dehydrogenase X in embryonic chick liver (293) 304
Sheid, B. and Nelson, Jr, J.H.
Transfer RNA methylase activity and polyamine concentrations in regenerating rat liver (324) 69
Shelton, E.R. and Bernfield, M.R.
Determination of picomole quantities of eukaryotic aminoacyl-tRNA with bacterial elongation factor Tu: The extent of in vivo tRNA acylation (331) 81
Shepherd, G.R.
Evidence for the biological coupling of biosynthesis and internal acetylation of histone fraction F2a1 (IV) in cultured mammalian cells (299) 485
Sherbet, G.V. and Lakshmi, M.S.
Characterisation of Escherichia coli cell surface by isoelectric equilibrium analysis (298) 50
Sherman, D., see Bussey, H. (298) 868
Sherrill, B.C., Albright, J.G. and Dietschy, J.M.
Diffusion studies of bile acids, fatty acids and sucrose–NaCl–water systems at 37 °C by a modified capillary cell apparatus and their application to membrane transport studies (311) 261
Shershneva, L.P., Venkstern, T.-V. and Bayev, A.A.
A study of transfer RNA methylation (294) 250
Sheth, K., see Goldman, A.S. (315) 233
Shiaffonati, L., see Alberghina, F.A.M. (313) 435
Shibata, K.
Dual wavelength scanning of leaves and tissues with opal glass (304) 249
Shibata, K., see Inoue, Y. (305) 483
Shibata, N., see Tatsumi, N. (305) 433
Shigeta, A., see Yamada, Y. (299) 121
Shimada, K., see Onishi, T. (312) 248
Shimada, T., see Nagano, H. (310) 495
Shimek, J.F., see Millard, S.A. (308) 230
Shimizu, H., see Yamada, T. (305) 642
Shimizu, I., Nagai, J., Hatanaka, H. and Katsuki, H.
Mevalonate synthesis in the mitochondria of yeast (296) 310
Shimizu, S., see Masugi, F. (320) 648
Shimojo, H., see Makita, A. (304) 571
Shin, B.C. and Carraway, K.L.
Cell surface constituents of sarcoma 180 ascites tumor cells (330) 254
Shin, M.
Complex formation by ferredoxin–NADP$^+$ reductase with ferredoxin or NADP$^+$ (292) 13
Shin, M., see Hayashi, A. (310) 309
Shinitzky, M., see Rottem, S. (323) 509
Shinkai, K., see Nishihara, H. (302) 429
Shinozawa, T., see Seto, A. (324) 305
Shipley, G.G., see Green, J.P. (330) 243
Shipley, G.G., Green, J.P. and Nichols, B.W.
The phase behavior of monogalactosyl, digalactosyl, and sulphoquinovosyl diglycerides (311) 531
Shishido, K.
Selection by T7 RNA polymerase of T7 DNA as the template for RNA synthesis (312) 708
Shneyour, A., Raison, J.K. and Smillie, R.M.
Effect of temperature on the rate of photosynthetic electron transfer in chloroplasts of chilling-sensitive and chilling-resistant plants (292) 152
Shore, G. and Maclachlan, G.A.
Indoleacetic acid stimulates cellulose deposition and selectively enhances certain β-glucan synthetase activities (329) 271
Shrager, P. and Profera, C.
Inhibition of the receptor for tetrodotoxin in nerve membranes by reagents modifying carboxyl groups (318) 141
Shrago, E., see Elson, C. (297) 125
Shtacher, G., Maayan, R. and Feinstein, G.
Proteinase inhibitors in human synovial fluid (303) 138
Shudo, K., see Sakakibara, S. (303) 198
Shukuya, R., see Nagano, H. (310) 495
Shvedova, A.A., see Kagan, V.E. (330) 76
Sibatani, A.
Reduction of DNA synthesis in calf thymocytes at lower cell densities and its reversal by diffusible macromolecules released by these cells (294) 57
Siddiqui, B. and Hakomori, S.
A ceramide tetrasaccharide of human erythrocyte membrane reacting with anti-type XIV pneumococcal polysaccharide antiserum (330) 147
Sidransky, H., see Lynn, J.K. (299) 444
Siebke, J.-C., see Edminson, P.D. (320) 33
Siegel, A., see Duda, C.T. (319) 62
Siegel, A., see Thornburg, W. (312) 211
Siegenthaler, P.A.
Change in pH dependence and sequential inhibition of photosynthetic activity in

chloroplasts by unsaturated fatty acids (305) 153
Sierra, M.F., see Tzagoloff, A. (301) 71
Siezen, R.J. and van Driel, R.
Structure and properties of hemocyanins. VIII. Microheterogeneity of α-hemocyanin of Helix pomatia (295) 131
Sigel, C.W., see Lillehaug, J.R. (327) 92
Signorelli, G., see Careri, G. (310) 305
Sikl, D., see Kolarova, N. (328) 221
Silano, V., Pocchiari, F. and Kasarda, D.D.
Physical characterization of α-amylase inhibitors from wheat (317) 139
Silberstein, Z., see Cohen, A. (294) 442
Silbert, D.F., Ladenson, R.C. and Honegger, J.L.
The unsaturated fatty acid requirement in Escherichia coli: Temperature dependence and total replacement by branched-brain fatty acids (311) 349
Simberkoff, M., see Zouzias, D. (312) 484
Simeon, V., see Škrinjarić-Špoljar, M. (315) 363
Simon, B., see Wizemann, V. (307) 366
Simon, D., Hoshino, J. and Kröger, H.
L-Serine dehydratase from rat liver: Purification and some properties (321) 361
Simon, S., see Johnson, M.E. (291) 587
Simone, S., see Papa, S. (292) 20
Simonov, V.V., see Siomin, Yu.A. (331) 27
Simons, H.L., see Butler, W.L. (325) 539
Simons, H.L., see Butler, W.L. (292) 140
Simpson, D.P. and Angielski, S.
Regulation by bicarbonate ion of intramitochondrial citrate concentration in kidney mitochondria (298) 115
Simpson, L., see Salser, W. (319) 277
Simpson, L., see Wesley, R.D. (319) 237
Simpson, L., see Wesley, R.D. (319) 254
Simpson, L., see Wesley, R.D. (319) 267
Singer, R.E. and Conway, T.W.
Defective initiation of f2 RNA translation by ribosomes from bacteriophage T4-infected cells (331) 102
Singer, I., see Tasaki, I. (323) 220
Singh, H., Rector, E., Waters, B. and Vadasz, J.
Isoaccepting species of histidine-specific transfer RNAs from baker's yeast: Purification and properties (312) 276
Singh, I., see Suzuki, A. (295) 188
Singh, J., see Gudat, J.C. (292) 376
Singh, J. and Wharton, D.C.
Cytochrome c-566, a di-heme protein from Pseudomonas aeruginosa (292) 391
Singh, P., see Malhotra, O.P. (309) 97
Singh, R., see Farkas, W.R. (294) 94
Singh, S. and Sanwal, G.G.
An allosteric α-glucan phosphorylase from banana fruits (309) 280
Singhal, R.P.
Anion-exchange chromatography on reversed-phase columns: Isolation and assay of nucleosides, nucleotides, and oligonucleotides from nucleic acids and from cytoplasm (319) 11
Singhal, R.P. and Best, A.N.
Examination of highly purified transfer RNAs from Escherichia coli. Differences in amount of minor components and presence of a cytidine–thiouridine photoproduct in "normal" tRNAs; a comparison of two analytical methods (331) 357
Sinohara, H.
Enzymes induction in dormant spores of Aspergillus oryzae. IV. Effects of ethidium, aminoacridines and related compounds (299) 662
Siomin, Yu.A., Simonov, V.V. and Poverenny, A.M.
The reaction of formaldehyde with deoxynucleotides and DNA in the presence of amino acids and lysine-rich histone (331) 27
Sipos, J.C., see Wedmid, Y. (326) 439
Sirotnak, F.M.
Hyperproduction mutation in the dihydrofolate reductase gene of Diplococcus pneumoniae: Some effects on synthesis correlate with the presence of a modified enzyme form (312) 426
Sirotnak, F.M.
Two different effects of mutation on the binding of folate antagonists by a microbial dihydrofolate reductase (302) 13
Sisco, K., see Tasaki, I. (323) 220
Sitz, T.O., Molloy, G.R. and Schmidt, R.R.
Evidence for turnover of ribulose-1,5-diphosphate carboxylase and continuous transcription of its structural gene throughout the cell cycle of the eucaryote Chlorella (319) 103
Sival, J., see Reijnders, L. (324) 320
Sixma, J.J., Holmsen, H. and Trieschnigg, A.C.M.
Adenine nucleotide metabolism of blood platelets. VIII. Transport of adenine into human platelets (298) 460
Sjöberg, B.-M. and Holmgren, A.
Purification of thioredoxin from Escherichia coli and bacteriophage T4 by immunoadsorbent affinity chromatography (315) 176

Sjödin, B. and Vestermark, A.
The enzymatic formation of a compound with the expected properties of carboxylated ribulose 1,5-diphosphate (297) 165
Sjoqvist, A., see Hultin, T. (319) 81
Sjöström, H., see Norén, O. (327) 446
Sjöström, H., Norén, O. and Josefsson, L.
Purification and specificity of pig intestinal prolidase (327) 457
Skapski, A.C., see De Meester, P. (324) 301
Skinner, R.S., see Weinhold, P.A. (326) 43
Skou, J.C., see Hansen, O. (311) 51
Škrinjarić-Špoljar, M., Simeon, V. and Reiner, E.
Spontaneous reactivation and aging of dimethylphosphorylated acetylcholinesterase and cholinesterase (315) 363
Skulskii, I.A., Manninen, V. and Järnefelt, J.
Interaction of thallous ions with the cation transport mechanism in erythrocytes (298) 702
Slack, J.R., Anderton, B.H. and Day, W.A.
A new method for making phospholipid vesicles and the partial reconstitution of the (Na^+, K^+)-activated ATPase (323) 547
Sladić-Simić, D., Zivković, N., Pavić, D. and Nikezić, G.
Separation of rat hemoglobin polypeptide chains (310) 353
Slater, E.C.
The mechanism of action of the respiratory inhibitor, antimycin (301) 129
Slater, E.C., see Bertina, R.M. (305) 503
Slater, E.C., see Boers, W. (315) 272
Slater, E.C., see DerVartanian, D.V. (292) 496
Slater, E.C., see Grimmelikhuijzen (305) 67
Slater, E.C., see Harris, D.A. (314) 149
Slater, E.C., see Passam, H.C. (325) 54
Slater, E.C., Rosing, J. and Mol, A.
The phosphorylation potential generated by respiring mitochondria (292) 534
Slattery, C.W. and Evard, R.
A model for the formation and structure of casein micelles from subunits of variable composition (317) 529
Slegers, J.F.G., see Van Os, C.H. (291) 197
Sliegh, R.W., Melrose, G.J.H. and Smith, M.B.
Isolation and characterisation of hen egg white ovomucin (310) 453
Slifkin, M.A., see Moxon, G.H. (304) 693
Sloane, N.H.
Metabolites of p-aminobenzoic acid. V. Isolation and properties of p-aminobenzyl alcohol dehydrogenase (327) 11
Sloat, B.F., see Sellinger, O.Z. (315) 128
Slodki, M.E., Ward, R.M. and Boundy, J.A.
Concanavalin A as a probe of phosphomannan molecular structure (304) 449
Slomiany, A., see Slomiany, B.L. (316) 35
Slomiany, A., see Slomiany, B.L. (326) 224
Slomiany, B.L., Slomiany, A. and Horowitz, M.I.
Blood group A active ceramide hexasaccharide lacking N-acetylglucosamine isolated from hog stomach mucosa (326) 224
Slomiany, B.L., Slomiany, A. and Horowitz, M.I.
Fatty acid amide of glycerylphosphorylethanolamine. A lytic lipid from hog stomach (316) 35
Slonimski, P.P., see Grivell, L.A. (312) 358
Sloof, P., see Reijnders, L. (324) 320
Slooten, L.
Fluorescence excitation spectra and the relative numbers of pigment molecules in reaction centres from Rhodopseudomonas spheroides (314) 15
Slor, H. and Lev, T.
Ultraviolet-induced changes in DNA: Possible confusion of repair and degradative enzymes (312) 637
Slotboom, A.J., see De Kruyff, B. (307) 1
Slovacek, R.E. and Bannister, T.T.
NH_4Cl activation of the fluorescence yield in CO_2-starved Chlorella pyrenoidosa (325) 114
Slovacek, R.E. and Bannister, T.T.
The effects of carbon dioxide concentration on oxygen evolution and fluorescence transients in synchronous cultures of Chlorella pyrenoidosa (292) 729
Sluyser, M., see Hekman, A. (295) 613
Sluyser, M. and Hermes, Y.
A rat-specific lysine-rich histone (295) 605
Sluyterman, L.A.AE. and Wijdenes, J.
An unusual type of enzyme inhibition (321) 697
Sluyterman, L.A.AE. and Wijdenes, J.
Benzoylamidoacetonitrile as an inhibitor of papain (302) 95
Small, D.M., see Carey, M.C. (306) 51
Small, D.M., see Donaldson, Jr, R.M. (311) 477
Smeets, G.W.M., see Van Kamp, G.J. (303) 194
Smillie, R.M., see Shneyour, A. (292) 152
Smirnova, G.P., see Kochetkov, N.K. (326) 74
Smith, B.S.W. and Wright, H.
Studies on the uptake of radioactive copper by sheep erythrocytes in vitro (307) 590
Smith, C.A., see Harrap, K.R. (310) 104
Smith, C.J. and Kelleher, P.C.
α_1-Fetoprotein: Separation of two molecular

variants by affinity chromatography with concanavalin-A–agarose (317) 231
Smith, D.S., see Radda, G.K. (318) 197
Smith, E.F., see Makulu, D.R. (304) 526
Smith, E.J. and Crittenden, L.B.
Proteins and glycoproteins in plasma membrane fractions of avian leukosis–sarcoma virus susceptible and resistant chicken embryo fibroblasts (298) 608
Smith, G., see Jellinck, P.H. (304) 520
Smith, H., see Johnson, C. (317) 219
Smith, I.C.P., see Marsh, D. (298) 133
Smith, I.K.
Purification and characterization of serine: glyoxylate aminotransferase from kidney bean (Phaseolus vulgaris) (321) 156
Smith, M.B., see Sleigh, R.W. (310) 453
Smith, M.C. and Chae, C.-B.
A rapid method for the electrophoresis of chromatin proteins (317) 10
Smith, M.E.
The uptake of pteroylglutamic acid by the rat jejunum (298) 124
Smith, M.M. and Stone, B.A.
β-Glucan synthesis by cell-free extracts from Lolium multiflorum endosperm (313) 72
Smith, R.V., see Evans, M.C.W. (310) 344
Smith, S.G., see DeSimone, R.E. (304) 851
Smith, T.C., Martin, J.H., III and Huf, E.G.
Na^+ pool and Na^+ concentration in epidermis of frog skin (291) 465
Smith, T.R., see Beltz, R.E. (297) 258
Snow, J.A., see Olsson, R.A. (311) 242
Snyder, A.L., see Kohn, K.W. (324) 93
Snyder, F., Malone, B. and Piantadosi, C.
Tetrahydropteridine-dependent cleavage enzyme for O-alkyl lipids: Substrate specificity (316) 259
Snyder, F., see Blank, M.L. (316) 28
Snyder, F., see Lee, T.-C. (291) 71
Snyder, F., see Lee, T.-C. (291) 86
Snyder, F., see Wykle, R.L. (326) 26
Snyder, L.A., see Hiatt, V.S. (324) 57
Snyder, S.H., see Harik, S.I. (304) 753
Snyder, S.H., see Harik, S.I. (327) 501
Soave, C., see Torti, G. (324) 254
Soave, C., see Viotti, A. (324) 72
Sobel, M.E., see Wolfson, E.B. (321) 181
Sodek, L. and Wilson, C.M.
Metabolism of lysine and leucine derived from storage protein during the germination of maize (304) 353
Söderlund, H., see Helenius, A. (307) 287
Sodomann, C.P., see Schmidt, M.E. (308) 324
Sogami, M., Nagaoka, S., Itoh, K.B. and Sakata, S.
Fluorimetric studies on the structural transition of bovine plasma albumin in acidic solutions (310) 118
Sogami, M., Uyeda, M. and Ogura, S.
Conformational changes induced by the interaction of sodium dodecylsulfate with bovine plasma albumin (310) 487
Sojka, G.A., see Stahl, C.L. (297) 241
Soler-Argilaga, C., Infante, R. and Polonovski, J.
Influence of chain length and degree of unsaturation on plasma free fatty uptake by the perfused rat liver (326) 167
Soler-Argilaga, C., see Alcindor, L.-G. (306) 347
Soll, D.R. and Sussman, M.
Transcription in isolated nuclei of the slime mold Dictyostelium discoideum (319) 312
Soloff, L.A., see Rutenberg, H.L. (326) 419
Solomon, A.K., see Poznansky, M. (330) 351
Solomon, L., see Kumar, R. (315) 66
Solomonson, L.P., Jetschmann, K. and Vennesland, B.
Reversible inactivation of the nitrate reductase of Chlorella vulgaris Beijerinck (309) 32
Solyom, A. and Lauter, C.J.
A study of sex difference in enzyme activities of rat liver plasma membranes (298) 743
Soman, G. and Philip, G.
Influence of various ligands on the disensitization of phosphorylase b by dinitrophenylation (321) 149
Sondheimer, E., see Elson, C. (297) 125
Sonnenblick, E.H., see Owens, K. (296) 71
Sonnenblick, E.H., see Stam, Jr, A.C. (298) 927
Soper, J.W. and Winter, C.G.
Role of cell wall autolysin in chain formation by a mutant strain of Streptococcus faecalis (297) 333
Sorensen, L.B., see MacKenzie, J.J. (327) 282
Souverijn, J.H.M., Huisman, L.A., Rosing, J. and Kemp, Jr, A.
Comparison of ADP and ATP as substrates for the adenine nucleotide translocator in rat-liver mitochondria (305) 185
Souverijn, J.H.M., see Passam, H.C. (305) 88
Sovak, M., see Horvath, C. (298) 850
Spadafora, C., Igo-Kemenes, T. and Zachau, H.G.
Changes in tRNAs and aminoacyl-tRNA synthetases during sea urchin development (312) 674

Span, J. and Lapanje, S.
Solvation of β-lactoglobulin and chymotrypsinogen A in aqueous urea solutions (295) 371
Sparrow, L.G. and McQuade, A.B.
Isolation by affinity chromatography of neutral proteinase from Clostridium histolyticum (302) 90
Spataro, A.C. and Kessel, D.
The effects of camptothecin on mammalian DNA (331) 194
Spector, A., see Anderson, E.I. (307) 557
Spector, A.R. and Glimcher, M.J.
The identification of O-phosphoserine in the soluble anionic phosphoproteins of bone (303) 360
Spelsberg, T.C., Mitchell, W.M., Chytil, F., Wilson, E.M. and O'Malley, B.W.
Chromatin of the developing chick oviduct: Changes in the acidic proteins (312) 765
Spelsberg, T.C., see Wilson, E.M. (322) 145
Spencer, J.H., see Junowicz, E. (312) 72
Spencer, J.H., see Junowicz, E. (312) 85
Spenney, J.G., Strych, A., Price, A.H., Helander, H.F. and Sachs, G.
Properties of ATPase of gastric mucosa. V. Preparation of membranes and mitochondria by zonal centrifugation (311) 545
Speranza, M.L., Ronchi, S. and Minchiotti, L.
Purification and characterisation of yeast thioredoxin reductase (327) 274
Speth, V. and Wunderlich, F.
Membranes of Tetrahymena. II. Direct visualization of reversible transitions in biomembrane structure induced by temperature (291) 621
Speth, V., see Wunderlich, F. (298) 39
Speyer, B.E., see Byers, W. (310) 38
Spiegelman, S., see Ruprecht, R.M. (294) 192
Spiekerman, A.M., Fredericks, K.K., Wagner, F.W. and Prescott, J.M.
Leucostoma peptidase A: A metalloprotease from snake venom (293) 464
Spielvogel, C., see Kanfer, J.N. (293) 203
Spielvogel, C.H., see Kanfer, J.N. (327) 405
Spoerl, E., Williams, J.P. and Benedict, S.H.
Increased rates of sugar transport in Saccharomyces cerevisiae. A result of sugar metabolism (298) 956
Springham, M.G. and Betts, G.F.
The activity of K^+-activated yeast aldehyde dehydrogenase following rapid changes in cation environment (309) 233
Sproule, R.C., see Tredgold, R.H. (317) 569
Srivastava, B.I.S.
DNA polymerase and terminal deoxynucleotidyltransferase activity of normal and bacteria-free crown gall tumor tissue cultures of tobacco (299) 17
Srivastava, S.K. and Beutler, E.
A new fluorometric method for the determination of pyridoxal 5′-phosphate (304) 765
Staal, G.E.J., see Van Berkel, Th.J.C. (321) 496
Stadler, J. and Franke, W.W.
Nuclear membranes and plasma membranes from hen erythrocytes. III. Localization of activities incorporating fatty acids into phospholipids (311) 205
Stagg, C.M. and Feather, M.S.
The characterization of a chitin-associated D-glucan from the cell walls of Aspergillus niger (320) 64
Stahl, C.L. and Sojka, G.A.
Growth of Rhodopseudomonas capsulata on L- and D-malic acid (297) 241
Stahl, W.L., see Harris, W.E. (298) 680
Stam, Jr, A.C., Weglicki, W.B., Gertz, E.W. and Sonnenblick, E.H.
A calcium-stimulated ouabain-inhibited ATPase in a myocardial fraction enriched with sarcolemma (298) 927
Stam, A.C., see Owens, K. (296) 71
Stamatiadou, M.N.
Inhibition by serotonin of glutamine synthetase formation in cultured mouse cells strain L (304) 169
Stanley, Jr, W.M., see Cashion, L.M. (324) 410
Stanley, Jr, W.M., see Dettman, G.L. (299) 142
Stanton, Th.H., see Schrohenloher, R.E. (295) 576
Starcher, B.C., Saccomani, G. and Urry, D.W.
Coacervation and ion binding studies on aortic elastin (310) 481
Starcher, B.C., see Cox, B.A. (317) 209
Stark, G.
Rectification phenomena in carrier-mediated ion transport (298) 323
Stark, G., see Pohl, G.W. (318) 478
Stathakos, D., Isaakodou, I. and Thomou, H.
Purification and properties of NAD nucleosidase from Fusarium nivale (302) 80
Staub, D.J., see Atassi, M.Z. (328) 278
Stauffer, C E. and Treptow, R.S.
Inactivation of subtilisin Carlsberg in surfactant and salt solutions (295) 457
Stavy, R., Ben-Shaul, Y. and Galun, E.
Nuclear envelope isolation in peas (323) 167

Steel, G., see Brooks, C.J.W. (296) 431
Steele, L., see Bortz, W.M. (316) 366
Steele, L.A., see Bortz, W.M. (306) 85
Steen, G.O., see Karlsson, K.-A. (306) 307
Steen, G.O., see Karlsson, K.-A. (306) 317
Steen, G.O., see Karlsson, K.-A. (316) 336
Steenkamp, D.J., Schabort, J.C. and Ferreira, N.P.
β-Cyclopiazonate oxidocyclase from Penicillum cyclopium. III. Preliminary studies on the mechanism of action (309) 440
Stefanini, S., see Colosimo, A. (328) 74
Stehedin, D., Peter, R. et Duranton, H.
Étude de la structure primaire de la protéine du virus de la mosaïque jaune du navet. III. Séquence des peptides chymotrypsiques de la protéine aminoethylée et enchainement des peptides trysiques (317) 253
Stehelin, D., see Peter, R. (317) 240
Steigerwald, J.C. and Bartholomew, B.A.
The assessment of lysosomal glycosidases in normal skin (321) 256
Stein, E.A., see Lehky, P. (321) 274
Stein, G., see Lichtin, N.N. (314) 117
Stein, O. and Stein, Y.
Colchicine-induced inhibition of very low density lipoprotein release by rat liver in vivo (306) 142
Stein, O. and Stein, Y.
The removal of cholesterol from Landschütz ascites cells by high density apolipoprotein (326) 232
Stein, O., see Bar-On, H. (306) 106
Stein, O., see Bierman, E.L. (329) 163
Stein, W.D., see Eilam, Y. (323) 606
Stein, W.D., see West, I.C. (308) 162
Stein, Y., see Bar-On, H. (306) 106
Stein, Y., see Bierman, E.L. (329) 163
Stein, Y., see Stein, O. (306) 142
Stein, Y., see Stein, O. (326) 232
Steinberg, M.S., see Cohen, S.N. (304) 473
Steiner, M.
Effect of thrombin on the platelet membrane (323) 653
Steiner, M., see Ando, Y. (311) 26
Steiner, M., see Ando, Y. (311) 38
Steiner, M.R., see Steiner, S. (296) 403
Steiner, R.F.
A kinetic study of the reaction between polyriboinosinic acid and polyribocytidylic acid (312) 458
Steiner, R.F., Kinnier, W., Lunasin, A. and DeLac, J.
Fluorescent derivatives of polyribonucleotides containing e-adenosine (294) 24
Steiner, S. and Steiner, M.R.
2-Deoxy-D-glucose incorporation into glycolipids of normal and SV40-transformed hamster cells (296) 403
Steinert, P.M. and Rogers, G.E.
In vitro studies on the synthesis of guinea pig hair keratin protein (312) 403
Steinke, J., see Ammon, H.P.T. (297) 352
Steinman, G., see Addy, M.E. (295) 385
Stelletskaya, N.V., see Panchenko, L.F. (299) 103
Stenmark, S.L., see Jensen, R.A. (293) 256
Stephens, N., see Lee, T.-C. (291) 86
Stępién, P.P., see Pieniążek, N.J. (297) 37
Stern, N. and Tietz, A.
Glycolipids of a halotolerant, moderately halophilic bacterium. I. The effect of growth medium and age of culture on lipid composition (296) 130
Stern, N. and Tietz, A.
Glycolipids of a halotolerant, moderately halophilic bacterium. II. Biosynthesis of glucuronosyldiglyceride by cell-free particles (296) 136
Sternglanz, H. and Bugg, C.E.
Conformations of N^6-monosubstituted adenine derivatives: Crystal structure of N^6-methyladenine (308) 1
Stetten, M.R. and Goldsmith, P.K.
Synthesis of glucose 6-phosphate by a 1,3-diphosphoglycerate–glucose phosphotransferase activity of liver microsomes (327) 82
Stevens, R.L., Hartman, M., Fluharty, A.L. and Kihara, H.
A second form of arylsulfatase A in human urine (302) 338
Stevenson, F.K.
Studies on the cell surface maltase of the rabbit renal cortex (311) 409
Stewart, M.L. and Goldberg, I.H.
Pactamycin binding to Escherichia coli ribosomes: Interference by formation of the protein synthesizing complex with f2 viral RNA (294) 123
Stewart, W.D.P., see Lex, M. (292) 436
Steyn-Parvé, E.P., see Monfoort, C.H. (322) 173
Stieber, J., see Hershey, H. (312) 509
Stiefel, D.J. and Keller, P.J.
Preparation and some properties of human pancreatic amylase including a comparison with human parotid amylase (302) 345
Stier, A. and Sackmann, E.
Spin labels as enzyme substrates:

Heterogeneous lipid distribution in liver microsomal membranes (311) 400
Still, J.L., see Deol, B.S. (330) 192
Stinson, R.H., see Bartlett, M.W. (328) 213
Stirpe, F., see Montanaro, L. (319) 188
Stirpe, F., see Montecuccoli, G. (319) 199
Stoeber, F.R., see Robert-Baudouy, J.M. (309) 473
Stoffel, W., see Henning, R. (330) 61
Stoffyn, A., see Stoffyn, P. (306) 283
Stoffyn, P., Stoffyn, A. and Hauser, G.
Structure of trihexosylceramide isolated from rat spleen (306) 283
Stokes, A.M., Denner, W.H.B. and Dodgson, K.S.
Kinetic properties of the soluble adenosine 5'-phospho-sulphate sulphohydrolase from bovine liver (315) 402
Stokes, A.M., Denner, W.H.B., Rose, F.A. and Dodgson, K.S.
Purification of a soluble adenosine 5'-phosphosulphate sulphohydrolase from bovine liver (302) 64
Stokes, A.M., see Denner, W.H.B. (315) 394
Stokke, O., see Pettersen, J.E. (304) 316
Stoltz, M., Furthmayr, H. and Timpl, R.
Increased lysine hydroxylation in rat bone and tendon collagen and localization of the additional residues (310) 461
Stone, B.A., see Smith, M.M. (313) 72
Storey, B.T.
The respiratory chain of plant mitochondria. XV. Equilibration of cytochromes c_{549}, b_{553}, b_{557} and ubiquinone in mung bean mitochondria: Placement of cytochrome b_{557} and estimation of the midpoint potential of ubiquinone (292) 592
Storey, B.T. and Lee, C.P.
Circular dichroism of cytochrome oxidase, cytochrome b_{566}, and cytochrome c in beef heart mitochondrial membrane fragments (292) 554
Storey, B.T., see Keyhani, E. (305) 557
Storey, B.T., see Kusel, J.P. (305) 570
Storey, B.T., see Kusel, J.P. (314) 164
Stossel, T.P., see Mason, R.J. (304) 864
Stouthamer, A.H. and Bettenhaussen, C.
Utilization of energy for growth and maintenance in continuous and batch cultures of microorganisms. A reevaluation of the method for determination of ATP production by measuring molar growth yields (301) 53
Straley, S.C. and Clayton, R.K.
Extraction of oxidized bacteriochlorophyll from illuminated photosynthetic reaction center particles (292) 685
Straley, S.C., Parson, W.W., Mauzerall, D.C. and Clayton, R.K.
Pigment content and molar extinction coefficients of photochemical reaction centers from Rhodopseudomonas spheroides (305) 597
Straub, F.B., see Telegdi, M. (321) 210
Štrbáňová-Nečinová, S., see Svobodová, O. (321) 643
Streitberger, U., see Baron, D. (293) 526
Strickland, E.H., Wilchek, M. and Billups, C.
Circular dichroism of modified tryptophan residues. β-3-oxindolyl-L-alanine (303) 28
Strickland, E.H., see Fretto, L. (328) 396
Strickland, R.D., see Gregory, II, D.H. (327) 36
Stromberg, K., Gantt, R. and Wilson, S.A.
Structural studies on avian myeloblastosis virus: Conditions for isolation and biochemical characteristics of the core component (304) 1
Stromberg, K. and Litwack, M.D.
Structural studies of avian myeloblastosis virus: Presence of transfer RNA in core component (319) 140
Stromer, M.H., see Suzuki, A. (295) 188
Strotmann, H., Hesse, H. and Edelmann, K.
Quantitative determination of coupling factor CF_1 of chloroplasts (314) 202
Struijk, C.B., Houtsmuller, U.M.T., Jansen, H. and Hülsmann, W.C.
Increase in postheparin lipoprotein lipase activity in rat plasma by dietary erucic acid (296) 253
Strych, A., see Spenney, J.G. (311) 545
Strydom, A.J.C.
The amino acid sequences of two toxins from Dendroaspis jamesoni kaimosae (Jameson's mamba) venom (328) 491
Strzelecka-Gołaszewska, H.
Relative affinities of divalent cations to the site of the tight calcium binding in G-actin (310) 60
Stuart, A.L. and Wasserman, A.R.
Purification of cytochrome b_6. A tightly bound protein in chloroplast membranes (314) 284
Stuart, A.L., see Kiely, M.E. (293) 534
Studer, R.A., see Kerdelhúe, B. (297) 540
Sturani, E., Magnani, F. and Alberghina, F.A.M.
Inhibition of ribosomal RNA synthesis during a shift-down transition of growth in Neurospora crassa (319) 153
Sturani, E., see Alberghina, F.A.M. (313) 435

Sturgess, J.M., Minaker, E., Mitranic, M.M. and Moscarello, M.A.
The incorporation of L-fucose into glycoproteins in the Golgi apparatus of rat liver and in serum (320) 123
Subbiah, M.T.R. and Kuksis, A.
Differences in metabolism of cholesterol and sitosterol following intravenous injection in rats (306) 95
Subirana, J.A., Cozcolluela, C., Palau, J. and Unzeta, M.
Protamines and other basic proteins from spermatoza of molluscs (317) 364
Subramanian, C., see Dhopeshwarkar, G.A. (296) 257
Süe, P., see Dumas, P. (293) 36
Suelter, C.H., see Ting-Beall, H.P. (291) 229
Suga, H., see Yamada, T. (305) 642
Suga, T., see Hayashi, H. (297) 110
Sugai, S., Yashiro, H. and Nitta, K.
Equilibrium and kinetics of the unfolding of α-lactalbumin by guanidine hydrochloride (328) 35
Sugawara, K., see Igarashi, K. (299) 325
Sugimoto, E., see Chiba, H. (327) 380
Sugimoto, K., see Yokobayashi, K. (293) 197
Sugimoto, T., see Yokobayashi, K. (293) 197
Sugimura, T., see Kawachi, T. (320) 59
Sugiura, M., Ito, A., Ogiso, T., Kato, K. and Asano, H.
Studies on dextranase. Purification of dextranase from Penicillium funiculosum and its enzymatic properties (309) 357
Sugiura, M., Ogiso, T., Takeuti, K., Tamura, S. and Ito, A.
Studies on trypsin inhibitors in sweet potato. I. Purification and some properties (328) 407
Suhadolnik, R.J., see Uematsu, T. (319) 348
Sukhorukov, B.I., see Antonovsky, V.L. (331) 9
Sulakhe, P.V. and Dhalla, N.S.
Adenylate cyclase of heart sarcotubular membranes (293) 379
Sulakhe, P.V., see Dhalla, N.S. (323) 276
Sulimovici, S., Bartoov, B. and Lunenfeld, B.
Localization of 3-β-hydroxysteroid dehydrogenase in the inner membrane subfraction of rat testis mitochondria (321) 27
Sullivan, C.W. and Volcani, B.E.
Role of silicon in diatom metabolism. II. Endogenous nucleoside triphosphate pools during silicic acid starvation of synchronized Cylindrotheca fusiformis (308) 205
Sullivan, C.W. and Volcani, B.E.
Role of silicon in diatom metabolism. III. The effects of silicic acid on DNA polymerase, TMP kinase and DNA synthesis in Cylindrotheca fusiformis (308) 212
Sullivan, Jr, J.D. and Ikawa, M.
Purification and characterisation of hexose oxidase from the red alga Chondrus crispus (309) 11
Sullivan, P.T., Kester, M.V. and Norton, S.J.
Factors affecting substrate cooperativity of rat liver tryptophan hydroxylase (293) 343
Sulzman, F.M. and Edmunds, Jr, L.N.
Characterization of circadian oscillations in alanine dehydrogenase activity in non-dividing populations of Euglena gracilis (Z) (320) 594
Sumi, H., Muramatu, M. and Fujii, S.
The relation of C1sa, a subunit of the activated first component of complement to other plasma enzymes (327) 207
Sumida, I., Ohta, Y., Imamura, T. and Yanase, T.
Hemoglobin Sawara: α6(A4) aspartic acid→alanine (322) 23
Summons, R., see Pereira, W.E. (313) 170
Sun, G.Y. and Samorajski, T.
Age differences in the acyl group composition of phosphoglycerides in myelin isolated from the brain of the rhesus monkey (316) 19
Sundaralingam, M., see Yathindra, N. (308) 17
Sundaram, P.V.
The kinetic properties of microencapsulated urease (321) 319
Sundler, R.
Biosynthesis of rat liver phosphatidyl-ethanolamines from intraportally injected ethanolamine (306) 218
Sundler, R., see Offenbartl, K. (306) 460
Sung, S.C., see Chiu, J.-F. (331) 54
Suovaniemi, O., see Hemminki, K. (298) 75
Suscillon, M., see Pouit, L. (317) 99
Susheela, L. and Ramasarma, T.
Modulation of succinate dehydrogenase in response to environmental stress conditions of hypobaria and hypoxia (321) 423
Susheela, L. and Ramasarma, T.
Nature of the activation of succinate dehydrogenase by various effectors and in hypobaria and hypoxia (292) 50
Sussman, J.L., Barzilay, I., Keren-Zur, M. and Lapidot, Y.
Correlation of the differences in conformation

between 2',5'- and 3',5'-dinucleoside monophosphates with their behaviour on a Sephadex LH-20 column (308) 189
Sussman, M., see Soll, D.R. (319) 312
Sussner, H., see Brunner, H. (310) 20
Susz, J., see Brunngraber, E.G. (304) 781
Suszkiw, J.B.
Quantitation of acetylcholinesterase and acetylcholine-binding sites in excitable membrane fragments from electric eel (318) 69
Sutherland, R.M., see Whitney, R.B. (298) 790
UDPglucose:flavonol 3-O-glucosyltransferase from cell suspension cultures of parsley (309) 289
Suwa, K., see Ushijima, Y. (320) 284
Suyama, Y., see Chiu, A.O.S. (299) 557
Suzuki, A., Goll, D.E., Stromer, M.H., Singh, I. and Temple, J.
α-Actinin from red and white porcine muscle (295) 188
Suzuki, A. and Goto, M.
Isolation of D-erythro-neopterin 2':3'-cyclic phosphate from Photobacterium phosphoreum (304) 222
Suzuki, H., see Maeda, H. (315) 18
Suzuki, K. and Ooba, J.-I.
Reversible inactivation of extracellular thiaminase I in Bacillus thiaminolyticus. I. Inactivation by the primary substrate and reactivation by the secondary substrate (293) 111
Suzuki, N., Carlson, J., Griffith, G. and Gholson, R.K.
Studies on the de novo biosynthesis of NAD in Escherichia coli. V. Properties of the quinolinic acid synthetase system (304) 309
Suzuki, S., Yamaguchi, J. and Tokushige, M.
Studies on aspartase. I. Purification and molecular properties of aspartase from Escherichia coli (321) 369
Suzuki, T., see Hayashi, A. (310) 309
Svobodová, O. and Štrbáňová-Nečinová, S.
Induction of L-asparaginase synthesis in Escherichia coli (321) 643
Swaminathan, N. and Eicholz, A.
Studies on the mechanism of active intestinal glucose transport (298) 724
Swanljung, P., Frigeri, L., Ohlson, K. and Ernster, L.
Studies on the activation of purified mitochondrial ATPase by phospholipids (305) 519
Swanson, P.D., see Harris, W.E. (298) 680
Swarbrick, J., see Belmonte, A.A. (323) 647
Swarbrick, J., see Munden, J.W. (291) 344
Sweat, M.L. and Young, R.B.
Low magnitudes transformation of estradiol to estrone in human endometrium (296) 189
Sweeney, G.D., see Rothwell, J.D. (304) 871
Sweeny, P.R., see Bartlett, M.W. (328) 213
Świerczyński, J., see Aleksandrowicz, Z. (305) 59
Swinton, D.C. and Hanawalt, P.C.
Absence of ultraviolet-stimulated repair replication in the nuclear and chloroplast genomes of Chlamydomonas reinhardti (294) 385
Syrota, T.V., see Panchenko, L.F. (299) 103
Szijan, I. and Burdman, J.A.
The relationship between DNA synthesis and the synthesis of nuclear proteins in rat brain. Effect of hydrocortisone acetate (299) 344
Sznajd, J. and Naskalski, J.W.
Ribonuclease from human granulocytes (302) 282

T

Tabak, A.J.H., see Tabak, H.F. (294) 184
Tabak, H.F., Borst, P. and Tabak, A.J.H.
Search for mitochondrial DNA sequences in chick nuclear DNA (294) 184
Tabata, S., see Okada, H. (304) 20
Taboch, M.F., see De Körösy, F. (291) 608
Taboury, J., see Bouges-Bocquet, B. (325) 247
Tada, H., see Miyahara, M. (325) 47
Tager, J.M., see Gimpel, J.A. (292) 582
Tager, J.M., see Hoek, J.B. (325) 197
Tager, J.M., see Reijngoud, D.J. (297) 174
Takagi, T., Okano, R. and Miyazawa, T.
Circular dichroism of a model compound of L-cystine residue: N,N'-diacetyl-L-cystine bismethylamide (310) 11
Takagi, Y., see Onishi, T. (312) 248
Takahashi, K., see Igarashi, K. (299) 331
Takahashi, S., Seifter, S. and Yang, F.C.
A new radioactive assay for enzymes with elastolytic activity using reduced tritiated elastin. The effect of sodium dodecylsulfate on elastolysis (327) 138
Takai, A., see Yagi, K. (321) 64
Takáts, A., see Faragó, A. (297) 517
Takayama, K., Schnoes, H.K. and Semmler, E.J.
Characterization of the alkali-stable mannophospholipids of Mycobacterium smegmatis (316) 212
Takeda, Y., see Matsuzaki, K. (308) 339
Takeda, Y., see Ono, M. (304) 495
Takeuchi, K., see Tatsumi, N. (305) 433
Takeuti, K., see Sugiura, M. (328) 407
Takeya, T. and Fujisawa, H.
The starting nucleotide sequences and size of RNA transcribed in vitro on bacteriophage T3 DNA (324) 110
Tal, I., see Jakob, K.M. (308) 296
Talalay, P., see Chou, T.-C. (321) 467
Tallman, J.F. and Brady, R.O.
The purification and properties of a mammalian neuraminidase (sialidase) (293) 434
Talwalkar, R.T and Lester, R.L.
The response of diphosphoinositide and triphosphoinositide to perturbations of the adenylate energy charge in cells of Saccharomyces cerevisiae (306) 412
Tamai, Y., Lands, W.E.M., Barve, J.A. and Gunstone, F.D.
Selective transfers of acetylenic acids to form lecithins (296) 563
Tamaoki, B., see Oh, R. (316) 395
Tamaura, Y., see Hirose, S. (305) 52
Tamura, M., Asakura, T. and Yonetani, T.
Heme modification studies of myoglobin. I. Purification and some optical and EPR characteristics of synthesized myoglobins containing unnatural hemes (295) 467
Tamura, M., Woodrow, III, G.V. and Yonetani, T.
Heme-modification studies of myoglobin. II. Ligand binding characteristics of ferric and ferrous myoglobins containing unnatural hemes (317) 34
Tamura, M. and Yonetani, T.
Reactions of ligands with heme-substituted horseradish ferroperoxidases (322) 211
Tamura, S., see Sugiura, M. (328) 407
Tamura, Y., Niinobe, M., Arima, T., Okuda, H. and Fujii, S.
Studies on aminopeptidases in rat liver and plasma (327) 437
Tan, B.Y.J., see Taylor, J.A.G. (323) 157
Tan, C.H., Blaisdell, S.J. and Hansen, H.J.
Mouse transcobalamin II metabolism: The effects of antibiotic on the clearance of vitamin B_{12} from the serum transcobalamin II–vitamin B_{12} complex and the reappearance of free serum transcobalamin II in the mouse (320) 469
Tan, T.G.H., see Blackwell, R.Q. (322) 27
Tan, W.C. and Privett, O.S.
Studies on prostaglandin synthesis in the vesicular glands of essential fatty acid deficient and hypophysectomized rats (296) 586
Tan, Y.L. and Beck, A.
Complex formation of uracil, 2'-deoxyuridine and their 5-halogenated derivatives (299) 500
Tanaka, K., see Komatsu, Y. (311) 496
Tanaka, K., see Uchiyama, T. (315) 412
Tanaka, K., see Watanabe, S. (319) 383
Tanaka, K.R., see Yawata, Y. (321) 72
Tanaka, M., see Unemoto, T. (327) 490

Tanaka, N., see Kawachi, T. (320) 59
Tanaka, R., Morita, H. and Teruya, A.
Isolation and properties of 5'-mononucleotidase from a membrane fraction of bovine cerebral cortex (298) 842
Tanaka, R. and Teruya, A.
Lipid dependence of activity–temperature relationship of (Na^+, K^+)-activated ATPase (323) 584
Tanaka, S., Otaka, T. and Kaji, A.
Further studies on the mechanism of erythromycin action (331) 128
Tandon, R., see Rodgers, J.B. (326) 345
Tani, Y., see Izumi, Y. (326) 485
Taniguchi, H., see Ishihara, K. (320) 628
Taniguchi, M., Hirayama, H. and Sakagami, T.
Exchange of molecular species of phosphatidylcholines and phosphatidylethanolamines between rat liver mitochondria and microsomes in vitro (296) 65
Taniguchi, T., see Libonati, M. (317) 160
Tanzer, M.L., Fairweather, R. and Gallop, P.M.
Isolation of the crosslink, hydroxymerodesmosine, from borohydride-reduced collagen (310) 130
Tao, K.-L.J. and Jagendorf, A.T.
The ratio of free to membrane-bound chloroplast ribosomes (324) 518
Tao, M., see Kumar, R. (315) 66
Tappel, A.L., see De Lumen, B.O. (293) 217
Tappel, A.L., see Reiss, U. (312) 608
Tarli, P., see Neri, P. (322) 88
Tarone, G., Prat, M. and Comoglio, P.M.
Affinity chromatography purification of erythrocyte membrane proteins after selective labelling with trinitrobenzene sodium sulfonate (311) 214
Tasaki, I., Carbone, E., Sisco, K. and Singer, I.
Spectral analyses of extrinsic fluorescence of the nerve membrane labeled with aminonaphthalene derivatives (323) 220
Tasaki, I., see Inoue, I. (307) 471
Tassin, J.-P., Celier, C. and Vandecasteele, J.-P.
Purification and properties of a membrane-bound alcohol dehydrogenase involved in oxidation of long chain hydrocarbons by Pseudomonas aeruginosa (315) 220
Tate, M.E., see Lim, P.E. (302) 316
Tatsumi, N., Shibata, N., Okamura, Y., Takeuchi, K. and Senda, N.
Actin and myosin A from leucocytes(305) 433
Taverna, R.D. and Langdon, R.G.
A new method for measuring glucose translocation through biological membranes and its application to human erythrocyte ghosts (298) 412
Taverna, R.D. and Langdon, R.G.
Glucose transport in white erythrocyte ghosts and membrane-derived vesicles (298) 422
Taverna, R.D. and Langdon, R.G.
Reversible association of cytochalasin B with the human erythrocyte membrane: Inhibition of glucose transport and the stoichiometry of cytochalasin binding (323) 207
Tawashi, R., see Desmars, J.F. (313) 256
Taylor, A., Hess, J.J. and Maffly, R.H.
The effects of propionate on sodium transport by the toad bladder: Evidence for a metabolic mode of action (298) 376
Taylor, C.P.S., see Mailer, C. (322) 195
Taylor, J.A.G., Mingins, J., Pethica, B.A., Tan, B.Y.J. and Jackson, C.M.
Phase changes and mosaic formation in single and mixed phospholipid monolayers at the oil–water interface (323) 157
Taylor, J.M. and Lembach, K.J.
Reversible inhibition of cell multiplication in vitro by inhibitors of arginine esteroproteases (329) 58
Tchervin, I.I., see Antonovsky, V.L. (331) 9
Tedro, S.M., see Meyer, T.E. (292) 634
Tegner, H., see Ohlsson, K. (317) 328
Tejwani, G.A., see Karadsheh, N.S. (327) 66
Telegdi, M. and Straub, F.B.
Study of correlation between structural motility and reactivity of SH groups in α-amylase (321) 210
Telfer, A., see Evans, M.C.W. (310) 344
Téllez de Iñón, M.T. and Torres, H.N.
Regulation of glycogen phosphorylase a phosphatase in Neurospora crassa (297) 399
Temple, J., see Suzuki, A. (295) 188
Tencati, J.R. and Rosenberg, R.N.
A radioisotopic, chromatographic microassay for acetyl coenzyme A synthetase and some preliminary studies on the rat brain enzyme (293) 542
Tencer, Y., see Assa, Y. (307) 83
Tener, G.M., see White, B.N. (312) 267
Terada, K., see Igarashi, K. (299) 331
Terho, T.T. and Hartiala, K.
Metabolic turnover of sulphated heteroglycans in the gastrointestinal tract, cartilage and skin of the rat (304) 591
Terland, O. and Flatmark, T.
NADH(NADPH):(acceptor) oxidoreductase

activities of the bovine adrenal chromaffin granules (305) 206
Terry, P.M. and Vidaver, G.A.
The effect of gramicidin on Na^+-dependent accumulation of glycine by pigeon red cells: A test of the cation gradient hypothesis (323) 441
Terry, T.M. and Zupnik, J.S.
Weak association of glucosamine-containing polymer with the Acholeplasma laidlawii membrane (291) 144
Teruya, A., see Tanaka, R. (298) 842
Teruya, A., see Tanaka, R. (323) 584
Tettemanti, G., Bonali, F., Marchesini, S. and Zambotti, V.
A new procedure for the extraction, purification and fractionation of brain gangliosides (296) 160
Tettamanti, G., Preti, A., Lombardo, A., Bonali, F. and Zambotti, V.
Parallelism of subcellular location of major particulate neuraminidase and gangliosides in rabbit brain cortex (306) 466
Thacker, J.
An approach to the mechanism of killing of cells in suspension by ultrasound (304) 240
Thakar, J.H., Wrogemann, K. and Blanchaer, M.C.
Effect of ruthenium red on oxidative phosphorylation and the calcium and magnesium content of skeletal muscle mitochondria of normal and BIO 14.6 dystrophic hamsters (314) 8
Thakurta, G.G., see Neogy, R.K. (299) 241
Thang, M.N., Buckingham, R. and Dondon, L.
Acylation of Escherichia coli $tRNA^{Trp}$ with 5-methyltryptophan by E. coli tryptophanyl-tRNA ligase (312) 685
Thauer, R.K., see Jungermann, K. (305) 268
Thibault, P., see Michel, J.P. (305) 390
Thielmann, H.W., see Matthews, K.S. (295) 159
Thiery, J.-P., see Ehrlich, S.D. (312) 633
Thomas, Jr, C.A., see Wilson, D.A. (331) 333
Thomas, D., see Naparstek, A. (323) 643
Thomas, Jr, G.J. and Hartman, K.A.
Raman studies of nucleic acids. IX. Estimation of RNA secondary structure from Raman scattering by phosphate group vibrations (312) 311
Thomas, Jr, G.J., Chen, M.C. and Hartman, K.A.
Raman studies of nucleic acids. X. Conformational structures of E. coli transfer RNAs in aqueous solution (324) 37
Thomas, J.A. and Larner, J.
Purification and properties of glycogen synthase I from bovine heart: Two kinetic forms (293) 62
Thomas, J.A., Schlender, K.K. and Larner, J.
Specificity of activation of glycogen synthase I from skeletal muscle and heart (293) 84
Thomas, J.B., see Leppink, G.J. (305) 610
Thomas, L.
Isolation of N-ethylmaleimide-labelled phlorizin-sensitive D-glucose binding protein of brush border membrane from rat kidney cortex (291) 454
Thomas, R.O., see Albro, P.W. (306) 380
Thomas, T.E. and Ellar, D.J.
Properties of plasma and mesosomal membranes isolated from Micrococcus lysodeikticus: Rates of synthesis and characterisation of lipids (316) 180
Thomas, T.H., see Epton, R. (328) 418
Thomé, H., see Alpert, Y. (322) 34
Thomou, H., see Stathakos, D. (302) 80
Thompson, E.B., see Miller, Jr, J.V. (294) 507
Thompson, E.D., Knights, B.A. and Parks, L.W.
Identification and properties of a sterol-binding polysaccharide isolated from Saccharomyces cerevisiae (304) 132
Thompson, L.R. and McCarthy, B.J.
The effects of cytoplasmic extracts on DNA synthesis in vitro (331) 202
Thompson, T.E., see Redwood, W.R. (318) 10
Thompson, T.E., see White, S.H. (323) 7
Thompson, W., see Parkes, J.G. (306) 403
Thompson, W.J., Williams, R.H. and Little, S.A.
Activation of guanyl cyclase and adenyl cyclase by secretin (302) 329
Thomsen, J., see Christensen, J.M. (303) 319
Thomson, A.R., see Foster, R.L. (321) 409
Thornburg, W. and Siegel, A.
Rapidly renatured DNAs of some higher plants (312) 211
Tien, H.T., see Weller, Jr, H.G. (325) 433
Tiesjema, R.H., Muijsers, A.O. and van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. X. Spectral and potentiometric properties of the hemes and coppers (305) 19
Tietz, A., see Peled, Y. (296) 499
Tietz, A., see Peleg, E. (306) 368
Tietz, A., see Stern, N. (296) 130
Tietz, A., see Stern, N. (296) 136
Tietz, A., see Weintraub, H. (306) 31

Tijssen, F.C., see Nanninga, N. (298) 184
Tillack, T.W. and Kinsky, S.C.
A freeze-etch study of the effects of filipin on liposomes and human erythrocyte membranes (323) 43
Timofeev, V.P., see Polyanovsky, O.L. (327) 57
Timpl, R., see Stoltz, M. (310) 461
Tinberg, H.M., see Melnick, R.L. (311) 230
Ting, I.P., see Peak, M.J. (293) 312
Ting-Beall, H.P., Clark, D.A., Suelter, C.H. and Wells, W.W.
Studies on the interaction of chick brain microsomal ($Na^+ + K^+$)-ATPase with copper (291) 229
Tinker, D.O., see Pinteric, L. (298) 630
Tinoco, J., see Ghosh, D. (291) 351
Tischler, M.E. and Fisher, R.R.
Oxidation of reduced nicotinamide hypoxanthine dinucleotide by intact rat liver mitochondria (292) 39
Tischler, M.E. and Fisher, R.R.
Oxidation of reduced nicotinamide hypoxanthine dinucleotide phosphate by intact rat liver mitochondria (305) 199
Tjötta, E., see Edminson, P.D. (320) 33
Tobey, R.A., see Hildebrand, C.E. (331) 165
Tobey, R.A., see Walters, R.A. (319) 336
Todd, J.M. and Samli, M.H.
The incorporation of [^{3}H]glucosamine, [^{3}H]fucose and [^{14}C]mannose into protein in the rat anterior pituitary incubated in vitro (297) 11
Tokumitsu, Y. and Ui, M.
The incorporation of $^{32}P_i$ into intra-mitochondrial ADP fraction dependent on the substrate-level phosphorylation (292) 310
Tokumitsu, Y. and Ui, M.
The phosphorylation of intramitochondrial AMP: A suggestion for the compartmentation of the endogenous P_i pool (292) 325
Tokushige, M., see Suzuki, S. (321) 369
Tokuyama, H.
Isolation and characterization of pokeweed mitogen-like phytomitogens from shoriku, Phytolacca esculenta (317) 338
Tolbert, B.M., see Marciani, D.J. (302) 376
Tom, K., see Rucker, R.B. (317) 193
Tominaga, H., see Endo, Y. (299) 114
Tomio, J.M., see Garcia, R.C. (309) 203
Tomlinson, J.D. and Turner, J.F.
Pyruvate kinase of higher plants (329) 128
Tondeur, T., see Bauduin, H. (304) 81
Tondre, C. and Hammes, G.G.
A kinetic study of the binding of an ADP fluorescent analog to mitochondrial ATPase (314) 245
Tonelli, A.E., see Berg, R.A. (328) 553
Tonk, W.J.M., see Vredenberg, W.J. (298) 354
Tonk, W.J.M., see Vredenberg, W.J. (314) 261
Tonomura, K., see Furukawa, K. (325) 413
Tornabene, T.G.
Lipid compositions of selected strains of Yersinia pestis and Yersinia pseudotuberculosis (306) 173
Torres, H.N., see Téllez de Iñón, M.T. (297) 399
Torresani, J., Chabaud, O., Ronin, C., Bouchilloux, S. and Lissitzky, S.
Immunochemical characterization of thyroglobulin-related components synthesized in cell-free systems (322) 421
Torresani, J., see Roques, M. (322) 437
Torsvik, H., see McConathy, W.J (326) 406
Torti, G., Mapelli, S. and Soave, C.
Acid ribonuclease from wheat germ: Purification, properties and specificity (324) 254
Tosa, T., see Mori, T. (321) 653
Tougard, P.
Crystal and molecular structure of 1-β-D-arabinofuranosyl-5-bromouracil: An unusual sugar conformation (319) 116
Tougard, P., Chantot, J.F. and Guschlbauer, W.
Nucleoside conformations. X. An X-ray fiber diffraction study of the gels of guanine nucleosides (308) 9
Tourian, A.
Phenylalanine hydroxylase activity in foetal hepatic organ culture (309) 44
Tourian, A., see Treiman, D.M. (313) 163
Tour, R.
Study of weak-affinity calcium binding to the inner and outer mitochondrial membrane and smooth and rough endoplasmic reticulum of rat liver (307) 607
Towers, N.R., Kellerman, G.M., Raison, J.K. and Linnane, A.W.
The biogenesis of mitochondria 29. Effects of temperature-induced phase changes in membranes on protein synthesis by mitochondria (299) 153
Townsend, L.B., see Panzica, R.P. (331) 147
Trabuchet, G., see Verdier, G. (312) 528
Trampé, P.O., see Flavell, R.A. (308) 102
Traniello, S., see Cervone, F. (295) 555
Trapani, M., see Giudice, G. (319) 72

Träuble, H. and Overath, P.
The structure of Escherichia coli membranes studied by fluorescence measurements of lipid phase transitions (307) 491
Traugott, C. and Massaro, E.J.
The molecular basis of the heterogeneity of the MM isozyme of rabbit muscle creatine phosphokinase (295) 549
Trautwein, A., see Maeda, Y. (303) 230
Travis, J., see Gates, B.J. (310) 137
Travis, J., see Oh, S.-K. (310) 421
Trebst, A. and Reimer, S.
Properties of photoreductions by Photosystem II in isolated chloroplasts. An energy-conserving step in the photoreduction of benzoquinones by Photosystem II in the presence of dibromothymoquinone (305) 129
Trebst, A. and Reimer, S.
Properties of photoreductions by Photosystem II in isolated chloroplasts. III. The effect of uncouplers on phenylenediamine shuttles across the membrane in the presence of dibromothymoquinone (325) 546
Trebst, A., see Hauska, G. (305) 632
Tredgold, R.H.
Hydration energy and ion transport through membranes (323) 143
Tredgold, R.H. and Sproule, R.C.
Dielectric hysteresis in proteins (317) 569
Treiman, D.M. and Tourian, A.
Phenylalanine hydroxylase in dilute lethal mice (313) 163
Trelstad, R.L., see Igarashi, S. (295) 514
Treptow, R.S., see Stauffer, C.E. (295) 457
Trewhella, M.A. and Collins, F.D.
A comparison of the relative turnover of individual molecular species of phospholipids in normal rats and in rats deficient in essential fatty acids (296) 34
Trewhella, M.A. and Collins, F.D.
Pathways of phosphatidylcholine biosynthesis in rat liver (296) 51
Trewyn, R.W., Nakamura, K.D., O'Conner, M.L. and Parks, L.W.
An interaction between S-adenosyl-L-methionine and pyridoxal 5'-phosphate, and its effect on Saccharomyces cerevisiae (327) 336
Trewyn, R.W., see Nakamura, K.D. (327) 328
Triantaphyllopoulos, D.C. and Chandra, S.
Digestion of fibrin by thrombin (328) 229
Trieschnigg, A.C.M., see Sixma, J.J. (298) 460
Trissl, H.-W., see Pohl, G.W. (318) 478
Troitsky, G.V., Zav'Yalov, P. and Kiryukhin, I.F.
Temperature dependence of protein conformation using IgG fractions with different isoelectric points and myeloma IgG (322) 53
Tronson, D.A., Ritchie, G.A.F. and Nicholas, D.J.D.
Purification of c-type cytochromes from Nitrosomonas europaea (310) 331
Trucco, R.E., see Bloj, B. (311) 67
Trucco, R.E., see Goldemberg, A.L. (291) 489
Trudell, J.R., Hubbell, W.L. and Cohen, E.N.
The effect of two inhalation anesthetics on the order of spin-labeled phospholipid vesicles (291) 321
Trudell, J.R., Hubbell, W.L. and Cohen, E.N.
Pressure reversal of inhalation anesthetic-induced disorder in spin-labeled phospholipid vesicles (291) 328
Trudinger, P.A. and Chambers, L.A.
Reactions of P582 from Desulfotomaculum nigrificans with substrates, reducing agents and carbon monoxide (293) 26
Trueheart, P.A., Herrera, M.G. and Jungas, R.L.
Similar and opposite effects of dibutyryl cyclic AMP and insulin on glucose metabolism in adipose tissue (313) 309
Trujillo, J.L. and Gan, J.C.
Glycoprotein biosynthesis. VI. Regulation of uridine diphosphate N-acetyl-D-glucosamine metabolism in bovine thyroid gland slices (304) 32
Tsai, S., see Naso, R.B. (324) 346
Tsang, C.P., Boyle, A.J.F. and Morgan, E.H.
Mössbauer spectroscopy of iron in human and rabbit transferrin (328) 84
Tsang, D. and Johnstone, R.M.
Transport of anions in stored bovine adrenal cortical mitochondria (318) 217
Tsay, H.M., see Delovitch, T.L. (299) 621
Tschudy, D.P., see Bonkowsky, J. (320) 561
Tsernoglou, D., see Wade, M. (322) 124
Tsiganos, C.P., see Brandt, K.D. (320) 453
Tso, M.-Y.W. and Burris, R.H.
The binding of ATP and ADP by nitrogenase components from Clostridium pasteurianum (309) 263
Tsuiki, S., see Abe, N. (327) 345
Tsuiki, S., see Kikuchi, K. (327) 193
Tsushima, K., see Naito, Y. (327) 398
Tsuzuki, H., see Morihara, K. (309) 414
Tuchendler, J., see Alpert, Y. (322) 34
Tucker, A.L., see Exton, J.H. (329) 23

Tucker, A.L., see Exton, J.H. (329) 41
Tucker, J., see Grebner, E.E. (321) 228
Tuke, M., see Kempson, G.E. (297) 456
Turková, J., Hubálková, O., Křiváková, M. and Čoupek, J.
Affinity chromatography on hydroxyalkyl methacrylate gels. I. Preparation of immobilized chymotrypsin and its use in the isolation of proteolytic inhibitors (322) 1
Turner, G.L., see Bergersen, F.J. (292) 271
Turner, J.F., see Tomlinson, J.D. (329) 128
Turner, L.V. and Manchester, K.L.
Effects of denervation hypertrophy in rat diaphragm muscle on the activity of ribosomes and sap fractions in protein synthesis (299) 612
Turner, L.V. and Manchester, K.L.
Influence of denervation on the free amino acids of the rat diaphragm (320) 352
Twardowski, T. and Legocki, A.B.
Purification and some properties of elongation factor 2 from wheat germ (324) 171
Tyankova, L., see Heber, U. (291) 23
Tyuma, I., Kamigawara, Y. and Imai, K.
pH dependence of the shape of the hemoglobin–oxygen equilibrium curve (310) 317
Tyuma, I., see Imai, K. (293) 290
Tzagoloff, A., Rubin, M.S. and Sierra, M.F.
Biosynthesis of mitochondrial enzymes (301) 71

U

Uchida, K., see Hiratsuka, T. (320) 635
Uchiyama, T., Niwa, S. and Tanaka, K.
Purification and properties of Arthrobacter ureafaciens inulase II (315) 412
Udvardy, A. and Venetianer, P.
Fractionation of denatured bacterial DNA on methylated albumin kieselguhr columns. Is it strand separation? (308) 234
Ueda, I., see Yamaguchi, K. (297) 48
Ueda, T., see Inoue, I. (298) 653
Ueda, T., Inoue, I. and Kobatake, Y.
Studies of excitable membrane formed on the surface of protoplasmic drops isolated from Nitella. II. Tension at the surface of protoplasmic drops (318) 326
Uematsu, T. and Suhadolnik, R.J.
Pseudouridine: Biosynthesis in tRNA by Streptoverticillicum ladakanus (319) 348
Ugolev, A.M. and De Laey, P.
Membrane digestion. A concept of enzymic hydrolysis on cell membranes (300) 105
Ui, M., see Tokumitsu, Y. (292) 310
Ui, M., see Tokumitsu, Y. (292) 325
Ulitzur, S.
The amphiphatic nature of Prymnesium parvum hemolysin (298) 673
Ullman, J.S. and McCarthy, B.J.
Alkali deamination of cytosine residues in DNA (294) 396
Ullman, J.S. and McCarthy, B.J.
The relationship between mismatched base pairs and the thermal stability of DNA duplexes. I. Effects of depurination and chain scission (294) 405
Ullman, J.S. and McCarthy, B.J.
The relationship between mismatched base pairs and thermal stability of DNA duplexes. II. Effects of deamination of cytosine (294) 416
Ulrich, F., see Pecci, J. (311) 251
Umezawa, H., see Kunimoto, T. (298) 513
Umezawa, H., see Kunimoto, T. (318) 78
Umezawa, H., see Ogawara, H. (327) 481
Underwood, B.A., see Gorab, M.E. (306) 58
Unemoto, T., see Hayashi, M. (315) 83
Unemoto, T., Tanaka, M. and Hayashi, M.
Effect of free magnesium and salts on the inorganic pyrophosphatase purified from a slightly halophilic Vibrio alginolyticus (327) 490
Unrau, P., Wheatcroft, R., Cox, B. and Olive, T.
The formation of pyrimidine dimers in the DNA of fungi and bacteria (312) 626
Unzeta, M., see Subirana, J.A. (317) 364
Urabe, I., Nanjo, H. and Okada, H.
Effect of acetylation of Bacillus subtilis α-amylase on the kinetics of heat inactivation (302) 73
Urasiński, I., see Bobrzecka, K. (295) 564
Urbano, P., see Chiarugi, V.P. (298) 195
Urm, E., Leisinger, Th. and Vogel, H.J.
Magnesium sensitivity of L-aspartate: 2 oxogluturate aminotransferase (302) 249
Urry, D.W., see Cox, B.C. (317) 209
Urry, D.W., Cunningham, W.D. and Ohnishi, T.
A neutral polypeptide–calcium ion complex (292) 853
Urry, D.W., see Goodall, M.C. (291) 317
Urry, D.W., see Starcher, B.C. (310) 481
Urushizaki, I., Ishitani, K. and Niitsu, Y.
Microheterogeneity of rat liver ferritin: Comparison of electrofocusing and chromatographic fractions (328) 95
Usami, S., see Nakajima, Y. (293) 242
Usategui-Gomez, see Burd, J.F. (310) 238
Ushijima, Y., Suwa, K. and Nakano, M.
Degradation of thyroxine by the microsomal particles from rat liver. II. Purification of Fe^{2+}-dependent particles and some of their properties (320) 284
Uy, R., see Berliner, L.J. (315) 195
Uyeda, M., see Sogami, M. (310) 487

V

Vadasz, J., see Singh, H. (312) 276
Vaerman, J.-P., see Kobayashi, K. (303) 105
Vaerman, J.-P., see Kobayashi, K. (317) 517
Vaes, G., see Lieberherr, M. (293) 160
Vaes, G., see Vreven, J. (293) 170
Vagelos, P.R., see D'Agnolo, G. (326) 155
Vagelos, P.R., see Volpe, J.J. (326) 293
Vaheri, A., see Ruoslahti, E. (322) 352
Vainio, H.
Action of chaotropic agents on drug metabolizing enzymes in hepatic microsomes (307) 152
Vale, M.G.P. and Carvalho, A.P.
Effects of ruthenium red on Ca^{2+} uptake and ATPase of sarcoplasmic reticulum of rabbit skeletal muscle (325) 29
Valentine, R.C., see Ozaki, M. (304) 707
Valentine, R.C., see Yamamoto, T.H. (314) 267
Valk, E., see Barenholz, Y. (306) 341
Vallejos, R.H.
Uncoupling of photosynthetic phosphorylation by benzophenanthridine alkaloids (292) 193
Vallette, G., see Savu, L. (328) 533
Vallotton, M.B., see Favre, L. (302) 102
Vallotton, M.B., see Favre, L. (327) 471
Van, N.T. and Ansevin, A.T.
Ion-induced splitting in thermal denaturation profiles of F_1 nucleohistone (299) 367
Van Alphen-van Waveren, O., see Wessels, J.S.C. (292) 741
Vanatta, J.C., see Frazier, L.W. (311) 98
Van Berkel, Th.J.C. and Koster, J.F.
M-Type pyruvate kinase of leucocytes: An allosteric enzyme (293) 134
Van Berkel, Th.J.C., Koster, J.F. and Hülsmann, W.C.
Two interconvertible forms of L-type pyruvate kinase from rat liver (293) 118
Van Berkel, Th.J.C., Koster, J.F. and Hülsmann, W.C.
Some kinetic properties of the allosteric M-type pyruvate kinase from rat liver: Influence of pH and the nature of amino acid inhibition (321) 171
Van Berkel, Th.J.C., Koster, J.F. and Staal, G.E.J.
On the molecular basis of pyruvate kinase deficiency. I. Primary defect or consequence of increased glutathione disulfide (321) 496
Van Blitterswijk, W.J., Emmelot, P. and Feltkamp, C.A.
Studies on plasma membranes. XIX. Isolation and characterization of a plasma membrane fraction from calf thymocytes (298) 577
Van Bruggen, E.F.J., see Arnberg, A.C. (308) 276
Van Buuren, K.J.H., see Wever, R. (325) 1
Van Dam, K., see Bakker, E.P. (292) 78
Van Dam, K., see Bakker-Grunwald, T.B. (292) 808
Van Dam, K., see Fiolet, J.W.T. (325) 230
Van Dam, K., see Nieuwenhuis, F.J.R.M. (325) 62
Van Dam, K., see Postma, P.W. (298) 341
Van Dam, K., see Postma, P.W. (318) 91
Van Dam, K., see De Ridder, J.J.M. (291) 557
Van Dam, K., see De Ridder, J.J.M. (325) 397
Van Dam, K., see Van de Stadt, R.J. (292) 338
Vandecasteele, J.-P., see Tassin, J.-P. (315) 220
Van Deenen, L.L.M., see Colley, C.M. (307) 74
Van Deenen, L.L.M., see Demel, R.A. (311) 507
Van Deenen, L.L.M., see Harvey, M.S. (323) 234
Van Deenen, L.L.M., see De Jong, J.G.N. (296) 105
Van Deenen, L.L.M., see Kamp, H.H. (318) 313
Van Deenen, L.L.M., see De Kruyff, B. (298) 479
Van Deenen, L.L.M., see De Kruyff, B. (307) 1
Van Deenen, L.L.M., see De Kruyff, B. (330) 269
Van Deenen, L.L.M., see London, Y. (311) 520
Van Deenen, L.L.M., see Van den Bosch, H. (296) 94
Van Deenen, L.L.M., see Verkleij, A.J. (291) 577
Van Deenen, L.L.M., see Verkleij, A.J. (323) 178
Van Deenen, L.L.M., see Ververgaert, P.H.J.Th. (311) 320
Van de Laar, G.L.M., see De Grip, W.J. (325) 315
Van den Bergh, S.G., see Batenburg, J.J. (316) 136
Van den Bergh, S.G., see Metz, S.H.M. (306) 42

Van den Bos, R.C. and Planta, R.J.
Structural comparison of 37-S and 32-S ribosomal precursor RNA in yeast with the mature ribosomal RNA components (294) 464
Van den Bosch, H., Aarsman, A.J., de Jong, J.G.N. and van Deenen, L.L.M.
Studies on lysophospholipases. I. Purification and some properties of a lysophospholipase from beef pancreas (296) 94
Van den Bosch, H., see De Jong, J.G.N. (296) 105
Van den Broek, W.G.M., Leget, J.N. and Bloemendal, H.
FM-crystallin: A neglected component among lens proteins (310) 278
Van den Eijnden, D.H., see Van Dijk, W. (315) 162
Van den Heuvel, E.J., see Bakker, E.P. (292) 78
Vanderhoek, J.Y. and Lands, W.E.M.
Acetylenic inhibitors of sheep vesicular gland dioxygenase (296) 374
Vanderhoek, J.Y. and Lands, W.E.M.
The inhibition of the fatty acid oxygenase of sheep vesicular gland by antioxidants (296) 382
Vanderkooi, G., see Jost, P. (311) 141
Vanderkooi, G., see Maniloff, J. (298) 180
Vandermeers, A., see Christophe, J. (308) 285
Vandermeers-Piret, M.C., see Christophe, J. (308) 285
Van der Molen, H.J., see Van der Vusse, G.J. (297) 179
Van der Neut-Kok, E.C.M., see McElhaney, R.N. (298) 500
Van der Velde, H.H.
The natural occurrence in red algae of two phycoerythrins with different molecular weights and spectral properties (303) 246
Van der Vusse, G.J., Kalkman, M.L. and van der Molen, H.J.
Endogenous production of steroids by subcellular fractions from total rat testis and from isolated interstitial tissue and seminiferous tubules (297) 179
Van der Zeijst, B.A.M., Engel, K.J.M. and Bloemers, H.P.J.
In vitro protein synthesis in yeast. Poly-uridylic acid-dependent incorporation of phenylalanine into endogenous peptidyl-tRNA (294) 517
Van de Stadt, R.J., de Boer, B.L. and van Dam, K.
Interaction between the mitochondrial ATPase (F_1) and the ATPase inhibitor (292) 338
Van de Stadt, R.J., see Harris, D.A. (314) 149
Van de Vorst, A. et Lion, Y.
Radicaux libres caractéristiques de la thymidine-5′-monophosphate photo-sensibilisée par la proflavine (294) 349
Van Dijck, P.W.M., see De Kruyff, B. (330) 269
Van Dijk, W., Ferwerda, W. and van den Eijnden, D.H.
Subcellular and regional distribution of CMP-N-acetylneuraminic acid synthetase in the calf kidney (315) 162
Van Doorn, E.J. and Clark, A.F.
In vitro studies on the inhibition of pig liver steroid Δ^4-5β-reductase activity by naturally occurring and synthetic estrogens (309) 254
Van Dorp, B., Ceulen, M.Th.E., Heijneker, H.L. and Pouwels, P.H.
Properties of an ATP-dependent deoxy-ribonuclease from Micrococcus luteus. Evidence for a stable DNA–enzyme complex (299) 65
Van Driel, R., see Siezen, R.J. (295) 131
Van Eupen, O., see Helmsing, P.J. (308) 154
Van Eyk, R.V.W., see De Kruyff, B. (298) 479
Van Gelder, B.F., see DerVartanian, D.V. (292) 496
Van Gelder, B.F., see Kauffman, H.F. (305) 260
Van Gelder, B.F., see Kauffman, H.F. (314) 276
Van Gelder, B.F., see Van Leeuwen, F.X.R. (315) 200
Van Gelder, B.F., see Tiesjema, R.H. (305) 19
Van Gelder, B.F., see Veldsema, A. (293) 322
Van Gelder, B.F., see Wever, R. (302) 236
Van Gelder, B.F., see Wever, R. (325) 1
Van Gelder, B.F., see Wever, R. (325) 8
Van Golde, L.M.G., Prins, R.A., Franklin-Klein, W. and Akkermans-Kruyswijk, J.
Phosphatidylserine and its plasmalogen analogue as major lipid constituents in Megasphaera elsdenii (326) 314
Van Heyningen, S.
Effect of potassium ions and pH on protein-dodecyl-sulphate complexes (328) 303
Van Kamp, G.J., Schats, L.H.M. and Hoenders, H.J.
Characteristics of α-crystallin related to fiber cell development in calf eye lenses (295) 166

Van Kamp, G.J., Smeets, G.W.M. and Hoenders, H.J.
Immunological specificity of the basic polypeptides of bovine α-crystallin (303) 194
Van Leeuwen, F.X.R., Wever, R. and van Gelder, B.F.
EPR study of nitric oxide-treated reduced ceruloplasmin (315) 200
Van Leeuwen, F.X.R., see Wever, R. (302) 236
Vänngärd, T., see Deinum, J. (310) 321
Van Os, C.H. and Slegers, J.F.G.
Path of osmotic water flow through rabbit gall bladder epithelium (291) 197
Van Prooijen-van Eeden, A., see De Pont, J.J.H.H.M. (323) 487
Van Roost, E., see Bhushano Rao, K.S.P. (317) 286
Van Sande, J. and Dumont, J.E.
Effects of thyrotropin, prostaglandin E1 and iodide on cyclic 3′,5′-AMP concentration in dog thyroid slices (313) 320
Van Sande, J., see Bauduin, H. (304) 81
Van Snick, J.L., Masson, P.L. and Heremans, J.F.
The involvement of bicarbonate in the binding of iron by transferrin (322) 231
Van Thiem, N., see Lacombe, G. (293) 150
Van Thienen, G. and Postma, P.W.
Coupling between energy conservation and active transport of serine in Escherichia coli (323) 429
Van Thoai, N., see Lacombe, G. (293) 150
Van 't Riet, J., see Knook, D.L. (292) 237
Van Uden, N., see Vidal-Leiria, M. (293) 295
Van Venrooij, W.J., Kuyper-Lenstra, A.H. and Kramer, M.F.
Interrelationship between amino acid pools and protein synthesis in the rat submandibular gland (312) 392
Van Wauwe, J.P., Loontiens, F.G. and de Bruyne, C.K.
The interaction of Ricinus communis hemagglutinin with polysaccharides and low molecular weight carbohydrates (313) 99
Van Well, P., see Borst-Pauwels, G.W.F.H. (291) 274
Vanyushin, B.F., Mazin, A.L., Vasilyev, V.K. and Belozersky, A.N.
The content of 5-methylcytosine in animal DNA: The species and tissue specificity (299) 397
Vapnek, D., see Godson, G.N. (299) 516
Varandani, P.T.
Insulin degradation. IV. Sequential degradation of insulin by rat kidney, heart and skeletal muscle homogenates (295) 630
Varandani, P.T.
Insulin degradation. V. Unmasking of glutatione–insulin transhydrogenase in rat liver microsomal membrane (304) 642
Varandani, P.T.
Insulin degradation. VII. Sequential degradation of insulin by rat liver homogenates at physiologic concentrations of insulin and in the absence of exogenous glutathione (320) 249
Varandani, P.T., see Chandler, M.L. (320) 258
Vargas, L., see Atassi, M.Z. (303) 379
Vasilyev, V.K., see Vanyushin, B.F. (299) 397
Vassar, P.S., Hards, J.M. and Seaman, G.V.F.
Surface properties of human lymphocytes (291) 107
Vassart, G., Brocas, H., Nokin, P. and Dumont, J.E.
Translation in Xenopus oocytes of thyroglobulin mRNA isolated by poly(U)–Sepharose affinity chromatography (324) 575
Vater, J.
The action of indophenols and nitrophenols on the deactivation reactions in the water-splitting system of photosynthesis (292) 786
Vater, J.
On the nature of the deactivator of the water-splitting system in photosynthesis (325) 149
Vaughan, M., see Mason, R.J. (304) 864
Vaughan, W.M., Henry, J.I. and Commoner, B.
Radiosensitivity and the ascorbic acid electron spin resonance doublet (329) 159
Vazquez, D., see Carrasco, L. (312) 368
Vazquez, D., see Carrasco, L. (319) 209
Vedel, M., see Picard, J. (320) 427
Veerkamp, J.H., see Roelfzema, H. (306) 329
Veerkamp, J.H., see Wessels, J.M.C. (291) 165
Veerkamp, J.H., see Wessels, J.M.C. (291) 178
Veerkamp, J.H., see Wessels, J.M.C. (291) 190
Veitch, F.P., see Gold, E.W. (327) 166
Veldink, G.A., see Finazzi-Agrò, A. (326) 462
Veldsema, A. and van Gelder, B.F.
The ratio of type-1 and -2Cu(II) in human ceruloplasmin (293) 322
Velours, J., see Baraud, J. (296) 481
Velthuys, B.R. and Amesz, J.
The effect of dithionite on fluorescence and luminescence of chloroplasts (325) 126
Velthuys, B.R., see Amesz, J. (325) 472
Venetianer, P., see Udvardy, A. (308) 234

Venkateswaren, P.S., Lugtenberg, E.J.J. and Wu, H.C.
Inhibition of phosphoenolpyruvate: uridine diphosphate N-acetylglucosamine enol-pyruvyltransferase by uridine diphosphate N-acetylmuramyl peptides (293) 570
Venkstern, T.V., see Shershneva, L.P. (294) 250
Vennesland, B., see Solomonson, L.P. (309) 32
Vera, C., see Polgar, P. (297) 378
Verdier, G., Trabuchet, G., Heizmann, P. et Nigon, V.
Effet de l'éclairement sur les synthèses de RNA et de séquences polyadényliques dans des cultures d'Euglena gracilis étiolées (312) 528
Verdouw, H. and Bertina, R.M.
Affinities of ATP for the dinitrophenol-induced ATPase (325) 385
Verdouw-Chamalaun, C.G.M., see De Ridder, J.J.M. (325) 397
Verhoef, N.J., Kremers, J.H.W. and Leijnse, B.
The effect of heterologous transferrin on iron uptake and haem synthesis by bone marrow cells (304) 114
Verhoeven, J.J., see Ververgaert, P.H.J.Th. (311) 651
Verhoeven, J.W., see Boers, W. (328) 1
Verhotte, C., see Briantais, J.M. (325) 530
Verjus, M.-A., see Israel, A. (318) 155
Verkleij, A.J., de Kruijff, B., Gerritsen, W.F., Demel, R., van Deenen, L.L.M. and Ververgaert, P.H.J.
Freeze-etch electron microscopy of erythrocytes, Acholeplasma laidlawii cells and liposomal membranes after the action of filipin and amphotericin B (291) 577
Verkleij, A.J., Zwaal, R.F.A., Roelofsen, B., Comfurius, P., Kastelijn, D. and van Deenen, L.L.M.
The asymmetric distribution of phospholipids in the human red cell membrane.
A combined study using phospholipases and freeze–etch electron microscopy (323) 178
Verkleij, A.J., see Ververgaert, P.H.J.Th. (311) 320
Verkleij, A.J., see Ververgaert, P.H.J.Th. (311) 651
Verma, S.P. and Wallach, D.F.H.
Effects of cholesterol on the infrared dichroism of phosphatide multibilayers (330) 122
Verma, U. and Laumas, K.R.
In vitro binding of progesterone to receptors in human endometrium and myometrium (317) 403
Vermeglio, A. and Mathis, P.
Photooxidation of cytochrome b_{559} and the electron donors in chloroplast Photosystem II (292) 763
Vermeglio, A. and Mathis, P.
Photoreduction of C-550 and oxidation of cytochrome b_{559} in chloroplasts:
Dependence on the state of Photosystem II (314) 57
Vernon, L.P., see Ke, B. (292) 226
Ververgaert, P.H.J.Th., Verkleij, A.J., Elbers, P.F. and van Deenen, L.L.M.
Analysis of the crystallization process in lecithin liposomes: A freeze–etch study (311) 320
Ververgaert, P.H.J.Th., Verkleij, A.J., Verhoeven, J.J. and Elbers, P.F.
Spray-freezing of liposomes (311) 651
Ververgaert, P.H.J., see Verkleij, A.J. (291) 577
Vessey, D.A., Goldenberg, J. and Zakim, D.
Kinetic properties of microsomal UDP-glucuronyltransferase. Evidence for cooperative kinetics and activation by UDP-N-acetylglucosamine (309) 58
Vessey, D.A., Goldenberg, J. and Zakim, D.
Differentiation of homologous forms of hepatic microsomal UDPglucuronyltransferase. II. Characterization of the bilirubin conjugating form (309) 75
Vessey, D.A. and Zakim, D.
The identification of a unique p-nitrophenol conjugating enzyme in guinea pig liver microsomes (315) 43
Vessey, D.A., see Zakim, D. (297) 497
Vessey, D.A., see Zakim, D. (309) 67
Vestermark, A., see Sjödin, B. (297) 165
Vezina, C., see Marcel, Y.L. (306) 497
Vidal-Leiria, M. and van Uden, N.
Inositol dehydrogenase from the yeast Cryptococcus melibiosum (293) 295
Vidaver, G.A., see Lee, J.W. (298) 446
Vidaver, G.A., see Terry, P.M. (323) 441
Vidnes, A. and Helgeland, L.
Sex and age differences in the hemosiderin content of rat liver (328) 365
Vidrine, J.G., see Harewood, K.R. (308) 252
Vignais, P.M. and Vignais, P.V.
Fuscin, an inhibitor of mitochondrial thiol-dependent transport-linked functions (325) 357
Vignais, P.M., see Meyer, J. (325) 375
Vignais, P.V., see Lauquin, G. (305) 534

Vignais, P.V., see Vignais, P.M. (325) 357
Vigne, C., see Marti, J. (303) 348
Vihko, R., see Kontula, K. (328) 145
Vilček, J., see Ng, M.H. (294) 284
Vilkas, E., Amar, C., Markovits, J., Vliegenthart, J.F.G. and Kamerling, J.P.
Occurrence of a galactofuranose disaccharide in immunoadjuvant fractions of Mycobacterium tuberculosis (cell walls and Wax D) (297) 423
Villar-Palasi, C., see Rebhun, L.I. (321) 165
Villee, C.A., see Demers, L.M. (313) 202
Villee, C.A., see Grigorescu, A. (319) 165
Villegas, R., Barnola, F.V. and Camejo, G.
Action of proteases and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (318) 61
Villegas, R., see Barnola, F.V. (298) 84
Vincendon, G., see Breckenridge, W.C. (320) 681
Vincendon, G., see Morgan, I.G. (320) 671
Vincent, D., see Bauduin, H. (304) 81
Violante, U., see Rigano, C. (327) 19
Viotti, A., Soave, C., Sala, E., Nucca, R. and Galante, E.
5-S RNA: Metabolic stability of the 5′ terminal phosphates (324) 72
Visser, A.S. and Postma, P.W.
Permeability of Azotobacter vinelandii to cations and anions (298) 333
Visser, A.S., see Postma, P.W. (298) 341
Visser, D.W., see Von Dippe, P.J. (318) 105
Visser, J.W.M., see Butler, W.L. (292) 140
Visser, J.W.M., see Butler, W.L. (325) 539
Visuri, K. and Gräsbeck, R.
Human intrinsic factor, isolation by improved conventional methods and properties of the preparation (310) 508
Vliegenthart, J.F.G., see Egmond, M.R. (316) 1
Vliegenthart, J.F.G., see Finazzi-Agrò, A. (326) 462
Vliegenthart, J.F.G., see De Groot, J.J.M.C. (326) 279
Vliegenthart, J.F.G., see Vilkas, E. (297) 423
Vogel, H.G., see Urm, E. (302) 249
Vogels, G.D., see Jetten, A.M. (311) 483
Vogelmayr, J.K., see Poulos, A. (306) 194
Volcani, B.E., see Sullivan, C.W. (308) 205
Volcani, B.E., see Sullivan, C.W. (308) 212
Volkenstein, M.V., see Fishman, S.N. (298) 710
Volkenstein, M.V., see Polyanovsky, O.L. (327) 57
Volkin, E., Wohlpart, A., Kao, P.C. and Regan, J.D.
The integrity of human lymphoblastoid RNA after incorporation by human skin fibroblasts (324) 334
Volkin, E., see Kao, P.C. (324) 1
Volkov, G.A.
Bioelectrical response of the Nitella flexilis cell to illumination: A new possible state of plasmalemma in a plant cell (314) 83
Volpe, J.J. and Vagelos, P.R.
Fatty acid synthetase of mammalian brain, liver and adipose tissue. Regulation by prosthetic group turnover (326) 293
Vomvoyanni, V., see Argyrakis, M. (299) 300
Von Dippe, P.J., Roy-Burman, S. and Visser, D.W.
Transport of uridine in Escherichia coli B and a show-domycin-resistant mutant (318) 105
Von Holt, C., see De Villiers Graaff, G. (299) 480
Von Minden, D.L., see Panzica, R.P. (331) 147
Von Wintermeyer, W. and Zachau, H.G.
Mg^{2+}-katalysierte, spezifische Spaltung von tRNA (299) 82
Voorn, G., see Wessels, J.S.C. (292) 741
Vorlíčková, M. and Paleček, E.
Estimation of submicrogram quantities of proteins in nucleic acids samples by pulse-polarographic technique (331) 276
Vossenberg, F.G.A., see Demel, R.A. (311) 507
Vossenberg, F.G.A., see London, Y. (307) 478
Vossenberg, F.G.A., see London, Y. (311) 520
Votruba, I., Holý, A. and Wightman, R.H.
The mechanism of inhibition of DNA synthesis in Escherichia coli by pyrimidin-2-one β-D-ribofuranoside (324) 14
Vovk, T.S., see Bukrinskaya, A.G. (312) 173
Vredenberg, W.J., Homann, P.H. and Tonk, W.J.M.
Light-induced potential changes across the chloroplast enclosing membranes as expressions of primary events at the thylakoid membrane (314) 261
Vredenberg, W.J. and Tonk, W.J.M.
Photosynthetic energy control of an electrogenic ion pump at the plasmalemma of Nitella translucens (298) 354
Vreeswijk, J.H.A., de Pont, J.J.H.H.M. and Bonting, S.L.
Studies on Na^+–K^+-activated ATPase. XXXII. Occurrence and properties of (Na^+–K^+)-ATPase in immature, lactating and involuted guinea pig mammary gland (330) 173

Vreven, J., Lieberherr, M. and Vaes, G.
The acid and alkaline phosphatases, inorganic pyrophosphatases and phosphoprotein phosphatase of bone. II. Distribution in subcellular fractions of bone tissue homogenates and structure-linked latency (293) 170
Vreven, J., see Lieberherr, M. (293) 160

W

Wacker, H., see Lehky, P. (321) 274
Wade, M., Tsernoglou, D., Hill, E., Webb, L. and Banaszak, L.
Chemical and structural relationships of NAD^+ and platinum binding to malate dehydrogenase (322) 124
Wadström, T., see Arvidson, S. (310) 418
Wadström, T., see Möllby, R. (321) 569
Wagner, F.W., see Spiekerman, A.M. (293) 464
Wagner, C. and Levitch, M.E.
The utilization of formate by human erythrocytes (304) 623
Wagner, G., see Gradmann, D. (323) 151
Wagstaff, M., Broughton, A. and Jones, F.R.
The kinetics of intrinsic factor–vitamin B_{12} binding (320) 406
Waite, M., see Franson, R. (296) 365
Waite, M., see Newkirk, J.D. (298) 562
Wajcman, H., see Elion, J. (310) 360
Wajcman, H. and Labie, D.
Two new hemoglobin variants with deletion. Hemoglobin Tours: Thr β87 (F3) deleted and Hemoglobin St Antoine: Gly–Leu β74-75 (E18-19) deleted. Consequences for oxygen affinity and protein stability (295) 495
Walaas, O., see Horn, R.S. (313) 296
Walchak, H., see Kassner, R.J. (304) 294
Wald, H., see Gutman, Y. (298) 284
Waldman, A.A. and Goldstein, J.
Rabbit reticulocyte ribosomes and Krebs ascites supernatant: A mixed system dependent upon added mRNA (331) 243
Wålinder, O.
Calf brain phosvitin kinase. II. Purification and characterization of three different fractions of phosvitin kinase (293) 140
Walker, D.A., see Lilley, R. McC. (314) 354
Walker, D.A., see Lilley, R. McC. (325) 596
Walker, D.A., see Schwenn, J.D. (325) 586
Walker, R.T., see Chelton, E.T.J. (312) 38
Walker, R.T., see Jones, A.S. (294) 365
Walker, R.T., see Jones, A.S. (299) 293
Walker, R.W., Prome, J.-C. and Lacave, C.S.
Biosynthesis of mycolic acids. Formation of a C_{32} β-keto ester from palmitic acid in a cell free system of Corynebacterium diphteriae (326) 52
Wallace, J.W. and Grisebach. H.
The in vivo incorporation of a flavanone into C-glycosylflavones (304) 837
Wallach, D.F.H., see Knüfermann, H. (330) 356
Wallach, D.F.H. and Lin, P.S.
A critical evaluation of plasma membrane fractionation (300) 211
Wallach, D.F.H., see Schmidt-Ullrich, R. (307) 353
Wallach, D.F.H., see Verma, S.P. (330) 122
Wallach, D.F.H., see Weidekamm, E. (323) 539
Wallenstein, A., see Collins, J.M. (313) 156
Wallevik, K.
Isoelectric focusing of bovine serum albumin. Influence of binding of carrier ampholytes (322) 75
Wallinder, L., see Fex, G. (316) 91
Wallis, M.
The pK_a values of the α-amino groups of peptides derived from the N-terminus of bovine growth hormone (310) 388
Walsh, C. and Fulton, C.
Transcription during cell differentiation in Naegleria gruberi. Preferential synthesis of messenger RNA (312) 52
Walters, R.A., see Enger, M.D. (324) 120
Walters, R.A., Tobey, R.A. and Ratliff, R.L.
Cell-cycle dependent variations of deoxyribonucleoside triphosphate pools in chinese hamster cells (319) 336
Waltho, J.A.
Regulation of phenylalanine biosynthesis in Pseudomonas aeruginosa (320) 232
Wampler, J.E., Karkhanis, Y.D., Morin, J.G. and Cormier, M.J.
Similarities in the bioluminescence from the Pennatulacea (314) 104
Wang, A.Y.-I. and Packer, L.
Mobility of membrane particles in chloroplasts (305) 488
Wang, C.-L., see Blackwell, R.Q. (322) 27
Wang, C.S., see Naso, R.B. (324) 346
Wang, H.H., see Giotta, G.J. (298) 986
Wang, J.H.-C., see Ho, H.C. (317) 462

Wang, J.H.-C., see Shatsky, M.A. (303) 298
Wang, P., see Franson, R. (296) 365
Wannamaker, B.B. and Kornguth, S.E.
Electrophoretic patterns of proteins from isolated synapses of human and swine brain (303) 333
Ward, D.N., see Johnson, A.W. (295) 140
Ward, R.M., see Slodki, M.E. (304) 449
Warden, J.T., see Den Haan, G.A. (325) 120
Wardi, A.H., see Allen, W.S. (297) 1
Warley, A. and Cook, G.M.W.
The isolation and characterization of plasma membranes from normal and leukaemic cells of mice (323) 55
Warnecke, P., Kruse, K. and Harbers, E.
Studies on deoxyribonucleoproteins. VIII. Isolation and characterization of nonhistone proteins from euchromatic and heterochromatic deoxyribonucleoprotein of rat liver (331) 295
Warner, D., see Perdue, J.F. (298) 817
Warnke, Z., see De Meester, P. (324) 301
Warrington, R.C., Hayward, C. and Kapuler, A.M.
Conformational studies of reovirus single-stranded RNAs synthesized in vitro (331) 231
Wasserman, A.R., see Stuart, A.L. (314) 284
Wasserman, R.H., see Fullmer, C.S. (317) 172
Watanabe, M., see Hunt, D. (319) 304
Watanabe, S. and Tanaka, K.
Studies on the release of N-acetylphenylalanyl-tRNA from its ribosomal complex: Effect of size of polyuridylic acid (319) 383
Watanabe, T., see Ogasawara, N. (327) 233
Waters, B., see Singh, H. (312) 276
Waters, R.N., see Beltz, R.E. (297) 258
Watlington, C.O. and Jessee, Jr, F.
Chloride flux across frog skins of low potential difference (330) 102
Watt, W.B., see Evans, R.J. (303) 175
Webb, E., see Klaiber, M.S. (320) 478
Webb, G.D., Hamrell, B.B., Farquharson, D.A. and Niemi, W.D.
Studies of the blood chemistry of Electrophorus electricus and a new physiological saline solution based thereon (297) 313
Webb, L., see Wade, M. (322) 124
Webb, M., Creed, H. and Atkinson, S.
Influence of zinc on protein synthesis by polyribosomes from the dog prostate and the dorsolateral lobes of the rat prostate (324) 143
Webb, T.E., see McNamara, D.J. (313) 356
Weber, A. and Bremel, R.D.
Does ATP cause relaxation by binding to actin or its regulatory proteins? (325) 333
Weber, A.L. and Fox, S.W.
Aminoacylation and acetylaminoacylation of homopolyribonucleotides (319) 174
Weber, F., see Arens, D. (327) 295
Weber, G.H., Deeney, A.O.C. and Beaudreau, G.S.
Isolation of DNA and DNA polymerase from MC29 tumor virus (299) 8
Weber, W.W., see Cohen, S.N. (304) 473
Webster, H. deF. (329) 305
Wedmid, Y., Litchfield, C., Ackman, R.G., Sipos, J.C. and Eaton, C.A.
Heterogeneity of lipid composition within the cephalic melon tissue of the pilot whale (Globicephala melaena) (326) 439
Weglicki, W.B., see Owens, K. (296) 71
Weglicki, W.B., see Stam, Jr, A.C. (298) 927
Wegmann, K. and Mühlbach, H.-P.
Photosynthetic CO_2 incorporation by isolated leaf cell protoplasts (314) 79
Wei, J., see Pinteric, L. (298) 630
Weidekamm, E., Wallach, D.F.H., Lin, P.S. and Hendricks, J.
Erythrocyte membrane alterations due to infection with Plasmodium berghei (323) 539
Weijers, P.J., see Scholte, H.R. (291) 764
Weinblum, D., Güngerlich, U., Geisert, M. and Zahn, R.K.
Occurrence of repetitive sequences in DNA of some marine invertebrates (299) 231
Weinhold, P.A., Skinner, R.S. and Sanders, R.D.
Activity and some properties of choline kinase; cholinephosphate cytidyltransferase and cholinephosphotransferase during liver development in the rat (326) 43
Weinstein, H.G., see Breen, M. (304) 828
Weinstein, I., Klausner, H.A. and Heimberg, M.
The effect of concentration of glucagon on output of glyceride, ketone bodies, glucose and urea by the liver (296) 300
Weinstock, I.M., Bondar, M. and Arslan-Contin, P.
Pyrimidine nucleoside phosphorylase during development of the normal and dystrophic chicken (294) 15
Weintraub, H. and Tietz, A.
Triglyceride digestion and absorption in the locust, Locusta migratoria (306) 31
Weiser, H., see Hornig, D. (320) 549
Weisman, R.A., see Rudick, V.L. (299) 91
Weiss, J.F., see Pearson, R.L. (294) 236

Wellburn, A.R., Ashby, J.P. and Wellburn, F.A.M.
Occurrence and biosynthesis of adenosine 3′,5′-cyclic monophosphate in isolated Avena etioplasts (320) 363
Wellburn, F.A.M., see Wellburn, A.R. (320) 363
Weller, Jr, H.G. and Tien, H.T.
Determination of chlorophyll porphyrin ring orientation in black lipid membranes by photovoltage spectroscopy (325) 433
Wellmann, E., see Hahlbrock, K. (304) 702
Wells, M.A., see Yabusaki, K.K. (296) 546
Wells, W.W., see Ting-Beall, H.P. (291) 229
Weltzien, H.U.
Slow-reacting hemolytic phosphatides: Benzylated lysolecithins (311) 6
Weng, M.-I., see Blackwell, R.Q. (322) 27
Wenner, C., see Kemp, G. (323) 161
Wennerberg, J., see Offenbartl, K. (306) 460
Werber, M.M. and Greenzaid, P.
Chymotrypsin-catalyzed reactions of phenyl hippurate with alcohols. Kinetic evidence for a binding site for nucleophiles (293) 208
Werdan, K., see Heldt, H.W. (314) 224
Weser, U., see Jung, G. (295) 77
Weser, U., see Paschen, W. (327) 217
Wesley, R.D., see Salser, W. (319) 277
Wesley, R.D. and Simpson, L.
Studies on kinetoplast DNA. I. Isolation of kinetoplast DNA minicircles from Leishmania tarentolae (319) 237
Wesley, R.D. and Simpson, L.
Studies on kinetoplast DNA. II. Biophysical properties of minicircular DNA from Leishmania tarentolae (319) 254
Wesley, R.D. and Simpson, L.
Studies on Kinetoplast DNA. III. Kinetic complexity of kinetoplast and nuclear DNA from Leishmania tarentolae (319) 267
Wessels, J.M.C., Pals, D.T.F. and Veerkamp, J.H.
Some aspects of the osmotic lysis of erythrocytes. I. A reexamination of the osmotic lysis method (291) 165
Wessels, J.M.C. and Veerkamp, J.H.
Some aspects of the osmotic lysis of erythrocytes. II. Differences in osmotic behaviour of erythrocytes after treatment with electrolyte and non-electrolyte solutions (291) 178
Wessels, J.M.C. and Veerkamp, J.H.
Some aspects of the osmotic lysis of erythrocytes. III. Comparison of glycerol permeability and lipid composition of red blood cell membranes from eight mammalian species (291) 190
Wessels, J.S.C., van Alphen-van Waveren, O. and Voorn, G.
Isolation and properties of particles containing reaction-center complex of Photosystem II from spinach chloroplasts (292) 741
West, I.C. and Stein, W.D.
The kinetics of induction of β-galactoside permease (308) 161
West, K.R. and Wiskich, J.T.
Evidence for two phosphorylation sites associated with the electron transport chain of chloroplasts (292) 197
Westfall, T.C., see Brase, D.A. (309) 271
Weston, J.A. and Knowles, C.J.
A soluble CO-binding c-type cytochrome from the marine bacterium Beneckea natriegens (305) 11
Westphal, U. and Harding, G.B.
Steroid–protein interactions. XXVII. Progesterone binding to polymers of human serum albumin (310) 518
Wever, R., Muijsers, A.O., van Gelder, B.F., Bakker, E.P. and van Buuren, K.J.H.
Biochemical and biophysical studies on cytochrome c oxidase. XI. Reaction with azide (325) 1
Wever, R., Muijsers, A.O. and van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XII. Kinetics of azide binding (325) 8
Wever, R., see Van Leeuwen, F.X.R. (315) 200
Wever, R., van Leeuwen, F.X.R. and van Gelder, B.F.
The reaction of nitric oxide with ceruloplasmin (302) 236
Wharton, D.C., see Gudat, J.C. (292) 376
Wharton, D.C., Gudat, J.C. and Gibson, Q.H.
Cytochrome oxidase from Pseudomonas aeruginosa. II. Reaction with copper protein (292) 611
Wharton, D.C., see Singh, J. (292) 391
Wheatcroft, R., see Unrau, P. (312) 626
Wheatley, V.R., see Hodgins, L.T. (316) 173
Wheelock, J.V., see Creamer, L.K. (317) 202
Whelan, D.T., see Lancaster, G. (297) 229
Wherrett, J.R.
Characterization of the major ganglioside in human red cells and of a related tetrahexosyl ceramide in white cells (326) 63
Wherrett, J.R., see Forstner, G.G. (306) 446
White, A.M., see Bullock, G.R. (292) 350
White, B.N. and Tener, G.M.
Properties of $tRNA^{Phe}$ from Drosophilia (312) 267

White, I.G., see Poulos, A. (306) 194
White, I.H. and Jeffery, J.
Structural features of ring B and the interaction of 20-oxosteroids with cortisone reductase (296) 604
White, J.S., see Harley, E.H. (299) 253
White, S.H. and Thompson, T.E.
Capacitance, area, and thickness variations in thin lipid films (323) 7
White, S.H.
The surface charge and double layers of thin lipid films formed from neutral lipids (323) 343
Whitfield, C.F. and Morgan, H.E.
Effect of anoxia on sugar transport in avian erythrocytes (307) 181
Whitney, R.B. and Sutherland, R.M.
Effects of chelating agents on the initial interaction of phytohemagglutinin with lymphocytes and the subsequent stimulation of amino acid uptake (298) 790
Whitt, D.D. and DeMoss, R.D.
Molecular size of the acting species of tryptophanase (309) 486
Whittam, R. and Chipperfield, A.R.
Ouabain binding to the sodium pump in plasma membranes isolated from ox brain (307) 563
Wickerhauser, M., see Hao, Y.-L. (322) 99
Wickson, V.M., see Roufogalis, B.D. (321) 536
Widholm, J.M.
Measurement of the five enzymes which convert chorismate to tryptophan in cultured Daucus carota cell extracts (320) 217
Wiechmann, A.H.C.A., see Bakker, E.P. (292) 78
Wightman, R.H., see Votruba, I. (324) 14
Wijdenes, J., see Sluyterman, L.A.AE. (302) 95
Wijdenes, J., see Sluyterman, L.A.AE. (321) 697
Wikström, M.K.F.
The different cytochrome b components in the respiratory chain of animal mitochondria and their role in electron transport and energy conservation (301) 155
Wilbrandt, W., see Bolis, L. (318) 289
Wilchek, M., see Lamed, R. (304) 231
Wilchek, M., see Strickland, E.H. (303) 28
Wildes, R.A., Evans, H.J. and Chiu, J.
Effects of cations on the adenosine diphosphate–adenosine triphosphate exchange reaction catalyzed by rat brain microsomes (307) 162
Wildman, S.G., see Atchison, B.A. (331) 382
Wildnauer, R.H., see Wilkes, G.L. (304) 267
Wildnauer, R.H., see Wilkes, G.L. (304) 276
Wiley, E.R., see McClain, P.E. (304) 457
Wilhelm, J.A., see Johnson, A.W. (295) 140
Wilhelm, J.A., see Johnson, A.W. (295) 150
Wilhelmsson, L., see Nilsson, Å. (296) 593
Wilkes, G.L.
Superstructure in the stratum corneum of neonatal rat (304) 290
Wilkes, G.L., Nguyen, A. and Wildnauer, R.
Structure–property relations of human and neonatal rat stratum corneum. I. Thermal stability of the crystalline lipid structure as studied by X-ray diffraction and differential thermal analysis (304) 267
Wilkes, G.L. and Wildnauer, R.H.
Structure–property relationships of the stratum corneum of human and neonatal rat. II. Dynamic mechanical studies (304) 276
Wilkie, D., see Evans, I. (312) 323
Wilkins, R.J.
Endonuclease-sensitive sites in the DNA of irradiated bacteria: A rapid and sensitive assay (312) 33
Williams, A.R.
The effect of bovine and human serum albumins on the mechanical properties of human erythrocyte membranes (307) 58
Williams, Jr, C.H., see Curti, B. (327) 266
Williams, C.N., see Macdonald, I.A. (309) 243
Williams, J.P., see Spoerl, E. (298) 956
Williams, M.A., see Ghosh, D. (291) 351
Williams, M.A., see Packer, L. (292) 92
Williams, R., see Miller, D.M. (317) 437
Williams, R.H., see Thompson, W.J. (302) 329
Williams, R.J.P., see Byers, W. (310) 38
Williams, R.J.P., see DeSimone, R.E. (304) 851
Williamson, D.H., see Chanet, R. (324) 290
Williamson, J.R., see Kataoka, T. (298) 158
Wilson, C.M., see Sodek, L. (304) 353
Wilson, D.A. and Thomas, Jr, C.A.
Hydroxyapatite chromatography of short double-helical DNA (331) 333
Wilson, E.M., see Spelsberg, T.C. (312) 765
Wilson, E.M. and Spelsberg, T.C.
Rapid isolation of total acidic proteins from chromatin of various chick tissues (322) 145
Wilson, I.B., see Angus, C.W. (309) 169
Wilson, J.B., see Efremov, G.D. (328) 81
Wilson, M.S., see Panzica, R.P. (331) 147
Wilson, S.A., see Stromberg, K. (304) 1
Wilson, S.B. and Moore, A.L.
The effects of protein synthesis inhibitors on oxidative phosphorylation by plant mitochondria (292) 603

Wilson, S.H., see Miller, Jr, J.V. (294) 507
Wilson, T.H., see Kusch, M. (311) 109
Wilson, T.H., see Maloney, P.C. (330) 196
Wiltshire, B.G., see Ahern, E.J. (303) 242
Wiltshire, B.G., see Luan Eng, L.-I. (322) 224
Windreich, S., see Pincus, M. (311) 317
Winne, D.
Unstirred layer, source of biased Michaelis constant in membrane transport (298) 27
Winship, D.H. and Caflisch, C.R.
Intramucosal gastric acid concentration determined by glass microelectrode technique (291) 280
Winter, C.G., see Soper, J.W.
Role of cell wall autolysin in chain formation by a mutant strain of Streptococcus faecalis (297) 333
Wirch, E., see Ho, H.C. (317) 462
Wirtz, K.W.A., see Harvey, M.S. (323) 234
Wirtz, K.W.A., see Kamp, H.H. (318) 313
Wiskich, J.T., see West, K.R. (292) 197
Witkum, P., see Sharp, G.W.G. (309) 339
Wit-Peeters, E.M., see Scholte, H.R. (291) 764
Witte, I., see Jannsen, S. (299) 681
Wittig, B., Reuter, S. and Gottschling, H.
Purification of the four lysine-specific transfer ribonucleic acids from chick embryos (331) 221
Witting, L.A.
Fatty liver induction: Effect of ethionine on polyunsaturated fatty acid synthesis (296) 271
Wittliff, J.L., see Gardner, D.G. (320) 617
Wittmann, H.G., see Yo, R.S.T. (319) 388
Wittman, H.G., see Yu, R.S.T. (324) 375
Wizemann, V., Schulz, I. and Simon, B.
SH-groups on the surface of pancreas cells involved in secretin stimulation and glucose-mediated secretion (307) 366
Wobschall, D. and Ohki, S.
Electrical polarization of phosphatidylserine bilayer membranes by calcium ions (291) 363
Woessner, Jr, J.F. and Ryan, J.N.
Collagenase activity in homogenates of the involuting rat uterus (309) 397
Wohlpart, A., see Volkin, E. (324) 334
Wolcott, R.G. and Boyer, P.D.
On the nature of p-nitrothiophenylated myosin (303) 292
Wolf, D.P., see Lehky, P. (321) 274
Wolf, G., see Bonanni, F. (297) 441
Wolff, H., see Braun, V. (323) 87
Wolff, III, J.S., see Harewood, K.R. (308) 252
Wolfinbarger, Jr, L. and Kay, W.W.
Transport of C_4-carboxylic acids in Neurospora crassa (307) 243
Wolfinbarger, Jr, L. and Kay, W.W.
Acidic amino acid transport in Neurospora crassa mycelia (330) 335
Wolfson, E.B., Sobel, M.E. and Krulwich, T.A.
Phosphoenolpyruvate: fructose phosphotransferase activity in whole cells and membrane vesicles of Arthrobacter pyridinolis (321) 181
Wollgiehn, R., see Munsche, D. (294) 106
Wong, J.T., see Nazar, R.N. (324) 218
Wong, K.C., Kornel, L., Bezkorovainy, A. and Murphy, B.E.P.
Isolation of cytoplasmic glucocorticoid-binding protein(s) from rat liver by means of affinity chromatography and its partial characterization (328) 133
Wood, E.J.
Gastropod haemocyanins: Dissociation of haemocyanins from Buccinum undatum, Neptunea antiqua and Colus gracilis in the region pH 7.5–9.2 (328) 101
Wood, G.C., see Graham, A.B. (311) 45
Wood, J.G.
The effect of glutaraldehyde and osmium on the proteins and lipids of myelin and mitochondria (329) 118
Wood, J.M., see DeSimone, R.E. (304) 851
Wood, J.M., see Law, P.Y. (321) 382
Wood, J.M., see Law, P.Y. (331) 451
Wood, T., see Kiely, M.E. (293) 534
Woodin, T. and Nishioka, L.
Chorismate mutase isozyme patterns in three fungi (309) 224
Woodin, T. and Nishioka, L.
Evidence for three isozymes of chorismate mutase in alfalfa (309) 211
Woodrow, III, G.V., see Tamura, M. (317) 34
Wostmann, B.S., see Reddy, B.S. (320) 1
Wright, Jr, G.L., Farrell, K.B. and Roberts, D.B.
An evaluation of gradient acrylamide gel electrophoresis and acrylamide gel isoelectric focusing for the primary separation of complex mixtures of proteins: Comparison of one- and two-dimensional analytical procedures (295) 396
Wright, H., see Smith, B.S.W. (307) 590
Wrogemann, K., see Thakar, J.H. (314) 8
Wrzolkowa, T., see Aleksandrowicz, Z. (305) 59
Wu, C.F., see Hittelman, K.J. (304) 188
Wu, H.C., see Venkateswaren, P.S. (293) 570

Wu, S., see Bretthauer, R.K. (304) 736
Wunderlich, F., see Speth, V. (291) 621
Wunderlich, F., Speth, V., Batz, W. and Kleinig, H.
Membranes of Tetrahymena. III. The effect of temperature on membrane core structures and fatty acid composition of Tetrahymena cells (298) 39
Wurtman, R.J., see Baliga, B.S. (299) 337
Wüthrich, K., see Keller, R. (328) 233
Wyatt, G.R., Rothaus, K., Lawler, D. and Herbst, E.J.
Ornithine decarboxylase and polyamines in silk moth pupal tissues: Effects of ecdysone and injury (304) 482
Wykle, R.L., Blank, M.L. and Snyder, F.
The enzymic incorporation of arachidonic acid into ether-containing choline and ethanolamine phosphoglycerides by deacylation–acylation reactions (326) 26
Wykle, R.L., see Blank, M.L. (316) 28
Wynn, C.H., see Rasburn, M. (293) 191

Y

Yabusaki, K.K. and Wells, M.A.
A facile synthesis of 1-acyl ethylene glycol-2-phosphorylcholines (296) 546

Yagi, K., Nishikimi, M., Takai, A. and Ohishi, N.
Mechanism of enzyme action. VI. Kinetic isotope effect on D-amino acid oxidase reaction (321) 64

Yagi, K., see Kyogoku, Y. (321) 437

Yamada, H., see Kumagai, H. (327) 510

Yamada, H., see Sawada, S. (315) 204

Yamada, T., Shimizu, H. and Suga, H.
A kinetic study of the energy storing enzyme–product complex in the hydrolysis of ATP by heavy meromyosin (305) 642

Yamada, T., see Ohyama, H. (302) 261

Yamada, Y., Shigeta, A. and Nozu, K.
Ultraviolet effects on biological function of RNA phage MS2 (299) 121

Yamaguchi, J., see Suzuki, S. (321) 369

Yamaguchi, K., Sakakibara, S., Asamizu, J. and Ueda, I.
Induction and activation of cysteine oxidase of rat liver. II. The measurement of cysteine metabolism in vivo and the activation of in vivo activity of cysteine oxidase (297) 48

Yamaguchi, K., see Yamane, K. (295) 323

Yamaguchi, M., Nakamura, T., Oya, H. and Sekine, T.
Preparation of myosin A from body wall musculature of Ascaris lumbricoides (317) 312

Yamaguchi, M., Nakamura, T. and Sekine, T.
Studies on the fast reacting sulfhydryl group of skeletal myosin A: Conversion to smooth muscle myosin type with N-ethylmaleimide treatment (328) 154

Yamamura, H.I., Reichard, D.W., Gardner, T.L., Morrisett, J.D. and Broomfield, C.A.
Guinea pig brain acetylcholinesterase: Partial purification by affinity chromatography (302) 305

Yamamoto, T.H., Mével-Ninio, M. and Valentine, R.C.
Essential role of membrane ATPase or coupling factor for anaerobic growth and anaerobic active transport in Escherichia coli (314) 267

Yamanaka, T., see Kusai, A. (292) 621

Yamanaka, T., see Kusai, A. (325) 304

Yamane, K., Yamaguchi, K. and Maruo, B.
Purification and properties of a cross reacting material related to α-amylase and biochemical comparison with the parent α-amylase (295) 323

Yamashita, K. and Field, J.B.
The role of phospholipids in TSH stimulation of adenylate cyclase in thyroid plasma membranes (304) 686

Yamauchi, A., see Maeda, H. (315) 18

Yamazaki, I., see Nakamura, M. (327) 238

Yamazaki, I., see Ohtaki, S. (292) 825

Yamazaki, I., see Sawada, Y. (327) 257

Yamazaki, Y., Koyama, N. and Nosoh, Y.
On the acidostability of an acidophilic termophilic bacterium (314) 257

Yamazaki, Z., Müller, W.E.G. and Zahn, R.K.
Action of bleomycin on programmed synthesis. Influence on enzymatic DNA, RNA and protein synthesis (308) 412

Yanagisawa, I. and Yoshikawa, H.
A bromine compound isolated from human cerebrospinal fluid (329) 283

Yanase, T., see Sumida, I. (322) 23

Yang, C.C., see Chang, C.C. (295) 595

Yang, F.C., see Takahashi, S. (327) 138

Yang, S.F., see Horng, A.J. (321) 456

Yankofsky, S.A., see Osenholts, M. (308) 88

Yankofsky, S.A., see Segal, E. (308) 79

Yannarell, A. and Aronson, Jr, N.N.
Localization of an RNA-degrading system of enzymes on the rat liver plasma membrane (311) 191

Yashiro, H., see Sugai, S. (328) 35

Yashouv, J., see Rottem, S. (323) 495

Yates, D.W., see Connelly, J.L. (292) 644

Yathindra, N. and Sundaralingam, M.
Potential energy calculations on conformations of puromycin and 3'-terminal aminoacyl adenosines of transfer RNAs (308) 17

Yatvin, M., see Elson, C. (297) 125

Yau, T. and Rouhandeh, H.
Characterization of monkey pox virus DNA genome (299) 210

Yawata, Y. and Tanaka, K.R.
Red cell glutathione reductase. Mechanism action of inhibitors (321) 72
Yazaki, Y., Mochinaga, S. and Raben, M.S.
Fractination of the light chains from rat and rabbit cardiac myosin (328) 464
Yazaki, Y., see Morkin, E. (324) 420
Yeh, H.S.J., see Kakimoto, T. (302) 178
Yeh, H.S.J., see Nakajima, T. (315) 430
Yellin, T.O., Klaiber, M.S. and Webb, E.
Lithogenic effects of cholic acid and chenodeoxycholic acid in the cholesterol-fed mouse (320) 478
Yeoh, G.C.T.
Albumin and transferrin synthesis in the liver of rats in the immediate postnatal period (331) 421
Yin, L., Chun, E.H.L. and Rutman, R.J.
A comparison of the effects of alkylation on the DNA of sensitive and resistant Lettre–Ehrlich cells following in vivo exposure to nitrogen mustard (324) 472
Yip, L.C., Dancis, J. and Balis, M.E.
Immunochemical studies of AMP: Pyrophosphate phosphoribosyltransferase from normal and Lesch–Nyhan subjects (293) 359
Yip, M.C.M.
The enzymic synthesis of disialoganglioside: Rat brain cytidine-5′-monophospho-N-acetylneuraminic acid : monosialoganglioside (G_{M1}) sialyltransferase (306) 298
Yo, R.S.T. and Wittmann, H.G.
The structural basis for functional inactivity of reconstituted 50-S ribosomal subunits of Escherichia coli (319) 388
Yokobayashi, K., Akai, H., Sugimoto, T., Hirao, M., Sugimoto, K. and Harada, T.
Comparison of the kinetic parameters of Pseudomonas isoamylase and Aerobacter pullulanase (293) 197
Yon, J., see Alazard, R. (309) 379
Yonetani, T., see Gupta, R.K. (292) 502
Yonetani, T., see Scoles, C.P. (322) 457
Yonetani, T., see Tamura, M. (295) 467
Yonetani, T., see Tamura, M. (317) 34
Yonetani, T., see Tamura, M. (322) 211
Yoshida, K., see Maeda, Y. (303) 230
Yoshida, N., Sasaki, A. and Inouye, K.
Active site of trypsin-like enzyme from Streptomyces erythreus: Specific inactivation by new chloromethyl ketones derived from N^{α}-dinitrophenyl-L-lysine and N^{α}-tosyl-L-arginine (321) 615
Yoshikawa, H., see Yanagisawa, I. (329) 283
Yoshikawa, K. and Adachi, K.
Protein kinase in the hair follicles of the human scalp and beard (315) 333
Yoshinaga, K.
Double-strand scission of DNA involved in thymineless death of Escherichia coli 15 TAU (294) 204
Yost, Jr, F.J., see Mathewson, P.R. (321) 413
Young, R.B., see Sweat, M.L. (296) 189
Young, S.N., see Byers, W. (310) 38
Youngs, V., see Jones, A.S. (299) 293
Yu, B.-S., see Kyogoku, Y. (321) 437
Yu, N.-T. and Kyogoku, Y.
Specific H-bonding of glutarimides and hydantoins to derivatives of RNA bases in chloroform solution (331) 21
Yu, R.S.T. and Wittmann, H.G.
The sequence of steps in the attachment of 5-S RNA to cores of Escherichia coli ribosomes (324) 375
Yuthavong, Y. and Ruenwongsa, P.
Kinetics of the reaction of the masked sulphydryl groups of haemoglobins A, E. and New York with p-chloro-mercuribenzoate (303) 44

Z

Zabos, P., see Kyner, D. (324) 386
Zachau, H.G., see Spadafora, C. (312) 674
Zachau, H.G., see Von Wintermeyer, W. (299) 82
Zahn, R.K., see Weinblum, D. (299) 231
Zahn, R.K., see Yamazaki, Z. (308) 412
Zahradník, R., see Hobza, P. (304) 466
Zaitlin, M., see Duda, C.T. (319) 62
Zakim, D., Goldenberg, J. and Vessey, D.A.
Differentiation of homologous forms of hepatic microsomal UDPglucuronyl-transferase. I. Evidence for the glucuronidation of o-aminophenol and p-nitrophenol by separate enzymes (309) 67
Zakim, D., Goldenberg, J. and Vessey, D.A.
Regulation of microsomal enzymes by phospholipids. VII. Abnormal enzyme–lipid interactions in liver microsomes from Gunn rats (297) 497
Zakim, D., see Vessey, D.A. (309) 58
Zakim, D., see Vessey, D.A. (309) 75
Zakim, D., see Vessey, D.A. (315) 43
Zakut, V., see Gilboa-Garber, N. (297) 120
Zaleski, J., see Bryła, J. (314) 411
Zama, M. and Ichimura, S.
The study of the DNA structure in DNA–polylysine and DNA–polyarginine complexes: Induced optical activities of bound dyes (294) 214
Zambotti, V., see Tettamanti, G. (296) 160
Zambotti, V., see Tettamanti, G. (306) 466
Zanetta, J.P., see Breckenridge, W.C. (320) 681
Zanetti, G., Galante, Y.M., Arosio, P. and Cerletti, P.
Interactions of succinate dehydrogenase with cyanide (321) 41
Zankel, K.L.
Rapid fluorescence changes observed in chloroplasts: Their relationship to the O_2 evolving system (325) 138
Zannoni, D., see Baccarini Melandri, A. (314) 298
Zapisek, W.F. and Papaconstantinou, J.
Degradation of ribosomal RNA during chicken lens development (299) 603
Zardi, L., see Alberghina, F.A.M. (313) 435
Zasedatelev, A.S., see Savotchkina, L.P. (294) 425
Zav'Yalov, P., see Troitsky, G.V. (322) 53
Zavyalov, V.
Probable N-terminal domains conformation of human GI (Eu) immunoglobulin (310) 70
Zbarsky, S.H., see Poulson, R. (299) 404
Zbarsky, S.H., see Poulson, R. (299) 533
Zeece, M.G., see Robson, R.M. (295) 208
Zegers, B.J.M., see Harvey, M.S. (323) 234
Zeineh, R.A., Mbawa, E., Pillay, V.K.G., Fiolerella, B.J. and Dunea, G.
Immunocore electrophoresis as a purity test for albumin (317) 1
Zerner, B., see Dudman, N.B.P. (310) 248
Zhukova, I.G., see Kochetkov, N.K. (326) 74
Ziauddin, see Ressler, N. (295) 30
Zieve, P.D. and Schmukler, M.
The interaction of thrombin and nucleotides: Effects on glycolysis in human platelets (313) 350
Zikán, J. and Bennett, J.C.
Cyanogen bromide splitting of human immunoglobulin M (317) 447
Zimmer, C. and Luck, G.
Conformation and reactivity of DNA. III. Circular dichroism studies of the effects of aqueous concentrated univalent salt solutions upon helix conformation (312) 215
Zimmermann, Y., Pilwat, G. and Günther, Th.
Regulation of the intracellular potassium concentration in Escherichia coli B 525 (311) 442
Zingsheim, H.P. and Haydon, D.A.
Fluorescence spectroscopy of planar black lipid membranes. Probe adsorption and quantum yield determination (298) 755
Zito, R., see Cervone, F. (295) 555
Zivković, N., see Sladić-Simić, D. (310) 353
Zöllner, C., see Deuticke, B. (318) 345
Zouzias, D., Mazaitis, A.J., Simberkoff, M. and Rush, M.
Extrachromosomal DNA of Mycoplasma hominis (312) 484
Zsindely, A., see Mikulski, A.J. (319) 294
Zubieta, J., see Dalton, H. (322) 133
Zumft, W.G., see Mortenson, L.E. (292) 422
Zumft, W.G., Palmer, G. and Mortenson, L.E.
Electron paramagnetic resonance studies on

nitrogenase. II. Interaction of adenosine 5′-triphosphate with azoferredoxin (292) 413
Zupnik, J.S., see Terry, T.M. (291) 144
Zwaal, R.F.A., see Colley, C.M. (307) 74
Zwaal, R.F.A., Roelofsen, B. and Colley, C.M. Localization of red cell membrane constituents (300) 159
Zwaal, R.F.A., see Verkleij, A.J. (323) 178
Zwar, J.A., see Rijven, A.H.G.C. (299) 564
Zydek-Cwick, C.R., see Schlenk, F. (320) 357
Zyk, N.
Modification of L-asparaginase EC-2 by homologous antibodies (302) 420

SUBJECT INDEX

VOLUMES 291–331

1973

A

Absorbance
Light-induced changes of fluorescence and – – – in spinach chloroplasts at –40°C (Amesz et al.) (325) 472

Absorption spectra
Effects of hydrogen bonding and solvents on the – – – of a 4-thiouracil derivative (Iwamura) (308) 333

Acetate
Metabolism of brain sphingomyelins. In vivo incorporation of [^{14}C] – – – and $^{32}PO_4^{3-}$ into two kinds of rat brain sphingomyelins (Lastennet et al.) (306) 287

Acetoacetate biosynthesis
Properties and subcellular distribution of enzymes required for – – – in chicken liver (Allred) (297) 22

Acetolactate synthase
– – – of Pseudomonas aeruginosa. I. Purification and allosteric properties (Arfin, Koziell) (321) 348

Acetolactate synthase
– – – of Pseudomonas aerigunosa. II. Evidence for the presence of two nonidentical subunits (Arfin, Koziell) (321) 356

N-Acetoxyarylamines
Formation of electrophilic – – – in cytosols from rat mammary gland and other tissues by transacetylation from the carcinogen N-hydroxy-4-acetylaminobiphenyl (Bartsch et al.) (304) 42

Acetylaminoacylation
Aminoacylation and – – – of homopolyribonucleotides (Weber, Fox) (319) 174

N-Acetylanthranilic
Further studies on anthranilate N-acetyl transferase and the metabolism of – – – acid in Aerobacter aerogenes (Paul, Ratledge) (320) 9

Acetylated sphingosine bases
Identification of the enzymatic lesions responsible for the accumulation of – – – in the yeast Hansenula ciferri (Barenholz et al.) (306) 341

Acetylation
Evidence for the biological coupling of biosynthesis and internal – – – of histone fraction F2a1 (IV) in cultured mammalian cells (Shepherd) (299) 485

Acetylation
Nuclear basic protein – – – during early sea urchin development (Johnson et al.) (295) 150

Acetylcholine
Effect of – – – on the electrical activity of intestinal epithelial cells (Hardcastle, Eggenton) (298) 95

Acetylcholine-binding sites
Quantitation of acetylcholinesterase and – – – in excitable membrane fragments from electric eel (Suszkiw) (318) 69

Acetylcholinesterase
Arylesterase and – – – in the erythrocytes of man, cow and pig (Augustinsson et al.) (293) 424

Acetylcholinesterase
Effect of age of the rat on induction of – – – of the brain by 17$_\beta$- estradiol (Moudgil, Kanungo) (329) 211

Acetylcholinesterase
Effect of ligands on a discontinuous temperature dependence of the decarbamylation rection of erythrocyte – – – (Roufogalis et al.) (321) 536

Acetylcholinesterase
Guinea pig brain – – –; partial purification by affinity chromatography (Yamamura et al.) (302) 305

Acetylcholinesterase
Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+}-ATPase, (Na^+ + K^+)-ATPase and – – – from rats fed different fat-supplemented diets (Bloj et al.) (311) 67

Acetylcholinesterase
Nature of the acceleration by tetraethylammonium of the methanesulphonylation of – – – (Pavlic) (327) 393

Acetylcholinesterase
Quantitation of – – – and acetylcholine-binding sites in excitable membrane fragments from electric eel (Suszkiw) (318) 69

Acetylcholinesterase
Spontaneous reactivation and aging of

dimethylphosphorylated – – – and cholinesterase (Skrinjaric-Spoljar et al.) (315) 363
Acetyl-CoA
– – – and propionyl-CoA carboxylation by Mycobacterium phlei. Partial purification and some properties of the enzyme (Erfle) (316) 143
Acetyl-coenzyme A synthetase
Radioisotopic, chromatographic microassay for – – – and some preliminary studies on the rat brain enzyme (Tencati, Rosenberg) (293) 542
Acetylenic acids
Selective transfers of – – – to form lecithins (Tamai et al.) (296) 563
Acetylenic inhibitors
– – – of sheep vesicular gland dioxygenase (Vanderhoek, Lands) (296) 374
N-Acetyl galactosaminyltransferases
Glycoprotein biosynthesis in the developing rat brain. IV. Effects of guanosine nucleotides on soluble glycoprotein galactosyltransferase and – – – (Ko, Raghupathy) (313) 277
N-Acetylglucosamine
Structural studies on heparins with unusually high – – – contents (Cifonelli, King) (320) 331
exo-β-N-Acetylglucosaminidase
– – – from Bacillus subtilis B; characterization (Berkeley et al.) (309) 157
N-Acetyl-β-D-glucosaminidase
– – – of nerve cells: A developmental study of two molecular components (Sellinger et al.) (315) 128
β-N-Acetylhexosaminidase
Inhibition of – – – by lactones (Kanfer, Spielvogel) (327) 405
N-Acetyl-β-hexosaminidases
Human urinary – – – (Grebner, Tucker) (321) 228
N-Acetyllactosamine synthetase
Galactosyl transfer in mouse mastocytoma: Purification and properties of – – – (Helting, Erbing) (293) 94
N-Acetylphenylalanyl-tRNA
Studies on the release of – – – from its ribosomal complex: Effect of size of polyuridylic acid (Watanabe, Tanaka) (319) 383
O-Acetyl-L-serine sulfhydrylase
Aspergillus nidulans mutant lacking cystathionine β-synthase: identification of L-serine sulfhydrylase with cystathionine β-synthase and its distinctness from – – – (Pieniazek et al.) (297) 37
N-Acetyltransferase
Changes in the physicochemical characteristics of rabbit liver – – – during post-natal development (Cohen et al.) (304) 473
Acholeplasma laidlawii
Weak association of glucosamine-containing polymer with the – – – membrane (Terry, Zupnik) (291) 144
Acholeplasma laidlawii cell membranes
Lipid- and temperature-dependent structural changes in – – – (James, Branton) (323) 378
Acid extraction
Iron–ATP, a by product of – – – of whole blood or red blood cells (Meyers, Brewer) (320) 397
α_1-Acid glycoprotein
Development of large-scale fractionation methods. IV. A simple method for the large-scale preparation of – – – (Hao, Wickerhauser) (322) 99
α_1-Acid glycoprotein
Effect of the sialyl residues on the thermodynamic and hydrodynamic properties of – – – (Kawahara et al.) (295) 505
Acid hydrolases
Studies on human polymorphonuclear leukocyte enzymes. I. Assay of – – – and other enzymes (Avila, Convit) (293) 397
Acidic proteins from chromatin
Rapid isolation of total – – – of various chick tissues (Wilson, Spelsberg) (322) 145
Acidophilic thermophilic bacterium
Acidostability of an – – – (Yamazaki et al.) (314) 257
Acidostability
– – – of an acidophilic thermophilic bacterium (Yamazaki et al.) (314) 257
Acid phosphatase
Bovine milk – – –. I. Some kinetic studies and other properties using a partially purified preparation (Andrews, Pallavicini) (321) 197
Acid phosphatase
Golgi apparatus – – – (Nyquist, Mollenhauer) (315) 103
Acid phosphatases
– – – of rabbit spermatozoa. I. Electrophoretic characterization of the multiple forms of acid phosphatase in rabbit spermatozoa and other semen constituents (Gonzales, Meizel) (320) 166
Acid phosphatases
– – – of rabbit spermatozoa. II. Partial purification and biochemical characterization

of the multiple forms of rabbit spermatozoan acid phosphatase (Gonzales, Meizel) (320) 180
Acid secretion
Effects of the ATP analogue 5′-adenylyl methylenediphosphonate on – – – in frog gastric mucosa (Kidder) (298) 732
Acridine molecules
Diffusion of – – – to a genetic site in living cells (Ito) (329) 140
ACTH
Role of calcium in the steroidogenic response of rat adrenal cells to – – – (Haksar, Péron) (313) 363
Actin
Does ATP cause relaxation by binding to – – – or its regulatory proteins? (Weber, Bremel) (325) 333
F-Actin
Interaction of – – – with troponin constituents (Drabikowski, Nowak) (328) 470
Actin
– – – and myosin A from leucocytes (Tatsumi et al.) (305) 433
G-Actin
Relative affinities of divalent cations to the site of the tight calcium binding in – – – (Strzelecka-Goaszewska) (310) 60
F-Actin
Study on the – – – –tropomyosin–troponin complex. I. Gel-filament transformation (Ishiwata) (303) 77
α-Actinin
Comparative studies of – – – from porcine cardiac and skeletal muscle (Robson, Zeece) (295) 208
α-Actinin
– – – from red and white porcine muscle (Suzuki et al.) (295) 188
Actin–myosin interaction
Role of actin sulphydryls in – – – (Heazlitt et al.) (317) 316
Actinomycin D
Aflatoxin B1 and – – – effects on histone acetylation and deacetylation in the liver (Edwards, Allfrey) (299) 354
Actinomycin D
RNA polymerase–DNA complexes. III. Binding of – – – to RNA polymerase–DNA complex (Beabealashvilly et al.) (294) 425
Actin sulphydryls
Role of – – – in actin–myosin interaction (Heazlitt et al.) (317) 316
Active site
Chemical modification of the histidine residue located at the – – – of ficin (Gleisner, Liener) (317) 482
Active transport
Coupling between energy conservation and – – – of serine in Escherichia coli (Van Thienen, Postma) (323) 429
α_2-Acute phase globulin
– – – in rat serum. Purification, determination and interaction with trypsin (Ganrot) (295) 245
Acylation
Effect of succinylation and – – – on the physicochemical properties of α_{s1}-casein B (Irons et al.) (328) 433
Acylation
Synthetic 1-acylglycerophospholipid analogues as lipid substrates. I. Studies on microsomal – – – and uptake into liver slices of 1-acyl analogues containing various polar bases (Jezyk, Hughes) (296) 24
Acylcarnitine esters
Evaluation of the chemical identity of – – – of hexadecanoic acids (Mahadevan et al.) (296) 234
Acylcarnitines
Relative amounts of long-chain – – –, short-chain acylcarnitines and carnitine in heart, liver and brown adipose tissue from rats fed on rapeseed oil (Gumpen, Norum) (316) 48
Acyl-CoA hydrolase
Long-chain – – – activity in serum: Identity with clearing factor lipase (Jansen, Hûlsmann) (296) 241
Acyl-CoA: lysolecithin acyltransferases
Phospholipid metabolism of stimulated lymphocytes: activation of – – – in microsomal membranes (Ferber, Resch) (296) 335
Acyl-CoA synthetase
Reversal by CoA of palmityl-CoA inhibition of long chain – – – activity (Pande) (306) 15
1-Acyl ethylene glycol-2-phosphorylcholines
Facile synthesis of – – – (Yabuskai, Wells) (296) 546
Acylgalactosyl monoglyceride
Characterization and enzymatic synthesis of – – – (Critchley, Heinz) (326) 184
1-Acylglycerophospholipid analogues
Synthetic – – – as lipid substrates. I. Studies on microsomal acylation and uptake into liver slices of 1-acyl analogues containing various polar bases (Jezyk, Hughes) (296) 24
Acyl group composition
Age differences in the – – – of phospho-

glycerides in myelin isolated from the brain of the Rhesus monkey (Sun, Samorajski) (316) 19
Acyl lipids
– – – of highly purified plant mitochondria (McCarty et al.) (316) 266
Acyltransferase
Synthesis of fatty acid esters of short-chain alcohols by an – – – in rat liver microsomes (Grigor, Bell Jr) (306) 26
Adenine
Electronic structure of thiouracils and their interaction with – – – (Geller et al.) (331) 1
Adenine
– – –, hypoxanthine and guanine metabolism in fibroblasts from normal individuals and from patients with hypoxanthine phosphoribosyltransferase deficiency (Raivio, Seegmiller) (299) 273
Adenine
X-ray evidence for – – – N(1)-metal bonding in a cobalt-9-methyladenine complex (De Meester et al.) (324) 301
Adenine derivatives
Conformations of N^6-monosubstituted – – –: crystal structure of N^6-methyladenine (Sternglanz, Bugg) (308) 1
Adenine nucleotides
Effect of – – – on the N-methyl group oxidation in liver mitochondria (Frisell, Randolph) (292) 360
Adenine nucleotides
Studies on the energy state of isolated brown adipose tissue mitochondria. Effect of – – – and oligomycin on the generation and dissipation of the "energy potential" (Flatmark, Pedersen) (292) 64
Adenine nucleotides
Tight binding of – – – to beef-heart mitochondrial ATPase (Harris et al.) (314) 149
Adenine nucleotide translocation
– – – in Jerusalem-artichoke mitochondria (Passam et al.) (305) 88
Adenine nucleotide translocation
– – – in yeast mitochondria. Effect of inhibitors of mitochondrial biogenesis on the ADP translocase (Lauquin, Vignais) (305) 534
Adenine nucleotide translocator
Comparison of ADP and ATP as substrates for the – – – in rat-liver mitochondria (Souverijn et al.) (305) 185
Adenine transport
Adenine nucleotide metabolism of blood platelets. VIII. – – – into human platelets (Sixma et al.) (298) 460
Adeno-associated satellite virus DNA
Analysis of – – – (Mayor, Ratner) (299) 189
ε-Adenosine
Fluorescent derivatives of polyribonucleotides containing – – – (Steiner et al.) (294) 24
Adenosine
Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following – – – and serum or insulin stimulation (Lemkin, Hare) (318) 113
Adenosine analogue formycin
Selective inhibition of 4-S and 5-S RNA synthesis and nucleolar processing by the – – – (Abelson, Penman) (312) 292
Adenosine binding
Steric requirements for – – – to a membrane carrier in canine heart (Olsson et al.) (311) 240
Adenosine-containing nucleotides
Reaction of diethylpyrocarbonate with nucleic acid components. – – – and dinucleoside phosphates (Henderson et al.) (294) 356
Adenosine 3′, 5′-cyclic monophosphate
Chemotactic effect of 5′-amido analogues of – – – in the cellular slime moulds (Konijn, Jastorff) (304) 774
Adenosine 3′, 5′-cyclic monophosphate
Multiple forms of – – – –dependent protein kinase from monkey skin (Kumar et al.) (315) 66
Adenosine 3′, 5′-cyclic monophosphate
Occurrence and biosynthesis of – – – in isolated Avena etioplasts (Wellburn et al.) (320) 363
Adenosine deaminase
Depolarization-evoked accumulation of cyclic AMP in brain slices: Inhibition by exogenous – – – (Huang et al.) (329) 147
Adenosine deaminase
Multiple forms of human – – –. II. Isolation and properties of a conversion factor from human lung (Nishihara et al.) (302) 429
Adenosine diphosphate–adenosine triphosphate exchange
Effects of cations on the – – – reaction catalyzed by rat brain microsomes (Wildes et al.) (307) 162
Adenosine kinase
Myocardial – – –: comparative localization study with rapid, radiometric assay (De Jong, Kalkman) (320) 388

Adenosine 3′, 5′-monophosphate
– – – –dependent and –independent histone kinases isolated from human tonsillar lymphocytes (Faragó et al.) (297) 517
Adenosine 3′, 5′-monophosphate
Effect of guanosine 3′, 5′-monophosphate on the hydroosmotic activity of – – – in toad urinary bladder (Piccinni, Parisi) (311) 625
Adenosine 3′, 5′-monophosphate
Effects of testosterone, 5α-dihydrotestosterone and – – – on cell proliferation and differentiation in rat prostate (Lesser, Bruchovsky) (308) 426
Adenosine 3′, 5′-monophosphate phosphodiesterase
– – – assay in tissue homogenates (Rutten et al.) (315) 378
Adenosine 3′, 5′-monophosphate phosphodiesterase
– – – in rat pancreas (Rutten et al.) (315) 384
Adenosine 5′-phosphosulphate sulphohydrolase
Kinetic properties of the soluble – – – from bovine liver (Stokes et al.) (315) 402
Adenosine 5′-phosphosulphate sulphohydrolase
Purification of a soluble – – – from bovine liver (Stokes et al.) (302) 64
Adenosines
Potential energy calculations on conformations of puromycin and 3′-terminal aminoacyl – – – of transfer RNAs (Yathindra, Sundaralingam) (308) 17
Adenosine triphosphate
Hydrolysis of – – – accompanying interaction between Escherichia coli B restriction endonuclease and unmodified deoxyribonucleic acid (Hedgpeth, Boyer) (331) 310
Adenosine uptake
– – – by isolated membrane vesicles from Escherichia coli K-12 (Komatsu) (330) 206
S-Adenosyl-L-methionine
Interaction between – – – and pyridoxal 5′-phosphate, and its effect on Saccharomyces cerevisiae (Trewyn et al.) (327) 336
S-Adenosylmethionine
5′-Methylthioadenosine and related compounds as precursors of – – – in yeast (Schlenk et al.) (320) 357
Adenylate cyclase
– – – activity in isolated rat islets of Langerhans: Effects of agents which alter rates of insulin secretion (Howell, Montague) (320) 44
Adenylate cyclase
– – – activity in normal and leukemic human leukocytes as determined by a radioimmunoassay for cyclic AMP (Polgar et al.) (297) 378
Adenylate cyclase
Basal and hormone-stimulated – – – in liver plasma membranes: measurement by radioimmunoassay of cyclic AMP (Rosselin, Freychet) (304) 541
Adenylate cyclase
Biochemical aspects of the visual process. XXIV. – – – and rod photoreceptor membranes: A critical appraisal (Hendriks et al.) (330) 156
Adenylate cyclase
Development of cyclic AMP metabolism in rat liver: A correlative study of tissue levels of cyclic AMP, accumulation of cyclic AMP in slices, – – – activity and cyclic nucleotide phosphodiesterase activity (Christoffersen et al.) (313) 338
Adenylate cyclase
Epinephrine- and prostaglandin-sensitive – – – in mammary gland (Bär) (321) 397
Adenylate cyclase
Eventual unmasking of noradrenalin receptors by linoleic acid-rich phospholipids in fat cell membranes. II. – – – and phosphodiesterase activities (Counis) (306) 391
Adenylate cyclase
– – – of heart sarcotubular membranes (Sulakhe, Dhalla) (293) 379
Adenylate cyclase
Influence of Li^+ on epinephrine-stimulated – – – activity in cultured glial tumour cells (Schimmer) (327) 186
Adenylate cyclase
Properties of – – – mucosal cells of the rabbit ileum and the effect of cholera toxin (Sharp et al.) (309) 339
Adenylate cyclase
Role of phospholipids in TSH stimulation of – – – in thyroid plasma membranes (Yamashita, Field) (304) 686
Adenylate cyclase
Subcellular distribution of – – – and phosphodiesterase in Acanthamoeba palestinensis (Chlapowski, Butcher) (309) 138
Adenylate cyclase activity
Studies on the relationship between – – – and calcium transport by cardiac sarcotubular membranes (Dhalla et al.) (323) 276

Adenylate cyclases
Hormone and fluoride-sensitive – – – in human foetal tissues (Menon et al.) (304) 203
Adenylate energy charge
Cerebral metabolite and – – – recovery following ten minutes of anoxia (Drewes, Gilboe) (320) 701
Adenylate energy charge
Response of diphosphoinositide and triphosphoinositide to perturbations of the – – – in cells of Saccharomyces cerevisiae (Talwalkar, Lester) (306) 412
Adenylate kinase
– – – from Thiobacillus neapolitanus: Unique properties, possibly designed to serve a unique metabolic function (Mazzotta, Johnson) (321) 512
Adenyl cyclase
Activation of guanyl cyclase and – – – by secretin (Thompson et al.) (302) 329
Adenyl cyclase
Comparison of the subcellular distribution of 5′-nucleotidase, (Na^+–K^+)-ATPase and – – – in beef thyroid gland (Matsuzaki et al.) (313) 329
Adenyl cyclase
Rat anterior pituitary – – – activity: GTP requirement of prostaglandin E_1 and E_2 and synthetic luteinising hormone releasing hormone activation (Deery, Howell) (329) 17
Adenylosuccinate synthetase
Regulation of the biosynthesis of purine nucleotides in Schizosaccharomyces pombe. III. Kinetic studies of – – – (Nagy et al.) (309) 1
5′-Adenylyl methylenediphosphonate
Effects of the ATP analogue – – – on acid secretion in frog gastric mucosa (Kidder) (298) 732
Adipocytes
Effects of antilipolytic agents and α-adrenergic antagonists on cyclic AMP metabolism in hamster white – – – (Hittelman, Butcher) (316) 403
ADP
Comparison of – – – and ATP as substrates for the adenine nucleotide translocator in rat-liver mitochondria (Souverijn et al.) (305) 185
ADP
Incorporation of $^{32}P_i$ into intramitochondrial – – – fraction dependent on the substrate-level phosphorylation (Tokumitsu, Ui) (292)310
ADP binding
– – – to (sodium, potassium)-activated ATPase (Kaniike et al.) (298) 901
ADP fluorescent analogue
Kinetic study of the binding of an – – – to mitochondrial ATPase (Tondre, Hammes) (314) 245
ADP translocase
Adenine nucleotide translocation in yeast mitochondria. Effect of inhibitors of mitochondrial biogenesis on the – – – (Lauquin, Vignais) (305) 534
Adrenal chromaffin granules
NADH(NADPH): (acceptor) oxidoreductase of the – – – (Terland, Flatmark) (305) 206
Adrenalectomy
Effects of – – – and glucocorticoid replacement on gluconeogenesis in perfused livers from diabetic rats (Exton et al.) (329) 41
Adrenalin
Influence of sodium, potassium and lithium on the response of glycogen synthetase I to insulin and – – – in the isolated rat diaphragm (Horn et al.) (313) 296
Adrenal iron–sulphur protein
Comparative studies on – – – and its selenium derivatives by electron nuclear double resonance (Bowman et al.) (328) 244
Adrenocorticotropic hormone
– – – and dibutyryl adenosine cyclic monophosphate-mediated Ca^{2+} uptake by rat adrenal glands (Leier, Jungmann) (329) 196
Adrenocorticotropic hormone
Factors affecting the – – – stimulation of rabbit adrenal 17α-hydroxylase activity (Fevold, Drummond) (313) 211
Adrenodoxin
Environment of the iron–sulfur chromophore in – – – studied by ESR and ENDOR spectroscopy (Mukai et al.) (295) 49
Affinity chromatography
Acyl azide derivatives in – – –. Immobilization of enzymatically active trypsin on beaded agarose and porous glass (Loeffler, Pierce) (317) 20
Affinity chromatography
Covalent coupling of nucleotides to agarose for – – – (Lamed et al.) (304) 231
Affinity chromatography
– – – by enzyme–substrate interaction. Purification of some rat liver glycosidases (Junowicz, Paris) (321) 234

Affinity chromatography
α_1-Fetoprotein: Separation of two molecular variants by – – – with concanavalin-A–agarose (Smith, Kelleher) (317) 231
Affinity chromatography
Isolation of cytoplasmic glucocorticoid-binding protein(s) from rat liver by means of – – – and its partial characterization (Wong et al.) (328) 133
Affinity chromatography
Phytohaemagglutinin from sunn hemp seeds (Crotalaria juncea). Purification by biospecific – – – (Ersson et al.) (310) 446
Affinity chromatography
Production and purification of specific anti-soybean agglutinin antibody by – – – (Nachbar, Oppenheim) (320) 494
Affinity chromatography,
Purification of human intrinsic factor by – – – (Christensen et al.) (303) 319
Aflatoxin B1
– – – and actinomycin D effects on histone acetylation and deacetylation in the liver (Edwards, Allfrey) (299) 354
Agarose
Use of antisera covalently coupled to – – –, cellulose and Sephadex in radio-immuno-assay systems for proteins and haptens (Bolton, Hunter) (329) 318
Age
Effect of – – – of the rat on induction of acetylcholinesterase of the brain by 17β-estradiol (Moudgil, Kanungo) (329) 211
Agglutination
Isolectins from wax bean with differential – – – of normal and transformed mammalian cells (Sela et al.) (310) 273
Agglutinin
Subunit structure of toxin and – – – of Ricinus communis (Gürtler, Horstmann) (295) 582
Agglutinin antibody
Production and purification of specific anti-soybean – – – by affinity chromatography (Nachbar, Oppenheim) (320) 494
Agglutinin receptor
Isolation and characterization of – – – sites. II. Isolation and partial purification of a surface membrane receptor for wheat germ agglutinin (Janson, Burger) (291) 127
Agglutinin receptor
Isolation and characterization of – – – sites. III. Studies on the interaction with other lectins (Janson et al.) (291) 136
Aggregation factor
Evidence for the presence of a low molecular weight proteoglycan – – – in rabbit ear cartilage (Rokosova et al.) (320) 442
Air–water interface
Cation binding by valinomycin and trinactin at the – – –: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
Air–water interface
Occurrence of different molecular conformations of diglycerides at the – – – (Larsson) (318) 1
D-Alanine carboxypeptidases
– – – of Bacillus stearothermophilus: solubilisation of particulate enzymes and mechanism of action of penicillin (Barnett) (304) 332
Alanine dehydrogenase
Characterization of circadian oscillations in – – – activity in non-dividing populations of Euglena gracilis (Z) (Sulzman, Edmunds, Jr) (320) 594
Albumin
Conformational changes induced by the interaction of sodium dodecylsulphate with boving plasma – – – (Sogami et al.) (310) 487
Albumin
Fluorimetric studies on the structural transition of bovine plasma – – – in acidic solutions (Sogami et al.) (310) 118
Albumin
Further characterization of bullfrog serum – – – (Nagano et al.) (310) 495
Albumin
Immunocore electrophoresis as a purity test for – – – (Zeineh et al.) (317) 1
Albumin
Interactions of bovine serum – – – with penicillins and cephalosporins studied by pulse radiolysis (Phillips et al.) (295) 8
Albumin
Intracellular distribution of the copper derived from caeruloplasmin and from – – – (Marceau, Aspin) (328) 338
Albumin
In vitro synthesis of microsomal protein and – – – in young and old rats (Chen et al.) (312) 598
Albumin
Isoelectric focusing of bovine serum – – –. Influence of binding of carried ampholytes (Wallevik) (322) 75

Albumin
Lipolysis regulation in bovine adipose tissue by the degree of saturation of plasma – – – with fatty acids (Metz et al.) (306) 42
Albumin
Phospholipase activity associated with serum – – – (Elsebach, Pettis) (296) 89
Albumin
Sequence of 36 amino acid residues between the 1st and 2nd methionine of human plasma – – – (Kusnir, Meloun) (310) 124
Albumin
Steroid–protein interactions. XXVII. Progesterone binding to polymers of human serum – – – (Westphal, Harding) (310) 518
Albumin biosynthesis
Effect of the administration of L-azetidine-2-carboxylic acid on – – – and transferrin biosynthesis by liver slices of rats treated with carbon tetrachloride (Kershenobich, Rojkind) (319) 216
Albumins
Effect of bovine and human serum – – – on the mechanical properties of human erythrocyte membranes (Williams) (307) 58
Albumin synthesis
– – – and transferrin synthesis in the liver of rats in the immediate postnatal period (Yeoh) (331) 421
Alcohol dehydrogenase
Purification and partial characterization of two genetically defined – – – isozymes in maize (Felder et al.) (317) 149
Alcohol dehydrogenase
Purification and properties of a membrane-bound – – – involved in oxidation of long chain hydrocarbons by Pseudomonas aeruginosa (Tassin et al.) (315) 220
Alcohols
Effects of long-chain – – – on membrane lipids and the $(Na^+ + K^+)$-ATPase (Grisham, Barnett) (311) 417
n-Alcohols
Effects of – – – on sarcoplasmic reticulum vesicles (Kondo, Kasai) (311) 391
Alcohols
Mesomorphic behaviour of some phospholipids with aliphatic – – – and other non-ionic substances (Hui, Barton) (296) 510
Aldehyde dehydrogenase
Activity of K^+-activated yeast – – – following rapid changes in cation environment (Springham, Betts) (309) 233
Aldehyde dehydrogenase
Horse liver 3α,7α,12α-trihydroxy-5β-cholestan-26-al dehydrogenase as a liver – – – (Okuda et al.) (293) 15
Aldehyde dehydrogenases
Comparison of – – – from cytosol and mitochondria of rat liver (Marjanen) (327) 238
Aldolase isozymes
Change in – – – of the digestive tract during postnatal development (Kawachi et al.) (320) 59
Aldolases
Rate enhancement of pyruvate aldolization by divalent cations: a model for class II – – – (Gallo, Sable) (302) 443
Aldosterone
Effect of – – – on the energetics of sodium transport in the frog skin (Saito et al.) (318) 371
Aliphatic alcohols
Mesomorphic behaviour of some phospholipids with – – – and other non-ionic substances (Hui, Barton) (296) 510
Alkaline conformational transition
– – – of chicken egg white lysozyme (Aboderin et al.) (328) 31
Alkaline phosphatase
Activation and inhibition processes of – – – from bovine brain by metal ions (Mg^{2+} and Zn^{2+}) (Brunel, Cathala) (309) 104
Alkaline phosphatase
– – – of chicken liver microsomes. II. Activity with AMP and other substrates (Naito, Tsushima) (327) 398
Alkaline phosphatase
Inorganic pyrophosphatase activity of bovine brain – – – (Cathala, Brunel) (315) 73
Alkaline phosphatase
pH and anion dependent salt modifications of – – – from a slightly halophilic Vibrio alginolyticus (Hayashi et al.) (315) 83
Alkaline phosphatase
Regulation of – – – activity in KB cells: Influence of serum (Herz et al.) (304) 660
Alkaline phosphatase
Relation of heavy metals to the activity and heat stability of – – – from human placenta (Hindriks et al.) (315) 94
Alkaline protease
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. I. Purification and characterization of one neutral and one – – – (Arvidson et al.) (302) 135

Alkane oxidation
– – – in Candida tropicalis (Gallo et al.) (296) 624
Alkylating agents
Alkaline sucrose sedimentation studies of DNA from P388F lymphoma cells treated with difunctional – – – (Peterson et al.) (299) 385
Alkylhydroxynaphthoquinones
Inhibition of the mitochondrial respiratory chain by – – – : Reversal on discharge of the energized state (Howland et al.) (314) 154
O-Alkyl lipids
Tetrahydropteridine-dependent cleavage enzyme for – – – : substrate specificity (Snyder et al.) (316) 259
Allysine aldol
Evidence for intramolecular crosslinks in chicken bone collagen: The isolation of peptides containing – – – (Eyre, Glimcher) (295) 301
α-Amanitin
Inhibition of RNA and of protein synthesis in the organs of rats and mice poisoned with – – – (Montanaro et al.) (319) 188
α-Amanitin-insensitive RNA polymerase
Effect of amino acids on the – – – activity in the isolated nuclei of Ehrlich ascites cells (Franze-Fernández, Fontanive-Sangüesa) (331) 71
α-Amanitin poisoning
Effect of – – – on DNA synthesis and on protein synthesis in regenerating rat liver (Montecuccoli et al.) (319) 199
Amidino compounds
Inhibition of C1r, C1s and generation of C1s by – – – (Asghar et al.) (317) 539
Amino acid
Exchange transport and – – – charge as the basis for Na^+-independent lysine uptake by isolated intestinal epithelial cells (Reiser, Christiansen) (307) 223
Amino acid
Lack of accumulation of unusual guanosine nucleotides upon – – – starvation of two eukaryotic organisms (Buckel, Böck) (324) 184
Amino acid
Molecular weight, – – – composition and other properties of membrane-bound ATPase from Bacillus megaterium KM (Mirsky, Barlow) (291) 480
Amino acid acceptor terminus
Amino acid–nucleotide interactions on an insoluble solid support. I. A simple model of the – – – of a tRNA (Harpold, Calvin) (308) 118
Amino acid accumulation
– – – in frog muscle. I. Steady-state glycine accumulation at 0°C (Neville) (291) 287
Amino acid analogue
Transport of the – – –, 2-aminobicyclo (2,2,1)heptane-2-carboxylic acid by Ehrlich ascites tumour cells (McClellan, Schafer) (311) 462
Amino acid analyses
N-Terminal – – – reveal peptide heterogeneity in major electrophoretic protein components of erythrocyte ghosts (Knüfermann et al.) (330) 356
Amino acid composition
– – – and relationships of lupin and serradella leghaemoglobins (Broughton, Dilworth) (317) 266
Amino acid composition
Studies on bovine cervical mucin. I. The – – – and N-terminal amino acid of bovine oestrus cervical mucin (Bhushano Rao et al.) (317) 286
Amino acid deprivation
Effect of elevated potassium level and – – – on polysome distribution and rate of protein synthesis in L cells (Christman) (294) 138
L-Amino acid esters
Rupture of rat liver lysosomes mediated by – – – (Goldman, Kaplan) (318) 205
Amino acid incorporation
Mechanisms in protein synthesis. XIV. Competitive inhibition of natural mRNA stimulated – – – by aminoacyl-tRNA (Scheulen et al.) (299) 468
Amino acid incorporation
Polyribosomes from maize leaves. Isolation at high pH and – – – (Ramagopal, Hsiao) (299) 460
Amino acid incorporation
Rate of – – – into brain proteins during infusion in the rat (Seta et al.) (294) 472
Amino acid–nucleotide interactions
– – – on an insoluble solid support. I. A simple model of the amino acid acceptor terminus of a tRNA (Harpold, Calvin) (308) 118
D-Amino acid oxidase
Active unit of – – – from hog kidney (Huet) (322) 234
D-Amino-acid oxidase
Complex formation of – – – with

barbiturates and uracil derivatives (Kyogoku et al.) (321) 437
D-Amino acid oxidase
Improved purification, amino acid analysis and molecular weight of homogeneous – – – from pig kidney (Curti et al.) (327) 266
D-Amino acid oxidase
Mechanism of Enzyme action. VI. Kinetic isotope effect in – – – reaction. (Yagi et al.) (321) 64
Amino acid pools
Interrelationship between – – – and protein synthesis in the rat submandibular gland (Van Venrooij et al.) (312) 392
α-Amino acids
Chlorination studies. II. The reaction of aqueous hypochlorous acid with – – – and dipetides (Pereira et al.) (313) 170
Amino acids
Isolation of plasma membranes from Ehrlich ascites tumour cells. Influence of – – – on $(Na^+ + K^+)$-ATPase and K^+-stimulated phosphatase (Forte et al.) (298) 827
Amino acids
Metabolism of glucose to – – – in the apex of roots of Pisum sativum (Fowler, ap Rees) (304) 326
Amino acids
Synthesis of metabolism-resistant substrates for the transport system for cationic – – – ; their stimulation of the release of insulin and glucagon, and of the urinary loss of amino acids related to cystinuria (Christensen, Cullen) (298) 932
Amino acid transport
Acidic – – – in Neurospora crassa mycelia (Wolfinbarger, Kay) (330) 335
Amino acid transport
– – – in the cornea. I. 3-Aminoisobutyric acid uptake in the toad (Friedenthal, Scott) (323) 456
Amino acid transport
Cortisol-induced inhibition of – – – in thymic lymphocytes: Kinetic parameters; relation to ATP levels and protein synthesis; and specificity (Baran et al.) (307) 627
Amino acid transport
Multiple transport systems for basic – – – in Streptomyces hydrogenans (Gross, Burkhardt) (298) 437
Amino acid transport
– – – into the œstrogen-primed uterus. IV. Effects of sulphydryl agents on the uptake in vitro (Feng, Riggs) (318) 426
Amino acid transport
Regulation of – – – in chick embryo heart cells. II. Adaptive control sites for the "A mediation" (Franchi-Gazzola et al.) (291) 545
Amino acid transport
Regulation of – – – in chick embryo heart cells. III. Formal identification of the "A mediation" as adaptive transport system (Gazzola et al.) (311) 292
Amino acid transport
Sodium dependence of maximum flux, J_M · and K_m of – – – in Ehrlich ascites cells (Jacquez) (318) 411
Amino acid transport
Specificity and metal sensitivity of renal – – – (Foulkes, Gieske) (318) 439
Amino acid uptake
Effects of chelating agents on the initial interaction of phytohaemagglutinin with lymphocytes and the subsequent stimulation of – – – (Whitney, Sutherland) (298) 790
Amino acid uptake
Effects of colicin A and staphylococcin 1580 on – – – into membrane vesicles of Escherichia coli and Staphylococcus aureus (311) 483
Aminoacridines
Enzymes induction in dormant spores of Aspergillus oryzae. IV. Effects of ethidium, – – – and related compounds. (Sinohara) (299) 662
Aminoacylation
– – – and acetylaminoacylation of homopolyribonucleotides (Weber, Fox) (319) 174
Aminoacyl transfer RNA formation
– – –. III. Mechanism of aminoacylation stimulated by polyamines (Matsuzaki, Takeda) (308) 339
Aminoacyl-tRNA
Determination of picomole quantities of eukaryotic – – – with bacterial elongation factor Tu: The extent of in vivo tRNA acylation (Shelton, Bernfield) (331) 81
Aminoacyl-tRNA
Mechanisms in protein synthesis. XIV. Competitive inhibition of natural mRNA-stimulated amino acid incorporation by – – – (Scheulen et al.) (299) 468
Aminoacyl-tRNA synthetases
Changes in tRNAs and – – – during sea urchin development (Spadafora et al.) (312) 674

Aminoacyl-tRNA synthetases
Substrate protection during selective heat inactivation of – – – and its use in enzyme studies (Norris, Fowden) (312) 695
p-Aminobenzyl alcohol dehydrogenase
Metabolites of p-aminobenzoic acid. V. Isolation and properties of – – – (Sloane) (327) 11
Aminobutyrate aminotransferase
Sulphinic and sulphonic analogues of γ-aminobutyric acid and succinate semialdehyde, new substrates for the – – – and the succinate semialdehyde dehydrogenase of Pseudomonas fluorescens (Gomez de Gracia, Jollès-Bergeret) (315) 49
γ-Aminobutyrate Pathway
– – – in mammalian kidney cortex (Lancaster et al.) (297) 229
γ-Aminobutyric acid
Sulphinic and sulphonic analogues of – – – and succinate semialdehyde, new substrates for the aminobutyrate aminotransferase and succinate semialdehyde dehydrogenase of Pseudomonas fluorescens (Gomez de Gracia, Jollès-Bergeret) (315) 49
Aminoethylphosphonate
Identification of molecular species of ceramide – – – from oyster adductor by gas–liquid chromatography–mass spectrometry (Matsubara, Hayashi) (296) 171
α-Amino groups
pK values of the – – – of peptides derived from the N-terminus of bovine growth hormone (Wallis) (310) 388
3-Aminoisobutyric acid uptake
Amino acid transport in the cornea. I. – – – in the toad (Friedenthal, Scott) (323) 456
δ-Aminolaevulinate
δ-Aminolaevulinic acid synthetase activity and the effect of exogenous – – – on the synthesis of cytochrome c in the thoracic muscles of the tobacco horn worm during adult development (Chan et al.) (329) 251
δ-Aminolaevulinate synthase
"Glucose effect" in rat liver. Studies of – – – and tyrosine aminotransferase (Bonkowsky et al.) (320) 561
δ-Aminolaevulinic acid
Synthesis of – – – and chlorophyll during illumination of etiolated Euglena gracilis (Richard, Nigon) (313) 130
δ-Aminolaevulinic acid
Use of exogenous – – – for the studies of the regulation of haem synthesis in rabbit reticulocytes (Ponka et al.) (304) 123
δ-Aminolaevulinic acid synthetase
– – – activity and the effect of exogenous δ-aminolevulinate on the synthesis of cytochrome c in the thoracic muscles of the tobacco horn worm during adult development (Chan et al.) (329) 251
δ-Aminolaevulinic acid synthetase
– – – from cold-stored potatoes (Ramaswamy, Madhusudanan Nair) (293) 269
δ-Aminolaevulinic acid synthetase
Effect of DL-propranolol on – – – activity and urinary excretion of porphyrins in allylisopropylacetamide-induced experimental porphyria (Blum et al.) (320) 242
Aminonaphthalene derivatives
Spectral analyses of extrinsic fluorescence of the nerve membrane labeled with – – – (Tasaki et al.) (323) 220
Aminopeptidase
– – – from hog intestinal brush border (Maroux et al.) (321) 282
Aminopeptidase
Pig kidney particulate – – –, a zinc metalloenzyme (Lehky et al.) (321) 274
Aminopeptidases
Studies on – – – in rat liver and plasma (Tamura et al.) (327) 437
o-Aminophenol
Differentiation of homologous forms of hepatic microsomal UDPglucuronyltransferase. I. Evidence for the glucuronidation of – – – and p-nitrophenol by separate enzymes (Zakim et al.) (309) 67
Amino terminal region
Modification of the – – – of Escherichia coli proteins after initiation with methionine analogues (Brown) (294) 527
Aminotransferase
Distribution of glutamine hexosephosphate – – – in rat tissues: changes with state of differentiation (Richards, Greengard) (304) 842
Aminotransferase
Specific changes in the activity of tyrosine – – – isoenzymes in rat liver after cortisol treatment and partial hepatectomy (Mertvetsov et al.) (315) 61
Ammoniagenesis
Effects of catecholamines on – – – and gluconeogenesis by renal cortex in vitro (Klahr et al.) (304) 161
Ammonium ion excretion
Characteristics of H^+ excretion and – – –

by the urinary bladder of the toad (Frazier, Vanatta) (311) 98
3′, 5′-AMP
Effects of glucagon, – – – and 3′, 5′-GMP on ion fluxes and transmembrane potential in perfused livers of normal and adrenalectomized rats (Friedmann, Dambach) (307) 399
Amphotericin B
Effects of the antibiotics gramicidin A, – – – and nystatin on the electrical properties of frog skeletal muscle (Leung, Eisenberg) (298) 718
Amphotericin B
Influence of – – – on the permeability of mammalian erythrocytes to nonelectrolytes, anions and cations (Deuticke et al.) (318) 345
AMP phosphorylation
Intramitochondrial – – –: A suggestion for the compartmentation of the endogenous P_i pool (Tokumitsu, Ui) (292) 325
AMP: pyrophosphate phosphoribosyltransferase
Immunochemical studies of – – – from normal and Lesch–Nyhan subjects (Yip et al.) (293) 359
Amylase
Determination of the carbohydrate content of porcine pancreatic – – – (Beaupoil-Abadie et al.) (297) 436
α-Amylase
Effect of acetylation of Bacillus subtilis – – – on the kinetics of heat inactivation (Urabe et al.) (302) 73
Amylase
Influence of different in vivo treatments on the rate of secretion of – – –, lipase and chymotrypsinogen by slices of pigeon pancreas (Reggio) (297) 81
β-Amylase
Polymorphism of barley – – – (Niku-Paavola et al.) (322) 181
Amylase
Preparation and some properties of human pancreatic – – – including a comparison with human parotid amylase (Stiefel, Keller) (302) 345
α-Amylase
Purification and properties of a cross reacting material related to – – – and biochemical comparison with the parent α-amylase (Yamane et al.) (295) 323
α-Amylase
Quaternary structure of Bacillus subtilis – – –. Anomalous behaviour in sodium dodecylsulphate (Mitchell et al.) (295) 314
α-Amylase
Stabilization of Bacillus subtilis – – – by amino group acylation (Hora) (310) 264
α-Amylase
Study of correlation between structural motility and reactivity of SH groups in – – – (Telegdi, Straub) (321) 210
α-Amylase
Subcellular and submicrosomal distribution of rat liver – – – activity (Hammerton, Messer) (321) 597
α-Amylase inhibitors
Physical characterization of – – – from wheat (Silano et al.) (317) 139
Anaesthetic
Pressure reversal of inhalation – – – induced disorder in spin-labeled phospholipid vesicles (Trudell et al.) (291) 328
Anaesthetics
Effect of two inhalation – – – on the order of spin-labeled phospholipid vesicles (Trudell et al.) (291) 321
Anaesthetics
Importance of the hydrophobic interactions of local – – – in the displacement of polyvalent cations from artificial lipid membranes (Fernández, Cerbón) (298) 8
Anaesthetics
Opposing effects of pressure and general – – – on the cation permeability of liposomes of varying lipid composition (Johnson et al.) (307) 42
Anaesthetics
Properties of a (Mg^{2+}+ Ca^{2+})-dependent ATPase of bovine brain cortex. Effects of detergents, freezing, cations and local – – – (Roufogalis) (318) 360
Androgen cytosol receptor
– – – in the ventral prostate of the rat (Høisæter) (317) 492
Androstenedione
On testicular 17β-hydroxysteroid oxidoreductase: product activation of testosterone formation from – – – in vitro (Oshima, Ochiai) (306) 227
ANDRY agent, see deactivation - accelerating agent (Renyer) (314) 390
Angiotensin II
Prolonged retention of high specific activity by ^{125}I-labeled – – – – a consequence of "decay catastrophe" (Catt, Baukal) (313) 221
Angiotensinase C
Purification of prolylcarboxypeptidase (– – –) (Kakimoto et al.) (302) 178

Angiotensin-converting enzyme
Inhibition of homogenous – – – of rabbit lung by synthetic venom peptides of Bothrops jararaca (Cheung, Cushman) (293) 451
Angiotensin I converting enzyme
Purification of the – – – of the lung (Nakajima et al.) (315) 430
Angiotensin-converting enzyme
Substrate specificity of hog plasma – – – (Angus et al.) (309) 169
Angiotensins
Monoiodinated – – –: preparation and characterization by polyacrylamide gel electrophoresis and electrofocussing (Corvol et al.) (322) 392
1-Anilinonaphthalene-8-sulphonate
Human erythrocyte ghosts: Relationship between membrane permeability and binding kinetics of the fluorescent probe – – – (Radda, Smith) (318) 197
Anion diffusion
Effects of lysozyme on cation and – – – from phospholipid liposomes (Kaplan) (311) 1
Anions
Influence of amphotericin B on the permeability of mammalian erythrocytes to non-electrolytes, – – – and cations (Deuticke et al.) (318) 345
Anions
Permeability of Azotobacter vinelandii to cations and – – – (Visser, Postma) (298) 333
Anions
Role of Na^+ and – – – in the triple response of isolated frog skin to norepinephrine (Pinschmidt et al.) (323) 309
Anion transport
– – – in stored bovine adrenal cortical mitochondria (Tsang, Johnstone) (318) 217
Anion uptake
Inhibition of metabolite – – – in mitochondria by tetraphenylboron (Meisner) (318) 383
Anthranilate N-acetyl transferase
Further studies on – – – and the metabolism of N-acetylanthranilic acid in Aerobacter aerogenes (Paul, Ratledge) (320) 9
Antibiotic resistance
Mitochondrial – – – in yeast: ribosomal mutants resistant to chloramphenicol, erythromycin and spiramycin (Grivell et al.) (312) 358
Antibodies
Immunologic studies on nucleic acids and their components. I. An analysis of the specificity of anti-deoxyadenylate – – – by a membrane-binding technique (Humayun, Jacob) (331) 41
Antibody
Release of macromolecular markers (enzymes) from liposomes treated with – – – and complement: An attempt at correlation with electron microscopic observations (Kataoka et al.) (298) 158
Antibody conjugate
Use of tolylene diisocyanate for the preparation of a peroxidase-labelled – – –: quantitation of the amount of diisocyanate bound (Modesto, Pesce) (295) 283
Antigens
Purification and characterization of HL-A – – – from human platelets, solubilized by the non-ionic detergent NP-40 (Dautigny et al.) (298) 783
Anti-glucagon antibodies
Isolation of glucagon-like immunoreactivity of gut by affinity chromatography on – – – coupled to Sepharose 4B (Murphy et al.) (303) 118
Antimycin
Cytochrome b spectrum of plant mitochondria and its response to ATP and – – – (Passam et al.) (325) 54
Antimycin-insensitive mutants
– – – of Candida utilis. I. Isolation and characterization of mutant 28 (Grimmelikhuijzen, Slater) (305) 67
Antisera
Use of – – – covalently coupled to agarose, cellulose and Sephadex in radio-immunoassay systems for proteins and haptens (Bolton, Hunter) (329) 318
Antiserum
Ceramide tetrasaccharide of human erythrocyte membrane reacting with anti-type XIV pneumococcal polysaccharide – – – (Siddiqui, Hakomori) (330) 147
Anti-soybean agglutinin antibody
Production and purification of specific – – – by affinity chromatography (Nachbar, Oppenheim) (320) 494
α_1-Antitrypsin
Analysis of plasma – – – variants and their microheterogeneity (Laurell, Persson) (310) 500
Antiviral activity
– – – of polynucleotides: Poly(2′-fluoro-

2′-deoxyuridylic acid) (De Clercq, Janik) (324) 50
Aortic tissues
Investigation of procedures for subcellular fractionation of rabbits – – – (Krupa et al.) (304) 260
D-Apiitol dehydrogenase
Purification of a specific – – – from a micrococcus isolated from the surface of germinating parsley seeds (Hanna et al.) (315) 259
Apolipoprotein-alanine
Interaction of phosphatidylcholine and – – –: electron microscopic studies (Hoff et al.) (296) 653
Apoprotein
Kinetics of lipoprotein lipase activity: Effects of the substrate – – – on reaction velocity (Fielding) (316) 66
Apoprotein subunits
Metabolism of rat plasma very low density lipoprotein. II. Fate in circulation of – – – (Eisenberg, Rachmilewitz) (326) 391
1-β-D-Arabinofuranosyl-5-bromouracil
Crystal and molecular structure of – – –: an unusual sugar conformation (Tougard) (319) 116
Arabinose (fucose) dehydrogenase
– – – from pig liver. I. Isolation and characterization (Maijub et al.) (315) 37
β-L-Arabinosidase
– – – from Cajanus indicus: a new enzyme (Dey) (302) 393
Arachidonic acid
Enzymic incorporation of – – – into ether-containing choline and ethanolamine phosphoglycerides by deacylation–acylation reactions (Wykle et al.) (326) 26
Arachidonic acid
Identification and analysis of – – – in Plexaura homomalla, var. R. and var. S. (Light) (296) 461
Arachidonic acid
Retention of – – – in ethanolamine plasmalogens of rat testes during essential fatty acid deficiency (Blank et al.) (316) 28
Arginase
Effect of managanese and amino acids on proteolytic inactivation of beef liver – – – (Bond) (327) 157
Arginine esteroproteases
Reversible inhibition of cell multiplication in vitro by inhibitors of – – – (Taylor, Lembach) (329) 58
Arginine kinase
Two isoenzymes of – – – from Panulirus longipes (Mäsiar, Shaw) (303) 308
Arylesterase
– – – and acetylcholinesterase in the erythrocytes of man, cow and pig (Augustinsson et al.) (293) 424
Aryl hydroxylase induction
– – – in the chick embryo by polycyclic hydrocarbons (Jellinck, Smith) (304) 520
Arylsulphatase
Purification and properties of an isoenzyme of – – – from Aspergillus oryzae (Rasburn, Wynn) (293) 191
Arylsulphatase
Sulphatase of ox liver. XVI. A comparison of the – – – and cerebroside sulphatase activities of sulphatase A (Jerfy, Roy) (293) 178
Arylsulphatase A
Second form of – – – in human urine (Stevens et al.) (302) 338
Ascorbate
Mechanism of the oxidation of – – – and Mn^{2+} by chloroplasts: The role of the radical superoxide (Epel, Neumann) (325) 520
Ascorbate oxidation
Role of the superoxide free radical ion in photosynthetic – – – and ascorbate-mediated photophosphorylation (Elstner, Kramer) (314) 340
Ascorbic acid
Biliary metabolite of – – – in normal and hypophysectomized rats (Hornig et al.) (320) 549
Ascorbic acid
Radiosensitivity and the – – – electron spin resonance doublet (Vaughan et al.) (329) 159
Asparaginase
Enzymatic properties of microcapsules containing – – – (Mori et al.) (321) 653
L-Asparaginase
Modification of – – – EC-2 by homologous antibodies (Zyk) (302) 420
Asparaginase
Photooxidation of histidine residues in – – – in relation to its enzymic activity (Makino, Inada) (295) 543
L-Asparaginase A
Purification and properties of – – – from Acinetobacter calcoaceticus (Joner et al.) (327) 146
L-Asparaginase synthesis
Induction of – – – in Escherichia coli (Svobodová, Strbánová-Necinová) (321) 643

Asparagine transport
– – – in Lactobacillus plantarum and Streptococcus faecalis (Holden, Bunch) (307) 640
Aspartase
Studies on – – –. I. Purification and molecular properties of aspartase from Escherichia coli (Suzuki et al.) (321) 369
Aspartate aminotransferase
Beef brain cytoplasmic – – –. Purification, kinetics and physical properties (Krista, Fonda) (309) 83
Aspartate aminotransferases
Comparison of coenzymatic activities of 2-nor-2-hydroxymethylpyridoxal 5′-phosphate for mitochondrial and cytoplasmic – – – (Masugi et al.) (320) 648
Aspartate aminotransferases
Conformational changes of – – – in the region of Cys-45 residue observed by means of spin label (Polyanovsky et al.) (327) 57
Aspartate carbamoyltransferase
Characterization of the –– – subunit obtained from a multienzyme aggregate in the pyrimidine pathway of yeast: activity and physical properties (Aitken et al.) (309) 50
L-Aspartate: 2-oxoglutarate aminotransferase
Magnesium sensitivity of – – – in Escherichia coli (Urm et al.) (302) 249
Aspartate transcarbamylase
Interaction between polypeptide chains within the catalytic subunit of – – – (Heyde) (293) 351
Aspartate transcarbamylase
Release of ribosome-bound – – – after in vitro complementation (Issaly et al.) (331) 410
Aspartyl residues
Conversion of exposed – – – and glutamyl residues in proteins to asparaginyl and glutaminyl residues (Lewis, Shafer) (303) 284
Aspartyl-tRNA synthetase
Studies on – – – from baker's yeast. I. Purification and properties of the enzyme (Gangloff, Dirheimer) (294) 263
Aspergillus niger
Protein catabolism. II. Identification of neutral and acidic proteolytic enzymes in – – – (Bosmann) (293) 476
Aspergillus oryzae
Factors affecting the synthesis and release of the extracellular protease of – – – NRRL 2160 (Klapper et al.) (304) 513
Aspergillus oryzae
Isolation of alkaline proteinases from – – – by one step affinity chromatography on ovoinhibitor-Sepharose column (Feinstein, Gertler) (309) 196
Aspergillus oryzae
Purification and properties of an extracellular protease from – – – NRRL 2160 (Klapper et al.) (304) 505
ATP
Amino acid stimulation of alkali-metal-independent – – – cleavage by an Ehrlich cell membrane preparation (Ronquist, Christensen) (323) 337
ATP
Binding of – – – to and release from microsomal (Na^++K^+)-ATPase (Brodsky, Shamoo) (291) 208
ATP
– – – and Ca^{2+} binding by the Ca^{2+} pump protein of sarcoplasmic reticulum (Meissner) (298) 906
[γ-^{32}P]ATP
Chemical synthesis of – – – (Hecht, Kozarich) (331) 307
ATP
Comparison of ADP and – – – as substrates for the adenine nucleotide translocator in rat-liver mitochondria (Souverijn et al.) (305) 185
ATP
Cortisol-induced inhibition of amino acid transport in thymic lymphocytes: Kinetic parameters; relation to – – – levels and protein synthesis; and specificity (Baran et al.) (307) 627
ATP
Cytochrome b spectrum of plant mitochondria and its response to – – – and antimycin (Passam et al.) (325) 54
ATP
Fluid transport, – – – level and ATPase activities in isolated rabbit corneal endothelium (Anderson et al.) (307) 557
ATP
Does – – – cause relaxation by binding to actin or its regulatory proteins? (Weber, Bremel) (325) 333
ATP: L-arginine phosphotransferase
Multiple effects of ions on – – – and ATP: creatine phosphotransferase (Lacombe et al.) (293) 150
ATPase
– – – activity of Jerusalem-artichoke

mitochondria and submitochondrial particles (Passam, Palmer) (305) 80
ATPase
ADP binding to (sodium, potassium)-activated – – – (Kaniike et al.) (298) 901
ATPase
Affinities of ATP for the dinitrophenol-induced – – – (Verdouw, Bertina) (325) 385
ATPase
Allosteric transitions and membrane-bound – – – from rat tissues: The effect of fat deprivation on the allosteric inhibition by fluoride (Goldemberg et al.) (291) 489
ATPase
Calcium ion control of platelet thrombosthenin – – – activity (Hanson et al.) (314) 382
ATPase
Calcium-stimulated, ouabain-inhibited – – – in a myocardial fraction enriched with sarcolemma (Stam, Jr et al.) (298) 927
ATPase
Cation sites of the (Na^++K^+)-dependent – – –: Mechanisms for Na^+-induced changes in K^+ affinity of the phosphatase activity (Robinson) (321) 662
ATPase
Comparison of the subcellular distribution of 5'-nucleotidase, (Na^+–K^+) – – – and adenyl cyclase in beef thyroid gland (Matsuzaki et al.) (313) 328
ATPase
Conformational change with temperature of – – – from Bacillus stearothermophilus (Hachimori, Nosoh) (315) 481
ATPase
– – – in the cortical layer of sea urchin egg: its properties and interaction with cortex protein (Mabuchi) (297) 317
ATPase
Differential effect of lithium on microsomal – – – in cortex, medulla and papilla of the rat kidney (Gutman et al.) (298) 284
ATPase
Effect of dehydration, food deprivation, saline and adrenalectomy on microsomal (Na^++K^+)-dependent – – – in the salivary glands and intestinal mucosa (Gutman, Glushevitzky-Strachman) (304) 533
ATPase
Effects of gastric acid stimulants and inhibitors on the activities of HCO_3^--stimulated, Mg^{2+}-dependent – – – and carbonic anhydrase in rat gastric mucosa (Narumi, Kanno) (311) 80
ATPase
Effects of long-chain alcohols on membrane lipids and the (Na^++K^+)- – – – (Grisham and Barnett) (311) 417
ATPase
Effects of some organic solvents on the reactivity of sodium plus potassium ion-transport – – – (Hegyvary) (311) 272
ATPase
Effects of ruthenium red on Ca^{2+} uptake and – – – of sarcoplasmic reticulum of rabbit skeletal muscle (Vale, Carvalho) (325) 29
ATPase
Energy level associated with the light-triggered Mg-dependent – – – in spinach chloroplasta (Bakker-Grunwald, van Dam) (292) 808
ATPase
Essential role of membrane – – – or coupling factor for anaerobic growth and anaerobic active transport in Escherichia coli (Yamamoto et al.) (314) 267
ATPase
Fluid transport, ATP level and – – – activities in isolated rabbit corneal endothelium (Anderson et al.) (307) 557
ATPase
Inhibitory effect of inorganic phosphate on the axonemal – – – of cilia from Tetrahymena pyriformis (Otokawa) (292) 834
ATPase
Interaction of a solubilized membrane – – – with lipid bilayer membranes (Redwood et al.) (318) 10
ATPase
– – – in isolated membranes of Bacillus subtilis (Rosenthal, Matheson) (318) 252
ATPase
Kinetic studies on the inhibition of (Na^++K^+)- – – – by diketocoriolin B (Kunimoto, Umezawa) (318) 78
ATPase
Kinetic study of the binding of an ADP fluorescent analogue to mitochondrial – – – (Tondre, Hammes) (314) 245
ATPase
Lipid composition, Ca^{2+} binding and Ca^{2+}-stimulated – – – activity of sarcoplasmic reticulum of the cardiomyopathic hamster (Owens et al.) (296) 71

ATPase
Lipid dependence of activity–temperature relationship of (Na^+, K^+)-activated – – – (Tanaka and Teruya) (323) 584
ATPase
Localization and distribution of Micrococcus lysodeikticus membrane – – – determined by ferritin labelling (Oppenheim, Salton) (298) 297
ATPase
Membrane – – – of Escherichia coli. II. Release into solution, allotopic properties and reconstitution of membrane-bound ATPase (Roisin, Kepes) (305) 249
ATPase
Membrane – – – of Escherichia coli K 12. Selective solubilization of the enzyme and its stimulation by trypsin in the soluble and membrane-bound states (Carreira et al.) (307) 541
ATPase
Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+}- – – –, (Na^++K^+)-ATPase and acetylcholinesterase from rats fed different supplemented diets (Bloj et al.) (311) 67
ATPase
Membrane reconstitution in chl-r mutants of Escherichia coli K 12. V. – – – incorporation in particles formed by complementation (Giordano et al.) (307) 513
ATPase
Molecular weight, amino acid composition and other properties of membrane-bound – – – from Bacillus megaterium KM (Mirsky, Barlow) (291) 480
ATPase
Myosin cornformation and enzymatic activity: Effect of chloroform, diethyl ether and halothane on ORD and – – – (Leeuwenkroon-Strosberg et al.) (295) 178
ATPase
New method for making phospholipid vesicles and the partial reconstitution of the (Na^+, K^+)-activated – – – (Slack et al.) (323) 547
ATPase
Occurrence and properties of (Na^+–K^+)- – – – in immature, lactating and involuted guinea pig mammary gland. Studies on Na^+–K^+-activated ATPase XXXII (Vreeswijk et al.) (330) 173
ATPase
Ouabain–receptor interactions in (Na^++K^+)- – – – preparations from different tissues and species. Determination of kinetic constants and dissociation constants. (Erdmann, Schoner) (307) 386
ATPase
Ouabain–receptor interactions in (Na^++K^+)- – – – preparations. II. Effect of cations and nucleotides on rate constants and dissociation constants (Erdmann, Schoner) (330) 302
ATPase
Ouabain–receptor interactions in (Na^++K^+)- – – – preparations. III. On the stability of the ouabain receptor against physical treatment, hydrolases and SH reagents (Erdmann, Schoner) (330) 316
ATPase
Potassium-stimulated – – – in purified microsomes of bullfrog oxyntic cells. (Ganser, Forte) (307) 169
ATPase
Properties of – – – of gastric mucosa. V. Preparation of membranes and mitochondria by zonal centrifugation (Spenney et al.) (311) 545
ATPase
Properties of a (Mg^{2+}+Ca^{2+})-dependent – – – of bovine brain cortex. Effects of detergents, freezing, cations and local anaesthetics (Rougogalis) (318) 360
ATPase
Soluble protein activator of (Mg^{2+}+Ca^{2+})-dependent – – – in human red cell membranes (Bond, Clough) (323) 592
ATPase
Stabilization by cations of microsomal – – – against heat inactivation (Kirschmann et al.) (330) 167
ATPase
Studies on the activation of purified mitochondrial – – – by phospholipids (Swanljung et al.) (305) 519
ATPase
Studies on flagellar – – – from sea urchin spermatozoa. II. Effect of trypsin digestion on the enzyme (Ogawa) (293) 514
ATPase
Study of human erythrocyte membrane using sodium deoxycholate. II. Effects of cold storage, EDTA and small deoxycholate concentrations on – – – activities (Philippot, Authier) (298) 887

ATPase
Study on the influence of the concentration of Mg^{2+}, P_i, K^+, Na^+, and Tris on (Mg^{2+}+P_i)-supported g-strophanthin binding to (Na^++K^+)-activated – – – from ox brain (Hansen, Skou) (311) 51
ATPase
Subcellular distribution and characterisation of – – – activity in pig platelets (Harris, Crawford) (291) 720
ATPase
Tight binding of adenine nucleotides to beef-heart mitochondrial – – – (Harris et al.) (314) 149
ATPase inhibitor
Interaction between the mitochondrial ATPase (F_1) and the – – – (van de Stadt et al.) (292) 338
ATPase inhibitor
Suramin: A potent – – – which acts on the inside surface of the sodium pump (Fortes et al.) (318) 262
ATP: creatine phosphotransferase
Multiple effects of ions on ATP:L-arginine phosphotransferase and – – – (Lacombe et al.) (293) 150
ATP-dependent activation
– – – of dicarboxylic acids in rat liver (Pettersen, Aas) (326) 305
ATP-dependent nuclease
Measurement of the – – – in crude extracts of wild-type and RecA cells of E. coli (Hout, Schuite) (308) 366
ATP formation
Kinetics of – – – and proton efflux by acid–base transition in chloroplasts (Nishizaki) (314) 312
ATP leakage
Yeast killer factor: – – – and coordinate inhibition of macromolecular synthesis in sensitive cells (Bussey, Sherman) (298) 868
ATP–magnesium complexes
"pH stat" titration method for the determination of the thermodynamic quantities associated with the formation of – – – (Sari et al.) (305) 1
ATP: L-methionine S-adenosyltransferase
Inhibition of – – – of baker's yeast by structural analogues of ATP (Chou, Talalay) (321) 467
ATP synthesis
Kinetic study of in vivo – – – during mono- and bichromatic illumination of Zea mays: Red–far red antagonist effect (Michel, Thibault) (305) 390
ATP: UMP, CMP phosphotransferase
– – – from Tetrahymena pyriformis. II. Kinetic studies and reaction mechanism with UMP (Garvey, III et al.) (302) 38
Atractyloside
– – – inhibition of adenine nucleotide transport in cauliflower mitochondria (Jung, Hanson) (325) 189
Aurovertin
Binding of – – – to mitochondria, and its effect on mitochondrial respiration (Bertina et al.) (305) 503
Autolysin
Role of cell wall – – – in chain formation by a mutant strain of Streptococcus faecalis (Soper, Winter) (297) 333
Axolemma
Action of proteases and phospholipases on tetrodotoxin binding to – – – preparations isolated from lobster nerve fibres (318) 61
Axon membrane
Excitability, instability and phase transitions in squid – – – under internal perfusion with dilute salt solutions (Inoue et al.) (307) 471
5-Azacytidine
Destructive processing of the 45-S ribosomal precursor in the presence of – – – (Reichman et al.) (299) 173
5-Azacytidine
Mechanism of inhibition of protein synthesis by – – – in Hela cells (Reichman, Penman) (324) 282
L-Azetidine-2-carboxylic acid
Effect of the administration of – – – on albumin biosynthesis and transferrin biosynthesis by liver slices of rats treated with carbon tetrachloride (Kershenobich, Rojkind) (319) 216
Azoferredoxin
Electron paramagnetic resonance studies on nitrogenase. II. Interaction of adenosine 5′-triphosphate with – – – (Zumft et al.) (292) 413
Azotobacter vinelandii
Oxidative phosphorylation in – – –. Energy-linked pH changes and fluorescence changes of atebrin and 1-anilinonaphthalene-8-sulphonate (Bening, Eilermann) (292) 402
Azotobacter vinelandii
Respiratory chain of – – – (Kauffman, van Gelder) (305) 260

B

Bacillus stearothermophilus
Mode of action of N-tosyl-1-phenylalanyl-chloromethane on the elongation protein-synthesizing S_3 factor from – – – (Jonák et al.) (294) 322

Bacteriochlorophyll
Absorbance and fluorescence properties of the – – – a reaction center complex and bacteriochlorophyll a protein in green bacteria (Fowler et al.) (292) 692

Bacteriochlorophyll
Absorption changes of carotenoids and – – – in energized chromatophores of Rhodospirillum rubrum (Barsky, Samuilov) (325) 454

Bacteriochlorophyll
Circular dichroism and absorption spectra of – – – protein and reaction center complexes from Chlorobium thiosulfatophilum (Olson et al.) (292) 206

Bacteriochlorophyll
Effect of oxidation–reduction potential on light-induced cytochrome and – – – reactions in chromatophores from the photosynthetic green bacterium Chlorobium (Knaff et al.) (325) 94

Bacteriochlorophyll
Extraction of oxidized – – – from illuminated photosynthetic reaction center particles (Straley, Clayton) (292) 685

Bacteriochlorophyll
Monomolecular films of – – – and derivatives at an air–water interface: Surface and spectral properties (Reinach et al.) (314) 360

Bacteriochlorophyll
Primary events in the photosynthetic reaction centre from Rhodopseudomonas spheroides strain R26: Triplet and oxidized states of – – – and the identification of the primary electron acceptor (Dutton et al.) (292) 654

Bacteriochlorophyll
Shifts of – – – and carotenoid absorbance bands linked to cytochrome c-555 photooxidation in Chromatium (Case, Parson) (325) 441

Barbiturates
Complex formation of D-amino-acid oxidase with – – – and uracil derivatives (Kyogoku et al.) (321) 437

Base-exchange
Biosynthesis of phospholipids and phospholipid precursors in rat liver involving de novo methylation, and – – – pathways, in vivo (Salerno, Beeler) (326) 325

Base pairs
Relationship between mismatched – – – and the thermal stability of DNA duplexes. I. Effects of depurination and chain scission (Ullmann, McCarthy) (294) 405

Base pairs
Relationship between mismatched – – – and the thermal stability of DNA duplexes. II. Effects of deamination of cytosine (Ullmann, McCarthy) (294) 416

Basic proteins
Protamines and other – – – from spermatoza of molluscs (Subirana et al.) (317) 364

Bence–Jones protein
Sensitivity of some nonhelical proteins to structural modification by sodium dodecylsulphate and its homologues. Circular dichroism studies on – – –, concanavalin A, soybean trypsin inhibitor and trypsin (Jirgensons) (328) 314

Benzoylamidoacetonitrile
– – – as an inhibitor of papain (Sluyterman, Wijdenes) (302) 95

Betaine efflux
– – – from rat-liver mitochondria, a possible regulating step in choline oxidation (de Ridder, van Dam) (291) 557

Bicarbonate concentration
Ionic control of renal gluconeogenesis. III. The effect of changes in pH, pCO_2, and – – – (Kurokawa, Rasmussen) (313) 42

Bicarbonate ion
Regulation by – – – of intramitochondrial citrate concentration in kidney mitochondria (Simpson, Angielski) (298) 115

Bicarbonate-stimulated, Mg^{2+}-dependent ATPase
Effects of gastric acid stimulants and inhibitors on the activities of – – – and carbonic anhydrase in rat gastric mucosa (Narumi, Kanno) (311) 80

Bilayer
Identification and extent of fluid – – – regions in membranous cytochrome oxidase (Jost et al.) (311) 141
Bilayer lipid membrane
– – – as a model for vasopressin, prostaglandin and Ca^{2+} effects on water permeability (Graziani, Livne) (291) 612
Bilayer liposomes
Single – – – prepared without sonication (Batzri, Korn) (298) 1015
Bilayer membranes
Electrical polarization of phosphatidylserine – – – by calcium ions (Wobschall, Ohki) (291) 363
Bilayer membranes
Theoretical considerations of the asymmetric distribution of charged phospholipid molecules on the inner and outer layers of curved – – – (Israelachvili) (323) 659
Bilayers
Asymmetric lipid – – –: response to multivalent ions (Montal) (298) 750
Bilayers
Effect of colloidal silicic acid on lecithin – – – (Körösy, Taboch) (291) 608
Bilayers
Interaction of bacterial lipopolysaccharide with phospholipid – – – and monolayers (Benedetto et al.) (298) 145
Bilayers
Interaction of paramagnetic ions and spin labels with lecithin – – – (Levine et al.) (291) 592
Bilayers
Interacting spin label study of the fluidizing and condensing effects of cholesterol on lecithin – – – (Marsh, Smith) (298) 133
Bilayers
Structural transition in egg cholesterol–lecithin – – – (Rand, Pangborn) (318) 299
Bile acid
Rates of cholesterol turnover processes in the transfer space of rat. VI. Influence of bile duct ligation and ingestion of – – – or cholestyramine (Lutton et al.) (306) 483
Bile acid content
Synchronization of hepatic cholesterol synthesis, cholesterol and – – –, fatty acid synthesis and plasma free fatty acid levels in the fed and fasted rat (Bortz, Steele) (306) 85
Bile acids
Different effects of free and conjugated – – – and their keto derivatives on (Na^+, K^+)-stimulated and Mg^{2+}-ATPase of rat intestinal mucosa (Hepner, Hofmann) (291) 237
Bile acids
Diffusion studies of – – –, fatty acids and sucrose–NaCl–water systems at 37°C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
Bile acids
Effect of interruption of the enterohepatic circulation of – – – and of cholesterol feeding on cholesterol 7α-hydroxylase in relation to the diurnal rhythm in its activity (Mitropoulos et al.) (326) 428
Bile duct
Rates of cholesterol turnover processes in the transfer space of rat. VI. Influence of – – – ligation and ingestion of bile acid or cholestyramine (Lutton et al.) (306) 483
Biliary metabolite
– – – of ascorbic acid in normal and hypophysectomized rats (Hornig et al.) (320) 549
Bilirubin
– – –: A potent inhibitor of NAD-linked isocitrate dehydrogenase (Ogasawara et al.) (327) 233
Bilirubin
Differentiation of homologous forms of hepatic microsomal UDPglucuronyltransferase. II. Characterization of the – – – conjugating form (Vessey et al.) (309) 75
Bilirubin UDPglucuronyltransferase
Solubilization and characterization of hepatic – – – (Gregory, Strickland) (327) 36
Bilirubin uptake
– – – in vitro by the rat intestinal mucosa (Corchs et al.) (291) 308
Bilirubin uptake
Sodium effect on – – – by the rat intestinal mucosa (Serrani et al.) (330) 186
Binding globulin
Isolation and characterisation of a progesterone- and testosterone- – – – from pregnant guinea pig serum (Lea) (317) 351
Binding site
Inhibition of α-glucan phosphorylase by bisulphite. Competition at the phosphate – – – (Kamogawa, Fukui) (302) 158
Binding sites
Phlorizin receptors in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity receptors and

unspecific – – – (Glossman, Neville, Jr) (323) 408
Bioelectrical response
– – – of Nitella flexilis cell to illumination: A new possible state of plasmalemma in a plant cell (Volkov) (314) 83
Bioluminescence
Similarities in the – – – from the Pennatulacea (Wampler et al.) (314) 104
Biosynthesis
– – – of phospholipids and phospholipid precursors in rat liver involving de novo methylation, and base-exchange pathways, in vivo (Salerno, Beeler) (326) 325
Biosynthesis of glucuronosyldiglyceride
Glycolipids of a halotolerant, moderately halophilic bacterium. II. – – – by cell-free particles (Stern, Tietz) (296) 136
Biotin
Conversion of bisnorbiotin and bisnordethiobiotin to – – – and dethiobiotin, respectively, by microorganisms (Izumi et al.) (326) 485
Bipyridylium quaternary salts
– – – and related compounds. V. Pulse radiolysis studies of the reaction of paraquat radical with oxygen. Implications for the mode of action of bipyridyl herbicides (Farrington et al.) (314) 372
3,6-Bis(acetatomercurimethyl)-dioxane
On the binding and specificity of – – – to DNAs of different base composition (Bünemann, Dattagupta) (331) 341
Bisnorbiotin
Conversion of – – – and bisnordethiobiotin to biotin and dethiobiotin, respectively, by microorganisms (Izumi et al.) (326) 485
Bisnordethiobiotin
Conversion of bisnorbiotin and – – – to biotin and dethiobiotin, respectively, by microorganisms (Izumi et al.) (326) 485
Black lipid membranes
Determination of chlorophyll porphyrin ring orientation in – – – by photovoltage spectroscopy (Weller, Jr, Tien) (325) 433
Black lipid membranes
Effect of stirring on the flux of carriers into – – – (Hladky) (307) 261
Black lipid membranes
Fluorescence spectroscopy of planar – – –. Probe adsorption and quantum yield determination (Zingsheim, Haydon) (298) 755
Black membranes
Electrical properties of – – – from oxidized cholesterol and a strongly bound protein fraction of human erythrocyte membranes (Lossen et al.) (330) 132
Bladder
Characteristics of H^+ and NH_4^+ excretion by the urinary – – – of the toad (Frazier, Vanatta) (311) 98
Bladder
Effect of guanosine 3′, 5′-monophosphate on the hydroosmotic activity of adenosine 3′, 5′-monophosphate in toad urinary – – – (Piccinni, Parisi) (311) 625
Bladder epithelial cells
Studies of the chemistry of the luminal plasma membrane of rat – – – (Ketterer et al.) (311) 180
Bleomycin
Action of – – – on programmed synthesis Influence on enzymatic DNA, RNA and protein synthesis (Yamazaki et al.) (308) 412
Bleomycin
Effect of – – – on Escherichia coli strains with various sensitivities to radiations (Onishi et al.) (312) 248
Blood chemistry
Studies of the – – – of Electrophorus electricus and a new physiological saline solution based thereon (Webb et al.) (297) 313
Blood group A
– – – active ceramide hexasaccharide lacking N-acetylglucosamine isolated from hog stomach mucosa (Slomiany et al.) (326) 224
Blood platelets
Microcalorimetric study of isolated – – – in the presence of thrombin and other aggregating agents (Ross et al.) (313) 106
Bovine cervical mucin
Studies on – – –. I. The amino acid composition and N-terminal amino acid of bovine cervical mucin (Bhushano Rao et al.) (317) 286
Bovine factor II
Calcium binding and other characteristics of – – – and its activation intermediates (Benson et al.) (329) 81
Bovine kidney
Detailed structure of sphingomyelins and ceramides from different regions of – – – with special reference to long-chain bases (Karlsson et al.) (316) 336
Bovine kidney
Sphingolipid composition of – – – cortex,

medulla and papilla (Karlsson et al.) (316) 317
Bovine plasma albumin
Fluorimetric studies on the structural transition of – – – acidic solutions (Sogami et al.) (310) 118
Brain
Composition and synthesis of plasma membranes and smooth endoplasmic reticulum in isolated cells of newborn rat – – – (Hemminki) (298) 810
Brain
Partially purified membrane protein specific to the – – – (Lim, Goedken) (322) 359
Brain
Study on phospholipid exchange proteins present in the soluble fractions of beef liver and – – – (Harvey et al.) (323) 234
Brain-specific protein
In vitro synthesis of a – – – (S-100) by free and membrane-bound polysomes (Amaldi et al.) (299) 634
Bromine compound
– – – isolated from human cerebrospinal fluid (Yanagisawa, Yoshikawa) (329) 283
2-Bromomethyl-3, 1-benzoxazin-4-one
Inactivation of α-chymotrypsin by a bifunctional reagent, – – – (Alazard et al.) (309) 379
Bronchial mucins
Isolation and immunological properties of neutral – – – from a patient with chronic bronchitis (Lamblin et al.) (322) 372
Brown adipose tissue
Energy-dependent redox reactions of two b-type cytochromes in – – – mitochondria (Flatmark, Pedersen) (325) 16
Brown adipose tissue
Studies on the energy state of isolated – – – mitochondria. Effect of adenine nucleotides and oligomycin on the generation and dissipation of the "energy potential" (Flatmark, Pedersen) (292) 64
Brown adipose tissue mitochondria
Studies on the energy state of isolated – – – A comparative study of cold-stressed and warm-readapted guinea pigs (Pedersen, Flatmark) (305) 219
Brush border
Effects of cycloheximide on influx across the – – – of rabbit small intestine (Frizzell et al.) (291) 302
Brush border membrane
Proteins and glycoproteins of the human intestinal – – – (Maestracci et al.) (323) 113
Brush border membrane
Purification of the human intestinal (Schmitz et al.) (323) 98
Brush border membranes
Phlorizin receptors in isolated kidney – – –. Differential enzymatic modification of high-affinity receptors and unspecific binding sites (Glossman, Neville Jr) (323) 408

C

C-550
Kinetics of light-induced changes of – – –, cytochrome b_{559} and fluorescence yield in chloroplasts at low temperature (Butler et al.) (292) 140

C-550
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, cytochrome b_{558}, – – –, and P700 in noncyclic electron transport (Knaff) (325) 284

C-550
Photoreduction of – – – and oxidation of cytochrome b_{559} in chloroplasts: Dependence on the state of Photosystem II (Vermeglio, Mathis) (314) 57

C-550
– – – in photosystem II subchloroplast particles (Kitajima, Butler) (325) 558

Ca^{2+}
Interaction of – – – and Mg^{2+} with synaptic plasma membranes (Madeira, Antunes-Madeira) (323) 396

Caeruloplasmin
Anion-binding and the state of copper in – – – (Byers et al.) (310) 38

Caeruloplasmin
Association of the copper derived from – – – with cytocuprein (Marceau, Aspin) (328) 351

Caeruloplasmin
Intracellular distribution of the copper from – – – and from albumin (Marceau, Aspin) (328) 338

Caeruloplasmin
Stoichiometry of the paramagnetic copper and the oxidation–reduction potentials of type 1 copper in human – – – (Deinum, Vänngård) (310) 321

Ca^{2+} fluxes
Quantitation of – – – in chick calvaria (Scarpace, Neuman) (323) 267

Calcitonins
Isolation and properties of two – – – from chicken ultimobranchial glands (Nieto et al.) (322) 383

Calcium
Control of sodium, potassium and water content and utilisation of oxygen in rat liver slices, studied by affecting cell membrane permeability with – – – and active transport with ouabain (MacLaughlin) (323) 285

Calcium
Effect of – – – on temperature-induced phase changes in liquid–crystalline cardiolipin structure (Hegner et al.) (307) 452

Calcium
Effects of – – – and bound sialic acid on the viscosity of mucin (Deman et al.) (297) 486

Calcium
Membrane coarctation by – – – as a regulator for bound enzymes (Horvath, Sovak) (298) 850

Calcium
Role of – – – in fly salivary gland secretion analyzed with the ionophore A-23187 (Prince et al.) (329) 98

Calcium
Role of – – – in the steroidogenic response of rat adrenal cells to ACTH (Haksar, Péron) (313) 363

Calcium binding
– – – by the erythrocyte membrane (Duffy, Schwarz) (330) 294

Calcium binding
– – – and other characteristics of bovine factor II and its activation intermediates (Benson et al.) (329) 81

Calcium binding
– – – by a plasma membrane fraction isolated from rat submandibular glands (Nijjar, Pritchard) (323) 391

Calcium binding
Relative affinities of divalent cations to the site of the tight – – – in G-actin (Strzelecka-Golaszewska) (310) 60

Calcium binding
Study of weak-affinity – – – to the inner and outer mitochondrial membrane and smooth and rough endoplasmic reticulum of rat liver (Toury) (307) 607

Calcium-binding proteins
Bovine intestinal – – –. Purification and some properties (Fullmer, Wasserman) (317) 172
Calcium deficiency
Influence of dietary – – – and parathyroidectomy on bone collagen structure (Barnes et al.) (328) 373
Calcium influx
Sodium-dependent – – – in dialyzed barnacle fibres (Dipolo) (298) 279
Calcium ion
Bilayer lipid membrane as a model for vasopressin, prostaglandin and – – – effects on water permeability (Graziani, Livne) (291) 612
Calcium ion-binding proteins
Isolation of sarcoplasmic reticulum by zonal centrifugation and purification of Ca^{2+}-pump and – – – (Meissner et al.) (298) 246
Calcium ion–polypeptide complex
A neutral – – – (Urry et al.) (292) 853
Calcium ions
Electrical polarization of phosphatidylserine bilayer membranes by – – – (Wobschall, Ohki) (291) 363
Calcium ions
Evidence of the requirement of a full complement of manganese and – – – for optimal binding of carbohydrates to electrophoretically homogeneous concanavalin A (Karlstam) (329) 295
Calcium ions
Ionic control of renal gluconeogenesis. I. The interrelated effect of – – – and hydrogen ions (Kurokawa, Rasmussen) (313) 17
Calcium ions
Ionic control of renal gluconeogenesis. II. The effects of – – – and hydrogen ions upon the response to parathyroid hormone and cyclic AMP (Kurokawa et al.) (313) 32
Calcium ions
Ionic structure of phospholipid membranes, and binding of – – – (Seimiya, Ohki) (298) 546
Calcium ion transport
Energy-dependent iron accumulation by isolated rat liver mitochondria. II. Relationship to the active – – – (Romslo, Flatmark) (325) 38
Calcium ion uptake
Effects of ruthenium red on – – – and ATPase of sarcoplasmic reticulum of rabbit skeletal muscle (Vale, Carvalho) (325) 29
Calcium oxalate monohydrate
Dissolution and growth of – – –. I. Effect of magnesium and pH (Desmars, Tawashi) (313) 256
Calcium pump protein
ATP and Ca^{2+} binding by the – – – of sarcoplasmic reticulum (Meissner) (298) 906
Calcium-stimulated ATPase
Ouabain-inhibited, – – – in a myocardial fraction enriched with sarcolemma (Stam, Jr et al.) (298) 927
Calcium transport
Effect of phosphoenolpyruvate on – – – by mitochondria (Chudapongse, Haugaard) (307) 599
Calcium transport
– – – in intact Ehrlich ascites tumour cells (Cittadini et al.) (291) 246
Calcium transport
– – – by rabbit skeletal muscle microsomes ("fragmented sarcoplasmic reticulum") (Katz, Repke) (298) 270
Calcium transport
Studies on the relationship between adenylate cyclase activity and – – – by cardiac sarcotubular membranes (Dhalla et al.) (323) 276
Calcium uptake
Adrenocorticotropic hormone and dibutyryl adenosine cyclic monophosphate-mediated – – – by rat adrenal glands (Leier, Jungmann) (329) 196
Calcium uptake
– – – in chromaffin granules of bovine adrenal medulla stimulated in vitro (Serck-Hanssen, Christiansen) (307) 404
Calcium uptake
Role of mitochondrial – – – in contraction and relaxation of the human myometrium (Batra) (305) 428
Camptothecin
Effects of – – – on mammalian DNA (Spataro, Kessel) (331) 194
Carbohydrate binding
Evidence of the requirement of a full complement of manganese and calcium ions for optimal – – – to electrophoretically homogeneous concanavalin A (Karlstam) (329) 295
Carbohydrates
– – – from the hyphal walls of some Oomycetes (Dietrich) (313) 95
Carbohydrates
Interaction of Ricinus communis hemagglu-

tinin with polysaccharides and low molecular weight – – – (Van Wauwe et al.) (313) 99
Carbonic anhydrase
Effects of gastric acid stimulants and inhibitors on the activities of HCO_3^--stimulated, Mg^{2+}-dependent ATPase and – – – in rat gastric mucosa (Narumi, Kanno) (311) 80
Carbonic anhydrase
Possible role of cyclic AMP in gastric acid secretion in rat. Activation of – – – (Narumi, Maki) (311) 90
Carbonic anhydrase
Purification and some properties of erythrocyte – – – from the European moose (Carlsson et al.) (327) 515
Carbonic anhydrases
Denaturation and reactivation of human – – – in guanidine hydrochloride and urea (Carlsson et al.) (310) 376
Carbonic anhydrases
Location of tryptophanyl groups in human and bovine – – –. Ultraviolet difference spectra and chemical modification (Lindskog, Nilsson) (295) 117
Carbon monoxide-binding c-type cytochrome
Soluble – – – from the marine bacterium Beneckea natriegens (Weston, Knowles) (305) 11
Carbon monoxide-binding pigments
– – – and the functional terminal oxidase of the trypanosomatid haemoflagellate Crithidia fasciculata (Kusel, Storey) (314) 164
Carbon monoxide production
– – – from hydroxocobalamin by bacteria (Engel et al.) (313) 150
Carbon-13 NMR
– – – spectra of tryptophan, tryptophan peptides and of native and denatured proteins (Bradbury, Norton) (328) 10
Carbon tetrachloride
Effect of the administration of L-azetidine-2-carboxylic acid on albumin biosynthesis and transferrin biosynthesis by liver slices of rats treated with – – – (Kershenobich, Rojkind) (319) 216
Carbon tetrachloride
Effect of – – – administration on cholesterol metabolism in mice (Gans) (326) 116
Carbon tetrachloride
Effect of – – – on lysosome function in kidneys and livers of mice (Mego, Cain) (297) 343
Carboxylesterase
Studies on lysophospholipases. II. Substrate specificity of a lysolecithin hydrolysing – – – from beef pancreas (de Jong et al.) (296) 105
C_4-carboxylic acid transport
– – – in Neurospora crassa (Wolfinbarger, Jr, Kay) (307) 243
Carboxypeptidase
Specificity and mode of action of acid – – – from Aspergillus saitoi (Ichishima, Arai) (293) 444
Carboxypeptidase A(Anson)
Further studies on the circular dichroism of – – –. Reduced-monoalkylated carboxypeptidase A, and carboxypeptidase A_α, and A_β and A_γ (Fretto, Strickland) (328) 396
Carboxypeptidases A and B
Effect of sodium dodecylsulphate on circular dichroism and enzyme activities of – – – (Nakagawa, Jirgensons) (328) 42
Carcinogen
Pattern of methylated purines formed in DNA of intact and regenerating liver of rats treated with the – – – dimethylnitrosamine (Craddock) (312) 202
Cardiolipin
Effect of calcium on temperature-induced phase changes in liquid–crystalline – – – structure (Hegner et al.) (307) 452
Cardiolipin-specific phospholipase D
Bond hydrolyzed by – – – (Astrachan) (296) 79
Carnitine
Relative amounts of long-chain acylcarnitines, short-chain acylcarnitines and – – – in heart, liver and brown adipose tissue from rats fed on rapeseed oil (Gumpen, Norum) (316) 48
Carnitine palmitoyltransferase
Studies of the development of – – – and fatty acid oxidation in liver mitochondria of neonatal pigs (Bieber et al.) (326) 145
Carnitines
Interactions of acyl – – – and other lysins with erythrocytes and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
β-Carotene
Preparation of stable mixed monolayers of – – – and their transfer to glass slides (Pincus et al.) (311) 317
Carotene
Purification and properties of a – – –

co-oxidizing lipoxygenase from peas (Arens et al.) (327) 295
β-Carotene
Solubilization of – – – and retinol into aqueous solutions of mixed micelles (Gorab, Underwood) (306) 58
Carotenoid absorbance bands
Shifts of bacteriochlorophyll and – – – linked to cytochrome c-555 photooxidation in Chromatium (Case, Parson) (325) 441
Carotenoid glucoside esters
Biosynthesis of – – – in Myxococcus fulvus (Myxobacterales): Inhibition by nicotine and carotenoid turnover (Kleinig, Reichenbach) (306) 249
Carotenoids
Absorption changes of – – – and bacteriochlorophyll in energised chromatophores of Rhodospirillum rubrum (Barsky, Samuilov) (325) 454
Carotenoids
Isolation and identification of "bacteriorhodopsin" and minor C_{40}- – – – in Halobacterium cutirubrum (Kushwaha, Kates) (316) 235
Carotenoid shifts
Kinetic and redox potentiometric resolution of the – – – in Rhodopseudomonas spheroides chromatophores: Their relationship to electric field alterations in electron transport and energy coupling (Jackson, Dutton) (325) 102
Carotenoid turnover
Biosynthesis of carotenoid glucoside esters in Myxococcus fulvus (Myxobacterales): Inhibition by nicotine and – – – (Kleinig, Reichenbach) (306) 249
Carrier
Rectification phenoma in – – – -mediated ion transport (Stark) (298) 323
Carrier flux
Effect of stirring on the – – – into black lipid membranes (Hladky) (307) 261
Carrier-mediated diffusion
Determination of rate constants in – – – through lipid bilayers (Gambale et al.) (330) 325
Carrier-mediated transport
– – – of thiamine in baker's yeast (Iwashima et al.) (330) 222
Carriers
Multiplicity of – – – for free glucalogues in hamster small intestine (Honegger, Semenza) (318) 390
Cartilage
Tensile properties of the – – – of human femoral condyles related to the content of collagen and glycosaminoglycans (Kempson et al.) (297) 456
Cartilage collagen
Physical chemical properties of chick – – – (Igarashi et al.) (295) 514
Cartilage proteoglycans
Uptake of [^{14}C]glucose into rabbit ear – – – isolated by differential extraction and by collagenase digestion (Rokosová, Bentley) (297) 473
Cartilages
Studies on proteoglycans obtained from bovine knee joint and ear – – –: Sequential extraction, fractionation, characterization and their effects on fibril formation (Muthiah, Kühn) (304) 12
κ-Casein
Comparative micelle structure. I. The isolation and chemical characterization of caprine – – – (Richardson et al.) (310) 111
κ-Casein
Distribution of glyco-κ-casein and carbohydrate-free – – – between large and small bovine casein micelles, and its implication in micelle structure (Creamer et al.) (317) 202
α_{s1}-Casein B
Effect of succinylation and acylation on the physicochemical properties of – – – (Irons et al.) (328) 433
κ-Casein
Kinetic studies on the aggregation of – – – by Mucor pusillus protease (Sanner, Kovacs-Proszt) (303) 68
Casein micelles
Distribution of glyco-κ-casein and carbohydrate-free κ-casein between large and small bovine – – –, and its implication in micelle structure (Creamer et al.) (317) 202
Casein micelles
Model for the formation and structure of – – – from subunits of variable composition (Slattery, Evard) (317) 529
Ca^{2+}-stimulated ATPase
Lipid composition, Ca^{2+} binding and – – – activity of sarcoplasmic reticulum of the cardiomyopathic hamster (Owens et al.) (296) 71
Catalase
Membrane fractions from rat hepatoma. III. Immunochemical characterisation of detergent-soluble membrane phosphatases,

electron transport chains and – – – (Raftell, Blomberg) (291) 442
Catalase
Mössbauer effect in bacterial – – – (Maeda et al.) (303) 230
Catalase
Tryptic digestion and alkaline denaturation of – – –. The influence on catalatic activity, peroxidatic activity towards phenolic compounds and the reactivity with methyl- and ethyl-hydroperoxide (Marklund) (321) 90
Catecholamines
Effects of – – – on ammoniagenesis and gluconeogenesis by renal cortex in vitro (Klahr et al.) (304) 161
Cathepsin B2
Histone hydrolase activity of rat liver lysosomal – – – (de Lumen, Tappel) (293) 217
Cathepsins B1 and D
– – –: Action on human cartilage proteoglycans (Morrisson et al.) (302) 411
Cation binding
– – – by valinomycin and trinactin at the air–water interface: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
Cation diffusion
Effects of lysozyme on anion and – – – from phospholipid liposomes (Kaplan) (311) 1
Cation gradient
Effect of gramicidin on Na^+-dependent accumulation of glycine by pigeon red cells: A test of the – – – hypothesis (Terry, Vidaver) (323) 441
Cation movements
– – – and respiratory response in yeast mitochondria treated with high Ca^{2+} concentrations (Balcavage et al.) (305) 41
Cation permeability
Opposing effects of pressure and general anaesthetics on the – – – of liposomes of varying lipid composition (Johnson et al.) (307) 42
Cations
Effects of – – – on the adenosine diphosphate–adenosine triphosphate exchange reaction catalyzed by rat brain microsomes (Wildes et al.) (307) 162
Cations
Importance of the hydrophobic interactions of local anaesthetics in the displacement of polyvalent – – – from artificial lipid membranes (Fernández, Cerbón) (298) 8
Cations
Influence of amphotericin B on the permeability of mammalian erythrocytes to non-electrolytes, anions and – – – (Deuticke et al.) (318) 345
Cations
Movement of – – – connected with metabolism in Azotobacter vinelandii (Postma et al.) (298) 341
Cations
Ouabain–receptor interactions in $(Na^+ + K^+)$-ATPase preparations. II. Effect of – – – and nucleotides on rate constants and dissociation constants (Erdmann, Schoner) (330) 302
Cations
Permeability of Azotobacter vinelandii to – – – and anions (Visser, Postma) (298) 333
Cations
Properties of an $(Mg^{2+} + Ca^{2+})$-dependent ATPase of bovine brain cortex. Effects of detergents, freezing, – – – and local anaesthetics (Roufogalis) (318) 360
Cations
Stabilization by – – – of microsomal ATPase against heat inactivation (Kirschmann et al.) (330) 167
CDPcholine: 1,2-diacylglycerol cholinephosphotransferase
Studies on 1,2-diglycerides formed from endogenous lecithins by the back-reaction of rat liver microsomal – – – (Kanoh, Ohno) (326) 17
CDP-choline(-ethanolamine): 1,2-diglyceride choline(ethanolamine) phosphotransferase
Utilization of endogenous phospholipids by the back-reaction of – – – in rat liver microsomes (Kanoh, Ohno) (306) 203
Cell
Sugar transport at the basal and lateral apsect of the small intestinal – – – (Bihler, Cybulsky) (298) 429
Cell coat
Studies on – – – macromolecules in normal and virus-transformed BHK_{21}/C_{13} cells (Chiarugi, Urbano) (298) 195
Cell cycle
– – – phase synthesis of non-histone proteins in mammalian cells (Gerner, Humphrey) (331) 117
Cell cycle
Thymidine phosphorylation in the – – – of Physarum polycephalum and the effect of 5-fluoro-2′-deoxyuridine and hydroxyurea (Hildebrandt, Sauer) (294) 8

Cell envelope
Proteins of the – – – of a marine pseudomonad, Pseudomonas BAL-31 (Datta et al.) (311) 163
Cell envelope proteins
Membrane proteins of Rhodopseudomonas spheroides. III. Isolation, purification and characterization of – – – (Huang, Kaplan) (307) 301
Cell growth
Regulation of – – –. I. Identification and partial characterization of a DNA synthesis stimulating factor from the serum of partially hepatectomized rats (Morley, Kingdon) (308) 260
Cell membrane
Effect of different fatty acid and sterol composition on the erythritol flux through the – – – of Acholeplasma laidlawii (de Kruyff et al.) (298) 479
Cell membranes
Lipid- and temperature-dependent structural changes in Acholeplasma laidlawii – – – (James, Branton) (323) 378
Cell membranes
Molecular organization in bacterial – – –. II. Reevaluation and identification of some chemical components of Micrococcus lysodeikticus membranes (Estrugo et al.) (311) 153
Cell membranes
Pancreatic – – –: Extraction of a possible glucoreceptor (Price) (318) 459
Cell multiplication
Reversible inhibition of – – – in vitro by inhibitors of arginine esteroproteases (Taylor, Lembach) (329) 58
Cells
Approach to the mechanism of killing of – – – in suspension by ultrasound (Thacker) (304) 240
Cells
Binding of exogenously added neuraminidase to – – – and tissues in culture (McQuiddy, Lilien) (291) 774
Cells
Cholesterol in mycoplasma membranes. Composition, ultrastructure and biological properties of membranes from Mycoplasma mycoides var. capri – – – adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 495
Cells
Effect of acetylcholine on the electrical activity of intestinal epithelial – – – (Hardcastle, Eggenton) (298) 95
Cells
Effect of alterations in fatty acid composition and cholesterol content on the nonelectrolyte permeability of Acholeplasma laidlawii B – – – and derived liposomes (McElhaney et al.) (298) 500
Cells
Fusion of mammalian – – – by unilamellar lipid vesicles: Influence of lipid surface charge, fluidity and cholesterol (Papahadjopoulos et al.) (323) 23
Cells
Isolation and characterization of plasma membrane from cultured – – –. V. The chemical composition of plasma membrane isolated from chicken tumours initiated with virus-transformed cells (Perdue et al.) (298) 817
Cells
Isolation and characterization of plasma membranes from normal and leukaemic – – – of mice (Warley, Cook) (323) 55
Cells
Isopeptide bonds in membrane proteins from eukaryotic – – – (Birchbichler et al.) (291) 149
Cells
Membranes of Tetrahymena. III. The effect of temperature on membrane core structures and fatty acid composition of Tetrahymena – – – (Wunderlich et al.) (298) 39
Cells
Nucleoside transport in normal and polyoma-transformed – – –: Kinetic differences following adenosine and serum or insulin stimulation (Lemkin, Hare) (318) 113
Cells
Polypeptide composition of membranes derived from neuronal and glial – – – (Karlsson et al.) (298) 219
Cells
Potassium-stimulated ATPase in purified microsomes of bullfrog oxyntic – – – (Ganser, Forte) (307) 169
Cells
Preparation and properties of the (Na^++K^+)-ATPase of plasma membranes from Ehrlich ascites – – – (Colombini, Johnstone) (323) 69
Cells
SH-groups on the surface of pancreas – – – involved in secretin stimulation and glucose-mediated secretion (Wizemann et al.) (307) 366

Cells
Yeast killer factor: ATP leakage and coordinate inhibition of macromolecular synthesis in sensitive – – – (Bussey, Sherman) (298) 868
Cell surface
Characterisation of Escherichia coli – – – by isoelectric equilibrium analysis (Sherbet, Lakshmi) (298) 50
Cell surface
– – – constituents of sarcoma 180 ascites tumour cells (Shin, Carraway) (330) 254
Cell surface
Studies on the – – – maltase of the rabbit renal cortex (Stevenson) (311) 409
Cell surface membrane
Inhibition of lectin agglutinability by fixation of the – – – (Inbar et al.) (311) 594
Cellular volume
Regulation of – – – in rat myometrium (Rangachari et al.) (323) 297
Cellulose
Use of antisera covalently coupled to agarose, – – – and Sephadex in radioimmunoassay systems for proteins and haptens (Bolton, Hunter) (329) 318
Cellulose deposition
Indoleacetic acid stimulates – – – and selectively enhances certain β-glucan synthetase activities (Shore, MacLachlan) (329) 271
Cell wall autolysin
Role of – – – in chain formation by a mutant strain of Streptococcus faecalis (Soper, Winter) (297) 333
Cell wall glycopeptides
– – – of Candida albicans serotype A and B (Kolarova et al.) (328) 221
Cell wall polysaccharide
Biosynthesis of – – – from maltose by a strain of Saccharomyces cerevisiae incapable of maltose fermentation (Okada et al.) (304) 20
Cell walls
Alanine ester content and magnesium binding capacity of – – – of Staphylococcus aureus H grown at different pH values (Archibald et al.) (291) 629
Cell walls
Characterization of a chitin-associated D-glucan from the – – – of Aspergillus niger (Stagg, Feather) (320) 64
Cell walls
Chemical and ultrastructural studies of isolated – – – of Epidermophyton floccosum. Presence of chitin inferred from X-ray diffraction analysis and electron microscopy (Nozawa et al.) (307) 92
Cell walls
Occurrence of a galactofuranose disaccharide in immunoadjuvant fractions of Mycobacterium tuberculosis (– – – and Wax D) (Vilkas et al.) (297) 423
Cell walls
Physicochemical studies of microbial – – –. I. Comparative electrophoretic behaviour of intact cells and isolated cell walls (Neihof, Echols) (318) 23
Cephalic melon tissue
Heterogeneity of lipid composition within the – – – of the pilot whale (Globicephala melaena) (Wedmid et al.) (326) 439
Ceramide aminoethylphosphonate
Identification of molecular species of – – – from oyster adductor by gas–liquid chromatography–mass spectrometry (Matsubara, Hayashi) (296) 171
Ceramide hexasaccharide
Blood group A active – – – lacking N-acetylglucosamine isolated from hog stomach mucosa (Slomiany et al.) (326) 224
Ceramides
Detailed structure of sphingomyelins and – – – from different regions of bovine kidney with special reference to long-chain bases (Karlsson et al.) (316) 336
Ceramide tetrasaccharide
– – – of human erythrocyte membrane reacting with anti-type XIV pneumococcal polysaccharide antiserum (Siddiqui, Hakomori) (330) 147
Cerebral cortex
Isolation and properties of 5′-mononucleotidase from a membrane fraction of bovine – – – (Tanaka et al.) (298) 842
Cerebral metabolite
– – – and adenylate energy charge recovery following ten minutes of anoxia (Drewes, Gilboe) (320) 701
Cerebrosides
Separation of monoglycosylceramides (– – –) of bovine kidney into subgroups and characterization by mass spectrometry (Karlsson et al.) (306) 317
Cerebroside sulphatase
Sulphatase of ox liver. XVI. Comparison of the arylsulphatase and – – – activities of sulphatase A (Jerfy, Roy) (293) 178

Cerebrospinal fluid
Bromine compound isolated from human – – – (Yanagisawa, Yoshikawa) (329) 283
Cerulenin
Inhibition of fatty acid synthesis by the antibiotic – – –: Specific inactivation of β-ketoacyl-acyl carrier protein synthetase (D'Agnolo et al.) (326) 155
Ceruloplasmin
EPR study of nitric oxide-treated reduced – – – (van Leeuwen et al.) (315) 200
Ceruloplasmin
Ratio of type-1 and -2 Cu(II) in human – – – (Veldsema, van Gelder) (293) 322
Ceruloplasmin
Reaction of nitric oxide with – – – (Wever et al.) (302) 236
J-Chain
Improved procedure for the isolation of – – – from human polymeric immunoglobulins (Kobayashi et al.) (303) 105
J-Chain
Molecular weight of a human – – – (Schrohenloher et al.) (295) 576
Chain composition
– – – of tetanus toxin (Craven, Dawson) (317) 277
Chain reversals
– – – in proteins (Lewis et al.) (303) 211
α1 and α2 Chains
Isolation and characterization of the cyanogen bromide peptides from the – – – of soluble bovine striated muscle collagen (McClain) (310) 469
Chemotactic effect
– – – of 5′-amido analogues of adenosine cyclic 3′,5′-monophosphate in the cellular slime moulds (Konijn, Jastorff) (304) 774
Chitin
Chemical and ultrastructural studies of isolated cell walls of Epidermophyton floccosum. Presence of – – – inferred from X-ray diffraction analysis and electron microscopy (Nozawa et al.) (307) 92
Chlamydomonas reinhardti
Studies on cytochrome b-563 and P700 in three non-photosynthetic mutants of – – – (Maroc, Garnier) (292) 477
Chloramphenicol
Mitochondrial antibiotic resistance in yeast: Ribosomal mutants to – – –, erythromycin and spiramycin (Grivell et al.) (312) 358
Chloramphenicol analogues
Action of novel – – – on eukaryotic and prokaryotic systems (Ringrose, Lambert) (299) 374
Chloride
Kinetic characterization of the – – – dependence of sodium transport in the frog skin (Ferreira et al.) (291) 269
Chloride efflux
– – – during light-triggered action potentials in Acetabularia mediterranea (Gradmann et al.) (323) 151
Chloride flux
– – – across frog skins of low potential difference (Watlington, Jessee) (330) 102
Chloride ion binding
– – – at non-coordination sites in hemerythrin (Rao, Keresztes-Nagy) (313) 249
Chloride transport
Short-circuit current related to active – – – in frog cornea: Effects of furosemide and ethacrynic acid (Candia) (298) 1011
Chlorocruorohaemoproteins
Studies on – – –: Spectral properties of reconstituted chlorocruoromyoglobin (Lizuka, Orii) (328) 239
Chlorodeuterohemin
Physical chemistry of haems and haemopeptides. I. Physicochemical properties and reduction of – – – in organic solvent (Momenteau) (304) 814
Chloromercuration
Selective – – – of insulin (Levy) (317) 473
Chlorophyll
Determination of – – – porphyrin ring orientation in black lipid membranes by photovoltage spectroscopy (Weller, Jr, Tien) (325) 433
Chlorophyll
– – – in phospholipid vesicles (Colbow) (318) 4
Chlorophyll
Picosecond fluorescent kinetics of in vivo – – – (Seibert et al.) (292) 493
Chlorophyll
Synthesis of δ-aminolevulinic acid and – – – during illumination of etiolated Euglena gracilis (Richard, Nigon) (313) 130
Chlorophyll a
– – – forms in Phaeodactylum tricornutum: Comparison with other diatoms and brown algae (Goedheer) (314) 191
Chlorophyll a
Light-induced changes in the fluorescence yield of – – – in Anacystis nidulans. I. Relationship of slow fluorescence changes

with structural changes (Mohanty, Govinjee) (305) 95
Chlorophyll a_I
Electron transport between plastoquinone and – – – in chloroplasts (Haehnel) (305) 618
Chlorophyll a_2
Kinetics of the fluorescence yield of – – – in spinach chloroplasts at liquid nitrogen temperature during and following a 16μs flash (den Haan et al.) (325) 120
Chlorophyll b
Identity of the 640-nm component observed in – – – absorption spectra in vivo (Leppink, Thomas) (305) 610
Chlorophyll fluorescence
High-energy state of the thylakoid system as indicated by – – – and chloroplast shrinkage (Krause) (292) 715
Chlorophyll a fluorescence
Induction of – – – in isolated spinach chloroplasts at liquid nitrogen temperature (Murata et al.) (325) 463
Chlorophyll a fluorescence
Light-induced slow changes in – – – in isolated chloroplasts: Effects of magnesium and phenazine methosulfate (Mohanty et al.) (292) 459
Chlorophyll(ide) a
Kinetics and quantum yield of photoconversion of protochlorophyll(ide) to – – – (Nielsen, Kahn) (292) 117
Chloroplast
Effect of oxidizing treatment on – – – Photosystem II reactions (Malkin, Knaff) (325) 336
Chloroplast genomes
Absence of ultraviolet-stimulated repair replication in the nuclear and – – – of Chlamydomonas reinhardti (Swinton, Hanawalt) (294) 385
Chloroplast membranes
Polypeptides of stacked and unstacked Chlamydomonas reinhardi – – – and their relation to Photosystem II activity (Levine, Duram) (325) 565
Chloroplast membranes
Purification of cytochrome b_6. A tightly bound protein in – – – (Stuart, Wasserman) (314) 284
Chloroplast particles
Isolation and properties of – – – of Scenedesmus obliquus D_3 with high photochemical activity (Berzborn, Bishop) (292) 700
Chloroplast ribosomes
Ratio of free to membrane-bound – – – (Tao, Jagendorf) (324) 518
23-S Chloroplast RNA
Preservation of – – – as a single chain of nucleotides (Atchinson et al.) (331) 382
Chloroplasts
Decarboxylation of α-keto acids by isolated – – – (Elstner, Heupel) (325) 182
Chloroplasts
Effect of dithionite on fluorescence and luminescence of – – – (Velthuys, Amesz) (325) 126
Chloroplasts
Effects of electron transport inhibitors on millisecond delayed light emission from – – – (Felker et al.) (325) 193
Chloroplasts
Effects of tetraphenylboron on energy-linked reactions in spinach – – – (Fiolet, van Dam) (325) 230
Chloroplasts
Electron transport and photophosphorylation in – – – as a function of the electron acceptor. II. Acceptor-specific inhibition by KCN (Ouitrakul, Izawa) (305) 105
Chloroplasts
Evidence for two phosphorylation sites associated with the electron transport chain of – – – (West, Wiskich) (292) 197
Chloroplasts
Induction of chlorophyll a fluorescence in isolated spinach – – – at liquid nitrogen temperature (Murata et al.) (325) 463
Chloroplasts
Kinetics of ATP formation and proton efflux by acid–base transition in – – – (Nishizaki) (314) 312
Chloroplasts
Kinetics of the fluorescence yield of chlorophyll a_2 in spinach chloroplasts at liquid nitrogen temperature during and following a 16μs flash (den Haan et al.) (325) 120
Chloroplasts
Kinetics of light-induced changes of C-550, cytochrome b_{559} and fluorescence yield in – – – at low temperature (Butler et al.) (292) 140
Chloroplasts
Measurement of cyclic photophosphorylation in isolated – – – by determination of hydrogen ion consumption. An evaluation of the method using titration at constant pH (Lilley, Walker) (314) 354

Chloroplasts
Methylation patterns of ribonucleic acids from – – – and cytoplasm of fenugreek (Trigonella foenum-graecum L.) cotyledons (Rijven, Zwar) (299) 564
Chloroplasts
Mobility of membrane particles in – – – (Wang, Packer) (305) 488
Chloroplasts
New results on the mode of action of 3-(3,4-dichlorophenyl)-1, 1-dimethylurea in spinach – – – (Bennoun, Li) (292) 162
Chloroplasts
Protein synthesis in – – –. I. Light-driven synthesis of the large subunit of Fraction I protein by isolated pea chloroplasts (Blair, Ellis) (319) 223
Chloroplasts
Rapid fluorescence changes observed in – – –: Their relationship to the 0_2 evolving system (Zankel) (325) 138
Chloroplasts
Relationship between delayed fluorescence and the H^+ gradient in – – – (Evans, Crofts) (292) 130
Chloroplasts
Synthesis of rRNA in – – – from Nicotiana rustica (Munsche, Wollgiehn) (294) 106
Chloroplast shrinkage
High-energy state of the thylakoid system as indicated by chlorophyll fluorescence and – – – (Krause) (292) 715
Chloroplast stroma
Alkalization of the – – – caused by light-dependent proton flux into the thylakoid space (Heldt et al.) (314) 224
Chloroplast structure
Composition of the photosystems and – – – in extreme shade plants (Anderson et al.) (325) 573
Cholate enhancement
– – – of interaction between thrombin and tosyl lysine chloromethyl ketone (Exner, Koppel) (329) 233
Cholera toxin
Properties of adenylate cyclase in mucosal cells of the rabbit ileum and the effect of – – – (Sharp et al.) (309) 339
Cholesterol
Differences in metabolism of – – – and sitosterol following intravenous injection in rats (Subbiah, Kuksis) (306) 95
Cholesterol
Effect of alterations in fatty acid composition and – – – content on the nonelectrolyte permeability of Acholeplasma laidlawii B cells and derived liposomes (McElhaney et al.) (298) 500
Cholesterol
Effect of charge and – – – on the size and thickness of sonicated phospholipid vesicles (Johnson) (307) 27
Cholesterol
Effect of the polar headgroup on the lipid– – – – interaction. A monolayer and differential scanning calorimetry study (de Kruyff et al.) (307) 1
Cholesterol
Effects of – – – on the infrared dichroism of phosphatide multibilayers (Verma, Wallach) (330) 122
Cholesterol
Electrical properties of black membranes from oxidized – – – and a strongly bound protein fraction of human erythrocyte membranes (Lossen et al.) (330) 132
Cholesterol
Filipin as a fluorescent probe for the location of – – – in the membranes of fragmented sarcoplasmic reticulum (Drabikowski et al.) (291) 61
Cholesterol
Fusion of mammalian cells by unilamellar lipid vesicles: Influence of lipid surface charge, fluidity and – – – (Papahadjopoulos et al.) (323) 23
Cholesterol
Influence of lecithin structure on their monolayer behaviour and interactions with – – – (Ghosh et al.) (291) 351
Cholesterol
Interacting spin label study of the fluidizing and condensing effects of – – – on lecithin bilayers (Marsh, Smith) (298) 133
Cholesterol
– – – in mycoplasma membranes. Composition, ultrastructure and biological properties of membranes from Mycoplasma mycoides var. capri cells adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 495
Cholesterol
– – – in mycoplasma membranes. Correlation of enzymic and transport activities with physical state of lipids in membranes of Mycoplasma mycoides var. capri adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509

Cholesterol
Osmotic insensivity of sonicated liposomes and the density of lipid– – – – mixtures (Johnson, Buttness) (307) 20
Cholesterol
Phase transitions in phospholipid vesicles: Fluorescence polarization and permeability measurements concerning the effect of temperature and – – – (Papahadjopoulos et al.) (311) 330
Cholesterol
Rates of – – – turnover processes in the transfer space of rat. VI. Influence of bile duct ligation and ingestion of bile acid or cholestyramine (Lutton et al.) (306) 483
Cholesterol
Removal of – – – from Landschütz ascites cells by high density apolipoprotein (Stein, Stein) (326) 232
Cholesterol
Role of – – – in membranes: Effects on phospholipid–protein interactions, membrane permeability and enzymatic activity (Papahadjopoulos et al.) (330) 8
Cholesterol
Solubilization and properties of bovine adrenal cortical cytochrome P-450 which cleaves the – – – side chain (Ramseyer, Harding) (315) 306
Cholesterol
Time course of biosynthetic – – – in the adult rat brain (Sérougne-Gautheron, Chevallier) (316) 244
Cholesterol biosynthesis
Effect of cholesterol feeding and biliary obstruction on hepatic – – – in the rat (Harry et al.) (296) 209
Cholesterol esterase
Aortic – – –: Characteristics of normal rat and rabbit enzyme (Kothari et al.) (296) 446
Cholesterol esterase
Aortic – – –: Studies in White Carneau and Show Racer pigeons (Kritchevsky, Kothari) (326) 489
Cholesterol ester hydrolysis
– – – in aortic tissue (Brecher et al.) (316) 386
Cholesterol esters
Hydrolysis and formation of – – – with rat liver lysosomes (Nilsson et al.) (296) 593
Cholesterol feeding
Effect of – – – and biliary obstruction on hepatic cholesterol biosynthesis in the rat (Harry et al.) (296) 209
Cholesterol 7α-hydroxylase
Effect of interruption of the enterohepatic circulation of bile acids and of cholesterol feeding on – – – in relation to the diurnal rhythm in its activity (Mitropoulos et al.) (326) 428
Cholesterol–lecithin bilayers
Structural transition in egg – – – at 12°C (Rand, Pangborn) (318) 299
Cholesterol lecithin dispersions
Role of high density lipoproteins in the lecithin–cholesterol acyltransferase activity with sonicated – – – as substrate (Nakagawa, Nishida) (296) 577
Cholesterol metabolism
Effect of carbon tetrachloride administration on – – – in mice (Gans) (326) 116
Cholesterol synthesis
Synchronization of hepatic – – –, cholesterol and bile acid content, fatty acid synthesis and plasma free fatty acid levels in the fed and fasted rat (Bortz, Steele) (306) 85
Cholesterol–tetrodotoxin interactions
– – – at the air–water interface (Gacesa et al.) (307) 467
Cholesteryl ester
Liver and plasma – – – metabolism after partial hepatectomy in the rat (Fex, Wallinder) (316) 91
Cholesteryl esters
De novo synthesis of – – – in previable human foetuses (Cekan et al.) (296) 196
Cholesteryl ester synthesis
– – – and hydrolysis by subcellular fractions of corpora lutea and interstitial tissue from ovaries of pregnant rabbits (Morin) (296) 203
Cholesteryl linoleate
Lipids of human atheroma. VIII. Oxidised derivatives of – – – (Harland et al.) (316) 378
Cholestyramine
Rates of cholesterol turnover processes in the transfer space of rat. VI. Influence of bile duct ligation and ingestion of bile acid or – – – (Lutton et al.) (306) 483
Cholic acid
Lithogenic effects of – – – and chenodeoxycholic acid in the cholesterol-fed mouse (Yellin et al.) (320) 478
Choline
Betaine efflux from rat liver mitochondria, a possible regulating step in – – – oxidation (de Ridder, van Dam) (291) 557

Choline
Enzymic incorporation of arachidonic acid into ether-containing – – – and ethanolamine phosphoglycerides by deacylation–acylation reactions (Wykle et al.) (326) 26
Choline absorption
Intestinal – – – in the chick (Herzberg, Lerner) (307) 234
Choline-containing lipids
Analysis of polar parts of phospholipids. N-Demethylation of – – – for gas chromatography and mass spectrometry (Karlander et al.) (326) 174
Choline kinase
Activity and some properties of – – –, cholinephosphate cytidyltransferase and cholinephosphotransferase during liver development in the rat (Weinhold et al.) (326) 43
Choline oxidation
Uncoupler-stimulated – – – by rat-liver mitochondria (de Ridder et al.) (325) 397
Cholinephosphate cytidyltransferase
Activity and some properties of choline kinase, – – – and cholinephosphotransferase during liver development in the rat (Weinhold et al.) (326) 43
Cholinephosphotransferase
Activity and some properties of choline kinase, cholinephosphate cytidyltransferase and – – – during liver development in the rat (Weinhold et al.) (326) 43
Cholinergic binding macromolecule
Solubilization and properties of the soluble axonal – – – (Denburg) (298) 967
Cholinesterase
– – – activities of intact platelets as measured by an improved radiometric method (Chuang) (321) 546
Cholinesterase
Production of – – – by Pseudomonas aeruginosa, its regulation by glucose and cyclic AMP and inhibition by antiserum (Gilboa-Garber et al.) (297) 120
Cholinesterase
Spontaneous reactivation and aging of dimethylphosphorylated acetylcholinesterase and – – – (Skrinjarić-Spoljar et al.) (315) 363
Choline transport
Evidence for the carrier model of transport from the inhibition by N-ethylmaleimide of – – – across the human erythrocyte membrane (Edwards) (311) 123
Choline uptake
– – – systems of rat brain synaptosomes (Haga, Noda) (291) 564
Condroitin sulphate
Chemical and metabolic heterogeneity of – – – and keratan sulphate in guinea pig cartilage and nucleus pulposus (Lohmander et al.) (304) 430
Chorioallantoic cells
Isolation and characterization of surface membranes from – – – and chick fibroblasts (Israel et al.) (318) 155
Chorionic gonadotrophin
Characterization of a receptor for human – – – in luteinized rat ovaries (Danso) (304) 560
Chorionic gonadotrophin
Human – – – -mediated glycogenolysis in human placental villi: A role of prostaglandins (Demers et al.) (313) 202
Chorionic somatomammotropin
Modification of the tryptophanyl residue and its effect on the immunological and biological activity of human – – – (Neri et al.) (322) 88
Chorismate
Measurement of the five enzymes which convert – – – to tryptophan in cultures Daucus carota cell extracts (Widholm) (320) 217
Chorismate mutase
Evidence for three isozymes of – – – in alfalfa (Woodin, Nishioka) (309) 211
Chorismate mutase isozyme patterns
– – – in three fungi (Woodin, Nishioka) (309) 224
Chromaffin granule
Biochemical studies of the – – –. III. Redistribution of lipid phosphate, dopamine-β-hydroxylase and chromogranin A after freezing and thawing of the isolated granule membranes (Helle) (318) 167
Chromaffin granules
Formation in vitro of matrix-like aggregates of chromogranins and phospholipids derived from – – – of the bovine adrenal medulla (Helle) (318) 181
Chromaffin granules
Uptake of calcium in – – – of bovine adrenal medulla stimulated in vitro (Serck-Hanssen, Christiansen) (307) 404
Chromatin
– – – of the developing chick oviduct: Changes in the acidic proteins (Spelsberg et al.) (312) 765

Chromatin
DNA-dependent RNA polymerase of KB cells. I. Purification of the enzyme and transcription of viral DNA, mammalian DNA and – – – (Austin et al.) (324) 488
Chromatin
Effect of different sizes of polyacrylic acid on the structure and DNA template properties of isolated rat liver nuclei and soluble chromatin (Brown, Coffey) (294) 74
Chromatin
Fractionation of – – – nonhistone proteins (Chaudhuri) (322) 155
Chromatin
Poly -L-lysine binding to small quantities of different – – – preparations (Remington, Klevecz) (308) 422
Chromatin
Rapid isolation of total acidic proteins from – – – of various chick tissues (Wilson, Spelsberg) (322) 145
Chromatin-associated RNA
Origins of human leukocyte – – – (Getz, Saunders) (312) 555
Chromatin of Drosophila
– – –: Isolation and characterization of chromatin of two larval cell types (Helmsing, van Eupen) (308) 154
Chromatin non-histone proteins
Studies of the in vitro phosphorylation of – – – in isolated nuclei (Rickwood et al.) (299) 162
Chromatin proteins
Rapid method for the electrophoresis of – – – (Smith, Chae) (317) 10
Chromatin proteins
Species and tissue specificity of non-histone – – – (Barrett, Gould) (294) 165
Chromatophore proteins
Membrane proteins of Rhodopseudomonas spheroides. IV. Characterization of chromatophore proteins (Huang, Kaplan) (307) 317
Chromatophores
Absorption changes of carotenoids and bacteriochlorophyll in energised – – – of Rhodospinillum rubrum (Barsky, Samuilor) (325) 454
Chromatophores
Effect of oxidation–reduction potential on light-induced cytochrome and bacteriochlorophyll reactions in – – – from the photosynthetic green bacterium Chlorobium (Knaff et al.) (325) 94
Chromatophores
Effects of o-phenanthroline on electron transport in – – – from photosynthetic bacteria (Jackson et al.) (292) 218
Chromatophores
Membrane proteins of Rhodopseudomonas spheroides. V. Additional chemical characterization of a pigment–lipid-associated protein isolated from – – – (Huang, Kaplan) (307) 332
Chromogranin A
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, dopamine-β-hydroxylase and – – – after freezing and thawing of the isolated granule membranes (Helle) (318) 167
Chromogranins
Formation in vitro of matrix-like aggregates of – – – and phospholipids derived from chromaffin granules of the bovine adrenal medulla (Helle) (318) 181
Chromosomal DNA
– – – and plasmid DNA of bacteria: Interaction with crystals of cadmium lauroyl sarkosinate (Dowman, Meynell) (299) 218
Chromosomal proteins
Amino acid composition and carboxyl-terminal structure of some basic – – – of mammalian spermatozoa (Niku-Paavola et al.) (322) 173
Chronic bronchitis
Isolation and immunological properties of neutral bronchial mucins from a patient with – – – (Lamblin et al.) (322) 372
Chylomicron triglyceride
Kinetics of – – – removal from plasma in rats: The effect of diet (Harris, Felts) (316) 288
Chymotrypsin
Affinity chromatography on hydroxyalkyl methacrylate gels. I. Preparation of immobilized – – – and its use in the isolation of proteolytic inhibitors (Turková et al.) (322) 1
γ-Chymotrypsin
Is – – – an autolytic product in the activation scheme of chymotrypsinogen A (Avery, Hopkins) (310) 142
α-Chymotrypsin
Inactivation of – – – by a bifunctional reagent, 2-bromomethyl-3, 1-benzoxazin-4-one (Alazard et al.) (309) 379
α-Chymotrypsin
Irreversible inhibition of – – –, trypsin, pancreatic kallikrein, thrombin and elastase by N(β-pyridylmethyl)-3,4-dichlorophenox-

acetamide-p-fluorosulphonyl acetanilide bromide (Geratz, Fox) (321) 296
Chymotrypsin-catalyzed reactions
– – – of phenyl hippurate with alcohols. Kinetic evidence for a binding site for nucleophiles (Werber, Greenzaid) (293) 208
Chymotrypsinogen
Influence of different in vivo treatments on the rate of secretion of amylase, lipase and – – – by slices of pigeon pancreas (Reggio) (297) 81
α-Chymotrypsinogen A
Chromatographic separation of conformational states of – – – at high pressures (Hawley) (317) 236
Chymotrypsinogen A
Is γ-chymotrypsin an autolytic product in the activation scheme of – – –? (Avery, Hopkins) (310) 142
Chymotrypsinogen A
Solvation of β-lactoglobulin and – – – in aqueous urea solutions (Span, Lapanje) (295) 371
Chymotryptic peptides
Studies on the primary structure of turnip yellow mosaic virus protein. III. Primary structure of the – – – of aminoethylated protein. Complete sequence (Stehelin et al.) (317) 253
Cilia
Inhibitory effect of inorganic phosphate on the axonemal ATPase of – – – from Tetrahymena pyriformis (Otokawa) (292) 834
Circadian oscillations
Characterization of – – – in alanine dehydrogenase activity in non-dividing populations of Euglena gracilis (Z) (Sulzman, Edmunds, Jr) (320) 594
Circular dichroic studies
Structural and functional determinants of mucor miehei protease. II. – – – on the native and periodate oxidized enzyme (McBride-Warren, Rickert) (328) 52
Circular dichroism
Conformation and reactivity of DNA. III. – – – – studies of the effects of aqueous concentrated univalent salt solutions upon helix conformation (Zimmer, Luck) (312) 215
Circular dichroism
– – – of cytochrome oxidase, cytochrome b_{566}, and cytochrome c in beef heart mitochondrial membrane fragments (Storey, Lee) (292) 554
Circular dichroism
Effect of sodium dodecylsulphate on – – – and enzyme activities of carboxypeptidases A and B (Nakagawa, Jirgensons) (328) 42
Circular dichroism
Further studies on the – – – of carboxypeptidase A (Anson). Reduced-monoalkylated carboxypeptidase A, and carboxypeptidase A_α, A_β and A_γ (Fretto, Strickland) (328) 396
Circular dichroism
– – – of a model compound of L-cystine residue: N,N′-diacetyl-L-cystine bismethylamide (Takagi et al.) (310) 11
Circular dichroism
– – – of modified tryptophan residues. β-3-Oxindolyl-L-alanine (Strickland et al.) (303) 28
Circular dichroism
Reconstructive denaturation of immunoglobulins by sodium dodecylsulphate. – – – studies (Jirgensons) (317) 131
Circular dichroism
Sensitivity of some nonhelical proteins to structural modification by sodium dodecylsulphate and its homologues. – – – studies on Bence–Jones protein, concanavalin A, soybean trypsin inhibitor and trypsin (Jirgensons) (328) 314
Circular dichroism
Solution studies on haem proteins: – – – and optical rotation of Lumbricus terrestris and Glycera dibranchiata haemoglobin (Harrington et al.) (328) 61
Circular dichroism
Thermal stability of phosphoribosyladenosine triphosphate synthetase as reflected in its – – – and activity properties. Effect of inhibitors (Kryvi) (317) 123
Circular dichroism
Visible absorption and – – – of the cobalt complexes of concanavalin A (Kalb, Pecht) (303) 264
Cistrons
Differentiation of 23-S ribosomal RNA – – – from 16-S ribosomal RNA cistrons in Escherichia coli by the sequence complementarity test (Segal et al.) (308) 79
Cistron topography
Ribosomal RNA – – – in Escherichia coli (Osenholts et al.) (308) 88
Citrate
Regulation by bicarbonate ion of intramito-

chondrial – – – concentration in kidney mitochondria (Simpson, Angielski) (298) 115
Citrate
Transport of potassium and sodium with – – – across the mitochondrial membrane (Gamble, Jr) (323) 240
Citrate-dependent iron transport
Inducible – – – system in Escherichia coli K12 (Frost, Rosenberg) (330) 90
Citrate synthase
Kinetic studies on – – – from pig heart (Johansson et al.) (309) 466
Citruline synthesis
Competition for energy between phosphoenolpyruvate synthesis and – – – in guinea-pig liver mitochondria (Bryla et al.) (314) 411
Clearing factor lipase
Long-chain acyl-CoA hydrolase activity in serum: Identity with – – – (Jansen, Hülsmann) (296) 241
Clostridium pasteurianum
Binding of ATP and ADP by nitrogenase components from – – – (Tso, Burris) (309) 263
Clotting factors
Separation of – – – II. Purification of human factor IX by isoelectric focussing (Chandra, Pechet) (328) 456
CMP-N-acetylneuraminic acid synthetase
Subcellular and regional distribution of – – – in the calf kidney (van Dijk et al.) (315) 162
Coacervation
– – – and ion binding studies on aortic elastin (Starcher et al.) (310) 481
Cobrotoxin
Immunochemical studies on the tryptophan-modified – – – (Chang, Yang) (295) 595
Coding
– – – properties of isoaccepting lysine transfer RNA species from baker's yeast (Sen, Ghosh) (308) 106
Coelomic fluid
Studies on the biological properties of – – – of sea urchin. I. Naturally occurring haemolysin in sea urchin (Ryoyama) (320) 157
Cold-stressed guinea pigs
Studies on the energy state of isolated brown adipose tissue mitochondria. A comparative study of – – – and warm-readapted guinea pigs (Pedersen, Flatmark) (305) 219
Colicin A
Effects of – – – and staphylococcin 1580 on amino acid uptake into membrane vesicles of Escherichia coli and Staphylococcus aureus (Jetten, Vogels) (311) 483
Colicin E2
Inactivation of infectious deoxyribonucleic acid of bacteriophage φX174 by – – – (Seto et al.) (324) 305
Colicin M
Common receptor protein for phage T5 and – – – in the outer membrane of Escherichia coli B (Braun et al.) (323) 87
Co-lipase
Purification and characterization of two proteins with – – – activity from porcine pancreas (Erlanson et al.) (310) 437
Collagen
Changes in the nature of the – – – during development and resorption of granulation tissue (Bailey et al.) (328) 383
Collagen
Effects of acetic acid and pepsin on the cross-linkages and ultrastructure of corneal – – – (Lian et al.) (328) 193
Collagen
Evidence for intramolecular crosslinks in chicken bone – – –: The isolation of peptides containing allysine aldol (Eyre, Glimcher) (295) 301
Collagen
Increased lysine hydroxylation in rat bone and tendon – – – and localization of the additional residues (Stoltz et al.) (310) 461
Collagen
Influence of zinc deficiency on synthesis and cross-linking of rat skin – – – (McClain et al.) (304) 457
Collagen
Isolation and characterization of the cyanogen bromide peptides from the α1 and α2 chains of soluble bovine striated muscle – – – (McClain) (310) 469
Collagen
Isolation of the crosslink hydroxymerodesmosine from borohydride-reduced – – – (Tanzer et al.) (310) 130
Collagen
Proteoglycans– – – – interactions in human costal cartilage (Kobayashi, Pedrini) (303) 148
Collagen
Structural changes in tendon – – – resulting from muscular dystrophy (Bartlett et al.) (328) 213

Collagen
Synthesis of $(Pro–Hyp–Gly)_n$ of defined molecular weights. Evidence for the stabilization of – – – triple helix by hydroxypyroline (Sakakibara et al.) (303) 198
Collagen
Tensile properties of the cartilage of human femoral condyles related to the content of – – – and glycosaminoglycans (Kempson et al.) (297) 456
Collagenase
– – – activity in homogenates of the involuting rat uterus (Woessner, Jr, Ryan) (309) 397
Collagenase
Evidence for de novo synthesis of – – – by tadpole skin explant (Nagai, Hori) (312) 742
Collagen fibres
Differential scanning calorimetry study of – – – swollen in aqueous neutral salt solutions (Finch, Ledward) (295) 296
Collagen metabolism
– – –. II. Enzymic formation of pyrrole-2-carboxylic acid from L-hydroxyproline in rat (Iguchi et al.) (315) 285
Collagen proline hydroxylation
Quantum chemical study of the mechanism of – – – (Hobza et al.) (304) 466
Collagen structure
Hypothesis of the role of hydroxyproline in stabilizing – – – (Ramachandran et al.) (322) 166
Collagen structure
Influence of dietary calcium deficiency and parathyroidectomy on bone – – – (Barnes et al.) (328) 373
Compartmentalized glycolytic systems
Possible regulatory interactions between – – – during initiation of glycolysis in ascites tumour cells (Coe, Greenhouse) (329) 171
Complement
Purification of C1s, a subunit of the first component of – – – from human plasma (Okamura et al.) (295) 252
Complement
Relation of C1sa, a subunit of the activated first component of – – – to other plasma enzymes (Sumi et al.) (327) 207
Complement
Release of macromolecular markers (enzymes) from liposomes treated with antibody and – – –: An attempt at correlation with electron microscopic observations (Kataoka et al.) (298) 158
Complex III
EPR spectrum of isolated – – – (DerVartanian et al.) (292) 496
Complexing agents
Facilitation of Fe(II) autoxidation by Fe(III) complexing agents (Harris, Aisen) (329) 156
Conalbumin
Comparison of the interaction of chinese hamster fibroblasts with human and bovine transferrins and – – – (chick-egg transferrin) (Messmer) (320) 663
Concanavalin A
Evidence of the requirement of a full complement of manganese and calcium ions for optimal binding of carbohydrates to electrophoretically homogeneous – – – (Karlstam) (329) 295
Concanavalin A
"Extension" of the carbohydrate binding specificity of – – – (Goldstein et al.) (317) 500
Concanavalin A
Magnetic resonance relaxation of ^{1}H and ^{17}O in aqueous solutions of – – – (Meirovitch, Kalb) (303) 258
Concanavalin A
– – – as a probe of phosphomannan molecular structure (Slodki et al.) (304) 449
Concanavalin A
Sensitivity of some nonhelical proteins to structural modification by sodium dodecylsulphate and its homologues. Circular dichroism studies on Bence–Jones protein, – – –, soybean trypsin inhibitor and trypsin (Jirgensons) (328) 314
Concanavalin A
Use of a fluorescently labelled sugar to investigate binding by – – – (Dean, Homer) (322) 141
Concanavalin A
Visible absorption and circular dichroism of the cobalt complexes of – – – (Kalb, Pecht) (303) 264
Concanavalin-A–agarose
α_1-Fetoprotein: Separation of two molecular variants by affinity chromatography with – – – (Smith, Kelleher) (317) 231
Conformational change
– – – of bovine serum albumin induced by 0.10 M Tris–EDTA–boric acid buffer at pH 9 (Aoki, Nagaoka) (328) 334

Conformational change
Energy-linked – – – of the mitochondrial membrane measured with the NH_2-modifying reagent, acrolein (Hirose et al.) (305) 52
Conformational changes
– – – induced by the interaction of sodium dodecylsulphate with bovine plasma albumin (Sogami et al.) (310) 487
Conformational stabilities
Comparison of the – – – of homologous haemoproteins. Myoglobin from several species, human haemoglobin and subunits (Puett et al.) (328) 261
Conformational structures
Raman studies of nucleic acids. X. – – – of Escherichia coli transfer RNAs in aqueous solution (Thomas et al.) (324) 37
Conformational studies
– – – on modified proteins and peptides. VII. Conformation of ϵ-prototoxin and ϵ-toxin from Clostridium perfringens. Conformational changes associated with toxicity (Habeeb et al.) (322) 245
Copper
Association of the – – – derived from caeruloplasmin with cytocuprein (Marceau, Aspin) (328) 351
Copper
Intracellular distribution of the – – – derived from caeruloplasmin and from albumin (Marceau, Aspin) (328) 338
Copper
Studies on the interaction of chick brain microsomal (Na^++K^+)-ATPase with – – – (Ting-Beall et al.) (291) 229
Copper protein
Cytochrome oxidase from Pseudomonas aeruginosa. II. Reaction with – – – (Wharton et al.) (292) 611
Copper proteins
Studies of the metal sites of – – –. V. A model compound for the copper site of superoxide dismutase (Morpurgo et al.) (322) 204
Coppers
Biochemical and biophysical studies on cytochrome c oxidase. X. Spectral and potentiometric properties of the haems and – – – (Tiesjema et al.) (305) 19
Copper uptake
Studies on the radioactive – – – by sheep erythrocytes in vitro (Smith, Wright) (307) 590
Cornea
Small angle light scattering of bovine – – – as affected by birefringence (Bettelheim, Kaplan) (313) 268
Cortex protein
ATPase in the cortical layer of sea urchin egg: Its properties and interaction with – – – (Mabuchi) (297) 317
Corticosteroid
– – – -dependent cycloheximide-evoked increase of sucrase and maltase in the jejunum of suckling rats (Koldovský et al.) (309) 370
Corticosteroid binding
– – – macromolecules in the nucleus and cytosol of rat thymus cells (Abraham, Sekeris) (297) 142
Corticosteroids
Control of adrenal medullary protein synthesis by – – – (Baliga et al.) (299) 337
Cortisol
– – – -induced inhibition of amino acid transport in thymic lymphocytes: Kinetic parameters; relation to ATP levels and protein synthesis; and specificity (Baran et al.) (307) 627
Cortisone reductase
Structural features of ring B and the interaction of 20-oxosteroids with – – – (White, Jeffery) (296) 604
p-Coumarate: CoA ligase
Synthesis of p-coumaroyl coenzyme A with a partially purified – – – from cell suspension cultures of soybean (Glycine max) (Lindl et al.) (302) 457
p-Coumaroyl coenzyme A
Synthesis of – – – with a partially purified p-coumarate: CoA ligase from cell suspension cultures of soybean (Glycine max) (Lindl et al.) (302) 457
Coupling factor
Essential role of membrane ATPase or – – – for anaerobic growth and anaerobic active transport in Escherichia coli (Yamamoto et al.) (314) 267
Coupling factor CF_1
Quantitive determination of – – – of chloroplasts (Strotmann et al.) (314) 202
C1r
Inhibition of – – –, C1s by amidino compounds (Asghar et al.) (317) 539
Creatine kinase
Localization of mitochondrial – – –, and its use for the determination of the sidedness of submitochondrial particles (Scholte et al.) (291) 764

Creatine kinase
Triple localization of – – – in heart and skeletal muscle cells of the rat: Evidence for the existence of myofibrillar and mitochondrial isoenzymes (Scholte) (305) 413
Creatine phosphokinase
Molecular basis of the heterogeneity of the MM isozyme of rabbit muscle – – – (Traugott, Massaro) (295) 549
Crosslink
Isolation of the – – –, hydroxymerodesmosine, from borohydride-reduced collagen (Tanzer et al.) (310) 130
Crosslinkages
Effects of acetic acid and pepsin on the – – – and ultrastructure of corneal collagen (Lian et al.) (328) 193
Crosslinked peptides
Isolation and characterization of – – – from elastin (Foster et al.) (303) 363
Cross-links in the DNA
Improved method for measuring – – – of mammalian cells: The effect of nitrogen mustard (Jolley, Ormerod) (308) 242
γ-Crystallin
Amino and carboxy terminal sequence of – – –, from haddock lens (Croft) (295) 174
α-Crystallin
Characteristics of – – – related to fibre cell development in calf eye lenses (van Kamp et al.) (295) 166
α-Crystallin
Immunological specificity of the basic polypeptides of bovine – – – (van Kamp et al.) (303) 194
FM-Crystallin
– – –: A neglected component among lens proteins (Broek et al.) (310) 278
δ-Crystallin synthesis
Cell elongation and – – – without RNA synthesis: Evidence for differential stabilities of messenger RNAs in cultured early embryonic chick lens epithelia (Craig, Piatigorsky) (299) 642
C1s̄
Inhibition of C1r, – – – and generation of C1s̄ by amidino compounds (Ashgar et al.) (317) 539
Cultured mosquito cells
Lipids of – – – (Aedes albopictus): Comparison with cultured mammalian fibroblasts (BHK 21 cells) (Luukkonen et al.) (326) 256
Cyanids
Respiratory chain of Azotobacter vinelandii. II. The effect of – – – on cytochrome d (Kauffman, van Gelder) (314) 276
Cyanide-resistant respiration
– – – and a branched cytochrome system in Kinetoplastidae (Hill, Cross) (305) 590
Cyanidium caldarium
Photosynthetic oxygen production and the size of the photosynthetic unit in a cell-free preparation from – – – (Diner, Mauzerall) (292) 285
Cyanogen bromide splitting
– – – of human immunoglobin M (Zikán, Bennett) (317) 447
Cyclic adenosine 3′,5′-monophosphate phosphodiesterase
Multiple forms of – – – from human blood platelets. I. Kinetic and electrophoretic characterization of two molecular species (Pichard et al.) (315) 370
Cyclic AMP
β-blockade of epinephrine-induced – – – formation in heart, liver, fat and trachea (Murad) (304) 181
Cyclic AMP
Control of – – – levels in isolated fat cells from hamsters (Hittelman et al.) (304) 188
Cyclic AMP
Depolarization-evoked accumulation of – – – in brain slices: Inhibition by exogenous adenosine deaminase (Huang et al.) (329) 147
Cyclic AMP
Effects of antilipolytic agents and α-adrenergic antagonists on – – – metabolism in hamster white adipocytes (Hittelman, Butcher) (316) 403
Cyclic AMP
Effects of insulin on gluconeogenesis and – – – levels in perfused livers from diabetic rats (Exton et al.) (329) 23
Cyclic 3′,5′-AMP
Effects of thyrotropin, prostaglandin E1 and iodide on – – – concentration in dog thyroid slices (van Sande, Dumont) (313) 320
Cyclic AMP
Ionic control of renal gluconeogenesis. II. The effects of calcium ions and hydrogen ions upon the response to parathyroid hormone and – – – (Kurokawa et al.) (313) 32
Cyclic AMP
Phosphorylation of muscle proteins by – – –

-dependent protein kinase from muscle (Sands, Meyer) (321) 489
Cyclic AMP
Possible role of – – – in gastric acid secretion in rat. Activation of carbonic anhydrase (Narumi, Maki) (311) 90
Cyclic AMP
Preovulatory changes in the synthesis of – – – by rabbit graafian follicles (Marsh et al.) (304) 197
Cyclic AMP
Production of cholinesterase by Pseudomonas aeruginosa, its regulation by glucose and – – – and inhibition by antiserum (Gilboa-Garber et al.) (297) 120
Cyclic AMP
Stimulation of purified muscle protein kinase by – – – and its butyrated derivatives (Rebhun, Villar-Palasi) (321) 165
Cyclic AMP metabolism
Development of – – – in rat liver: A correlative study of tissue levels of cyclic AMP, accumulation of cyclic AMP in slices, adenylate cyclase activity and cyclic nucleotide phosphodiesterase activity (Christoffersen et al.) (313) 338
Cyclic AMP phosphodiesterase
Partial purification of a – – – from soybean callus: Isolation of a non-dialysable inhibitor (Brewin, Northcote) (320) 104
Cyclic AMP phosphodiesterase
Partial purification and properties of the – – – and the cyclic GMP phosphodiesterase of bovine liver (Schröder, Rickenberg) (302) 50
Cyclic AMP receptor
– – – of Escherichia coli: Immunological studies in extracts of Escherichia coli and other organisms (Anderson, Pastan) (320) 577
Cyclic GMP phosphodiesterase
Partial purification and properties of the cyclic AMP phosphodiesterase and the – – – of bovine liver (Schröder, Rickenberg) (302) 50
Cyclic nucleotide phosphodiesterase
– – – activity in the plasma and erythrocytes of normal and diabetic rats (Hemington et al.) (304) 552
Cyclic nucleotide phosphodiesterase
Inhibition of metabolic effects of growth hormone by various inhibitors of – – – (Rillema et al.) (297) 527
Cyclic nucleotides
Molecular orbital calculations on nucleic acids conformation and their constituents. VIII. Conformations of 2′,3′- and 3′,5′- – – – (Saran et al.) (331) 154
Cycloheximide
Assembly and secretion of very low density lipoproteins by rat liver following inhibition of protein synthesis with – – – (Bar-On et al.) (306) 106
Cycloheximide
Effects of – – – on influx across the brush border of rabbit small intestine (Frizzell et al.) (291) 302
β-Cyclopiazonate oxidocyclase
– – – from Penicillum cyclopium. III. Preliminary studies on the mechanism of action (Steenkamp et al.) (309) 440
Cyproterone acetate
Antagonistic effects of dihydrotestosterone and – – – on RNA synthesis (Grigorescu, Villee) (319) 165
Cyproterone acetate
– – – in normal and interstitial cell tumour grafted rats. Effects on testicular and sexual accessory organs weight and lactate dehydrogenase activity and iso-enzymes (Gallard, Riviere) (313) 190
Cystathionine β-synthase
Aspergillus nidulans mutant lacking cystathionine β-synthase: Identification of L-serine sulphhydrylase with – – – and its distinctness from O-acetyl-L-serine sulphhydrylase (Pieniążek et al.) (297) 37
Cysteine desulphhydrase
Regulatory features of the – – – of Salmonella typhimurium (Collins et al.) (313) 156
Cysteine metabolism
Induction and activation of cysteine oxidase of rat liver. II. The measurement of – – – in vivo and the activation of in vivo activity of cysteine oxidase (Yamaguchi et al.) (297) 48
Cysteine oxidase
Induction and activation of – – – of rat liver. II. The measurement of cysteine metabolism in vivo and the activation of in vivo activity of cysteine oxidase (Yamaguchi et al.) (297) 48
Cysteines
– – – in yeast enolase (Oh et al.) (310) 421
L-Cystine
Circular dichroism of a model compound – – – residue: N,N′-diacetyl-L-cystine bismethylamide (Takagi et al.) (310) 11
Cytidine-5′-monophospho-N-acetylneuraminic acid: monosialoganglioside (G_{M1}) sialyltransferase

Enzymic synthesis of disialoganglioside: Rat brain – – – (Yip) (306) 298
Cytidyl derivatives of puromycin
Inhibition of peptide bond formation by – – – (Hengesh, Morris) (299) 654
Cytochalasin binding
Reversible association of cytochalasin B with the human erythrocyte membrane: Inhibition of glucose transport and the stoichiometry of – – – (Taverna, Langdon) (323) 207
Cytochrome
Soluble CO-binding c-type – – – from the marine bacterium Beneckea natriegens (Weston, Knowles) (305) 11
Cytochrome
Water and – – – oxidation–reduction reactions (Kihara, McCray) (292) 297
Cytochrome a_3
Influence of pH on the synthesis of the oxidase (– – –) in Bacillus coagulans, a thermophilic microorganism capable of "respiratory adaptation" (Frade, Chaix) (325) 424
Cytochrome b
– – – spectrum of plant mitochondria and its response to ATP and antimycin (Passam et al.) (325) 54
Cytochrome b_2
Proton magnetic resonances in – – – core: Structural similarities with cytochrome b_5 (Keller et al.) (328) 233
Cytochrome b_5
Proton magnetic resonances in cytochrome b_2 core: Structural similarities with – – – (Keller et al.) (328) 233
Cytochrome b_{558}
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, – – –, C550 and P700 in noncyclic electron transport (Knaff) (325) 284
Cytochrome b_{559}
Kinetics of light-induced changes of C-550, – – – and fluorescence yield in chloroplasts at low temperature (Butler et al.) (292) 140
Cytochrome b_{559}
Photooxidation of – – – and the electron donors in chloroplast Photosystem II (Vermeglio, Mathis) (292) 763
Cytochrome b_{559}
Photoreduction of C-550 and oxidation of – – – in chloroplasts: Dependence on the state of Photosystem II (Vermeglio, Mathis) (314) 57
Cytochrome b-563
Studies on – – – and P700 in three non-photosynthetic mutants of Chlamydomonas reinhardti (Maroc, Garnier) (292) 477
Cytochrome b_{566}
Circular dichroism of cytochrome oxidase, – – – and cytochrome c in beef heart mitochondrial membrane fragments (Storey, Lee) (292) 554
Cytochrome b_6
Purification of – – –. A tightly bound protein in chloroplast membranes (Stuart, Wasserman) (314) 284
Cytochrome b_6
Uncoupler-dependent decrease in midpoint potential of chloroplast – – – (Böhme, Cramer) (325) 275
Cytochrome b-like pigment
New – – – with a peak at 567 nm and a low redox potential in denitrifying bacteria (Gray et al.) (325) 72
Cytochrome c
δ-Aminolaevulinic acid synthetase activity and the effect of exogenous δ-aminolaevulinate on the synthesis of – – – in the thoracic muscles of the tobacco horn worm during adult development (Chan et al.) (329) 251
Cytochrome c
Circular dichroism of cytochrome oxidase, cytochrome b_{566} and – – – in beef heart mitochondrial membrane fragments (Storey, Lee) (292) 554
Cytochrome c
Electron transfer in – – –. Role of the polypeptide chain (Gupta) (292) 291
Cytochrome c
Interaction of – – – with lipid monolayers (Morse II, Deamer) (298) 769
Cytochrome c
– – – involved in the reductive decomposition of organic mercurials. Purification of cytochrome c-I from mercury-resistant Pseudomonas and reactivity of cytochromes c from various kinds of bacteria (Furukawa, Tonomura) (325) 413
Cytochrome c
Nuclear magnetic resonance study of the interaction of – – – with cytochrome c peroxidase (Gupta, Yonetani) (292) 502
Cytochrome c
Peroxide-dependent reduction of – – – by NADH (Misra, Fridovich) (292) 815
Cytochrome c
Primary structure of – – – from the emu,

Dromaeus novaehollandiae (Augusteyn) (303) 1
Cytochrome c
Reaction of – – – with one-electron redox reagents. I. Reduction of ferricytochrome c by the hydrated electron produced by pulse radiolysis (Lichtin et al.) (314) 117
Cytochrome c-551
Oxidation mechanisms of thiosulphate and sulphide in Chlorobium thiosulphatophilum: Roles of – – – and cytochrome c-553 (Kusai, Yamanaka) (325) 304
Cytochrome c-553
Oxidation mechanisms of thiosulphate and sulphide in Chlorobium thiosulphatophilum: Roles of cytochrome c-551 and – – – (Kusai, Yamanaka) (325) 304
Cytochrome c-555
Shifts of bacteriochlorophyll and carotenoid absorbance bands linked to – – – photo-oxidation in Chromatium (Case, Parson) (325) 441
Cytochrome c-556
– – –, a di-haem protein from Pseudomonas aeruginosa (Singh, Wharton) (292) 391
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. X. Spectral and potentiometric properties of the haems and coppers (Tiesjema et al.) (305) 19
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XI. Reaction with azide (Wever et al.) (325) 1
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XII. Kinetics of azide binding (Wever et al.) (325) 8
Cytochrome c peroxidase
Nuclear magnetic resonance study of the interaction of cytochrome c with – – – (Gupta, Yonetani) (292) 502
Cytochrome c peroxidase
In vitro studies on yeast – – – and its possible function in the electron transfer and energy coupling reactions (Erecińska et al.) (292) 1
Cytochrome (c-type)
Soluble CO-binding – – – from the marine bacterium Beneckea natriegens (Weston, Knowles) (305) 11
Cytochrome d
Respiratory chain of Azotobacter vinelandii. I. Spectral properties of – – – (Kauffman, van Gelder) (305) 260
Cytochrome d
Respiratory chain of Azotobacter vinelandii. II. The effect of cyanide on – – – (Kauffman, van Gelder) (314) 276
Cytochrome f
Contrasting effects of plastocyanin on the photoreduction and photooxidation of – – – in chloroplasts (Knaff) (292) 186
Cytochrome f
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of – – –, cytochrome b_{558}, C550 and P700 in non-cyclic electron transport (Knaff) (325) 284
Cytochrome oxidase
Hydrogen–deuterium exchange study of membranous – – – (Capaldi) (303) 237
Cytochrome oxidase
Identification and extent of fluid bilayer regions in membranous – – – (Jost et al.) (311) 141
Cytochrome oxidase
– – – from Pseudomonas aeruginosa. I. Purification and some properties (Gudat et al.) (292) 376
Cytochrome oxidase
– – – from Pseudomonas aeruginosa. II. Reaction with copper protein (Wharton et al.) (292) 611
Cytochrome oxidase membranes
Optical analysis of electron micrographs of – – – (Maniloff et al.) (298) 180
Cytochrome P-450
Solubilization and properties of bovine adrenal cortical – – – which cleaves the cholesterol side chain (Ramseyer, Harding) (315) 306
Cytochrome P-450
Spectral properties of – – – from microsomes isolated from control, phenobarbital- and naphthalene-treated houseflies (Capdevila et al.) (314) 93
Cytochromes
Comparative study of – – – between virus-transformed and untransformed cells (Sato et al.) (305) 493
Cytochromes
Kinetic and thermodynamic properties of membrane-bound – – – of aerobically and photosynthetically grown Rhodopseudomonas spheroides (Connelly et al.) (292) 644
Cytochromes
Low-temperature spectral properties of the respiratory chain – – – of mitochondria

from Crithidia fasciculata (Kusel, Storey) (305) 570
Cytochromes
Participation of – – – in the process of nitrate respiration in Klebsiella (Aerobacter) aerogenes (Knook et al.) (292) 237
Cytochromes
Purification of c-type – – – from Nitrosomonas europaea (Tronson et al.) (310) 331
Cytochromes
Respiratory chain of plant mitochondria. XV. Equilibration of – – – c_{549}, b_{553}, b_{557} and ubiquinone in mung bean mitochondria: Placement of cytochrome b_{557} and estimation of the midpoint potential of ubiquinone (Storey) (292) 592
Cytochromes a and a_3 synthesis
Kinetics of – – – during respiratory adaptation of yeast (Chen, Charalampous) (294) 329
Cytochromes (b-type)
– – – of bovine heart mitochondria: Absorption spectra, enzymatic properties, and distribution in the electron transfer complexes (Davis et al.) (325) 341
Cytochromes (b-type)
Energy-dependent redox reactions of two – – – in brown adipose tissue mitochondria (Flatmark, Pedersen) (325) 16
Cytochrome system
Cyanide-resistant respiration and a branched – – – in Kinetoplastidae (Hill, Cross) (305) 590
Cytocuprein
Association of the copper derived from caeruloplasmin with – – – (Marceau, Aspin) (328) 351
Cytokinins
Short time metabolism of some exogenous – – – in Acer pseudoplatanus cells (Doree, Guern) (304) 611
Cytosine
Studies of intermolecular interactions of nucleic acid bases in aqueous solutions by the proton magnetic resonance method. Self-association of 6,9-dimethyladenine and its pyrazole analogue and their association with methyl-substituted – – – and uracil (Antonovsky et al.) (331) 9
Cytosine deaminase
Effect of pH on the allosteric properties of baker's yeast – – – (Balestreri et al.) (315) 443
Cytosine deamination
Relationship between mismatched base pairs and the thermal stability of DNA duplexes. II. Effects of – – – (Ullmann, McCarthy) (294) 416
Cytosine residues
Alkali deamination of – – – in DNA (Ullmann, McCarthy) (294) 396
Cytosol
Vitamin D metabolites: Specific binding by rat intestinal – – – (Haddad et al.) (329) 93

D

Daunomycin
Inhibition of RNA synthesis in mitochondria by – – – (Evans et al.) (312) 323
Daunomycin transport
Active outward – – – in resistant Ehrlich ascites tumour cells (Danø) (323) 466
Deactivation
– – – of oxygen precursors in presence of 3(3,4-dichlorophenyl)-1, 1-dimethylurea and phenylurethane (Bouges-Bocquet et al.) (325) 247
Deactivation-accelerating agent
Studies on the mechanism of destabilisation of the positive charges trapped in the photosynthetic water-splitting enzyme system Y by a – – – (Renger) (314) 390
Deamination
Alkali – – – of cytosine residues in DNA (Ullmann, McCarthy) (294) 396
Decarboxylation
On the – – – of α-keto acids by isolated chloroplasts (Elstner, Heupel) (325) 182
Decay catastrophe
Prolonged retention of high specific activity by ^{125}I-labeled angiotensin II – a consequence of – – – (Catt, Baukal) (313) 221
Degradation
Steroid 1-dehydrogenation and side-chain – – – enzymes in the life cycle of Fusarium solani (Hafez-Zedan, Plourde) (326) 103
Degradation of thyroxine
– – – by the microsomal particles from rat liver. II. Purification of Fe^{2+}-dependent particles and some of their properties (Ushijima et al.) (320) 284
16-Dehydro C_{19} steroids
Formation of 16,17-dihydroxylated C_{19} steroids from – – – in liver microsomes from male and female rats (Gustafsson) (296) 179
Delayed fluorescence
Relationship between – – – and the H^+ gradient in chloroplasts (Evans, Crofts) (292) 130
N-Demethylation
Analysis of polar parts of phospholipids. – – – of choline-containing lipids for gas chromatography and mass spectrometry (Karlander et al.) (326) 174
Denaturation
Generation of DNA fragments by enzymatic cleavage at sites sensitive to – – – (Landy et al.) (299) 264
Denaturation
Heat – – – of bovine serum albumin in alkaline pH region (Aoki et al.) (328) 323
Denaturation
Influence of pH on human renin activity with different substrates: Role of substrate – – – (Favre et al.) (302) 102
Denaturation profiles
Ion-induced splitting in thermal – – – of F1 nucleohistone (Van, Ansevin) (299) 367
Denervation
Influence of – – – on the free amino acids of the rat diaphragm (Turner, Manchester) (320) 352
Denitrifying bacteria
New cytochrome b-like pigment with a peak at 567 nm and a low redox potential in – – – (Gray et al.) (325) 72
Dentin matrix
Investigation of the phosphoprotein of the bovine – – – (Carmichael, Dodd) (317) 187
Deoxyadenosine triphosphate
Ribonucleotide reductase from regenerating rat liver. II. Substrate phosphorylation level and effect of – – – (Larsson) (324) 447
5′-Deoxyadenosylcobalamin
Photolysis of – – – under anaerobic conditions (Law, Wood) (331) 451
3-Deoxy-D-arabino-heptulosonate-7-phosphate synthetase
Allosteric inhibition of – – – by tyrosine, tryptophan and phenylpyruvate in Pseudomonas aeruginosa (Jensen et al.) (293) 256
Deoxycholate
Comparison of rat liver and Escherichia coli cell-free systems in inhibition of polypeptide synthesis by – – – (Igarashi et al.) (299) 331
Deoxycytidine uptake
– – – by isolated membrane vesicles from Escherichia coli K12 (Komatsu, Tanaka) (311) 496

2-Deoxy-D-glucose incorporation
– – – into glycolipids of normal and SV40-transformed hamster cells (Steiner, Steiner) (296) 403
5′-Deoxypyridoxal
Proton transfer kinetics of – – – (Ahrens) (320) 86
Deoxyribonuclease
Properties of an ATP-dependent – – – from Micrococcus luteus. Evidence for a stable DNA–enzyme complex (van Dorp et al.) (299) 65
Deoxyribonuclease
Use of – – – in the isolation of nucleoli and purification of nuclear RNA – a caution (Lee et al.) (294) 461
Deoxyribonuclease A
Studies on bovine pancreatic – – –. I. General properties and activation with different bivalent metals (Junowicz, Spencer) (312) 72
Deoxyribonuclease A
Studies on bovine pancreatic – – –. II. The effect of different bivalent metals on the specificity of degradation of DNA (Junowicz, Spencer) (312) 85
Deoxyribonucleases
Degradation of transforming Hemophilus influenzae DNA by – – – (Kopecka et al.) (319) 37
Deoxyribonucleic acid
Hydrolysis of adenosine triphosphate accompanying interaction between Escherichia coli B restriction endonuclease and unmodified – – – (Hedgpeth, Boyer) (331) 310
Deoxyribonucleic acid
Inactivation of infectious – – – of bacteriophage ΦX174 by colicin E2 (Seto et al.) (324) 305
Deoxyribonucleoprotein
Further studies on a compact form of salt-soluble – – – (Krueger, Allison) (312) 259
Deoxyribonucleoproteins
Studies on – – –. VIII. Isolation and characterization of nonhistone proteins from euchromatic and heterochromatic deoxyribonucleoprotein of rat liver (Warnecke et al.) (331) 295
Deoxyribonucleosides
Kinetics of the clearing of ^{14}C-labelled – – – from rat blood in vivo and in vitro (Beltz et al.) (297) 258
Deoxyribonucleoside triphosphate pools
Cell-cycle dependent variations of – – – in chinese hamster cells (Walters et al.) (319) 336
2′-Deoxyuridine
Complex formation of uracil, – – – and their 5-halogenated derivatives (Tan, Beck) (299) 500
Depurination
Relationship between mismatched base pairs and the thermal stability of DNA duplexes. I. Effects of – – – and chain scission (Ullmann, McCarthy) (294) 405
Desaturation
– – – of phosphatidylcholine and phosphatidylethanolamine by a microsomal enzyme system from Candida lipolytica (Pugh, Kates) (316) 305
Desulfotomaculum nigrificans
Reactions of P582 from – – – with substrates, reducing agents and carbon monoxide (Trudinger, Chambers) (293) 26
Detergents
Properties of an (Mg^{2+}+Ca^{2+})-dependent ATPase of bovine brain cortex. Effects of – – –, freezing, cations and local anaesthetics (Roufogalis) (318) 360
Dethiobiotin
Conversion of bisnorbiotin and bisnordethiobiotin to biotin and dethiobiotin, respectively, by microorganisms (Izumi et al.) (326) 485
Developing brain
Metabolism of [1-^{14}C] palmitic acid in the – – –: Persistence of radioactivity in the carboxyl carbon (Dhopeshwarkar et al.) (296) 257
Development
Changes in the nature of the collagen during – – – and resorption of granulation tissue (Bailey et al.) (328) 383
Development
Degradation of ribosomal RNA during chicken lens – – – (Zapisek, Papaconstantinou) (299) 603
Development
Nuclear accumulation of newly synthesized histones in early Xenopus – – – (Byrd, Jr, Kasinsky) (331) 430
Development
Nuclear basic protein acetylation during early sea urchin – – – (Johnson et al.) (295) 150
Development
Pyrimidine nucleoside phosphorylase during – – – of the normal and dystrophic chicken (Weinstock et al.) (294) 15

Development
Ribonucleic acid metabolism during the – – – of cotyledons of Pisum sativum L. (Poulson, Beevers) (308) 381
Development
Study of the dissociation of the ribosomes of Xenopus laevis at various stages of – – – (Decroly, Goldfinger) (324) 510
Developmental alterations
– – – in RNA synthesis in isolated mouse brain nucleoli (Banks, Johnson) (294) 450
Dextranase
Studies on – – –. Purification of dextranase from Penicillium funiculosum and its enzymatic properties (Sugiura et al.) (309) 357
Diabetes
Influence of streptozotocin – – – on the ability of muscle cell sap to support protein synthesis by ribisomes in cell-free systems (Pain) (308) 181
Diacylglycerols
Fatty acid composition and level of – – – and phosphoglycerides in brain and retina (Aveldaña, Bazán) (296) 1
Diatom metabolism
Role of silicon in – – –. II. Endogenous nucleoside triphosphate pools during silicic acid starvation of synchronized Cylindrotheca fusiformis (Sullivan, Volcani) (308) 205
Diatom metabolism
Role of silicon in – – –. III. The effects of silicic acid on DNA polymerase, TMP kinase and DNA synthesis in Cylindrotheca fusiformis (Sullivan, Volcani) (308) 212
Dibutyryl adenosine cyclic monophosphate
Adrenocorticotropic hormone and – – – -mediated Ca^{2+} uptake by rat adrenal glands (Leier, Jungmann) (329) 196
Dibutyryl cyclic adenosine monophosphate
– – – enhancement of α-methyl-D-glucoside accumulation by kidney cortex slices (Rea, Segal) (311) 615
Dibutyryl ciclic AMP
Similar and opposite effects of – – – and insulin on glucose metabolism in adipose tissue (Trueheart et al.) (313) 310
Dicarboxylic acids
ATP-dependent activation of – – – in rat liver (Pettersen, Aas) (326) 305
Dicarboxylic acids
Branched short-chain – – – in human urine (Pettersen, Stokke) (304) 316
3-(3,4-Dichlorophenyl)-1,1-dimethylurea
Action of – – – on the water-splitting enzyme system Y of photosynthesis (Renger) (314) 113
3-(3,4-Dichlorophenyl)-1,1-dimethylurea
New results on the mode of action of – – – in spinach chloroplasts (Bennoun, Li) (292) 162
Dielectric hysteresis
– – – in proteins (Tredgold, Sproule) (317) 569
Diet
Kinetics of chylomicron triglyceride removal from plasma in rats: The effect of – – – (Harris, Felts) (316) 288
Di-(2-ethylhexyl)phthalate
Enzymatic hydrolysis of – – – by lipases (Albro, Thomas) (306) 380
Diethyl pyrocarbonate
Reaction of – – – with nucleic acid components. Adenosine-containing nucleotides and dinucleoside phosphates (Henderson et al.) (294) 356
Differential scanning calorimetry
– – –. study of collagen fibres swollen in aqueous neutral salt solutions (Finch, Ledward) (295) 296
Differentiation
Changes in ribonucleases during – – – (spherulation) of physarum polycephalum (Chet et al.) (294) 343
Differentiation
Effects of testosterone, 5α-dihydrotestosterone and adenosine 3′, 5′-monophosphate on cell proliferation and – – – in rat prostate (Lesser, Bruchovsky) (308) 426
Differentiation
– – – of 23-S ribosomal RNA cistrons from 16-S ribosomal RNA cistrons in Escherichia coli by the sequence complementarity test (Segal et al.) (308) 80
Differentiation
Transcription during cell – – – in Naegleria gruberi. Preferential synthesis of messenger RNA (Walsh, Fulton) (312) 52
Diffusible macromolecules
Reduction of DNA synthesis in calf thymocytes at lower cell densities and its reversal by – – – released by these cells (Sibatani) (294) 57
Digalactosyl diglyceride
Phase behaviour of monogalactosyl, – – –, and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531

1,2-Diglyceride hydrolysis
– – – by membrane-associated lipase activity during phospholipase C treatment of membranes (Michell et al.) (318) 306
Diglycerides
Occurrence of different molecular conformations of – – – at the air–water interface (Larsson) (318) 1
Diglycerides
Phase behaviour of monogalactosyl, digalactosyl and sulphoquinovosyl – – – (Shipley et al.) (311) 531
1,2-Diglycerides
Studies on – – – formed from endogenous lecithins by the back-reaction of rat liver microsomal CDPcholine:1,2-diacylglycerol cholinephosphotransferase (Kanoh, Ohno) (326) 17
Dihydrofolate reductase
– – – induced by folic acid in cultured human cells (Hillcoat et al.) (293) 281
Dihydrofolate reductase
Two different effects of mutation on the binding folate antagonists by a microbial – – – (Sirotnak) (302) 13
Dihydrofolate reductase gene
Hyperproduction mutation in the – – – of Diplococcus pneumoniae: Some effects on synthesis correlate with the presence of a modified enzyme form (Sirotnak) (312) 426
Dihydrolipoamide transacetylase
New – – – in Escherichia coli K12 (Bisswanger, Henning) (321) 143
Dihydrolipoic acid
Polymer-bound – – –: A new insoluble reducing agent for disulphides (Gorecki, Patchornik) (303) 36
Dihydro-orotate dehydrogenase
– – – of Escherichia coli K12: Effects of Triton X-100 and phospholipids (Karibian) (302) 205
Dihydrotestosterone
Antagonistic effects of – – – and cyproterone acetate on RNA synthesis (Grigorescu, Villee) (319) 165
5α-Dihydrotestosterone
Effects of testosterone, – – – and adenosine 3′,5′-monophosphate on cell proliferation and differentiation in rat prostate (Lesser, Bruchovsky) (308) 426
Dihydrouracil nucleosides
Formation of 3,5,5-trimethyl derivatives of – – – by reaction with methylsulphinyl carbanion and methyl iodide (Panzica et al.) (331) 147
16,17-Dihydroxylated C_{19} steroids
Formation of – – – from 16-dehydro C_{19} steroids in liver microsomes from male and female rats (Gustafsson) (296) 179
Diisocyanate
Use of tolylene diisocyanate for the preparation of a peroxidase-labelled antibody conjugate: Quantitation of the amount of – – – bound (Modesto, Pesce) (295) 283
Diketocoriolin B
Kinetic studies on the inhibition of $(Na^+ + K^+)$-ATPase by – – – (Kunimoto, Umezawa) (318) 78
Diketocoriolin B
Mechanism of action of – – – (Kunimoto et al.) (298) 513
6,9-Dimethyladenine
Studies of intermolecular interactions of nucleic acid bases in aqueous solutions by the proton magnetic resonance method. Self-association of – – – and its pyrazole analogue and their association with methyl-substituted cytosine and uracil (Antonovsky et al.) (331) 9
N,N-Dimethylnitrosamine
Influence of liver regeneration on the stability of 7-methylguanine in rat liver DNA after treatment with – – – (Capps et al.) (331) 33
Dimethylnitrosamine
Pattern of methylated purines formed in DNA of intact and regenerating liver of rats treated with the carcinogen – – – (Craddock) (312) 202
Dinitrophenol-induced ATPase
Affinities of ATP for the – – – (Verdouw, Bertina) (325) 385
Dinucleoside monophosphate conformation
Correlation of the differences in 2′–5′ and 3′–5′ – – – with their behaviour on a Sephadex LH-20 column (Sussman et al.) (308) 189
Dioxygenase
Acetylenic inhibitors of sheep vesicular glands – – – (Vanderhoek, Lands) (296) 374
Dipalmitoyllecithin
Time-dependent surface behaviour of – – – and lung alveolar surfactant monolayers (Munden, Swarbrick) (291) 344
Dipeptidase
Studies on a soluble – – – from pig intestinal mucosa. I. Purification and specificity (Noren et al.) (327) 446

Dipeptides
Chlorination studies. II. The reaction of aqueous hypochlorous acid with α-amino acids and – – – (Pereira et al.) (313) 170
2,3-Diphosphoglycerate
Simulation of biphasic oxygen equilibrium curves of haemoglobin in the presence of small amounts of – – – (Imai, Tyuma) (293) 290
1,3-Diphosphoglycerate–glucose phosphotransferase
Synthesis of glucose 6-phosphate by a – – – activity of liver microsomes (Stetten, Goldsmith) (327) 82
2,3-Diphosphoglycerate phosphatase
Characterization of – – – activity: Electrophoretic study (Rosa et al.) (293) 285
Diphosphoinositide
Response of – – – and triphosphoinositide to perturbations of the adenylate energy charge in cells of Saccharomyces cerevisiae (Talwalkar, Lester) (306) 412
Disaccharides
Studies on the transport of glucose from – – – by hamster small intestine in vitro. I. Evidence for a disaccharidase-related transport system (Malathi et al.) (307) 613
Disialoganglioside
Enzymic synthesis of – – –: Rat brain cytidine-5'-monophospho-N-acetylneuraminic acid: monosialoganglioside (G_{M1}) sialyltransferase (Yip) (306) 298
Disulphide bonds
Studies on silk fibroin of Bombyx mori directly extracted from the silk gland. II. Effect of reduction of – – – and subunit structure (Sasaki, Noda) (310) 91
Disulphide groups
Sulphydryl and disulphide groups of platelet membranes: II. Determination of – – – (Ando, Steiner) (311) 38
Disulphides
Occurrence of protein-bound mixed – – – in rat tissues (Harrap et al.) (310) 104
Disulphides
Polymer-bound dihydrolipoic acid: A new insoluble reducing agent for – – – (Gorecki, Patchornik) (303) 36
Diurnal rhythm
Effect of interruption of the enterohepatic circulation of bile acids and of cholesterol feeding on cholesterol 7α-hydroxylase in relation to the – – – in its activity (Mitropoulos et al.) (326) 428
Diurnal variation
– – – of peptidyl proline hydroxylase activity in different tissues of the rat (Cutroneo, Scott) (320) 227
DNA
Is the ability to repair damage to – – – related to the proliferative capacity of a cell? The rejoining of X-ray-produced strand breaks (Karran, Ormerod) (299) 54
DNA
Absence of an integrated copy of mitochondrial – – – in the nuclear genome of Tetrahymena pyriformis (Flavell, Trampé) (308) 101
DNA
Action of bleomycin on programmed synthesis: Influence on enzymatic – – –, RNA and protein synthesis (Yamazaki et al.) (308) 412
DNA
Action of exonuclease III on γ-irradiated – – – (Bopp et al.) (294) 47
DNA
Action of single-strand specific Neurospora crassa endonuclease on ultraviolet light-irradiated native – – – (Kato, Fraser) (312) 645
DNA
Action of the single-stranded – – – specific nuclease S_1 on double-stranded DNA (Godson) (308) 59
DNA
Alkali deamination of cytosine residues in – – – (Ullmann, McCarthy) (294) 396
DNA
Alkaline sucrose sedimentation studies of – – – from P388F lymphoma cells treated with difunctional alkylating agents (Peterson et al.) (299) 385
DNA
Analysis of adeno-associated satellite virus – – – (Mayor, Ratner) (299) 189
DNA
Biological implications of the instability of the N-glycosidic bond of 3-methyldeoxyadenosine in – – – (Margison, O'Connor) (331) 349
DNA
Breakage prior to entry of donor – – – in Pneumococcus transformation (Morrison, Guild) (299) 545
DNA
Chromosomal DNA and plasmid – – – of bacteria: Interaction with crystals of cadmium lauroyl sarkosinate (Dowman, Meynell) (299) 218

DNA
Circular mitochondrial – – – from Acanthamoeba castellanii (Neff-strain) (Bohnert) (324) 199
DNA
Comparison of the effects of alkylation on the – – – of sensitive and resistant Lettre–Ehrlich cells following in vivo exposure to nitrogen mustard (Yin et al.) (324) 472
DNA
Conformation and reactivity of – – –. III. Circular dichroism studies of the effects of aqueous concentrated univalent salt solutions upon helix conformation (Zimmer, Luck) (312) 215
DNA
Content of 5-methylcytosine in animal – – –: The species and tissue specificity (Vanyushin et al.) (299) 397
DNA
Correlation between degradation, replication and repair of yeast – – – irradiated by ultraviolet or γ-rays (Hatzfeld) (299) 43
DNA
Degradation of transforming Hemophilus influenzae – – – by deoxyribonucleases (Kopecka et al.) (319) 37
DNA
DNA dependent RNA polymerase of KB cells. II. Analysis of RNA transcribed from adenovirus – – – (Austin et al.) (324) 501
DNA
Double-strand scission of – – – involved in thymineless death of Escherichia coli 15 TAU (Yoshinaga) (294) 204
DNA
Effect of inhibiting the cellular synthesis of RNA, – – – and protein on DNA replicative activity of isolated S-phase nuclei (Hershey et al.) (312) 509
DNA
Effects of camptothecin on mammalian – – – (Spataro, Kessel) (331) 194
DNA Effects of colicin E2 on – – – and the bacterial membrane in vivo (Ringrose) (312) 656
DNA
Endonuclease-sensitive sites in the – – – of irradiated bacteria: A rapid and sensitive assay (Wilkins) (312) 33
DNA
Extrachromosomal – – – of Mycoplasma hominis (Zouzias et al.) (312) 484
DNA
Formation of pyrimidine dimers in the – – – of fungi and bacteria (Unrau et al.) (312) 626
DNA
Fractionation of denatured bacterial – – – on methylated albumin kieselguhr columns. Is it strand separation? (Udvardy, Venetianer) (308) 234
DNA
Heterogeneous rapidly labelled – – – with the properties of replicating form in isolated rat liver mitochondria (Gause, Jr et al.) (312) 179
DNA
Incorporation of 5-substituted uracil derivatives into nucleic acids. II. Incorporation of 5-vinyluracil into the – – – of Escherichia coli (Chelton et al.) (312) 38
DNA
Interaction of nogalamycin with – – – (Neogy et al.) (299) 241
DNA
Isolation of – – – and DNA polymerase from MC29 tumour virus (Weber et al.) (299) 8
DNA
Mitochondrial – – – from Drosophila melanogaster (Bultman, Laird) (299) 196
DNA
Mutants for the specific labelling of – – – in Saccharomyces cerevisae (Jannsen, Witte) (299) 681
DNA
Nature of the base sequence conserved in the mitochondrial – – – of a low-density petite (Sanders et al.) (312) 441
DNA
Occurrence of repetitive sequences in – – – of some marine invertebrates (Weinblum et al.) (299) 231
DNA
Pattern of methylated purines formed in – – – of intact and regenerating liver of rats treated with the carcinogen dimethylnitrosamine (Craddock) (312) 202
DNA
Pyrimidine tracts of the (A+T)-rich satellite – – – from Cancer pagurus (Ehrlich et al.) (312) 633
DNA
Reaction between – – – and N-hydroxyurethan (Mullinix et al.) (312) 1
DNA
Reaction of formaldehyde with deoxynucleotides and – – – in the presence of

amino acids and lysine-rich histone (Siomin et al.) (331) 27

DNA
Relationship between mismatched base pairs and the thermal stability of – – – duplexes. II. Effects of deamination of cytosine (Ullmann, McCarthy) (294) 416

DNA
Selection by T7 RNA polymerase of T7 – – – as the template for RNA synthesis (Shishido) (312) 708

T3 DNA
Starting nucleotide sequences and size of RNA transcribed in vitro on bacteriophage – – – (Takeya, Fujisawa) (324) 110

DNA
– – – strand selection during the transcription of the adenovirus 2 genome in infected and transformed cells (Landgraf-Leurs, Green) (312) 667

DNA
Studies on bovine pancreatic deoxyribonuclease A. II. The effect of different bivalent metals on the specificity of degradation of – – – (Junowicz, Spencer) (312) 85

DNA
Studies of SV 40 – – –. V. Conversion of circular to linear SV 40 DNA by restriction endonuclease from Escherichia coli B (Adler, Nathans) (299) 177

DNA
Synthesis of mitochondrial – – – in vitro: Two classes of nascent DNAs (Koike, Kobayashi) (324) 452

DNA
Temporal organization of DNA in Chinese hamster cells: Cell-cycle dependent association of – – – with membrane (Hildebrand, Tobey) (331) 165

DNA
– – – of Tetrahymena pyriformis GL strain. A mild method for preparation and its characterisation (Miyagishi, Andoh) (299) 507

DNA
Transcription of nonrepeated – – – in Neurospora crassa (Dutta) (324) 482

DNA
Transcription of Tetrahymena mitochondrial – – – in vivo (Schutgens et al.) (308) 372

DNA
Ultraviolet-induced changes in – – –: Possible confusion of repair and degradative enzymes (Slor, Lev) (312) 637

DNA cross-linking
– – – in chinese hamster cells exposed to near ultraviolet light in the presence of 4,5',8-trimethylpsoralen (Ben-Hur, Elkind) (331) 181

DNA denaturation
Accentuated Type I reversibility of maize – – –: Thermal stability conferred by guanine-cytosine-rich tracts (Brooks, Mans) (312) 14

DNA denaturation
Reaction of glyoxal with nucleic acid components. V. – – – under the action of glyoxal (Broude, Budowsky) (294) 378

DNA-dependent RNA polymerase
Inhibition of – – – with partially thiolated polynucleotides (Mikulski et al.) (319) 294

DNA-dependent RNA polymerase
– – – of KB cells. I. Purification of the enzyme and transcription of viral DNA, mammalian DNA and chromatin (Austin et al.) (324) 488

DNA-dependent RNA polymerase
– – – of KB cells. II. Analysis of RNA transcribed from adenovirus DNA (Austin et al.) (324) 501

DNA-dependent RNA polymerase
– – – from trophozoites and cysts of Acanthamoeba castellanii (Rudick, Weisman) (299) 91

DNA-directed RNA polymerase
– – – of soybean (Horgen, Key) (294) 227

DNA duplexes
Relationship between mismatched base pairs and the thermal stability of – – –. I. Effects of depurination and chain scission (Ullmann, McCarthy) (294) 405

DNA–enzyme complex
Properties of an ATP-dependent deoxyribonuclease from Micrococcus luteus. Evidence for a stable – – – (van Dorp et al.) (299) 65

DNA fractionation
Mouse – – – in preparative Ag^{+}–Cs_2SO_4 gradients (Lieberman) (324) 309

DNA fragments
Generation of – – – by enzymatic cleavage at sites sensitive to denaturation (Landy et al.) (299) 264

DNA fragments
Radioactive labelling and analysis of 3'-terminal nucleotides of – – – (Bertazzoni et al.) (312) 192

DNA genome
Characterisation of monkey pox virus – – – (Yau, Rouhandeh) (299) 210

DNA labelling
– – – and its assay in yeast (Hatzfeld) (299) 34
DNA-like RNA
Possible involvement of nuclear – – – in the control of ribosomal RNA synthesis (Schmid, Sekeris) (312) 549
DNA methylation
– – – in isolated nuclei: Old and new DNAs are methylated (Adams, Hogarth) (331) 214
DNA methylation
– – – in normal and tumour virus-transformed cells in tissue culture. I. The level of DNA methylation in BHK21 cells and in BHK21 cells transformed by polyoma virus (PyY cells) (Rubery, Newton) (324) 24
DNA minicircles
Studies on kinetoplast DNA. I. Isolation of kinetoplast – – – from Leishmania tarentolae. (Wesley, Simpson) (319) 237
DNA–polyarginine
Study of the DNA structure in DNA–polylysine and – – – complexes: Induced optical activities of bound dyes (Zama, Ichimura) (294) 214
DNA–polylysine
Study of the DNA structure in – – – and DNA–polyarginine complexes: Induced optical activities of bound dyes (Zama, Ichimura) (294) 214
DNA polymerase
– – – activities in agarose column fractions of rat liver cytoplasm (Burriss Garrett, Bollum) (312) 45
DNA polymerase
Distribution and properties of – – – in subcellular fractions of rat intestinal mucosa (Poulson et al.) (299) 533
DNA polymerase
Interconvertibility of mouse – – – activities from the nucleus and cytoplasm (Hecht) (312) 471
DNA polymerase
Isolation of DNA and – – – from MC29 tumour virus (Weber et al.) (299) 8
DNA polymerase
– – – from mitochondria of rat intestinal mucosa (Poulson, Zbarsky) (299) 404
DNA polymerase
Role of silicon in diatom metabolism. III. The effects of silicic acid on – – –, TMP kinase and DNA synthesis in Cylindrotheca fusiformis (Sullivan, Volcani) (308) 212
DNA polymerase
– – – and terminal deoxynucleotidyltransferase activity of normal and bacteria-free crown gall tumour tissue cultures of tobacco (Srivastava) (299) 17
DNA polymerase B
Separation and characterisation of protein factor of – – – from developing rat brain (Chiu, Sung) (331) 54
DNA polymerase I
Action of – – – γ-irradiated DNA (Landbeck, Hagen) (331) 318
DNA–proflavin complexes
Electron microscopic and spectrophotometric studies on – – – (Dasgupta et al.) (294) 38
DNA-reactive drugs
Size distributions of high molecular weight RNA synthesized by L1210 cells. Effects of – – – (Kohn et al.) (324) 93
DNA repair replication
Timecourse of – – – in ultraviolet-irradiated HeLa cells (Edenberg, Hanawalt) (324) 206
DNA repeated sequences
Use of buoyant density profiles in determining the length and spacing of – – – (Hearst et al.) (294) 173
DNA replication
Replicon growth rates during – – – in developing frog embryos (Hyodo, Flickinger) (299) 24
DNA replicative activity
Effect of inhibiting the cellular synthesis of RNA, DNA and protein on – – – of isolated S-phase nuclei (Hershey et al.) (312) 509
DNAs
Binding and specificity of 3,6-bis-(acetatomercurimethyl)-dioxane to – – – of different base composition (Bünemann, Dattagupta) (331) 341
DNAs
Fate of homologous and heterologous – – – after incorporation into human skin fibroblasts (Kao et al.) (324) 1
DNAs
Rapidly renatured – – – of some higher plants (Thornburg, Siegel) (312) 211
DNA sequences
Search for mitochondrial – – – in chick nuclear DNA (Tabak et al.) (294) 184
DNA single-strand specific endonuclease
Sensitivity of superhelical DNA to a – – – (Kato et al.) (308) 69
DNA stiffening and elongation
– – – caused by the binding of ethidium bromide (Reinert) (319) 135

DNA structure
Study of the – – – in DNA–polylysine and DNA–polyarginine complexes: Induced optical activities of bound dyes (Zama, Ichimura) (294) 214
DNA synthesis
– – – associated with the nuclear membrane of guinea pig adrenal cells (Barrieux et al.) (312) 228
DNA synthesis
Conditions for the exclusive – – – complementary to template RNA (Ruprecht et al.) (294) 192
DNA synthesis
Effect of α-amanitin poisoning on – – – and on protein synthesis in regenerating rat liver (Montecuccoli et al.) (319) 199
DNA synthesis
Effects of cytoplasmic extracts on – – – in vitro (Thompson, McCarthy) (331) 202
DNA synthesis
Enzymes controlling cerebral – – –: Response to 2,4,5-trichlorophenoxyacetic acid and hexachlorophene (Millard et al.) (308) 230
DNA synthesis
– – – by isolated mitochondria. V. Electron microscopy of replicative intermediates (Arnberg et al.) (308) 276
DNA synthesis
Mechanism of inhibition of – – – in Escherichia coli by pyrimidin-2-one β-D-ribofuranoside (Votruba et al.) (324) 14
DNA synthesis
Problems in the use of [Me-^{3}H] thymidine for the measurement of – – – (Goldspink, Goldberg) (299) 521
DNA synthesis
Reduction of – – – in calf thymocytes at lower cell densities and its reversal by diffusible macromolecules released by these cells (Sibatani) (294) 57
DNA synthesis
Relationship between – – – and the synthesis of nuclear proteins in rat brain. Effect of hydrocortisone acetate (Szijan, Burdman) (299) 344
DNA synthesis
Rifampicin limitation of – – – in ultraviolet-damaged bacteria: Evidence for postirradiation replication synchrony (Doudney) (312) 243
DNA synthesis
Stimulation of non-conservative – – – by ultraviolet light in freeze-treated Bacillus subtilis (Hadden et al.) (324) 461
DNA synthesis
Studies on the translational control histone synthesis. I. Translation of histone messenger RNA by heterologous cell-free systems prepared from cells inactive in – – – (Jacobs-lorena et al.) (324) 275
DNA synthesis mutants
Significance of membrane alterations seen in – – – of Escherichia coli (Lazdunski, Shapiro) (298) 59
DNA synthesis stimulating factor
Regulation of cell growth. I. Identification and partial characterisation of a – – – from the serum of partially hepatectomized rats (Morley, Kingdon) (308) 260
DNA-synthesizing system
State of the – – – in isolated mitochondría from the mature eggs of the loach (Misgurnus fossilis) (Gause, Jr, Mikhailov) (324) 189
DNA template properties
Effect of different sizes of polyacrylic acid on the structure and – – – of isolated rat liver nuclei and soluble chromatin (Brown, Coffey) (294) 74
Docosahexaenoate
Environmental influences on the – – – content of the triacylglycerols and phosphatidylcholine of a heterotrophic, marine dinoflagellate, Crypthecodinium cohnii (Beach, Holz) (316) 56
Dopamine-β-hydroxylase
Biochemical studies of the chromaffin granule. III. Redistribution of lipid phosphate, – – – and chromogranin A after freezing and thawing of the isolated granule membranes (Helle) (318) 167
Dopamine-β-hydroxylase
Bovine adrenal medullary – – –: Purification by affinity chromatography, kinetic studies and presence of essential histidyl residues (Aunis et al.) (327) 313
Double-helical regions
– – – in nuclear precursor of mRNA (pre-mRNA) (Ryskov et al.) (312) 152
Dual wavelength scanning
– – – of leaves and tissues with opal glass (Shibata) (304) 249

E

Ecdysone
Ornithine decarboxylase and polyamines in silkmoth pupal tissues: Effects of – – – and injury (Wyatt et al.) (304) 482

EDTA-sensitive protease
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. II. Isolation and characterization of an – – – (Arvidson) (302) 149

Elastase
Competitive inhibition of pancreatic – – – (Dzialoszynski, Hofmann) (302) 406

Elastase
Irreversible inhibition of α-chymotrypsin, trypsin, pancreatic kallikrein, thrombin and – – – by N-(β-Pyridylmethyl)-3,4-dichlorophenoxyacetamide-p-fluorosulphonyl acetanilide bromide (Geratz, Fox) (321) 296

Elastase inhibitor
Isolation of – – – from rat plasma (Miyake, Ito) (328) 173

Elastase–serum protein interaction
Studies on the – – –. III. The elastase inhibitors of swine serum with emphasis on the elastase–α_2-macroglobulin interaction (Baumstark) (309) 181

Elastin
Coacervation and ion binding studies on aortic – – – (Starcher et al.) (310) 481

α-Elastin
Coacervation of – – – results in fibre formation (Cox et al.) (317) 209

Elastin
Isolation and characterization of crosslinked peptides from – – – (Foster et al.) (303) 363

Elastin
Microenvironmental probe of – – –. Properties of a solubilized Congo red–elastin complex (Kagan et al.) (322) 258

Elastin
New radioactive assay for enzymes with elastolytic activity using reduced tritiated – – –. The effect of sodium dodecylsulfate on elastolysis (Takahashi et al.) (327) 138

Elastolytic activity
New radioactive assay for enzymes with – – – using reduced tritiated elastin. The effect of sodium dodecylsulfate on elastolysis. (Takahashi et al.) (327) 138

Elastolytic activity
Studies on a human blood platelet protease with – – – (Legrand et al.) (309) 406

Electrofocussing
Microheterogeneity of rat liver ferritin: Comparison of – – – and chromatographic fractions (Urushizaki et al.) (328) 95

Electron microscopic studies
– – – and spectrophotometric studies on DNA–proflavin complexes (Dasgupta et al.) (294) 38

Electron microscopy
DNA synthesis by isolated mitochondria. V. – – – of replicative intermediates (Arnberg et al.) (308) 276

Electron nuclear double resonance
Comparative studies on adrenal iron–sulphur protein and its selenium derivatives by – – – (Bowman et al.) (328) 244

Electron paramagnetic resonance
Physical chemistry of haems. II. – – – study of the interaction of some iron (III) porphyrins with fluoride ion in dimethylformamide (Momenteau et al.) (320) 652

Electron paramagnetic resonance
– – – studies on phosphorylating particles from Azotobacter vinelandii (DerVartanian et al.) (305) 173

Electron paramagnetic resonance signal II
– – – in spinach chloroplasts. I. Kinetic analysis for untreated chloroplasts (Babcock, Sauer) (325) 483

Electron paramagnetic resonance signal II
– – – in spinach chloroplasts. II. Alternative spectral forms and inhibitor effects on kinetics of signal II in flashing light (Babcock, Sauer) (325) 504

Electron spin resonance
– – – characterization of Chromatium D haems, non-haem irons and the components involved in primary photochemistry (Dutton, Leigh) (314) 178

Electron transfer
– – – in cytochrome c. Role of the polypeptide chain (Gupta) (292) 291

Electron transfer
In vitro studies on yeast cytochrome c peroxidase and its possible function in the – – – and energy coupling reactions (Erecínska et al.) (292) 1
Electron transfer
One-electron redox reactions of free radicals in solution. Rate of – – – processes to quinones (Rao, Hayon) (292) 516
Electron transfer
– – – between the two photosystems in spinach chloroplasts (Bouges-Bocquet) (314) 250
Electron transfer complexes
b-Type cytochromes of bovine heart mitochondria: Absorption spectra, enzymatic properties, and distribution in the – – – (Davis et al.) (325) 341
Electron transport
Effects of o-phenanthroline on – – – in chromatophores from photosynthetic bacteria (Jackson et al.) (292) 218
Electron transport
Kinetic and redox potentiometric resolution of the carotenoid shifts in Rhodopseudomonas spheroides chromatophores: Their relationship to electric field alterations in – – – and energy coupling (Jackson, Dutton) (325) 102
Electron transport
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, cytochrome b_{558}, C550 and P700 in noncyclic – – – (Knaff) (325) 284
Electron transport
– – – between plastoquinone and chlorophyll a_I in chloroplasts (Haehnel) (305) 618
Electron transport
Studies on – – – associated with Photosystem I. III. The reduction sites of various Hill oxidants in the photosynthetic electron transport system (Kimimura, Katoh) (325) 167
Electron transport
Studies on the energy coupling sites of photophosphorylation. III. The different effects of methylamine and ADP plus phosphate on – – – through coupling sites I and II in isolated chloroplasts (Gould, Ort) (325) 157
Electron transport
Trypsin inhibition of – – – (Selman et al.) (292) 566
Electron transport chain
Evidence for two phosphorylation sites associated with the – – – of chloroplasts (West, Wiskich) (292) 197
Electron transport chain
Studies on the energy coupling sites of photophosphorylation. I. Separation of Site I and Site II by partial reactions of the chloroplast – – – (Gould, Izawa) (314) 211
Electron transport chains
Membrane fractions from rat hepatoma. III. Immunochemical characterization of detergent-soluble membrane phosphatases, – – – and catalase (Raftell, Blomberg) (291) 442
Electron transport inhibitors
Effects of – – – on millisecond delayed light emission from chloroplasts (Felker et al.) (325) 193
Electron transport pathway
Site of KCN inhibition in the photosynthetic – – – (Izawa) (314) 328
Electrophoresis
Rapid method for the – – – of chromatin proteins (Smith, Chae) (317) 10
Electrophorus electricus
Studies of the blood chemistry of – – – and a new physiological saline solution based thereon (Webb et al.) (297) 313
Electroplax
Modification of – – – excitability by veratridine (Bartels, Rosenberry) (298) 973
Electrostatic forces
Protein-small molecule binding. II. Role of – – – for binding of phenol red by human serum albumin (Kragh-Hansen, Møller) (295) 447
β-Elimination
– – – and reduction reactions and some applications of dimethylsulphoxide on submaxillary glycoproteins (Downs et al.) (328) 182
Elongation factor 1
Purification and some properties of – – – from wheat germ (Golińska, Legocki) (324) 156
Elongation factor 2
Purification and some properties of – – – from wheat germ (Twardowski, Legocki) (324) 171
Elongation factor S_3
Study of conditions for the inhibitory effect of N-tosyl-L-phenylalanylchloromethane on protein synthesis and the possibility of existence of different forms of the – – – in Bacillus stearothermophilus (Jonák, Rychlík) (324) 554

Elongation factor Tu
Determination of picomole quantities of eukaryotic aminoacyl-tRNA with bacterial – – –: The extent of in vivo tRNA acylation (Shelton, Bernfield) (331) 81
Elongation protein-synthesizing S_3 factor
Mode of action of N-tosyl-1-phenylalanyl-chloromethane on the – – – from Bacillus stearothermophilus (Jonák et al.) (294) 322
Endocrine control
Studies on the postnatal development of responses of hepatic histidase to – – – (Feigelson) (304) 669
Endonuclease
Action of single-strand specific Neurospora crassa – – – on ultraviolet light-irradiated native DNA (Kato, Fraser) (312) 645
Endonuclease
Hydrolysis of adenosine triphosphate accompanying interaction between Escherichia coli B restriction – – – and unmodified deoxyribonucleic acid (Hedgpeth, Boyer) (331) 310
Endonuclease
Maturational cleavage of nucleolar rRNA precursor can be catalyzed by non-specific – – – (Giudice et al.) (319) 72
Endonuclease
Studies of SV 40 DNA. V. Conversion of circular to linear SV 40 DNA by restriction – – – from Escherichia coli B (Adler, Nathans) (299) 177
Endonuclease-sensitive sites
– – – in the DNA of irradiated bacteria: A rapid and sensitive assay (Wilkins) (312) 33
Endoplasmic reticulum
Composition and synthesis of plasma membranes and smooth – – – in isolated cells of newborn rat brain (Hemminki) (298) 810
Endoplasmic reticulum
Phospholipid metabolism of rat liver – – –. Structural analyses, turnover studies and enzymic activities (Lee, Snyder) (291) 71
Endoplasmic reticulum
Study of weak-affinity calcium binding to the inner and outer mitochondrial membrane and smooth and rough – – – of rat liver (Toury) (307) 607
ENDOR
Environment of the iron–sulfur chromophore in adrenodoxin studied by ESR and – – – spectroscopy (Mukai et al.) (295) 49
ENDOR
Powder ESR and – – – spectra of flavoprotein radicals (Eriksson, Ehrenberg) (295) 57
Endoribonuclease
Purification and properties of a nucleolar – – – from Novikoff hepatoma (Prestayko et al.) (319) 323
Energy conservation
– – – in membranes of mutants of Escherichia coli defective in oxidative phosphorylation (Nieuwenhuis et al.) (325) 62
Energy coupling
Kinetic and redox potentiometric resolution of the carotenoid shifts in Rhodopseudomonas spheroides chromatophores: Their relationship to electric field alterations in electron transport and – – – (Jackson, Dutton) (325) 102
Energy coupling
In vitro studies on yeast cytochrome c peroxidase and its possible function in the electron transfer and – – – reactions (Erecińska et al.) (292) 1
Energy coupling
Studies on the – – – sites of photophosphorylation. I. Separation of Site I and Site II by partial reactions of the chloroplast electron transport chain (Gould, Izawa) (314) 211
Energy-linked pH changes
Oxidative phosphorylation in Azotobacter vinelandii. – – – and fluorescence changes of atebrin and 1-anilinonaphthalene-8-sulphonate (Bening, Eilermann) (292) 402
Energy-linked reactions
Effects of tetraphenylboron on – – – in spinach chloroplasts (Fiolet, van Dam) (325) 230
Energy migration mechanism
Fluorescence lifetime and – – – in Photosystem I of plants (Borisov, Il'ina) (305) 364
Energy-rich phosphate
Effect of fructose on the stores of – – – in rat jejunum in vivo (Lamers, Hülsmann) (313) 1
Energy storing enzyme–product complex
Kinetic study of the – – – in the hydrolysis of ATP by heavy meromyosin (Yamada et al.) (305) 642
Energy transduction
– – – in photosynthetic bacteria. VI. Respiratory sites of energy conservation in membranes from dark-grown cells of Rhodopseudomonas capsulata (Baccarini Melandri et al.) (314) 298

Energy transfer
New evidence supporting – – – between photosynthetic units (Joliot et al.) (305) 317
Energy transfer
– – – in photosynthesis (Colbow) (314) 320
Energy transfer inhibitors
Inorganic sulphate and selenate as – – – of photophosphorylation (Pick, Avron) (325) 297
Enolase
Cysteines in yeast – – – (Oh et al.) (310) 421
Enolase
Use of absorption optics to measure dissociation of yeast – – – into enzymatically active monomers (Holleman) (327) 176
Enterohepatic circulation
Effect of interruption of the – – – of bile acids and of cholesterol feeding on cholesterol 7α-hydroxylase in relation to the diurnal rhythm in its activity (Mitropoulos et al.) (326) 428
Enterokinase
Distribution of – – – in porcine intestine and on its subcellular localization (Louvard et al.) (309) 127
Enterokinase
Effect of ionic strength and calcium ions in the activation of trypsinogen by – – –. A modified test for the quantitative evaluation of this enzyme (Baratti et al.) (321) 632
Enterokinase
Porcine – – –. Further purification and some molecular properties (Baratti et al.) (315) 147
Enteropeptidase activity
Effects of Ca^{2+} on porcine – – – (Barns et al.) (321) 624
Enterotoxin B
Lysosomal catabolism of a protein toxin: Staphylococcal – – – (Canonico) (322) 251
Enzymatic hydrolysis
Simple and sensitive method for the determination of – – – of various esters (Chiou) (327) 374
Enzymatic mechanochemistry
– – –. I. Interaction of heavy meromyosin with "immobilized adenosine triphosphate" (Lamed et al.) (305) 163
Enzymatic synthesis
Characterization and – – – of acyl galactosyl monoglyceride (Critchley, Heinz) (326) 184
Enzyme
Study of sex difference in – – – activities of rat liver plasma membranes (Solyom, Lauter) (298) 743
Enzyme assays
Coupled – – –: A general expression for the transient (Easterby) (293) 552
Enzyme inhibition
Unusual type of – – – (Sluyterman, Wijdenes) (321) 697
Enzyme markers
Variation of proteins, – – – and gangliosides in myelin subfractions (Matthieu et al.) (329) 305
Enzyme–membrane
An experimental – – – oscillator (Naparstek et al.) (323) 643
Enzymes
Action of chaotropic agents on drug metabolizing – – – in hepatic microsomes (Vainio) (307) 152
Enzymes
Application of immobilized – – – in flow microcalorimetry (Johansson et al.) (304) 217
Enzymes
Localization of – – – by means of proteases (Brdiczka, Krebs) (297) 203
Enzymes
Localization of an RNA-degrading system of – – – on the rat liver plasma membrane (Yannarell, Aronson, Jr) (311) 191
Enzymes
Membrane coarctation by calcium as a regulator for bound – – – (Horvath, Sovak) (298) 850
Enzymes induction
– – – in dormant spores of Aspergillus oryzae. IV. Effects of ethidium, aminoacridines and related compounds (Sinohara) (299) 662
Enzyme–subtrate interaction
Affinity chromatography by – – –. Purification of some rat liver glycosidases (Junowicz, Paris) (321) 234
Enzyme systems
Influence of premixing on transient-phase kinetics for two-substrate – – – (Hijazi, Laidler) (315) 209
Epidermal prekeratin
Polypeptide composition of – – – (Baden et al.) (317) 303
Epinephrine
Beta-blockade of – – – induced cyclic AMP formation in heart, liver, fat and trachea (Murad) (304) 181

Epinephrine
Influence of Li^+ on – – – -stimulated adenylate cyclase activity in cultured glial tumour cells (Schimmer) (327) 186
Epinephrine
– – – and prostaglandin-sensitive adenylate cyclase in mammary gland (Bär) (321) 397
Epithelial cell membrane
Protein components of two different regions of an intestinal – – –: Regional singularities (Fujita et al.) (307) 141
Epithelial cells
Exchange transport and amino acid charge as the basis for Na^+-independent lysine uptake by isolated intestinal – – – (Reiser, Christiansen) (307) 223
Epithelial cells
Hexokinase in isolated – – – from rat intestine (Jones, Mayer) (304) 634
Epithelial cells
Na^+ gradient and D-galactose accumulation in – – – of bullfrog small intestine (Armstrong et al.) (330) 237
Epithelial cells
Properties of Na^+-dependent and Na^+-independent lysine uptake by isolated intestinal – – – (Reiser, Christiansen) (307) 212
EPR
Rapid adiabatic passage – – – of ferricytochrome c: Sensitivity enhancement and determination of the spin-lattice relaxation time (Mailer, Taylor) (322) 195
Erythritol flux
Effect of different fatty acid and sterol composition on the – – – through the cell membrane of Acholeplasma laidlawii (de Kruyff et al.) (298) 479
Erythrocuprein
Singlet oxygen decontaminating activity of – – – (superoxide dismutase) (Paschen, Weser) (327) 217
Erythrocyte
Recombination of human – – – membrane protein fractions with homologous lipids (Barzilay et al.) (311) 576
Erythrocyte
Tubular structures formed by pig – – – globoside in aqueous systems (Pinteric et al.) (298) 630
Erythrocyte
Volume dependence of the – – – water diffusion permeability (Outhred, Conlon) (318) 446
Erythrocyte ghosts
Characteristics of the permeability barrier of human – – – to non-electrolytes (Jung et al.) (298) 101
Erythrocyte ghosts
Effect of proteolytic digestion on glucose transport carrier of human – – – (Jung et al.) (298) 108
Erythrocyte ghosts
Glucose transport by trypsin-treated – – – (Carter et al.) (291) 506
Erythrocyte ghosts
Glucose transport in white – – – and membrane-derived vesicles (Taverna, Langdon) (298) 422
Erythrocyte ghosts
Human – – –: Relationship between membrane permeability and binding kinetics of the fluorescent probe 1-anilinonaphthalene-8-sulphonate (Radda, Smith) (318) 197
Erythrocyte ghosts
New method for measuring glucose translocation through biological membranes and its application to human – – – (Taverna, Langdon) (298) 412
Erythrocyte ghosts
N-Terminal amino acid analyses reveal peptide heterogeneity in major electrophoretic protein components of – – – (Knüfermann et al.) (330) 356
Erythrocyte membrane
– – – alterations due to infection with Plasmodium berghei (Weidekamm et al.) (323) 539
Erythrocyte membrane
Asymmetric distribution of phospholipids in the human – – –. A combined study using phospholipases and freeze-etch electron microscopy (Verkleij et al.) (323) 178
Erythrocyte membrane
Asymmetric inhibition by phlorizin of halide movements across the – – – (Schnell et al.) (318) 474
Erythrocyte membrane
Asymmetric inhibition by phlorizin of sulphate movements across the – – – (Lepke, Passow) (298) 529
Erythrocyte membrane
Calcium binding by the – – – (Duffy, Schwarz) (330) 294
Erythrocyte membrane
Ceramide tetrasaccharide of human – – – reacting with anti-type XIV pneumococcal polysaccharide antiserum (Sidiqui, Hakomori) (330) 147

Erythrocyte membrane
Evidence for the carrier model of transport from the inhibition by N-ethylmaleimide of choline transport across the human – – – (Edwards) (311) 123
Erythrocyte membrane
Inactivation by fluorodinitrobenzene of glucose transport across the human – – –. The effect of glucose inside or outside the cell (Edwards) (307) 415
Erythrocyte membrane
Interaction of alfalfa saponins with components of the – – – in hemolysis (Assa et al.) (307) 83
Erythrocyte membrane
Properties of the major glycoprotein of the beef – – – (Capaldi) (311) 386
Erythrocyte membrane
Reversible association of cytochalasin B with the human – – –: Inhibition of glucose transport and the stoichiometry of cytochalasin binding (Taverna, Langdon) (323) 207
Erythrocyte membrane
Study of human – – – using sodium deoxcholate. II. Effects of cold storage, EDTA and small deoxycholate concentrations on ATPase activities (Philippot, Authier) (298) 887
Erythrocyte membrane
Unique properties of the camel – – – (Livne, Kuiper) (318) 41
Erythrocyte membrane proteins
Affinity chromatography purification of – – – after selective labelling with trinitrobenzene sodium sulphonate (Tarone et al.) (311) 214
Erythrocyte membrane proteins
Effect of anionic surfactants, nonionic surfactants and neutral salts on the conformation of spin-labelled – – – (Kirkpatrick, Sandberg) (298) 209
Erythrocyte membrane proteins
Method of solubilizing human – – – using mersalyl (Cantrell) (311) 381
Erythrocyte membranes
Effect of bovine and human serum albumins on the mechanical properties of human – – – (Williams) (307) 58
Erythrocyte membranes
Effect of low levels of trypsin on – – – (Avruch et al.) (291) 494
Erythrocyte membranes
Effect of rehydration on the thickness of – – – as observed by energy transfer (Peters) (318) 469
Erythrocyte membranes
Electrical properties of black membranes from oxidized cholesterol and a strongly bound protein fraction of human – – – (Lossen et al.) (330) 132
Erythrocyte membranes
Freeze-etch study of the effects of filipin on liposomes and human – – – (Tillack, Kinsky) (323) 43
Erythrocyte membranes
Investigation of HCl-extraction of human – – – (Schiechl) (307) 65
Erythrocyte membranes
Reaction of 1-dimethylaminonaphthalene-5-sulfonyl chloride (DANSCl) with – – –. A new look at "vectorial" membrane probes. (Schmidt-Ullrich et al.) (307) 353
Erythrocyte membranes
Soluble protein activator of (Mg^{2+}+Ca^{2+})-dependent ATPase in human – – – (Bond, Clough) (323) 592
Erythrocyte membranes
Thickness of air-dried human – – – as determined by energy transfer (Peters) (330) 53
Erythrocyte membrane vesicles
Asymmetric interaction of inside-out and right-side-out – – – with ouabain (Perrone, Blostein) (291) 680
Erythrocytes
Aspects of the osmotic lysis of – – –. I. A reexamination of the osmotic lysis method (Wessels et al.) (291) 165
Erythrocytes
Aspects of the osmotic lysis of – – –. II. Differences in osmotic behaviour of erythrocytes after treatment with electrolyte and non-electrolyte solutions (Wessels, Veerkamp) (291) 178
Erythrocytes
Aspects of the osmotic lysis of – – –. III. Comparison of glycerol permeability and lipid composition of red blood cell membranes from eight mammalian species (Wessels, Veerkamp) (291) 190
Erythrocytes
Differential effects of lipids on the osmotic fragility of – – – (Raz, Livne) (311) 222
Erythrocytes
Effect of anoxia on sugar transport in avian – – – (Whitfield, Morgan) (307) 181
Erythrocytes
Effect of gramicidin on Na^+-dependent

accumulation of glycine by pigeon – – –: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
Erythrocytes
Electromotive phenomena in partition of – – – in aqueous polymer two phase systems (Reitherman et al.) (297) 193
Erythrocytes
Freeze-etch electron microscopy of – – –, Acholeplasma laidlawii cells and liposomal membranes after the action of filipin and amphotericin B (Demel et al.) (291) 577
Erythrocytes
Glycine transport by membrane vesicles from pigeon – – – (Lee et al.) (298) 446
Erythrocytes
Interactions of thallous ions with the cation transport mechanism in – – – (Skulskii et al.) (298) 702
Erythrocytes
Interactions of acyl carnitines and other lysins with – – – and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
Erythrocytes
Lytic and non-lytic degradation of phospholipids in mammalian – – – by pure phospholipases (Colley et al.) (307) 74
Erythrocytes
Mediated transport of nucleosides in human – – –. Specificity toward purine nucleosides as permeants (Cass, Paterson) (291) 734
Erythrocytes
Metabolically controlled hemolysis of chicken – – – (Frish et al.) (291) 690
Erythrocytes
Nuclear membranes and plasma membranes from hen – – –. III. Localization of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
Erythrocytes
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of membrane stabilizers on the transport of K^+, Na^+ and glucose in muscle, adipocytes and – – – (Clausen et al.) (298) 393
Erythrocytes
Sodium efflux from human – – – (Eilam, Stein) (323) 606
Erythrocytes
Studies on the uptake of radioactive copper by sheep – – – in vitro (Smith, Wright) (307) 590
Erythrocytes
Study on the new phospholipid, N-acyl-1-alkyl glycerophosphorylethanolamine from bovine – – – (Matsumoto, Miwa) (296) 350
Erythrocytes
Surface properties of – – –: Normal, paroxysmal nocturnal hemoglobinuria and glutathione-treated cells (Atlas et al.) (323) 194
Erythrocytes
Utilization of formate by human – – – (Wagner, Levitch) (304) 623
Erythromycin
Further studies on the mechanism of – – – action (Tanaka et al.) (331) 128
Erythromycin
Mitochondrial antibiotic resistance in yeast: Ribosomal mutants resistant to chloramphenicol, – – – and spiramycin (Grivell et al.) (312) 358
D-Erythro-neopterin 2′,3′-cyclic phosphate
Isolation of – – – from Photobacterium phosphoreum (Suzuki, Goto) (304) 222
Escherichia coli
Examination of highly purified transfer RNAs from – – –. Differences in amount of minor components and presence of a cytidine–thiouridine photoproduct in "normal" tRNAs; a comparison of two analytical methods (Singhal, Best) (331) 357
ESR
Environment of the iron–sulfur chromophore in adrenodoxin studied by – – – and ENDOR spectroscopy (Mukai et al.) (295) 49
ESR
Powder – – – and ENDOR spectra of flavoprotein radicals (Eriksson, Ehrenberg) (295) 57
Essential fatty acids
Comparison of the relative turnover of individual molecular species of phospholipids in normal rats and in rats deficient in – – – (Trewhella, Collins) (296) 34
Esterase
Effect of kinetic parameters and inhibitors on intestinal – – – (Malhotra et al.) (309) 97
Esterase activity
– – – associated with secretory IgA and free secretory component preparations from human milk (Kobayashi et al.) (317) 517
Esterases
Molecular weight of human prostate gland – – – (Atanasov) (310) 268

Esterification
– – – of insulin with triethyloxonium tetrafluoroborate (Levy) (310) 406
Esters
Simple and sensitive method for the determination of enzymatic hydrolysis of various – – – (Chiou) (327) 374
Estradiol, see Oestradiol
Estrogen, see Oestrogen
Ethacrynic acid
Short-circuit current related to active chloride transport in frog cornea: Effects of furosemide and – – – (Candia) (298) 1011
Ethanol
Effect of – – – on the amount and enzyme activities of hepatic rough and smooth microsomal membranes (Ishii et al.) (291) 411
Ethanolamine
Biosynthesis of rat liver phosphatidylethanolamines from intraportally injected – – – (Sundler) (306) 218
Ethanolamine
Enzymic incorporation of arachidonic acid into ether-containing choline and – – – phosphoglycerides by deacylation–acylation reactions (Wykle et al.) (326) 26
Ethanolamine-ammonia lyase
Studies on the mechanism of – – – using 2-ethoxyethylamine as a substrate (Law, Wood) (321) 382
Ethanolamine plasmalogens
Retention of arachidonic acid in – – – of rat testes during essential fatty acid deficiency (Blank et al.) (316) 28
Ethidium
Enzymes induction in dormant spores of Aspergillus oryzae. IV. Effects of – – –, aminoacridines and related compounds (Sinohara) (299) 662
Ethidium bromide
DNA stiffening and elongation caused by the binding of – – – (Reinert) (319) 135
Ethionine
Fatty liver induction: Effect of – – – on polyunsaturated fatty acid synthesis (Witting) (296) 271
2-Ethoxyethylamine
Studies on the mechanism of ethanolamine-ammonia lyase using – – – as a substrate (Law, Wood) (321) 382
N-Ethylmaleimide
Evidence for the carrier model of transport from the inhibition by – – – of choline transport across the human erythrocyte membrane (Edwards) (311) 123
Etioplasts
Occurrence and biosynthesis of adenosine 3′,5′-cyclic monophosphate in isolated Avena – – – (Wellburn et al.) (320) 363
Excitable membrane
Quantitation of acetylcholinesterase and acetylcholine-binding sites in – – – fragments from electric eel (Suszkiw) (318) 69
Excitable membrane
Structure of – – – formed on the surface of protoplasmic drops isolated from Nitella. I. Conformation of surface membrane determined from the refractive index and from enzyme actions (Inoue et al.) (298) 653
Excitable membrane
Studies of – – – formed on the surface of protoplasmic drops isolated from Nitella. II. Tension at the surface of protoplasmic drops (Ueda et al.) (318) 326
Excitable membrane
Studies of – – – formed on the surface of protoplasmic drops isolated from Nitella. III. Impedance of the surface membrane (Miyake et al.) (323) 367
Excitable membrane
Studies of – – – formed on the surface of protoplasmic drops isolated from Nitella. IV. Excitability of the drop membrane in various compositions of the external salt solution (Inoue et al.) (330) 27
Excitable membranes
Role of ion exchange processes in the mechanism of sodium conductance changes in – – – (Fishman et al.) (298) 710
Exciton transfer
Intersystem – – – in isolated chloroplasts (Briantais et al.) (325) 530
Exonuclease I
Effect of – – – on the transcription of various DNA preparations by rat liver RNA polymerase I and II (Nohara et al.) (319) 55
Exonuclease III
Action of – – – on γ-irradiated DNA (Bopp et al.) (294) 47
Extracellular calcium ions
Influence of – – – on hormone-activated lipolysis (Schimmel) (326) 272
Extrachromosomal DNA
– – – of Mycoplasma hominis (Zouzias et al.) (312) 484
Extreme shade plants
Composition of the photosystems and chloroplasts structure in – – – (Anderson et al.) (325) 573

F

Factor II
Purification and characterization of human – – – (Kisiel, Hanahan) (304) 103

Factor V
Action of thrombin on blood clotting factor V: conversion of – – – to a prothrombin binding protein (Esmon et al.) (310) 289

Factor Xa
Action of – – –, thrombin and trypsin on human Factor II (Kisiel, Hanahan) (329) 221

trans-Farnesyl triphosphate
Biosynthesis of – – – in Gibberella fujikuroi (Shechter) (316) 222

Fast decay
Isolation of a – – – in submillisecond Chlorella luminescence (Lumpkin, Hillel) (305) 281

Fat
Allosteric transitions and membrane-bound ATPase from rat tissues: The effect of – – – deprivation on the allosteric inhibition by fluoride (Goldemberg et al.) (291) 489

Fat globule
Characterisation of the surface of bovine milk – – – membrane using microelectrophoresis· (Newman, Harrison) (298) 798

Fat transport
– – – in the locust, Locusta migratoria: the role of protein synthesis (Peled, Tietz) (296) 499

Fatty acid
Control of lipid metabolism in hepatomas: Conversion of glutamate carbon to – – – carbon via citrate in several transplantable hepatomas (Sabine et al.) (296) 493

Fatty acid
Effect of alterations in – – – composition and cholesterol content on the nonelectrolyte permeability of Acholeplasma laidlawii B cells and derived liposomes (McElhaney et al.) (298) 500

Fatty acid
Effect of different – – – and sterol composition on the erythritol flux through the cell membrane of Acholeplasma laidlawii (de Kruyff et al.) (298) 479

Fatty acid
Influence of – – – and sterol composition on the lipid phase transition and activity of membrane-bound enzymes in Acholeplasma laidlawii (de Kruyff et al.) (330) 269

Fatty acid
Unsaturated – – – requirement in Escherichia coli: Temperature dependence and total replacement by branched-chain fatty acids (Silbert et al.) (311) 349

Fatty acid amide
– – – of glycerylphosphorylethanolamine – a lytic lipid from hog stomach (Slomiany et al.) (316) 35

Fatty acid biosynthesis
– – –. X. Specificity for chain-termination of fatty acid biosynthesis in cell-free extracts of lactating-rabbit mammary gland (Carey, Dils) (306) 156

Fatty acid composition
Changes in the lipid composition and – – – of developing rabbit brain (Odutuga et al.) (316) 115

Fatty acid composition
Effect of changes in – – – of phospholipid species on the β-galactoside transport system of Escherichia coli K-12 (Kito et al.) (298) 69

Fatty acid composition
– – – and level of diacylglycerols and phosphoglycerides in brain and retina (Aveldaño, Bazán) (296) 1

Fatty acid composition
Membranes of Tetrahymena. III. The effect of temperature on membrane core structures and – – – of Tetrahymena cells (Wunderlich et al.) (298) 39

Fatty acid deficiency
Retention of arachidonic acid in ethanolamine plasmalogens of rat testes during essential – – – (Blank et al.) (316) 28

Fatty acid desaturation
Glucose stimulation of – – – in liver of newly-hatched chicks (Donaldson) (316) 8

Fatty acid esters
Synthesis of – – – of short-chain alcohols by an acyltransferase in rat liver microsomes (Grigor, Bell, Jr) (306) 26

Fatty acid inhibition
– – – of somatomedin (serum sulfation factor) stimulated protein and RNA synthesis in embryonic chicken cartilage (Eisenbarth et al.) (331) 397
Fatty acid inhibitors
Effect of double and triple bonds in – – – upon desaturation of stearic acid by rat liver microsomes (Chang et al.) (306) 21
Fatty acid levels
Synchronization of hepatic cholesterol synthesis, cholesterol and bile acid content, fatty acid synthesis and plasma free – – – in the fed and fasted rat (Bortz, Steele) (306) 85
Fatty acid oxidation
Mechanism of inhibition by fluoride of – – – in uncoupled mitochondria (Batenburg, Van den Bergh) (316) 136
Fatty acid oxidation
Studies of the development of carnitine palmitoyltransferase and – – – in liver mitochondria of neonatal pigs (Bieber et al.) (326) 145
Fatty acid oxygenase
The inhibition of – – – of sheep vesicular gland by antioxidants (Vanderhoek, Lands) (296) 382
Fatty acid patterns
Relationships between – – – of serum, hepatic and biliary lecithins in man. Effect of sucrose feeding (Alling et al.) (296) 518
Fatty acids
Comparison of the relative turnover of individual molecular species of phospholipids in normal rats and in rats deficient in essential – – – (Trewhella, Collins) (296) 34
Fatty acids
Cutaneous lipogenesis. III. The incorporation of valine carbons into the branched-chain – – – of rodent ear skin lipids (Hodgins, Wheatly) (316) 173
Fatty acids
Diffusion studies of bile acids, – – – and sucrose–NaCl–water systems at 37°C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
Fatty acids
Effect of proteins on the motion of spin-labelled – – – in mycoplasma membranes (Rottem, Samuni) (298) 32
Fatty acids
Lipolysis regulation in bovine adipose tissue by the degree of saturation of plasma albumin with – – – (Metz et al.) (306) 42
Fatty acids
Nuclear membranes and plasma membranes from hen erythrocytes. III. Localization of activities incorporating – – – into phospholipids (Stadler, Franke) (311) 205
Fatty acids
Stereospecific analysis of triglycerides that contain isotopically-labelled – – – (Christie, Hunter) (316) 282
Fatty acids
Synthesis in vivo of phospholipids of liver mitochondria and endoplasmic reticulum from glycerol and – – – (Parkes, Thompson) (306) 403
Fatty acids
Synthetic lecithin containing branched-chain – – –. Physical properties and membrane studies (Johnson et al.) (291) 587
Fatty acid structure
Effect of temperature and – – – on lipid metabolism in Bacillus licheniformis 9259 (Chang, Fulco) (296) 287
Fatty acid synthesis
Fatty liver induction: effect of ethionine on polyunsaturated – – – (Witting) (296) 271
Fatty acid synthesis
Inhibition of – – – by the antibiotic cerulenin: Specific inactivation of β-ketoacyl-acyl carrier protein synthetase (D'Agnolo et al.) (326) 155
Fatty acid synthesis
Synchronization of hepatic cholesterol synthesis, cholesterol and bile acid content, – – – and plasma free fatty acid levels in the fed and fasted rat (Bortz, Steele) (306) 85
Fatty acid synthetase
– – – of mammalian brain, liver and adipose tissue. Regulation by prosthetic group turnover (Volpe, Vagelos) (326) 293
Fatty acid uptake
Influence of chain length and degree of unsaturation on plasma free – – – by the perfused rat liver (Soler-Argilaga et al.) (326) 167
Fatty acyl monoester lipase
Further characterization of – – – from human adipose tissue (Arnaud et al.) (316) 162
Fatty acyl monoester lipase
Partial purification and characterization of a – – – from human adipose tissue (Charbonnier et al.) (296) 471

Fatty liver induction
– – –: effect of ethionine on polyunsaturated fatty acid synthesis (Witting) (296) 271
Ferredoxin
Complex formation by ferredoxin–$NADP^+$ reductase with – – – or $NADP^+$ (Shin) (292) 13
Ferredoxin
Function of reduced pyridine nucleotide– – – – oxidoreductases in saccharolytic Clostridia (Jungermann et al.) (305) 268
Ferredoxin
– – – from Veillonella alcalescens (Dalton, Zubieta) (322) 133
Ferredoxin–$NADP^+$ reductase
Complex formation by – – – with ferredoxin or $NADP^+$ (Shin) (292) 13
Ferricytochrome c
Evaluation of dipolar nuclear magnetic resonance shifts in low-spin haemin systems: – – – and metmyoglobin cyanide (Horrocks, Jr, Greenberg) (322) 38
Ferricytochrome c
Kinetics and equilibria among the multiple forms of – – – (Czerlinski, Bracokova) (295) 480
Ferricytochrome c
Rapid adiabatic passage EPR of – – –: Sensitivity enhancement and determination of the spin-lattice relaxation time (Mailer, Taylor) (322) 195
Ferriprotoporphyrin
– – – and its imidazole complex in aqueous–ethanolic solution (Davies) (329) 108
Ferritin
Localization and distribution of Micrococcus lysodeikticus membrane ATPase determined by – – – labelling (Oppenheim, Salton) (298) 297
Ferritin
Microheterogeneity of rat liver: Comparison of electrofocussing and chromatographic fractions (Urushizaki et al.) (328) 95
Ferritin
Polarographic study of the mobilisation of – – – iron (Dognin et al.) (297) 276
Ferrochelatase activity
Haem formation from Fe^{II} and porphyrin in the avsence of – – – (Kassner, Walchak) (304) 294
Ferro–ferricyanide system
Oxidation reduction potential of the – – – in buffer solutions (O'Reilly) (292) 509
Ferroperoxidases
Reactions of ligands with haem-substituted horseradish – – – (Tamura, Yonetani) (322) 211
α_1-Fetoprotein
– – –: Separation of two molecular variants by affinity chromatography with concanavalin-A–agarose (Smith, Kelleher) (317) 231
Fetuin
Preparation, physical constants and chemical composition of sheep – – – (Marti et al.) (303) 348
Fibre cell development
Characteristics of α-crystallin related to – – – in calf eye lenses (van Kamp et al.) (295) 166
Fibril formation
Studies on proteoglycans obtained from bovine knee joint and ear cartilages: sequential extraction, fractionation, characterisation and their effects on – – – (Muthiah, Kühn) (304) 12
Fibrin
Digestion of – – – by thrombin (Triantaphyllopoulos, Chandra) (328) 229
Fibrin
Subunit structure of the plasmin-induced degradation products of crosslinked – – – (Gaffney, Brasher) (295) 308
Fibrin fibres
Electron microscopy study of positive charges on – – – (Pouit et al.) (317) 99
Fibrinogen
Characterisation of large fragments rich in disulphide bridges from CNBr treated products of exhaustive proteolysis of – – – by plasmin (Dudek-Wojciechowska et al.) (295) 536
Fibrinogen
Fate of fibrinopeptides in the reaction between human plasmin and – – – (Lahiri, Shainoff) (303) 161
Fibrinogen
Plasmic degradation of human – – –. II. Further characterisation of fragment D (Furlan, Beck) (310) 205
Fibrinogen
Presence of phosphoserine and phosphothreonine in tryptic digest degradation products of pig – – – (Krajewski et al.) (322) 95
Fibrinogen
Studies on platelet proteins. IX. The identity of – – – (James, Ganguly) (328) 448

Fibrinopeptides
Fate of – – – in the reaction between human plasmin and fibrinogen (Lahiri, Shainoff) (303) 161
Fibroblasts
Comparison of the interaction of chinese hamster – – – with human, and bovine transferrins and conalbumin (chick-egg transferrin) (Messmer) (320) 663
Fibroblasts
Levels of membrane marker enzyme activity in normal and RNA and DNA virus-transformed – – – (Bosmann) (291) 582
Fibroin
Studies on silk – – – of Bombyx mori directly extracted from the silk gland. I. Molecular weight determination in guanidine hydrochloride or urea solutions (Sasaki, Noda) (310) 76
Fibroin
Studies on silk – – – of Bombyx mori directly extracted from the silk gland. II. Effect of reduction of disulphide bonds and subunit structure (Sasaki, Noda) (310) 91
Ficin
Chemical modification of the histidine residue at the active site of – – – (Gleisner, Liener) (317) 482
P-Filament
Polymerization of flagellin into – – – in the presence of deoxycholate (Kagawa) (317) 114
Filipin
– – – as a fluorescent probe for the location of cholesterol in the membranes of fragmented sarcoplasmic reticulum (Drabikowski et al.) (291) 61
Filipin
Freeze-etch study of the effects of – – – on liposomes and human erythrocyte membranes (Tillack, Kinsky) (323) 43
Fixed-angle rotor
Advantages of the – – – for the separation of density-labelled from unlabelled proteins by isopycnic equilibrium centrifugation (Johnson et al.) (317) 219
Flagellin
Polymerization of – – – into P-filament in the presence of deoxycholate (Kagawa) (317) 114
Flavanone
In vivo incorporation of a – – – into C-glycosylflavones (Wallace, Grisebach) (304) 837
Flavodoxin
Studies on the kinetics and mechanism of reduction of – – – from Peptostreptococcus elsdenii by sodium dithionite (Mahew, Massey) (315) 181
Flavoprotein radicals
Powder ESR and ENDOR spectra of – – – (Eriksson, Ehrenberg) (295) 57
Flow microcalorimetry
Application of immobilized enzymes in – – – (304) 217
Fluorescence
Effect of dithionite on – – – and luminescence of chloroplasts (Velthuys, Amesz) (325) 126
Fluorescence
Influence of oxygen on the – – – of lipoxygenase (Finazzi-Agrò et al.) (326) 462
Fluorescence
Light-induced changes of – – – and absorbance in spinach chloroplasts at –40°C (Amesz et al.) (325) 472
Fluorescence
Light-induced changes in the – – – yield of chlorophyll a in Anacystis nidulans. I. Relationship of slow fluorescence changes with structural changes (Mohanty, Govindjee) (305) 95
Fluorescence changes
Oxidative phosphorylation in Azotobacter vinelandii. Energy-linked pH changes and – – – of atebrin and 1-anilinonaphthalene-8-sulphonate (Bening, Eilermann) (292) 402
Fluorescence changes
Rapid – – – observed in chloroplasts: Their relationship to the O_2 evolving system (Zankel) (325) 138
Fluorescence excitation spectra
– – – and the relative numbers of pigment molecules in reaction centres from Rhodopseudomonas spheroides (Slooten) (314) 15
Fluorescence lifetime
– – – and energy migration mechanism in Photosystem I of plants (Borisov, Il'ina) (305) 364
Fluorescence polarization
– – – and pigment orientation in photosynthetic bacteria (Goedheer) (292) 665
Fluorescence transients
Effects of carbon dioxide concentration on oxygen evolution and – – – in synchronous cultures of Chlorella pyrenoidosa (Slovacek, Bannister) (292) 729
Fluorescence yield
Kinetics of the – – – of chlorophyll a_2 in

spinach chloroplasts at liquid nitrogen temperature during and following a 16 μs flash (den Haan et al.) (325) 120
Fluorescence yield
Kinetics of light-induced changes of C-550, cytochrome b_{559} and – – – in chloroplasts at low temperature (Butler et al.) (292) 140
Fluorescence yield
NH_4Cl activation of the – – – in CO_2-starved Chlorella pyrenoidosa (Slovacek, Bannister) (325) 114
Fluorescent derivatives of polyribonucleotides
– – – containing ε-adenosine (Steiner et al.) (294) 24
Fluorescent polynucleotide
Synthesis and properties of a new – – –, poly(1,N^6-ethenoadenylic acid) (Lehrach, Scheit) (308) 28
Fluorescent thiol reagents
– – –. VI. N-(1-anilinonaphthyl-4) maleimide; a fluorescent hydrophobic probe directed to thiol groups in protein (Kanaoka et al.) (317) 563
Fluoride
Allosteric transitions and membrane-bound ATPase from rat tissues: The effect of fat deprivation on the allosteric inhibition by – – – (Goldemberg et al.) (291) 489
Fluoride
Mechanism of inhibition by – – – of fatty acid oxidation in uncoupled mitochondria (Batenburg, Van den Bergh) (316) 136
Fluoroacetylcarnitine
– – –: metabolism and metabolic effects in mitochondria (Bremer, Davis) (326) 262
5-Fluoro-2′-deoxyuridine
Thymidine phosphorylation in the cell cycle of Physarum polycephalum and the effect of – – – and hydroxyurea (Hildebrandt, Sauer) (294) 8
5-Fluoroorotic acid
Site of action of – – – on the maturation of mice liver ribonucleic acids (Hadjiolova et al.) (319) 373
Folate
Two different effects of mutation on the binding of – – – antagonists by a microbial dihydrofolate reductase (Sirotnak) (302) 13
Folch-Pi apoprotein
Study of – – –. I. Isolation of two components, aggregation during delipidation (Nicot et al.) (322) 109
Folic acid
Interaction of – – – and glycoprotein: Glycosyltransferase activities of rat kidney (Kirschbaum, Bosmann) (320) 416
Formaldehyde
Question of orbital steering in the reaction, water+ – – – (Kim, Ingraham) (297) 220
Formate
Utilisation of – – – by human erythrocytes (Wagner, Levitch) (304) 623
Fractionation
– – – of mouse DNA in preparative Ag^+–Cs_2SO_4 gradients (Lieberman) (324) 309
Free amino acids
Influence of denervation on the – – – of the rat diaphragm (Turner, Manchester) (320) 352
Free radicals
One-electron redox reactions of – – – in solution. Rate of electron transfer processes to quinones (Rao, Hayon) (292) 516
Freeze–fracture studies
– – – on mitochondria from wild-type and respiratory-deficient yeasts (Packer et al.) (292) 92
Frog skin
Effect of the composition of the inner bathing solution on transport properties of the – – – (Rabito et al.) (311) 630
Frog virus 3
Pathogenesis of the toxic hepatitis of mice provoked by FV 3 (– – –): inhibition of liver macromolecular synthesis (Elharrar et al.) (319) 91
Fructose
Effect of – – – on the stores of energy-rich phosphate in rat jejunum in vivo (Lamers, Hülsmann) (313) 1
Fructose
Metabolism of – – – in the small intestine. I. The effect of fructose feeding on fructose transport and metabolism in rat small intestine (Mavrias, Mayer) (291) 531
Fructose
Metabolism of – – – in the small intestine. II. The effect of fructose feeding on fructose transport and metabolism in guinea pig small intestine (Mavrias, Mayer) (291) 538
L-[^{3}H] Fucose
Appearance of ^3H_2O in rat tissues resulting from the metabolism of – – – by intestinal bacteria (Glasgow, Quarles) (304) 586
[^{3}H] Fucose
Incorporation of [^{3}H] glucosamine, – – – and [^{14}C] mannose into protein in the rat anterior pituitary incubated in vitro (Todd, Samli) (297) 11

L-Fucose
Incorporation of – – – into glycoproteins in the golgi apparatus of rat liver and in serum (Sturgess et al.) (320) 123
(Fucose) dehydrogenase
Arabinose – – – from pig liver (Maijub et al.) (315) 37
Fucose sulphate
Isolation and characterisation of – – – from jelly coat glycoprotein of sea urchin egg (Ishihara et al.) (320) 628
Furosemide
Short-circuit current related to active chloride transport in frog cornea: effects of – – – and ethacrynic acid (Candia) (298) 1011
Fuscin
– – –, an inhibitor of mitochondrial thiol-dependent transport-linked functions (Vignais, Vignais) (325) 357
Fusidic acid
Solution properties of taurine and glycine conjugates of – – – and its derivatives (Carey, Small) (306) 51

G

Galactofuranose disaccharide
Occurrence of a – – – in immunoadjuvant fractions of Mycobacterium tuberculosis (cell walls and Wax D) (Vilkas et al.) (297) 423
Galactose
Metabolism of – – – by galactosemic fibroblasts in vitro (Mayes, Miller) (313) 9
D-Galactose
Na^+ gradient and – – – accumulation in epithelial cells of bullfrog small intestine (Armstrong et al.) (330) 237
Galactosemic fibroblasts
Metabolism of galactose by – – – in vitro (Mayes, Miller) (313) 9
β-Galactosidase
Neutral hetero- – – – from rabbit small intestine (Johnson) (302) 382
β-Galactoside accumulation
Effect of – – – on the uptake of phosphate into cells and cell nucleotides of Escherichia coli (Byard) (311) 452
β-Galactoside permease
Kinetics of induction of – – – (West, Stein) (308) 161
β-Galactoside transport
Effect of changes in fatty acid composition of phospholipid species on the – – – system of Escherichia coli K-12 (Kito et al.) (298) 69
Galactosyl transfer
– – – in mouse mastocytoma: Purification and properties of N-acetyllactosamine synthetase (Helting, Erbing) (293) 94
Galactosyltransferase
Glycoprotein biosynthesis in the developing rat brain. IV. Effects of guanosine nucleotides on soluble glycoprotein – – – and N-acetylgalactosaminyltransferases (Ko, Raghupathy) (313) 277
Ganglioside
Characterization of the major – – – in human red cells and of a related tetrahexosyl ceramide in white cells (Wherrett) (326) 63
Gangliosides
Isolation and characterization of the – – – of butter milk (Huang) (306) 82
Gangliosides
New procedure for the extraction, purification and fractionation of brain – – – (Tettamanti et al.) (296) 160
Gangliosides
Parallelism of subcellular location of major particulate neuraminidase and – – – in rabbit brain cortex (Tettamanti et al.) (306) 466
Gangliosides
Variation of proteins, enzyme markers and – – – in myelin subfractions (Matthieu et al.) (329) 305
Gas chromatography
Analysis of polar parts of phospholipids. N-Demethylation of choline-containing lipids for – – – and mass spectrometry (Karlander et al.) (326) 174
Gas chromatography–mass spectrometry
Use of trimethylsilylethers in the characterization of natural sterols and steroid diols by – – – (Brooks et al.) (296) 431
Gastric acid
Intramucosal – – – concentration determined by glass microelectrode technique (Winship, Caflish) (291) 280
Gastric acid secretion
Possible role of cyclic AMP in – – – in rat. Activation of carbonic anhydrase (Narumi, Maki) (311) 90
Gastric antisecretory activity
Purification of a human urinary glycoprotein with – – – (Carrea et al.) (295) 274
Gel electrophoresis
Evaluation of gradient acrylamide – – – and acrylamide gel isoelectric focussing for the primary separation of complex mixtures of proteins: Comparison of one- and two-dimensional analytical procedures (Wright et al.) (295) 396
Genetic site
Diffusion of acridine molecules to a – – – in living cells (Ito) (329) 140
Genome
Characterization of monkey pox virus DNA – – – (Yau, Rouhandeh) (299) 210
Globin
Control of human haemoglobin synthesis:

Translation of – – – chains in heterozygotes with haemoglobin Riverdale-Bronx (Farace, Bank) (312) 591
Globin synthesis
Accumulation of haem in mitochondria from rabbit reticulocytes with inhibited – – – (Ponka et al.) (304) 715
Globin synthesis
Control of – – – by haemin. Effect of temperature on globin synthesis by the reticulocyte cell-free system and the activity of translational repressors formed in the absence of haemin (Gross, Rabinovitz) (299) 472
Globin synthesis
Coordination of haem and – – – in primate reticulocytes (Fuhr, Gengozian) (320) 53
Globin synthesis
Hemin control of – – –: Effect of a translational repressor on Met-tRNA$_f$ binding to the small ribosomal subunit and its relation to the activity and availability of an initiation factor (Balkow et al.) (324) 397
Globin synthesis
Inhibition of cell-free – – – by polydeoxythymidylate (Miller et al.) (294) 507
Globoside
Tubular structures formed by pig erythrocyte – – – in aqueous systems (Pinteric et al.) (298) 630
Globulin
Rat α_2-acute phase – – –, a human α_2-macroglobulin homologue. Interaction with plasmin and trypsin (Ganrot) (322) 62
Globulin
Steroid specificity of the pregnant guinea pig progesterone binding – – – (Lea) (322) 68
Glomerular basement membrane
Action of snake venom haemorrhagic principles on isolated – – – (Ohsaka et al.) (323) 415
Glucagon
Common component involved in the induction of hepatic tyrosine transaminase by hydrocortisone and – – – (McNamara, Webb) (313) 356
Glucagon
Effect of concentration of – – – on output of glyceride, ketone bodies, glucose and urea by the liver (Weinstein et al.) (296) 300
Glucagon
Effects of – – – 3′,5′-AMP and 3′,5′-GMP on ion fluxes and transmembrane potential in perfused livers of normal and adrenalectomized rats (Friedmann, Dambach) (307) 399
Glucagon-like immunoreactivity
Isolation of – – – of gut by affinity chromatography on anti-glucagon antibodies coupled to Sepharose 4B (Murphy et al.) (303) 118
Glucagon release
Synthesis of metabolism-resistant substrates for the transport system for cationic amino acids; their stimulation of the release of insulin and – – –, and of the urinary loss of amino acids related to cystinuris (Christensen, Cullen) (298) 932
Glucalogues
Multiplicity of carriers for free – – – in hamster small intestine (Honegger, Semenza) (318) 390
D-Glucan
Characterization of a chitin-associated – – – from the cell walls of Aspergillus niger (Stagg, Feather) (320) 64
β-Glucanases
Extracellular – – – of the yeast, Saccharomyces cerevisiae (Farkas et al.) (321) 246
α-Glucan phosphorylase
Allosteric – – – from banana fruits (Singh, Sanwal) (309) 280
α-Glucan phosphorylase
Inhibition of – – – by bisulfite. Competition at the phosphate binding site (Kamogawa, Fukui) (302) 158
β-Glucan synthesis
– – – by cell-free extracts from Lolium multiflorum endosperm (Smith, Stone) (313) 72
β-Glucan synthetase
Indoleacetic acid stimulates cellulose deposition and selectively enhances certain – – – activities (Shore, MacLachlan) (329) 271
Glucoamylase
Properties of human intestinal – – – (Kelly, Alpers) (315) 113
Glucoamylase
Subsite affinities of – – –: Examination for validity of subsite theory (Hiromi et al.) (302) 362
Glucocerebrosidase
Effect of a heat-stable factor in human spleen on – – – and acid β-glucosidase activities (Pentchev, Brady) (297) 491
Glucocorticoid-binding protein
Characterization of a distinct – – – in the lactating mammary gland of the rat (Gardner, Wittliff) (320) 617

Glucocorticoid-binding protein(s)
Isolation of cytoplasmic – – – from rat liver by means of affinity chromatography and its partial characterization (Wong et al.) (328) 133
Glucocorticoid replacement
Effects of adrenalectomy and – – – on gluconeogenesis in perfused livers from diabetic rats (Exton et al.) (329) 41
Glucokinase
Microsomal – – – of rat liver. Localisation in a Golgi-rich fraction (Berthillier et al.) (293) 370
Glucolipid
Studies on the biosynthesis of – – – in Tetrahymena pyriformis (Keenan et al.) (326) 84
Gluconeogenesis
Acceleration of – – – following inhibition of protein synthesis in Tetrahymena pyriformis (Elson et al.) (297) 125
Gluconeogenesis
Effects of adrenalectomy and glucocorticoid replacement on – – – in perfused livers from diabetic rats (Exton et al.) (329) 41
Gluconeogenesis
Effects of catecholamines on ammoniagenesis and – – – by renal cortex in vitro (Klahr et al.) (304) 16
Gluconeogenesis
Effects of insulin on – – – and cyclic AMP levels in perfused livers from diabetic rats (Exton et al.) (329) 23
Gluconeogenesis
Inhibition of – – – in vitro by a metabolite of hypoglycin (Kean, Rainford) (320) 557
Gluconeogenesis
Ionic control of renal – – –. I. The interrelated effect of calcium ions and hydrogen ions (Kurokawa, Rasmussen) (313) 17
Gluconeogenesis
Ionic control of renal – – –. II. The effects of calcium ions and hydrogen ions upon the response to parathyroid hormone and cyclic AMP (Kurokawa et al.) (313) 32
Gluconeogenesis
Ionic control of renal – – –. III. The effects of changes in hydrogen ion concentration, pCO_2 and bicarbonate concentration (Kurokawa, Rasmussen) (313) 42
Gluconeogenesis
Ionic control of renal – – –. IV. Effect of extracellular phosphate concentration (Kurokawa, Rasmussen) (313) 59
Gluconeogenesis
– – – in jejunal mucosa of guinea pig (Anderson, Rosendall) (304) 384
Gluconeogenesis
Stimulation of renal – – – by inhibition of the sodium pump (Friedrichs, Schoner) (304) 142
Glucoreceptor
Pancreatic cell membranes: Extraction of a possible – – – (Price) (318) 459
[^{3}H]Glucosamine
Incorporation of – – –, [^{3}H] fucose and [^{14}C] mannose into protein in the rat anterior pituitary incubated in vitro (Todd, Samli) (297) 11
Glucosamine
Weak association of – – – -çontaining polymer with the Acholeplasma laidlawii membrane (Terry, Zupnik) (291) 144
Glucose
Direct analysis of ^{18}O in – – – by mass spectrometry (Caprioli, Seifert, Jr) (297) 213
Glucose
Effect of concentration of glucagon on output of triglyceride, ketone bodies, – – – and urea by the liver (Weinstein et al.) (296) 300
Glucose
Metabolism of – – – to amino acids in the apex of roots of Pisum sativum (Fowler, ap Rees) (304) 326
Glucose
SH-groups on the surface of pancreas cells involved in secretin stimulation and – – – -mediated secretion (Wizemann et al.) (307) 366
D-Glucose binding protein
Isolation of N-ethylmaleimide-labelled phlorizin-sensitive – – – of brush border membrane from rat kidney cortex (Thomas) (291) 454
Glucose effect
– – – in rat liver. Studies of δ-aminolevulinate synthase and tyrosine aminotransferase (Bonkowsky et al.) (320) 561
Glucose induced insulin release
Role of the pentose phosphate shunt in – – –: In vitro studies with 6-aminonicotinamide, methylene blue, NAD^+, NADH, $NADP^+$, NADPH and nitoninamide on isolated pancreatic rat islets (Ammon et al.) (297) 352
Glucose ingestion
Effect of – – – on basal and induced enzyme levels in rat tissues (Greengard, Dewey) (329) 241

Glucose metabolism
Similar and opposite effects of dibutyryl cyclic AMP and insulin on – – – in adipose tissue (Trueheart et al.) (313) 310
Glucose metabolism
Stimulation of – – – by lectins in isolated white fat cells (Czech, Lynn) (297) 368
Glucose-6-phosphatase
– – – activity in a soluble fraction from cotyledon tissue of Brassica nigra (Lau, Lygre) (309) 318
Glucose-6-phosphatase
Effects of sulphydryl reagents on synthetic and hydrolytic activities of multifunctional – – – (Colilla, Nordlie) (309) 328
Glucose-6-phosphatase
Studies on a pyrophosphatase and – – – from Aspergillus oryzae (Gold, Veitch) (327) 166
Glucose 6-phosphate
Synthesis of – – – by a 1,3-diphosphoglycerate–glucose phosphotransferase activity of liver microsomes (Stetten, Goldsmith) (327) 82
Glucose 6-phosphate
Yeast glycogen synthetase in the – – – independent form: A case of cold lability without major changes in molecular size (Huang, Cabib) (302) 240
Glucose 1-phosphate-binding protein
Purification and properties of – – – in Agrobacterium tumefaciens (Fukui, Isobe) (328) 114
Glucose-6-phosphate dehydrogenases
Kinetic analysis of partially purified – – – from rat muscle, adipose tissue and liver, and from baker's yeast (Geisler et al.) (327) 1
Glucose release
– – – measurements from liposomes with an oxygen electrode (Hertz, Barenholz) (330) 1
Glucose translocation
New method for measuring – – – through biological membranes and its application to human erythroeyte ghosts (Taverna, Langdon) (298) 412
Glucose transport
Analysis of the apparent parameters of the – – – system in the red cell membrane (Bolis et al.) (318) 289
Glucose transport
Inactivation by fluorodinitrobenzene of – – – across the human erythrocyte membrane: The effect of glucose inside or outside the cell (Edwards) (307) 415
Glucose transport
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of membrane stabilizers on the transport of K^+, Na^+ and – – – in muscle, adipocytes and erythrocytes (Clausen et al.) (298) 393
Glucose transport
Reversible association of cytochalasin B with the human erythrocyte membrane: Inhibition of – – – and the stoichiometry of cytochalasin binding (Taverna, Langdon) (323) 207
Glucose transport
Studies on the – – – from disaccharides by hamster small intestine in vitro. I. Evidence for a disaccharidase-related transport system (Malathi et al.) (307) 613
Glucose transport
Studies on the mechanism of active intestinal – – – (Swaminathan, Eichholz) (298) 724
Glucose transport
– – – by trypsin-treated erythrocyte ghosts (Carter et al.) (291) 506
Glucose transport
– – – in white erythrocyte ghosts and membrane-derived vesicles (Taverna, Langdon) (298) 422
Glucose transport carrier
Effect of proteolytic digestion on – – – of human erythrocyte ghosts (Jung et al.) (298) 108
β-Glucosidase
Effect of a heat-stable factor in human spleen on glucocerebrosidase and acid – – – activities (Pentchev, Brady) (297) 491
β-Glucosidase
– – – system of the thermophilic fungus Chaetomium thermophile var. Coprophile n. var. (Lusis, Becker) (329) 5
Glucosylphosphatidylglycerol
Phospholipids of a moderately halophilic halotolerant bacterium. Isolation and identification of – – – (Peleg, Tietz) (306) 368
Glucuronic acid
Determination of iduronic acid and – – – in heparine by a new technique. Re-evaluation of the variable hexuronic acid composition of mammalian heparine (Inoue) (329) 264
β-Glucuronidase
Isolation of an inhibitor of – – – from porcine sublingual gland (Sakamoto et al.) (329) 72
Glucuronidation
Differentiation of homologous forms of

hepatic microsomal UDPglucuronyltransferase. I. Evidence for the – – – of 0-aminophenol and p-nitrophenol by separate enzymes. (Zakim et al.) (309) 67
Glutamate
Control of lipid metabolism in hepatomas: Conversion of – – – carbon to fatty acid carbon via citrate in several transplantable hepatomas (Sabine et al.) (296) 493
Glutamate dehydrogenase
Conformational transition of the oligomer of – – – induced by half-saturation with NAD^+ or $NADP^+$ (Bell, Dalziel) (309) 237
Glutamate transport
Kinetic study of – – – in rat liver mitochondria (Meyer, Vignais) (325) 375
Glutamate transport
Role of metabolic energy in – – – by invertebrate nerve (Baker, Potashner) (318) 123
L-Glutamate uptake
– – – by the peripheral nerves of the crab, Carcinus maenas (L) (Evans) (311) 302
Glutamine
Role of – – – in purine synthesis and in guanine nucleotide formation in normal fibroblasts and in fibroblasts deficient in hypoxanthine phosphoribosyltransferase activity (Raivio, Seegmiller) (299) 283
L-Glutamine: D-fructose 6-phosphate aminotransferase
Partial purification of – – – from zoospores of Blastocladiella emersonii (Norrman et al.) (302) 173
Glutamine hexosephosphate aminotransferase
Distribution of – – – in rat tissues: Changes with state of differentiation (Richards, Greengard) (304) 842
Glutamine synthetase formation
Inhibition by serotonin of – – – in cultured mouse cells strain L (Stamatidaou) (304) 169
γ-Glutamylalanine
Optical configuration of – – – in pea seedlings (Fukuda et al.) (304) 363
γ-Glutamyl cyclotransferase
Purification, properties and function of a unique – – – from the housefly, Musca domestica L. (Bodnaryk, McGirr) (315) 352
Glutamyl residues
Conversion of exposed aspartyl and – – – in proteins to asparaginyl and glutaminyl residues (Lewis, Shafer) (303) 284
Glutaraldehyde
Effect of – – – and osmium on the proteins and lipids of myelin and mitochondria (Wood) (329) 118
Glutarimides
Specific H-bonding of – – – and hydantoins to derivatives of RNA bases in chloroform solution (Yu, Kyogoku) (331) 21
Glutathione–insulin transhydrogenase
Insulin degradation. V. Unmasking of – – – in rat liver microsomal membrane (Varandani) (304) 642
Glutathione–insulin transhydrogenase
Insulin degradation. VIII. Protein thiols as co-substrates for – – – (Chandler, Varandani) (320) 258
Glutathione reductase
Red cell – – –. Mechanism of action of inhibitors (Yawata, Tanaka) (321) 72
Glyceraldehydephosphate dehydrogenase
Effect of substrates, effectors, acetyl phosphate and iodoacetate on the binding of NAD^+ and NADH to rabbit-muscle – – – (Boers, Slater) (315) 272
Glyceraldehydephosphate dehydrogenase
NAD^+ binding to rabbit-muscle – – –. The use of N-methylnicotinamidium chloride as a spectral and conformational probe (Boers, Verhoeven) (328) 1
Glyceraldehyde-3-phosphate dehydrogenase
SH-groups masked by subunit interaction in – – – (Ovádi et al.) (302) 191
Glycerides
Separation of "neutral" lipids, particularly of all classes of partial – – – by one-dimensional thin-layer chromatography (Kunz) (296) 331
Glyceride synthesis
Palmitic acid and initiation of mammary – – – via phosphatidic acid (Kinsella, Gross) (316) 109
Glycerol
Aspects of the osmotic lysis of erythrocytes. III. Comparison of – – – permeability and lipid composition of red blood cell membranes from eight mammalian species (Wessels, Veerkamp) (291) 190
Glycerol
Effect of dietary – – – on the [1-^{14}C] stearic acid and [1-^{14}C] linoleic acid desaturation of normal and diabetic rats (Tomas et al.) (306) 149
Glycerol ethers
Structural specificity in the formation of – – – and plasmalogens in myelinating brain (Chang et al.) (306) 437

[^{18}O]Glycerol 1-phosphate
Determination of isotopic distribution in – – – by mass spectrometry (Caprioli, Heron) (296) 321
Glycerol 3-phosphate acylation
– – – in different rat organs and in the liver of different species (including man) (Daae) (306) 186
Glycerophosphate
Comparative inhibition studies of the phosphotransferase and – – – acylation systems in membrane vesicles of Escherichia coli (Négrel et al.) (291) 635
Glycerophosphoryl diglucosyl diglyceride
– – –, a new phosphoglycolipid from Streptococci (Fischer et al.) (296) 527
Glycerylphosphorylethanolamine
Fatty acid amide of – – – – a lytic lipid from hog stomach (Slomiany et al.) (316) 35
Glycine
Amino acid accumulation in frog muscle. I. Steady-state – – – accumulation at 0°C (Neville) (291) 287
Glycine accumulation
Effect of gramicidin on Na^+-dependent – – – by pigeon red cells: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
Glycine conjugates
Solution properties of taurine and – – – of fusidic acid and its derivatives (Carey, Small) (306) 51
Glycine transport
– – – by membrane vesicles from pigeon erythrocytes (Lee et al.) (298) 446
Glyco-κ-casein
Distribution of – – – and carbohydrate-free κ-casein between large and small bovine casein micelles, and its inplication in micelle structure (Creamer et al.) (317) 202
Glycogenolysis
Human chorionic gonadotrophin-mediated – – – in human placental villi: A role of prostaglandins (Demers et al.) (313) 202
Glycogen phosphorylase
Stimulation of sensitivity of the – – – converting system in skeletal muscle by metabolic inhibitors (Høstmark, Horn) (304) 389
Glycogen phosphorylase b
Effect of reductive alkylation on catalytic properties of – – –. Enzyme derivatives with changed nucleotide affinities (Ho et al.) (317) 462
Glycogen phosphorylase b
Proton magnetic resonance studies on SH groups in – – – (Gáspár, Damjanovich) (315) 191
Glycogen phosphorylase b
Stabilization of – – – by reductive alkylation with aliphatic aldehydes (Shatsky et al.) (303) 298
Glycogen phosphorylase a phosphatase
Regulation of – – – in Neurospora crassa (Tellez de Iñon, Torres) (297) 399
Glycogen synthase
Regulation of renal – – –: Interconversion of two forms in vitro (Schlender) (297) 384
Glycogen synthase I
Purification and properties of – – – from bovine heart: Two kinetic forms (Thomas, Larner) (293) 62
Glycogen synthase I
Purification and properties of – – – from skeletal muscle: Two kinetic forms (Schlender, Larner) (293) 73
Glycogen synthase I
Specificity of activation of – – – from skeletal muscle and heart (Thomas et al.) (293) 84
Glycogen synthases
Proof of phosphorylation and evidence for different primary structure of phosphorylated sites of – – – from rabbit and frog tissues (Rosenkrans, Larner) (315) 317
Glycogen synthetase
Yeast – – – in the glucose 6-phosphate independent form: A case of cold lability without major changes in molecular size (Huang, Cabib) (302) 240
Glycogen synthetase D
Conversion of – – – of rat liver to a form that resembles synthetase D of skeletal muscle (Abe, Tsuiki) (327) 345
Glycogen synthetase I
Influence of sodium, potassium and lithium on the response of – – – to insulin and epinephrine in the isolated rat diaphragm (Horn et al.) (313) 296
Glycolipids
Cell density dependent – – – in NIL2 hamster cells, derived malignant and transformed cell lines (Critchley, Macpherson) (296) 145
Glycolipids
2-Deoxy-D-glucose incorporation into – – – of normal and SV40-transformed hamster cells (Steiner, Steiner) (296) 403

Glycolipids
– – – of a halotolerant, moderately halophilic bacterium. Effect of growth medium and age of culture on lipid composition (Stern, Tietz) (296) 130
Glycolipids
– – – of a halotolerant, moderately halophilic bacterium. II. Biosynthesis of glucuronosyldiglyceride by cell-free particles (Stern, Tietz) (296) 136
N-Glycolylneuraminic acid
Serum dependence of the occurrence of – – – in HeLa cells (Hof, Faillard) (297) 561

Glycolysis
Interaction of thrombin and nucleotides: Effects on – – – in human platelets (Zieve, Schmukler) (313) 350
Glycolysis
Possible regulatory interactions between compartmentalized glycolytic systems during initiation of – – – in ascites tumour cells (Coe, Greenhouse) (329) 171
Glycopeptides
Cell wall – – – of Candida albicans serotype A and B (Kolarova et al.) (328) 221
Glycopeptides
– – – from rat brain glycoproteins (Brunngraber et al.) (304) 781
Glycoprotein
Development of large-scale fractionation methods. IV. A simple method for the large-scale preparation of α_1-acid – – – (Hao, Wickerhauser) (322) 99
Glycoprotein
Differences in protein and – – – between mature and immature neutrophil leukocytes (Huang, Evans) (317) 394
Glycoprotein
Interaction of folic acid and – – –: Glycosyltransferase activities of rat kidney (Kirschbaum, Bosman) (320) 416
Glycoprotein
Pentose-rich – – – from bovine vitreous body. I. Isolation and partial characterization (Allen, Wardi) (297) 1
Glycoprotein
Properties of the major – – – of the beef erythrocyte membrane (Capaldi) (311) 386
Glycoprotein
Purification of a human urinary – – – with gastric antisecretory activity (Carrea et al.) (295) 274
Glycoprotein
Sulphatase of ox liver. XVII. Sulphatase A as a – – – (Graham, Roy) (329) 88
Glycoprotein biosynthesis
– – – in the developing rat brain. IV. Effects of guanosine nucleotides on soluble glycoprotein galactosyltransferase and N-acetylgalactosaminyltransferase (Ko, Raghupathy) (313) 277
Glycoprotein biosynthesis
– – –. VI. Regulation of uridine diphosphate N-acetyl-D-glucosamine metabolism in bovine thyroid gland slices (Trujillo, Gan) (304) 32
Glycoproteins
Alkali-labile oligosaccharides of brain – – – (Margolis, Margolis) (304) 421
Glycoproteins
β-elimination and reduction reactions and some applications of dimethylsulphoxide on submaxillary – – – (Downs et al.) (328) 182
Glycoproteins
– – – from the hamster respiratory tract and their response to vitamin A (Bonanni et al.) (297) 441
Glycoproteins
Incorporation of L-fucose into – – – in the golgi apparatus of rat liver and in serum (Sturgess et al.) (320) 123
Glycoproteins
– – – of oxyntic cell microsomes. I. Carbohydrate composition, analytical and preparative fractionation. (Beesley, Forte) (307) 372
Glycoproteins
Products of pronase digestion of purified blood group specific – – – (Donald) (317) 420
Glycoproteins
Proteins and – – – of the human intestinal brush border membrane (Maestracci et al.) (323) 113
Glycoproteins
Proteins and – – – in plasma membrane fraction of avian leukosis–sarcoma virus susceptible and resistant chicken embryo fibroblasts (Smith, Crittenden) (298) 608
Glycoproteins
Turnover of hexosamine and sialic acid in – – – and mucopolysaccharides of brain (Margolis, Margolis) (304) 413
Glycoprotein synthesis
– – – in the adult rat pancreas. I. Subcellular distributions of UDPgalactose:glycoprotein galactosyltransferase and thiamine

pyrophosphate phosphohydrolase (Ronzio) (313) 286
Glycosaminoglycans
Acidic – – – in developing sterno-costal cartilage of the hydrocephalic (ch+/ch+) mouse (Breen et al.) (304) 828
Glycosaminoglycans
Distribution of acidic – – – in tadpole back skin (Hata, Nagai) (304) 408
Glycosaminoglycans
Tensile properties of the cartilage of human femoral condyles related to the content of collagen and – – – (Kempson et al.) (297) 456
"β-Glycosidase complex"
Small intestinal phlorizin-hydrolase: The – – – (Colombo et al.) (327) 412
Glycosidases
Affinity chromatography by enzyme–substrate interaction. Purification of some rat liver – – – (Junowicz, Paris) (321) 234
Glycosidases
Assessment of lysosomal – – – in normal skin (Steigerwald, Bartholomew) (321) 256
Glycosphingolipids
Plasma membrane and mucosal – – – in the rat intestine (Forstner, Wherrett) (306) 446
C-Glycosylflavones
In vivo incorporation of a flavanone into – – – (Wallace, Grisebach) (304) 837
O-Glycosyl polyacrylamide gels
Studies on phytohemagglutinins. XII. – – – for affinity chromatography of phytohemagglutinins (Horejsi, Kocourek) (297) 346
Glycosyl transferase
– – – of high specific activity in secretory vesicles from isolated Golgi apparatus of rat liver (Merritt, Morré) (304) 397
Glycosyltransferase
Interactions of folic acid and glycoprotein: – – – activities of rat kidney (Kirschbaum, Bosmann) (320) 416
Glyoxalase I
Determination of the stereochemical configuration of S-lactotylglutathione formed by the action of – – – from porcine erythrocytes and yeast (Ekwall, Mannervik) (297) 297
3′,5′-GMP
Effects of glucagon, 3′,5′-AMP and – – – on ion fluxes and transmembrane potential in perfused livers of normal and adrenalectomized rats (Friedmann, Dambach) (307) 399
Golgi apparatus
– – – acid phosphatase (Nuquist, Mollenhauer) (315) 103
Golgi apparatus
Glycosyl transferase of high specific activity in secretory vesicles from isolated – – – of rat liver (Merritt, Morré) (304) 397
Golgi apparatus
Incorporation of L-fucose into glycoproteins in the – – – of rat liver and in serum (Sturgess et al.) (320) 123
Gonadotropin receptors
– – – in the plasma membranes of rat luteal cells (Rao, Saxena) (313) 372
Gonadotropine
Obtention of antisera against a hypothalamic decapeptide (luteinizing hormone/follicle stimulating hormone releasing hormone) which stimulates the release of pituitary – – – and development of its radioimmunoassay (Kerdelhúe et al.) (297) 540
Graafian follicles
Preovulatory changes in the synthesis of cyclic AMP by rabbit – – – (Marsh et al.) (304) 197
Gramicidin
Effect of – – – on Na^+-dependent accumulation of glycine by pigeon red cells: A test of the cation gradient hypothesis (Terry, Vidaver) (323) 441
Gramicidin A
Effects of the antibiotics – – –, amphotericin B and nystatin on the electrical properties of frog skeletal muscle (Leung, Eisenberg) (298) 718
Granulation tissue
Changes in the nature of the collagen during development and resorption of – – – (Bailey et al.) (328) 383
Granulocytes
Ribonuclease from human – – – (Sznajd, Naskalski) (302) 282
Growth hormone
Inhibition of metabolic effects of – – – by various inhibitors of cyclic nucleotide phosphodiesterase (Rillema et al.) (297) 527
Growth hormone
pK_a values of the α-amino groups of peptides derived from the N-terminus of bovine – – – (Wallis) (310) 388
Growth inhibitor
Isolation and properties of protein fractions from navy beans (Phaseolus vulgaris) which inhibit growth of rats (Evans et al.) (303) 175

Guanidine hydrochloride
Equilibrium and kinetics of the unfolding of α-lactalbumin by – – – (Sugai et al.) (328) 35
Guanine–cytosine-rich tracts
Accentuated Type I reversibility of maize DNA denaturation: Thermal stability conferred by – – – (Brooks, Mans) (312) 14
Guanine metabolism
Adenine, hypoxanthine and – – – in fibroblasts from normal individuals and from patients with hypoxanthine phosphoribosyltransferase deficiency (Raivio, Seegmiller) (299) 273
Guanine nucleotide formation
Rôle of glutamine in purine synthesis and in – – – in normal fibroblasts and in fibroblasts deficient in hypoxanthine phosphoribosyltransferase activity (Raivio, Seegmiller) (299) 283
Guanine nucleosides
Nucleoside conformation. An X-ray fibre diffraction study of the gels of – – – (Tougard et al.) (308) 9
Guanosine 3′,5′-monophosphate
Effect of – – – on the hydroosmotic activity of adenosine 3′,5′-monophosphate in toad urinary bladder (Piccinni, Parisi) (311) 625
Guanosine nucleotides
Glycoprotein biosynthesis in the developing rat brain. IV. Effects of – – – on soluble glycoprotein galactosyltransferase and N-acetylgalactosaminyltransferases (Ko, Raghupathy) (313) 277
Guanosine nucleotides
Lack of accumulation of unusual – – – upon amino acid starvation of two eukaryotic organisms (Buckel, Böck) (324) 184
Guanosine 5′-phosphate reductase
– – – of human erythrocytes (MacKenzie, Sorensen) (327) 282
Guanosine tetraphosphate
Lack of – – – accumulation during inhibition of RNA synthesis in Neurospora crassa (Alberghina et al.) (312) 435
Guanylation of transfer RNA
– – –: An enzymatic reaction (Farkas et al.) (294) 94
Guanyl cyclase
Activation of – – – and adenyl cyclase by secretin (Thompson et al.) (302) 329
Guanyl cyclase
Second messenger system of mouse epidermis. III. – – – (Marks) (309) 349
Guinea pigs
Studies on the energy state of isolated brown adipose tissue mitochondria. A comparative study of cold-stressed and warm-readapted – – – (Pedersen, Flatmark) (305) 219

H

Haem
Accumulation of – – – in mitochondria from rabbit reticulocytes with inhibited globin synthesis (Ponka et al.) (304) 715

Haem
Coordination of – – – and globin synthesis in primate reticulocytes (Fuhr, Gengozian) (320) 53

Haem
Evidence for the coordination of a histidyl residue to – – –. I. Far ultraviolet spectral studies of model complexes (Sandberg, Balegh) (295) 37

Haem
– – – modification studies of myoglobin. I. Purification and some optical and EPR characteristics of synthesized myoglobins containing unnatural haems (Tamura et al.) (295) 467

Haemagglutinin
Interaction of Ricinus communis – – – with polysaccharides and low molecular weight carbohydrates (Van Wauwe et al.) (313) 99

Haemagglutinin
Peroxidase attachment to Sepharose mediated by bacterial – – – of Pseudomonas aeruginosa (Gilboa-Garber, Mizrahi) (317) 106

Haematins
Horseradish peroxidase with 2,4-modified – – –, including vinyl homologues (Ohlsson, Paul) (315) 293

Haemerythrin
Chloride ion binding at non-coordination sites in – – – (Rao, Keresztes-Nagy) (313) 249

Haemerythrin
Gel filtration studies of the rate of dissociation of – – – (Rao, Keresztes-Nagy) (304) 575

Haem formation
– – – from FeII and porphyrin in the absence of ferrochelatase activity (Kassner, Walchak) (304) 294

Haemin
Control of globin synthesis by haemin: Effect of temperature on globin synthesis by the reticulocyte cell-free system and the activity of translational repressors formed in the absence of – – – (Gross, Rabinovitz) (299) 472

Haemin
Effect of dimerization on the catalytic activity of – – – (Kremer) (297) 268

Haemin
Evaluation of dipolar nuclear magnetic resonance shifts in low-spin – – – systems: Ferricytochrome c and metmyoglobin cyanide (Horrocks, Jr, Greenberg) (322) 38

Haemin control
– – – of globin synthesis: Effect of a translational repressor on Met-tRNA$_f$ binding to the small ribosomal subunit and its relation to the activity and availability of an initiation factor (Balkow et al.) (324) 397

Haemocyanins
Gastropod – – –: Dissociation of haemocyanins from Buccinum undatum, Neptunea antiqua and Colus gracilis in the region pH 7.5–9.2 (Wood) (328) 101

Haemocyanins
Structure and properties of – – –. VIII. Microheterogeneity of α-haemocyanin of Helix pomatia (Siezen, van Driel) (295) 131

Haemoglobin
Comparison of the conformational stabilities of homologous haemoproteins. Myoglobin from several species, human – – – and subunits (Puett et al.) (328) 261

Haemoglobin
Comparison of the oxygen and proton binding behaviour of human – – – A and A_2 (de Bruin, Janssen) (295) 490

Haemoglobin
Ethylisocyanide equilibrium of matrix-bound – – – (Colocimo et al.) (328) 74

Haemoglobin
– – – J Nyanza: α21 (B^2) Ala–Asp (Kendall et al.) (310) 357

Haemoglobin
Resonance Raman scattering on – – – (Brunner, Sussner) (310) 20

Haemoglobin
Sequence of amino acids in the major and minor β-chains of the diffuse – – – from BALB/c mice (Popp, Bailiff) (303) 61

Haemoglobin
Simulation of biphasic oxygen equilibrium curves of – – – in the presence of small amounts of 2,3-diphosphoglycerate (Imai, Tyuma) (293) 290
Haemoglobin
Solution studies on haem proteins: Circular dichroism and optical rotation of Lumbricus terrestris and Glycera dibranchiata – – – (Harrington et al.) (328) 61
Haemoglobin
Structural effects accompanying ligand change in crystalline lamprey – – – (Hendrickson) (310) 32
Haemoglobin Beograd
– – – or $\alpha_2\beta_2^{121}$ Glu→Val(GH4) (Efremov et al.) (328) 81
Haemoglobin D
Two variants of – – – in the Algerian population: haemoglobin D Ouled Rabah β19 (B1) Asn→Lys; haemoglobin D Iran β22 (B4) Glu→Gln (Elion et al.) (310) 360
Haemoglobin F Hull
Further characterization of – – – γ121 glutamic acid→lysine; γ136 alanine (Ahern et al.) (303) 242
Haemoglobin F Kuala Lumpur
Structural identification of – – – ($\alpha_2\gamma_2$ 22 (B_4) Asp→Gly; 136 Ala) (Luan Eng et al.) (322) 224
Haemoglobin Genova
New case of – – –: $\alpha_2\beta_2$ 28(B10) leucine→proline. Further studies on the mechanism of instability and defective synthesis (Cohen Solal, Labie) (295) 67
Haemoglobin G Waimanalo
– – –: α64 Asp→Asn (Blackwell et al.) (322) 27
Haemoglobin–oxygen equilibrium
pH dependence of the shape of – – – curve (Tyuma et al.) (310) 317
Haemoglobins
Kinetics of the reaction of the masked sulphy sulphydryl groups of – – – A, E and New York with p-chloro-mercuribenzoate (Yuthavong, Ruenwongsa) (303) 44
Haemoglobins
Sequence of amino acids in the β-chain of single – – – from C57BL, SWR and NB mice (Popp) (303) 52
Haemoglobin Sawara
– – –: α 6(A4) aspartic acid→alanine (Sumida et al.) (322) 23
Haemoglobin synthesis
Control of human – – –: translation of globin chains in heterozygotes with haemoglobin Riverdale-Bronx (Farace, Bank) (312) 591
Haemoglobin variants
Two new – – – with deletion. Haemoglobin Tours: Thr β87 (F3) deleted and Haemoglobin St Antoine: Gly-Leu β74-75 (E 18-19) deleted. Consequences for oxygen affinity and protein stability (Wajcman, Labie) (295) 495
Haemolysin
Amphiphatic nature of Prymnesium parvum – – – (Ulitzur) (298) 673
Haemolysin
Studies on the biological properties of coelomic fluid of sea urchin. I. Naturally occurring – – – in sea urchin (Ryoyama) (320) 157
Haemolysis
– – – induced by Prymnesium parvum toxin. Calorimetric studies (Binford et al.) (291) 156
Haemolysis
Interaction of alfalfa saponins with components of the erythrocyte membrane in – – – (Assa et al.) (307) 83
Haemolysis
Metabolically controlled – – – of chicken erythrocytes (Frish et al.) (291) 690
Haemolytic phosphatides
Slow-reacting – – –: Benzylated lysolecithins (Weltzien) (311) 6
Haemopeptides
Physical chemistry of haems and – – –. I. Physicochemical properties and reduction of chlorodeuterohemin in organic solvent (Momenteau) (304) 814
Haemophilus haemoglobinophilus
Biosynthesis of NAD in – – – (Kasarov, Moat) (320) 372
Haemoproteins
Comparison of the conformational stabilities of homologous – – –. Myoglobin from several species, human haemoglobin and subunits (Puett et al.) (328) 261
Haemoproteins
Studies on chlorocruoro – – –: Spectral properties of reconstituted chlorocruoromyoglobin (Lizuka, Orii) (328) 239
Haemosiderin
Sex and age differences in the – – – content of rat liver (Vidnes, Helgeland) (328) 365
Haem oxygenase
Evidence against a regulatory role of – – –

in hepatic haem synthesis (Rothwell et al.) (304) 871
Haem proteins
Electron nuclear double resonance studies on – – –: Interaction of the electron spin with the $^{57}Fe^{3+}$ nucleus in metmyoglobin and methaemoglobin (Scholes et al.) (322) 457
Haem proteins
Solution studies on – – –: Circular dichroism and optical rotation of Lumbricus terrestris and Glycera dibranchiata haemoglobin (Harrington et al.) (328) 61
Haems
Biochemical and biophysical studies on cytochrome c oxidase. X. Spectral and potentiometric properties of the – – – and coppers (Tiesjema et al.) (305) 19
Haems
Electron spin resonance characterization of Chromatium D – – – non-haem irons and the components involved in primary photochemistry (Dutton, Leigh) (314) 178
Haems
Physical chemistry of – – – and haemopeptides. I. Physicochemical properties and reduction of chlorodeuterohaemin in organic solvent (Momenteau) (304) 814
Haems
Physical chemistry of – – – and haemopeptides. II. Electron paramagnetic resonance study of the interaction of some iron (III) porphyrins with fluoride ion in dimethylformamide (Momenteau et al.) (320) 652
Haem synthesis
Availability of iron for – – – in red blood cells (Barnes, Jones) (304) 304
Haem synthesis
Effect of heterologous transferrin on iron uptake and – – – by bone marrow cells (Verhoef et al.) (304) 114
Hem synthesis
Evidence against a regulatory role of haem oxygenase in hepatic – – – (Rothwell et al.) (304) 871
Haem synthesis
Study of intracellular iron distribution in rabbit reticulocytes with normal and inhibited – – – (Borová et al.) (320) 143
Haem synthesis
Use of exogenous δ-aminolaevulinic acid for the studies of the regulation of – – – in rabbit reticulocytes (Ponka et al.) (304) 123
Hairpin bends
Conformation of the LL and LD – – – with internal hydrogen bonds in proteins and peptides (Chandrasekaran et al.) (303) 14
Halide fluxes
Asymmetric inhibition by phlorizin of – – – across the red blood cell membrane (Schnell et al.) (318) 474
Haptens
Use of antisera covalently coupled to agarose, cellulose and Sephadex in radioimmunoassay systems for proteins and – – – (Bolton, Hunter) (329) 318
Heart
Steric requirements for binding of adenosine to a membrane carrier in canine – – – (Olsson et al.) (311) 242
Heart cells
Regulation of amino acid transport in chick embryo – – –. III. Formal identification of the 'A mediation' as adaptive transport system (Gazzola et al.) (311) 292
Heavy meromyosin
Enzymatic mechanochemistry. I. The interaction of – – – with "Immobilized adenosine triphosphate" (Lamed et al.) (305) 163
Heavy meromyosin
Kinetic study of the energy storing enzyme–product complex in the hydrolysis of ATP by – – – (Yamada et al.) (305) 642
Heavy meromyosin–adenosine triphosphate complex
Kinetic study of the pre-steady state formation and the decay of the – – – (Schliselfeld, Kaldor) (328) 481
HeLa cells
Effect of K^+ on the membrane potential in – – – (Okada et al.) (291) 116
Helix conformation
Conformation and reactivity of DNA. III. Circular dichroism studies of the effects of aqueous concentrated univalent salt solutions upon – – – (Zimmer, Luck) (312) 215
Hemorrhagic principles
Action of snake venom – – – on isolated glomerular basement membrane (Ohsaka et al.) (323) 415
Heparin
Inhibition of lecithin: Cholesterol acyltransferase following administration of intravenous – – – in man (Rutenberg et al.) (326) 419

Heparins
Determination of iduronic acid and glucuronic acid in – – – by a new technique. Re-evaluation of the variable hexuronic acid composition of mammalian heparins (Inoue) (329) 264
Heparins
Structural studies on – – – with unusually high N-acetylglucosamine contents (Cifonelli, King) (320) 331
Heparins
Variations in the hexuronic acid composition of mammalian – – – and mammalian heparin fractions (Inoue, Miyawaki) (320) 73
Heparin sulphate
Enzymatic sulphation of – – – by hen's uterus (Johnson, Baker) (320) 341
Hepatic cholesterol synthesis
Studies of the alteration of – – – in the rat (Bortz et al.) (316) 36f
Hepatic histidase
Studies on the postnatal development of responses of – – – to endocrine control (Feigelson) (304) 669
Hepatomas
Control of lipid metabolism in – – –: Conversion of glutamate carbon to fatty acid carbon via citrate in several transplantable hepatomas (Sabine et al.) (296) 493
Hexachloropheny
Enzymes controlling DNA synthesis: Response to 2,4,5,-trichlorophenoxyacetic acid and – – – (Millard et al.) (308) 230
Hexadecanedioic acid
In vitro studies on the metabolism of – – – and its mono-L-carnitine ester (Pettersen) (306) 1
Hexadecanoic acids
Evaluation of the chemical identity of acyl-carnitine esters of – – – (Mahadevan et al.) (296) 234
Hexokinase
– – – in isolated epithelial cells from rat intestine (Jones, Mayer) (304) 634
Hexokinases
Effects of insulin, serum and glucose on total assayable activity and on soluble debris-bound and latent activity of the – – – of normal and polyoma virus-transformed BHK 21 cells (Edminson et al.) (320) 33
Hexosamine
Turnover of – – – and sialic acid in glycoproteins and mucopolysaccharides of brain (Margolis, Margolis) (304) 413
Hexosaminidase activity
– – – of cultured human skin fibroblasts (Kanfer, Spielvogel) (293) 203
Hexose oxidase
Purification and characterization of – – – from the red alga Chondrus crispus (Sullivan, Jr, Ikawa) (309) 11
Hexuronic acid composition
Determination of iduronic acid and glucuronic acid in heparins by a new technique. Re-evaluation of the variable – – – of mammalian heparins (Inoue) (329) 264
Hexuronic acid composition
Variations in the – – – of mammalian heparins and mammalian heparin fractions (Inoue, Miyawaki) (320) 73
High density apolipoprotein
Removal of cholesterol from Landschütz ascites cells by – – – (Stein, Stein) (326) 232
Hirudin
NH_2-terminal residue of – – – (Gráf et al.) (310) 416
Histidase
Lipotrope-dependent increase of – – – and urocanase in the livers of choline-deficient rats and in the Reuber H-35 transplanted hepatoma (Petri et al.) (321) 681
Histidine residue
Chemical modification of the – – – located at the active site of ficin (Gleisner, Liener) (317) 482
Histidine-specific transfer RNAs
Isoaccepting species of – – – from baker's yeast: Purification and properties (Singh et al.) (312) 276
Histone
Rat-specific lysine-rich – – – (Sluyser, Hermes) (295) 605
Histone acetylation
Aflatoxin B1 and actinomycin D effects on – – – and deacetylation in the liver (Edwards, Allfrey) (299) 354
Histone acetylation
Localization and in vitro specificity of – – – (Miller et al.) (317) 437
Histone fraction
Evidence for the biological coupling of biosynthesis and internal acetylation of – – – F2a1 (IV) in cultured mammalian cells (Shepherd) (299) 485
Histone hydrolase
– – – activity of rat liver lysosomal cathepsin B2 (de Lumen, Tappel) (293) 217

Histone kinases
Adenosine 3',5'-monophosphate-dependent and -independent – – – isolated from human tonsillar lymphocytes (Faragó et al.) (297) 517
Histone messenger RNA
Identification of presumptive – – – in rapidly labelled polysomal RNA of mouse myelomas (Kemper, Rich) (319) 364
Histone modification
Enzymatic – – – during the induction of tyrosine aminotransferase with insulin and hydrocortisone (de Villiers Graaff, von Holt) (299) 480
Histones
Antigenic determinants on lysine-rich (Hekman, Sluyser) (295) 613
Histones
Composition of sea urchin sperm and embryo – – – (Johnson et al.) (295) 140
Histones
Nuclear accumulation of newly synthesized – – – in early Xenopus development (Byrd, Kasinsky) (331) 430
Histone synthesis
Control of – – – in HeLa cells (Butler, Mueller) (294) 481
Histone synthesis
Studies on the translational control of – – –. I. Translation of histone messenger RNA by heterologous cell-free systems prepared from cells inactive in DNA synthesis (Jacobs-Lorena et al.) (324) 275
Homopolyribonucleotides
Aminoacylation and acetylaminoacylation of – – – (Weber, Fox) (319) 174
Homoserine dehydrogenase
Properties of – – – in a thermophilic bacterium (Cavari, Grossowicz) (302) 183
Human Factor II
Action of factor Xa, thrombin and trypsin on – – – (Kisiel, Hanahan) (329) 221
Human factor IX
Separation of clotting factors. II. Purification of – – – by isoelectric focussing (Chandra, Pechet) (328) 456
Human plasma albumin
Sequence of 36 amino residues between the 1st and 2nd methionine of – – – (Kusnir, Meloun) (310) 124
Hyaluronate
Preparation of a conformationally transitional – – – (Hirano) (329) 152
Hydantoins
Specific H-bonding of glutarimides and – – – to derivatives of RNA bases in chloroform solution (Yu, Kyogoku) (331) 21
α-Hydrazino ornithine
Ornithine decarboxylase: Inhibition by – – – (Harik, Snyder) (327) 501
Hydrocarbons
Aryl hydroxylase induction in the chick embryo by polycyclic – – – (Jellinck, Smith) (304) 520
Hydrocarbons
Purification and properties of a membrane-bound alcohol dehydrogenase involved in oxidation of long chain – – – by Pseudomonas aeruginosa (Tassin et al.) (315) 220
Hydrocortisone
Common component involved in the induction of hepatic tyrosine transaminase by – – – and glucagon (McNamara, Webb) (313) 356
Hydrocortisone
Enzymatic histone modification during the induction of tyrosine aminotransferase with insulin and hydrocortisone (de Villiers Graaff, von Holt) (299) 480
Hydrocortisone
Redistribution of pyridoxal phosphate in the male rat liver as a result of repeated injections of – – – (Lefauconnier et al.) (297) 135
Hydrocortisone acetate
Relationship between DNA synthesis and the synthesis of nuclear proteins in rat brain. Effect of – – – (Szijan, Burdman) (299) 344
Hydrodynamic characteristics
Chemical composition and – – – of turnip peroxidases (Mazza et al.) (322) 218
Hydrogen bonding
Effects of – – – and solvents on the absorption spectra of a 4-thiouracil derivative (Iwamura) (308) 333
Hydrogen bonds
Conformation of the LL and LD hairpin bends with internal – – – in proteins and peptides (Chandrasekaran et al.) (303) 14
Hydrogen–deuterium exchange
– – – study of membranous cytochrome oxidase (Capaldi) (303) 237
Hydrogen ion concentration
Ionic control of renal gluconeogenesis. III. The effects of changes in – – –, pCO_2 and bicarbonate concentration (Kurokawa, Rasmussen) (313) 42

Hydrogen ion excretion
Characteristics of – – – and NH_4^+ by the urinary bladder of the toad (Frazier, Vanatta) (311) 98
Hydrogen ion gradient
Relationship between delayed fluorescence and the – – – in chloroplasts (Evans, Crofts) (292) 130
Hydrogen ions
Ionic control of renal gluconeogenesis. I. The interrelated effect of calcium ions and – – – (Kurokawa, Rasmussen) (313) 17
Hydrogen ions
Ionic control of renal gluconeogenesis. II. The effects of calcium ions and – – – upon the response to parathyroid hormone and cyclic AMP (Kurokawa et al.) (313) 32
Hydrogen ion secretion
Oscillations of – – – and electrogenic properties in the isolated frog gastric mucosa (Flemström) (298) 369
Hydrogen peroxide generating system
– – – in hog thyroid microsomes (Ohtaki et al.) (292) 825
Hydrogen production
Growth and adaptive – – – of Rhodospirillum rubrum F_1 in anaerobic dark cultures (Schön, Biedermann) (304) 65
Hydrolases
Ouabain–receptor interactions in $(Na^+ + K^+)$-ATPase preparations. III. On the stability of the ouabain receptor against physical treatment, – – – and SH reagents (Erdmann, Schoner) (330) 316
Hydrolases
Relative turnover time in vivo of the intracellular transport of five – – – in the pancreas of the rat (Christophe et al.) (308) 285
Hydrolysis
Simple and sensitive method for the determination of enzymatic – – – of various esters (Chiou) (327) 374
Hydrophobic regions
Characterization of – – – in proteins by a spin labelling technique (Lassmann et al.) (310) 298
Hydroxocobalamin
Carbon monoxide production from – – – by bacteria (Engel et al.) (313) 150
N-Hydroxy-4-acetylaminobiphenyl
Formation of eletrophilic N-acetoxyarylamines in cytosols from rat mammary gland and other tissues by transacetylation from the carcinogen – – – (Bartsch et al.) (304) 42
L-α-Hydroxy acid oxidase
Molecular forms of – – – from rat kidney (Domenech et al.) (321) 54
Hydroxyapatite chromatography
– – – of short double-helical DNA (Wilson, Thomas) (331) 333
D-β-Hydroxybutyrate dehydrogenase
Interaction of – – – with lecithin vesicles (Hexter, Goldman) (307) 421
β-Hydroxybutyrate dehydrogenase
Model discrimination and nonlinear parameter estimation in the analysis of the mechanism of action of – – – from Rhodopseudomonas spheroides (Hurst et al.) (321) 1
1-Hydroxy-2-ketoheptadecane
Metabolism of – – – in myelinating brain (Muramatsu, Schmid) (296) 265
Hydroxylamine
Reaction of – – – with 4-thiouridine (Iida et al.) (308) 198
17α-Hydroxylase activity
Factors affecting the adrenocorticotropic hormone stimulation of rabbit adrenal – – – (Fevold, Drummond) (313) 211
Hydroxylysine
A new rapid method measuring – – – and its glycosides in hydrolysates and physiological fluids (Askenasi) (304) 375
Hydroxymerodesmosine
Isolation of the crosslink, – – –, from borohydride reduced collagen (Tanzer et al.) (310) 130
L-Hydroxyproline
Collagen metabolism. II. Enzymic formation of pyrrole-2-carboxylic acid from – – – in rat (Iguchi et al.) (315) 285
Hydroxyproline
Hypothesis of the role of – – – in stabilizing collagen structure (Ramachandran et al.) (322) 166
Hydroxyproline
Isoperoxidases and – – – in the cell walls of lentil roots (Darimont et al.) (321) 461
Hydroxyproline
Model for the triple-helical structure of $(Po–Hyp–Gly)_{10}$ imowing a cis peptide bond and interchain hydrogen-bonding to the hydroxyl group of – – – (Berg et al.) (328) 553
Hydroxyproline
Synthesis of $(Pro–Hyp–Gly)_n$ of defined molecular weights. Evidence for the stabilization of collagen triple helix by – – – (Sakakibara et al.) (303) 198

2′-Hydroxy pyridoxal phosphate
Interaction of tyrosine phenol-lyase with pyridoxal phosphate N-oxide and – – – (Kumagai et al.) (327) 510
4-Hydroxyquinoline
Peroxidase-catalyzed oxidation of indole-3-acetaldehyde to – – – in the presence of bisulfite ion: Elimination of pyrrole ring C_2 as formic acid (Horng, Yang) (321) 456
7α-Hydroxysteroid dehydrogenase
– – – from Escherichia coli B: Preliminary studies (Macdonald et al.) (309) 243
3-β-Hydroxysteroid dehydrogenase
Localization of – – – in the inner membrane subfraction of rat testis mitochondria (Sulimovici et al.) (321) 27
3β-Hydroxysteroid dehydrogenases
Inhibitors of human placental C_{19} and C_{21} – – – (Goldman, Sheth) (315) 233
17β-Hydroxysteroid oxidoreductase
Testicular – – –: Product activation of testosterone formation from androstenedione in vitro (Oshima, Ochiai) (306) 227
Hydroxyurea
Thymidine phosphorylation in the cell cycle of Physarum polycephalum and the effect of 5-fluoro-2′-deoxyuridine and – – – (Hildebrandt, Sauer) (294) 8
N-Hydroxyurethan
Reaction between DNA and – – – (Mullinix et al.) (312) 1
Hyperlipoproteinemia
Kinetic properties of very low density lipoprotein triglyceride in Type III – – – (Quarfordt et al.) (296) 572
Hyphal walls
Carbohydrates from the – – – of some Oomycetes (Dietrich) (313) 95
Hypobaria
Modulation of succinate dehydrogenase in response to environmental stress conditions of – – – and hypoxia (Susheela, Ramasarma) (321) 423
Hypochlorous acid
Chlorination studies. II. The reaction of aqueous – – – with α-amino acids and dipetides (Pereira et al.) (313) 170
Hypocholesteremic compound
Growth inhibition of Tetrahymena pyriformis by a – – – and the mechanism of its reversal by various lipids (Holmlund) (296) 221
Hypoglycin
Inhibition of gluconeogenesis in vitro by a metabolite of – – – (Kean, Rainford) (320) 557
Hypoglycin toxicity
Investigation of hepatic ATP and glucose 6-phosphate as indices of – – – (Kean, Rainford) (297) 31
Hypophysectomized rats
Biliary metabolite of ascorbic acid in normal and – – – (Hornig et al.) (320) 549
Hypoxanthine
Adenine, – – – and guanine metabolism in fibroblasts from normal individuals and from patients with hypoxanthine phosphoribosyltransferase deficiency (Raivio, Seegmiller) (299) 273
Hypoxanthine phosphoribosyltransferase deficiency
Adenine, hypoxanthine and guanine metabolism in fibroblasts from normal individuals and from patients with – – – (Raivio, Seegmiller) (299) 273
Hypoxia
Modulation of succinate dehydrogenase in response to environmental stress conditions of hypobaria and – – – (Susheela, Ramasarma) (321) 423
Hypusine
– – – N^6-(4-amino-2-hydroxybutyl)-2,6-diaminohexanoic acid, in tissue proteins of mammals (Imaoka, Nakajima) (320) 97

I

Iduronic acid
Determination of – – – and glucuronic acid in heparins by a new technique. Re-evaluation of the variable hexuronic acid composition of mammalian heparine (Inoue) (329) 264

IgG myeloma immunoglobulin
Unique – – – – molecular weight and other properties (Bobrzecka et al.) (295) 564

Ileal surface area
Receptors for vitamin B_{12} related to – – – and absorptive capacity (Donaldson et al.) (311) 477

Imino acid uptake
Sarcosine uptake and – – – in Saccharomyces chevalieri. Derepression by nitrogen starvation (Kuznar et al.) (318) 273

Imino acid transport
– – – in yeast. The uptake of sarcosine (Magaña-Schwencke et al.) (318) 281

Immobilized enzymes
Application of – – – in flow microcalorimetry (Johansson et al.) (304) 217

Immobilized enzymes
Preparation of – – – by γ-ray irradiation (Maeda et al.) (315) 18

Immobilized enzymes
– – –. Synthesis of a new type of polyanionic and polycationic resins and their utilization for the preparation of water-insoluble enzyme derivatives (Goldstein) (315) 1

Immunochemistry
– – – of sperm-whale myoglobin. XVII. Conformation and immunochemistry of derivatives modified at lysines 98, 140 and 145 by reaction with 3,3-tetramethyleneglutaric anhydride (Atassi et al.) (328) 278

Immunochemistry
– – – of sperm-whale myoglobin. XVIII. Accurate delineation of the single reactive region in sequence 120–153 by study of synthetic peptides (Koketsu, Atassi) (328) 289

Immunocore electrophoresis
– – – as a purity test for albumin (Zeineh et al.) (317) 1

Immunoelectrofocussing
Quantative – – – of protein with respect to their heterogeneity (Jirka, Blanický) (295) 1

Immunoglobulin
Occurrence of – – – fragments, two types of lactoferrin and a lactoferrin–IgG2 complex in bovine colostral and milk whey (Butler) (295) 341

Gl(Eu) Immunoglobulin
Probable N-terminal domains conformation of human – – – (Zavyalov) (310) 70

Immunoglobulin
Specific immunoprecipitation of polyribosomes synthesizing an – – – light chain (Delovitch et al.) (299) 621

Immunoglobulin G
Influence of subunit interaction and intersubunit disulphide bonds on the unfolding of – – – by guanidine hydrochloride (Lapanje, Dorrington) (322) 45

Immunoglobulin G
Temperature dependence of protein conformation using – – – fractions with different isoelectric points and myeloma IgG (Troitsky et al.) (322) 53

Immunoglobulin M
Cyanogen bromide splitting of human – – – (Zikán and Bennett) (317) 447

Immunoglobulins
Improved procedure for the isolation of J-chain from human polymeric – – – (Kobayashi et al.) (303) 105

Immunoglobulins
Reconstructive denaturation of – – – by sodium dodecylsulphate. Circular dichroism studies (Jirgensons) (317) 131

Immunological relationships
– – – between proteoglycans of different hydrodynamic size from articular cartilage of foetal and mature pigs (Brandt et al.) (320) 453

Immunological studies
Cyclic AMP receptor of Escherichia coli: – – – in extracts of Escherichia coli and other organisms (Anderson, Pastan) (320) 577

Immunologic studies
– – – on intracellular isoenzymes; the mitochondrial and cytoplasmic leucyl–tRNA synthetases (Chiu, Suyama) (299) 557

Immunologic studies on nucleic acids
– – – and their components. I. An analysis of the specificity of anti-deoxyadenylate antibodies by a membrane-binding technique (Humayun, Jacob) (331) 41
Immunoprecipitation
Specific – – – of polyribosomes synthesizing an immunoglobulin light chain (Delovitch et al.) (299) 621
IMP pyrophosphorylase
Effect of purine analogues on – – – (Hagen) (293) 105
Indole-3-acetaldehyde
Peroxidase-catalyzed oxidation of – – – to 4-hydroxyquinoline in the presence of bisulphite ion: Elimination of pyrrole ring C_2 as formic acid (Horng, Yang) (321) 456
Indoleacetic acid
– – – Stimulates cellulose deposition and selectively enhances certain β-glucan synthetase activities (Shore, MacLachlan) (329) 271
Induced enzyme levels
Effect of glucose ingestion on basal and – – – in rat tissues (Greengard, Dewey) (329) 241
Induction
Sequential – – – of two species of lipoprotein lipase (Garfinkel, Schotz) (306) 128
Induction kinetics
Oestrogen-induced phosphoprotein synthesis in roosters. – – –. (Bergink et al.) (294) 497
Infrared
Improved technique for the near – – – study of water binding by proteins: Illustration with gelatin (Ressler, Ziauddin) (295) 30
Inhibitor
Isolation of an – – – of β-glucuronidase from porcine sublingual gland (Sakamoto et al.) (329) 72
Inhibitor effects
Electron paramagnetic resonance signal II in spinach chloroplasts. II. Alternative spectral forms and – – – on kinetics of signal II in flashing light (Babcock, Sauer) (325) 504
Inhibitors
Reversible inhibition of cell multiplication in vitro by – – – of arginine esteroproteases (Taylor, Lembach) (329) 58
Initiation
Defective – – – of f2 RNA translation by ribosomes from bacteriophage T4-infected cells (Singer, Conway) (331) 102
Initiation
Modification of the amino terminal region of Escherichia coli proteins after – – – with methionine analogues (Brown) (294) 527
Initiation factor
Haemin control of globin synthesis: Effect of a translational repressor on Met-$tRNA_s$ binding to the small ribosomal subunit and its relation to the activity and availability of an – – – (Balkow et al.) (324) 397
Initiation factor IF-I
Comparative studies on the properties of the eukaryoic protein synthesis – – – from several sources (Cashion, Stanley, Jr) (324) 410
Initiation factor IF-I
Ternary complex of – – –, Met-$tRNA_f$ Met and GTP: an aurintricarboxylate-sensitive intermediate in the initiation of eukaryotic protein synthesis (Dettman, Stanley, Jr) (299) 142
Initiation factors
Pactamycin inhibition of eucaryotic polypeptide synthesis dependent on added – – – (Ayuso, Goldberg) (294) 118
Initiation of protein synthesis
Double-stranded RNA from HeLa cell nuclei inhibits – – – (Bases, Kaplan) (312) 574
Inner membrane
Fluorescent labelling of the mitochondrial – – – (Brocklehurst et al.) (314) 136
Inner membranes
Separation and enzymatic characterization of – – – and outer membranes of rat-heart mitochondria (Scholte) (330) 283
Inorganic orthophosphate
Determination of – – – in biological systems (Atkinson et al.) (320) 195
Inorganic pyrophosphatase
Effect of free magnesium and salts on the – – – purified from a slightly halophilic Vibrio alginolyticus (Unemoto et al.) (327) 490
Inorganic pyrophosphatase
– – – and photosynthesis by isolated chloroplasts. Characterisation of chloroplast pyrophosphatase and its relation to the response to exogenous pyrophosphate (Schwenn et al.) (325) 586
Inorganic pyrophosphatase
– – – and photosynthesis by isolated chloroplasts. II. The controlling influence of orthophosphate (Lilley et al.) (325) 596
Inorganic pyrophosphate–phosphohydrolytic activity
– – – in human serum. Catalytic properties of the ionic species of PP_i and $MgPP_i$ complexes (Hørder) (321) 329

Inositol biosynthesis
Role of the redox state of nicotinamide adenine dinucleotides in the in vivo regulation of – – – in Neurospora crassa (Pina et al.) (320) 79
Inositol dehydrogenase
– – – from the yeast Cryptococcus melibiosum (Vidal-Leiria, van Uden) (293) 295
Insulin
– – – action. Accumulation in vitro of Mg^{2+} and K^+ in rat uterus: ion pump activity (Lostroh, Krahl) (291) 260
[^{125}I] Insulin
Binding and degradation of – – – by isolated rat fat cells (Gammeltoft, Fliemann) (320) 16
Insulin
Effects of – – – on gluconeogenesis and cyclic AMP levels in perfused livers from diabetic rats (Exton et al.) (329) 23
Insulin
Enzymatic histone modification during the induction of tyrosine aminotransferase with – – – and hydrocortisone (de Villiers Graaff, von Holt) (299) 480
Insulin
Esterification of – – – with triethyloxonium tetrafluoroborate (Levy) (310) 406
Insulin
Influence of sodium, potassium and lithium on the response of glycogen synthetase I to – – – and epinephrine in the isolated rat diaphragm (Horn et al.) (313) 296
Insulin
Nucleoside transport in normal and polyoma-transformed cells: Kinetic differences following adenosine and serum or – – – stimulation (Lemkin, Hare) (318) 113
Insulin
Selective chloromercuration of – – – (Levy) (317) 473
Insulin
Similar and opposite effects of dibutyryl cyclic AMP and – – – on glucose metabolism in adipose tissue (Trueheart et al.) (313) 310
Insulin
Stimulation by – – – of ornithine decarboxylase activity in cultured mammary tissue (Aisbitt, Barry) (320) 610
Insulin
Trifluoroacetylation of – – – (Levy, Paselk) (310) 398
Insulin administration
Effect of a single – – – in the hepatic release of triglycerides into the plasma (Alcindor et al.) (306) 347
Insulin degradation
– – –. IV. Sequential degradation of insulin by rat kidney, heart and skeletal muscle homogenates (Varandani) (295) 630
Insulin degradation
– – –. V. Unmasking of glutathione–insulin transhydrogenase in rat liver microsomal membrane (Varandani) (304) 642
Insulin degradation
– – –. VII. Sequential degradation of insulin by rat liver homogenates at physiologic concentrations of insulin and in the absence of exogenous glutathione (Varandani) (320) 249
Insulin degradation
– – –. VIII. Protein thiols as co-substrates for gluthathione–insulin transhydrogenase (Chandler, Varandani) (320) 258
Insulin derivatives
Synthesis of several tert-butyloxycarbonyl – – – (Levy) (328) 107
Insulin receptor site
Preparation of photo-affinity probes for the – – – – in adipose and liver cell membranes (Levy) (322) 329
Insulin release
Synthesis of metabolism-resistant substrates for the transport system for cationic amino acids; their stimulation of – – – and glucagon release, and of the urinary loss of amino acids related to cystinuria (Christensen, Cullen) (298) 932
Insulin secretion
Adenylate cyclase activity in isolated rat islets of Langerhans: Effects of agents which alter rates of – – – (Howell, Montague) (320) 44
Insulin secretion
Ontogeny of – – – mechanism (Milner et al.) (304) 225
Interchain hydrogen-bonding
Model for the triple-helical structure of $(Pro\text{-}Hyp\text{-}Gly)_{10}$ involving a cis peptide bond and – – – to the hydroxyl group of hydroxyproline (Berg et al.) (328) 553
Interface
Protection of A_1 myelin basic protein against the action of proteolytic enzymes after interaction of the protein with lipids at the air–water – – – (London et al.) (311) 520
Interface
Specific interaction of myelin basic protein

with lipids at the air–water – – – (Demel et al.) (311) 507
Interferon production
Temperature-sensitive – – – in rabbit kidney cell cultures treated with toyocamycin (Ng, Vilcek) (294) 284
Intestinal bacteria
Appearance of ^3H_2O in rat tissues resulting from the metabolism of L-[^{3}H] fucose by – – – (Glasgow, Quarles) (304) 586
Intracellular iron distribution
Study of – – – in rabbit reticulocytes with normal and inhibited haem synthesis (Borová et al.) (320) 143
Intralysosomal pH
Measurement of – – – (Reijngoud, Tager) (297) 174
Intramolecular crosslinks
Evidence for – – – in chicken bone collagen: The isolation of peptides containing allysine aldol (Eyre, Glimcher) (295) 301
Intrinsic factor
Human – – –, isolation by improved conventional methods and properties of the preparation (Visuri, Gräsbeck) (310) 508
Intrinsic factor
Kinetics of – – – –vitamin B_{12} binding (Wagstaff et al.) (320) 406
Intrinsic factor
Purification of human – – – by affinity chromatography (Christensen et al.) (303) 319
Inulase II
Purification and properties of Arthrobacter ureafaciens – – – (Uchiyama et al.) (315) 412
Invertase
Survey of the multiple forms of – – – in the leaves of winter wheat, Triticum aestivum L. emend thell. ssp. vulgare (Roberts) (321) 220
Invertebrates
Lipid composition of the nervous tissue of – – –, gastropod Aplysia kurodai and arthropod Cambarus clarki (Komai et al.) (316) 271
Iodide
Effects of thyrotropin, prostaglandin E1 and – – – on cyclic 3′,5′-AMP concentration in dog thyroid slices (van Sande, Dumont) (313) 320
Iodide transport
Role of sodium ion in active – – – by cultured thyroid cells (Bagchi, Fawcett) (318) 235
Iodotyrosine deiodinases
Specificity of thyroidal and hepatic microsomal – – – (Dumas et al.) (293) 36
Ion binding
Coacervation and – – – studies on aortic elastin (Starcher et al.) (310) 481
Ion fluxes
Effects of glucagon 3′,5′-AMP and 3′,5′-GMP on – – – and transmembrane potential in perfused livers of normal and adrenalectomized rats (Friedmann, Dambach) (307) 399
Ionic transport
– – – through model membranes. II. Function of cholesterol and steroid hormones (Horton et al.) (318) 225
Ion movement
Action of serratamolide on – – – in lipid bilayers and biomembranes (Deol et al.) (330) 192
Ionophore
Proton magnetic resonance detection of – – – -mediated praseodymium ion transport across phospholipid membranes (Fernández et al.) (323) 600
Ionophore A-23187
Role of calcium in fly salivary gland secretion analyzed with the – – – (Prince et al.) (329) 98
Ion pump
Photosynthetic energy control of an electrogenic – – – at the plasmalemma of Nitella translucens (Vredenberg, Tonk) (298) 354
Ion transport
Hydration energy and the – – – through membrane (Tredgold) (323) 143
Ion transport
– – – through pores: A rate-theory analysis (Laüger) (311) 423
Ion transport
Rectification phenoma in carrier-mediated – – – (Stark) (298) 323
Iron
Polarographic study of the mobilization of ferritin – – – (Dognin et al.) (297) 276
Iron accumulation
Energy-dependent – – – by isolated rat liver mitochondria. I. General features (Romslo, Flatmark) (305) 29
Iron accumulation
Energy-dependent – – – by isolated rat liver mitochondria. II. Relationship to the active Ca^{2+} transport (Romslo, Flatmark) (325) 38

Iron–ATP
– – –, a by-product of acid extraction of whole blood or red blood cells (Meyers, Brewer) (320) 397
Iron binding
– – – of gastric mucins (Bella, Kim) (304) 580
Iron binding
Involvement of bicarbonate in the – – – by transferrin (Van Snick et al.) (322) 231
Iron (III) porphyrins
Physical chemistry of haems. II. Electron paramagnetic resonance of the interaction of some – – – with fluoride ion in dimethylformamide (Momenteau et al.) (320) 652
Iron protein
– – – content of Thiocapsa pfennigii, a purple sulphur bacterium of atypical chlorophyll composition (Meyer et al.) (292) 634
Iron stores
Mechanism of sex difference in rat tissue – – – (Linder et al.) (297) 70
Iron–sulphur chromophore
Environment of the – – – in adrenodoxin studied by ESR and ENDOR spectroscopy (Mukai et al.) (295) 49
Iron–sulphur protein
Comparative studies on adrenal – – – and its selenium derivatives by electron nuclear double resonance (Bowman et al.) (328) 244
Iron–sulphur proteins
Nomenclature of – – – (1973 Recommendations) (IUPAC–IUB) (Commission on Biochemical Nomenclature) (310) 295
Iron transport
Inducible citrate-dependent – – – system in Escherichia coli K12 (Frost, Rosenberg) (330) 90
Iron uptake
Effect of heterologous transferrin on – – – and haem synthesis by bone marrow cells (Verhoef et al.) (304) 114
γ-Irradiated DNA
Action of exonuclease III on – – – (Bopp et al.) (294) 47
Isoamylase
Comparison of the kinetic parameters of Pseudomonas – – – and Aerobacter pullulanase (Yokobayashi et al.) (293) 197
Isocitrate dehydrogenase
Bilirubin: A potent inhibitor of NAD-linked – – – (Ogasawara et al.) (327) 233
Isocitrate dehydrogenase
Purification and properties of – – – (NADP) from Thermus aquaticus YT-1, Bacillus subtilis-168 and Chlamydomonas reinhardi-Y-2 (Ramaley, Hudock) (315) 22
Isoelectric focussing
Detection of proteolytic activity after – – – in polyacrylamide gel (Arvidson, Wadström) (310) 418
Isoelectric focussing
Evaluation of gradient acrylamide gel electrophoresis and acrylamide gel – – – for the primary separation of complex mixtures of proteins: Comparison of one- and two-dimensional analytical procedures (Wright et al.) (295) 396
Isoelectric focussing
– – – in layers of granulated gels. I. Thin-layer isoelectric focussing of proteins (Radola) (295) 412
Isoelectric focussing
– – – studies of A_2/1957 influenza neuraminidase and its subunits (Kendal et al.) (317) 28
Isoenzymes
Immunologic studies on intracellular – – –; the mitochondrial and cytoplasmic leucyl-tRNA synthetases (Chiu, Suyama) (299) 557
Isolectins
– – – from wax bean with differential agglutination of normal and transformed mammalian cells (Sela et al.) (310) 273
Isometric tension
Oxygen consumption rate in vascular smooth muscle: Relation to – – – (Paul et al.) (305) 474
Isoperoxidases
– – – and hydroxyproline in the cell walls of lentil roots (Darimont et al.) (321) 461
Isopropanol-induced fatty liver
Studies on the mechanism involved in the – – – (Nordmann et al.) (326) 1
Isopycnic equilibrium centrifugation
Advantages of the fixed-angle rotor for the separation of density-labelled from unlabelled proteins by – – – (Johnson et al.) (317) 219
Isotopic distribution
Determination of – – – in [^{18}O] glycerol 1-phosphate by mass spectrometry (Caprioli, Heron) (296) 321

J

Jatrophone
— Reaction of biological thiols with the tumour inhibitor – – –. Inhibition of RNA polymerase (Lillehaug et al.) (327) 92
Jelly coat glycoprotein
Isolation and characterization of fucose sulphate from – – – of sea urchin egg (Ishihara et al.) (320) 628

K

Kallikrein
Irreversible inhibition of α-chymotrypsin, trypsin, pancreatic – – –, thrombin and elastase by N(β-pyridylmethyl)-3,4-dichlorophenoxyacetamide-p-fluoro-sulphonyl acetanilide bromide (Geratz, Fox) (321) 296

Keratan sulphate
Chemical and metabolic heterogeneity of chondroitin sulphate and – – – in guinea pig cartilage and nucleus pulposus (Lohmander et al.) (304) 430

Keratinized tissues
Comparative study of the physicochemical properties of human – – – (Baden et al.) (322) 269

Keratin protein synthesis
In vitro studies on guinea pig hair – – – (Steinert, Rogers) (312) 403

β-Ketoacyl-acyl carrier protein synthetase
Inhibition of fatty acid synthesis by the antibiotic cerulenin: Specific inactivation of – – – (D'Agnolo et al.) (326) 155

Ketodihydrosphingosine
Enzymatic conversion of labelled – – – to sphingosine (Nakano, Fujino) (296) 457

β-Keto ester
Biosynthesis of mycolic acids. Formation of a C_{32} – – – from palmitic acid in a cell free system of Corynebacterium diphtheriae (Walker et al.) (326) 52

Ketone bodies
Effect of concentration of glucagon on output of tiglyceride, – – – glucose and urea by the liver (Weinstein et al.) (296) 300

Kinetic analysis
– – – for solid-supported enzymes (Kobayashi, Laidler) (302) 1

Kinetics
– – – of chylomicron triglyceride removal from plasma in rats: Effect of dose on the volume of distribution (Harris, Harris) (326) 12

Kinetics
Effect of K^+ depletion on the initial – – – of glycolysis in ascites tumour cells (Greenhouse, Coe) (329) 183

Kinetics
Influence of premixing on transient-phase – – – for two-substrate enzyme systems (Hijazi, Laidler) (315) 209

Kinetics
– – – and mechanism of cobalamin-dependent methyl and ethyl transfer to mercuric ion (DeSimone et al.) (304) 851

Kinetoplast DNA
Studies on – – –. I. Isolation of kinetoplast DNA minicircles from Leishmania tarentolae (Wesley, Simpson) (319) 237

Kinetoplast DNA
Studies on – – –. II. Biophysical properties of minicircular DNA from Leishmania tarentolae (Wesley, Simpson) (319) 254

Kinetoplast DNA
Studies on – – –. III. Kinetic complexity of kinetoplast and nuclear DNA from Leishmania tarentolae (Wesley, Simpson) (319) 267

Krebs-cycle intermediate transport
– – – in Azotobacter vinelandii under various metabolic conditions (Postma et al.) (318) 91

Kupffer cells
Distribution of lysosomal enzymes between parenchymal cells and – – – of rat liver (Berg, Boman) (321) 585

L

α-Lactalbumin
Apparent heterogeneity of bovine – – – A and B in DEAE-Sephadex chromatography (Hopper) (295) 364

α-Lactalbumin
Equilibrium and kinetics of the unfolding of – – – by guanidine hydrochloride (Sugai et al.) (328) 35

α-Lactalbumin
Minor components of bovine – – – A and B (Hopper, McKenzie) (295) 352

β-Lactamase
Affinity labelling of an Escherichia coli – – – (Ogawara, Umezawa) (327) 481

β-Lactamases
Affinity chromatography of – – – (le Goffic et al.) (315) 439

β-Lactamases
Purification of – – – on QAE-Sephadex (Ross, Boulton) (309) 430

Lactate dehydrogenase
Cyproterone acetate in normal and interstitial cell tumour grafted rats. Effects on testicular and sexual accessory organs weight and – – – activity and iso-enzymes (Callard, Riviere) (313) 190

Lactate dehydrogenase
Effect of temperature upon catalytic properties of – – – isoenzymes from a poikilotherm (Gerez de Burgos et al.) (315) 250

Lactate dehydrogenase
– – –: Electrophoretic behaviour, electron microscopy and structure (Dudman, Zerner) (310) 248

Lactate dehydrogenase
Frog – – –: Kinetics at physiological enzyme levels (Eby et al.) (327) 227

Lactate dehydrogenase
Immunochemical studies on – – –. (Burd et al.) (310) 238

Lactate dehydrogenase
Modification of pig heart – – –: A derivative possessing enhanced thermal stability (Foster, Thomson) (321) 409

Lactate dehydrogenase X
Evidence for the existence of – – – in embryonic chick liver (Sheid, Chin) (293) 304

Lactoferrin
Occurrence of immunoglobulin fragments, two types of – – – and a lactoferrin–IgG2 complex in bovine colostral and milk whey (Butler) (295) 341

β-Lactoglobulin
Solvation of – – – and chymotrypsinogen A in aqueous urea solutions (Span, Lapanje) (295) 371

Lactose permease
Energy-dependent masking of substrate binding sites of the – – – of Escherichia coli (Benard-Bentaboulet, Kepes) (307) 197

Lactose repressor protein
Ultraviolet difference spectra of the – – – (Matthews et al.) (295) 159

Lactose synthetase specifier protein
Maleyl-α-lactalbumin as – – – (Kitchen, Barman) (298) 861

Lactose transport
Defective lactose utilization by a mutant of Escherichia coli energy-uncoupled for – – –: The advantages of active transport versus facilitated diffusion (Kusch, Wilson) (311) 109

Lactose transport
Quantitative aspects of active transport by the – – – system of Escherichia coli (Maloney, Wilson) (330) 196

S-Lactoylglutathione
Determination of the stereochemical configuration of – – – formed by the action of glyoxalase I from porcine erythrocytes and yeast (Ekwall, Mannervik) (297) 297

L-Lactylpuromycin
Synthesis and cleavage of – – – and other lactyl-derivatives by leucine aminopeptidase (Bachmayer et al.) (302) 399

Laser-excited Raman spectroscopy
– – – of biomolecules. IV. Thermal denaturation of aqueous lysozyme (Chen et al.) (328) 252

Laser irradiation
Increased translation in liver involves a supernatant factor following – – – (Nicholls) (308) 168

Laser Raman spectroscopy
Technique of – – – of proteins in aqueous solution (Careri et al.) (310) 305
Leaves
Dual wavelength scanning of – – – and tissues with opal glass (Shibata) (304) 249
Lecithin
Ca^{2+}-dependent biosynthesis of – – –, phosphatidylethanolamine and phosphatidylserine in rat liver subcellular particles (Bjerve) (296) 549
Lecithin
Far-infrared absorption of the water– – – – system (Colbow, Clayman) (323) 1
Lecithin
Fluorimetric measurements on the interaction of melittin with – – – (Mollay, Kreil) (316) 196
Lecithin
Influence of – – – structure on their monolayer behaviour and interactions with cholesterol (Ghosh et al.) (291) 351
Lecithin
Interaction of D-β-hydroxybutyrate dehydrogenase with – – – vesicles (Hexter, Goldman) (307) 421
Lecithin
Magnetic resonance studies on membrane and model membrane systems. III. Molecular motion in aqueous – – – dispersions (Horwitz et al.) (298) 1
Lecithin
Synthetic – – – containing branched-chain fatty acids. Physical properties and membrane studies (Johnson et al.) (291) 587
Lecithin
Temperature and frequency dependence of longitudinal proton relaxation times in sonicated – – – dispersions (McLaughlin et al.) (330) 109
Lecithin bilayers
Effect of colloidal silicic acid on – – – (Körösy, Taboch) (291) 608
Lecithin bilayers
Interacting spin label study of the fluidizing and condensing effects of cholesterol on – – – (Marsh, Smith) (298) 133
Lecithin bilayers
Interaction of paramagnetic ions and spin labels with – – – (Levine et al.) (291) 592
Lecithin: cholesterol acyltransferase
Identification of lipoprotein families in familial – – – deficiency (McConathy et al.) (326) 406
Lecithin: cholesterol acyltransferase
Inhibition of – – – following administration of intravenous heparin in man (Rutenberg et al.) (326) 419
Lecithin: cholesterol acyltransferase
Method for the determination of the initial rate of reaction of – – – (Marcel, Vezina) (306) 497
Lecithin–cholesterol acyltransferase
Role of high density lipoproteins in the – – – activity with sonicated cholesterol lecithin dispersions as substrate (Nakagawa, Nishida) (296) 577
Lecithin–cholesterol bilayers
Structural transition in egg – – – at 12°C (Rand, Pangborn) (318) 299
Lecithin–cholesterol dispersions
Role of high density lipoproteins in the cholesterol–lecithin acyltransferase activity with sonicated – – – as substrate (Nakagawa, Nishida) (296) 577
Lecithin liposomes
Analysis of the crystallization process in – – –: A freeze–etch study (Ververgaert et al.) (311) 320
Lecithins
Relationships between fatty acid patterns of serum, hepatic and biliary – – – in man. Effect of sucrose feeding (Alling et al.) (296) 518
Lecithins
Selective transfers of acetylenic acids to form – – – (Tamai et al.) (296) 563
Lecithins
Studies on 1,2-diglycerides formed from endogenous – – – by the back-reaction of rat liver microsomal CDPcholine: 1,2-diacylglycerol cholinephosphotransferase (Kanoh, Ohno) (326) 17
Lecithin–water binding
– – – in lecithin–water lamellar phases at 20°C (Gottlieb et al.) (307) 444
Lectin agglutinability
Inhibition of – – – by fixation of the cell surface membrane (Inbar et al.) (311) 594
Lectin receptor activity
Plasma membrane glycoproteins from nucleated cells. I. Preparative techniques for isolation and partial characterization of a membrane glycoprotein extract from L1210 cells with – – – (Hourani et al.) (328) 520
Lectins
Isolation and characterization of agglutinin receptor sites. III. Studies on the interaction with other – – – (Janson et al.) (291) 136

Lectins
Stimulation of glucose metabolism by – – – in isolated white fat cells (Czech, Lynn) (297) 368
Leghaemoglobin
Studies of the physiological role of – – – in soybean root nodules (Bergersen et al.) (292) 271
Leghaemoglobins
Amino acid composition and relationships of lupin and serradella – – – (Broughton, Dilworth) (317) 266
Lens proteins
FM-crystallin: A neglected component among – – – (Broek et al.) (310) 278
Leucine
Metabolism of lysine and – – – derived from storage protein during the germination of maize (Sodek, Wilson) (304) 353
Leucine aminopeptidase
Synthesis and cleavage of L-lactyl-puromycin and other lactyl-derivatives by – – – (Bachmayer et al.) (302) 399
Leucostoma peptidase A
– – –: A metalloprotease from snake venom (Spiekerman et al.) (293) 464
Leucyl-tRNA synthetases
Immunologic studies on intracellular isoenzymes; The mitochondrial and cytoplasmic – – – (Chiu, Suyama) (299) 557
Ligand binding
Haem-modification studies of myoglobin. II. – – – characteristics of ferric and ferrous myoglobins containing unnatural haems (Tamura et al.) (317) 34
Light-dependent proton flux
Alkalization of the chloroplast stroma caused by – – – into the thylakoid space (Heldt et al.) (314) 224
Light-induced absorption changes
– – – in Chromatium subchromatophore particles exhaustively extracted with nonpolar solvents (Ke et al.) (292) 226
Light-induced spectral changes
– – – of P700 in the 800-nm region in Anacystis and spinach lamellae (Inoue et al.) (305) 483
Linear dichroism
Orientation of pigments and structural proteins in the photosynthetic membrane of spinach chloroplasts: A – – – study (Breton et al.) (314) 42
Linobic acid
Eventual unmasking of noradrenalin receptors by – – – -rich phospholipids in fat cell membranes. II. Adenylatecyclase and phosphodiesterase activites (Counis) (306) 391
Linoleic acid
Synthesis of ll(n–6)L_S tritium-labelled – – – (Egmond et al.) (316) 1
[1-^{14}C] Linoleic acid desaturation
Effect of dietary glycerol on the [1-^{14}C] stearic acid and – – – of normal and diabetic rats (Tomas et al.) (306) 149
Linoleic acid radicals
Detection of – – – in the anaerobic reaction of lipoxygenase (De Groot et al.) (326) 279
Lipase
Chemical structure of porcine pancreatic – – –. End group determination and cyanogen bromide peptides (Rovery et al.) (328) 391
Lipase
Effect of phospholipids on lipoprotein – – – activation in vitro (Chung, Scanu) (296) 116
Lipase
Effect of surface pressure on the hydrolysis of ester monolayers by pancreatic – – – (Esposito et al.) (302) 293
Lipase
Further characterization of fatty acyl monoester – – – from human adipose tissue (Arnaud et al.) (316) 162
Lipase
Hydrolysis of 1,2-diglyceride by membrane-associated – – – activity during phospholipase C treatment of membranes (Michell et al.) (318) 306
Lipase
Influence of different in vivo treatments on the rate of secretion of amylase, – – – and chymotrypsinogen by slices of pigeon pancreas (Reggio) (297) 81
Lipase
Long-chain acyl–CoA hydrolase activity in serum: Identity with clearing factor – – – (Jansen, Hülsmann) (296) 241
Lipase
Partial purification and characterisation of a fatty acyl monoester – – – from human adipose tissue (Charbonnier et al.) (296) 471
Lipase
Purified bovine milk (lipoprotein) – – –: Activity against lipid substrates in the absence of exogenous serum factors (Egelrud, Olivecrona) (306) 115

Lipase
Reversible binding of lipoprotein – – – from hen adipose tissue to insolubilized heparin (Egelrud) (296) 124
Lipase
Role of carboxyl groups in the activity of pancreatic – – – (Dufour et al.) (327) 101
Lipase activity
– – – in Escherichia coli (Nantel, Proulx) (316) 156
Lipase activity
Roles of tryptophan residues on the Rhizopus delemar – – –: Chemical modification in a water–olive oil emulsion (Chiba et al.) (327) 380
Lipases
Enzymatic hydrolysis of di-(2-ethylhexyl)-phthalate by – – – (Albro, Thomas) (306) 380
Lipases
Strain L fibroblast – – –. Purification and properties (Lengle, Geyer) (296) 411
Lipid
Aspects of the osmotic lysis of erythrocytes. III. Comparison of glycerol permeability and – – – composition of red blood cell membranes from eight mammalian species (Wessels, Veerkamp) (291) 190
Lipid
Effect of the polar headgroup on the – – – –cholesterol interaction. A monolayer and differential scanning calorimetry study (de Kruyff et al.) (307) 1
Lipid
Membrane proteins of Rhodopseudomonas spheroides. V. Additional chemical characterization of a pigment– – – – –associated protein isolated from chromatophores (Huang, Kaplan) (307) 332
Lipid
Opposing effects of pressure and general anaesthetics on the cation permeability of liposomes of varying – – – composition (Johnson et al.) (307) 42
Lipid
Preparation of mitochondrial membrane proteins from Neurospora crassa: Prevention of – – – autoxidation damage by an antioxidant (Minssen, Munkres) (291) 398
Lipid
Spin labels as enzyme substrates: Heterogeneous – – – distribution in liver microsomal membranes (Stier, Sackmann) (311) 400
Lipid
Structure of Escherichia coli membranes studied by fluorescence measurements of – – – phase transitions (Träuble, Overath) (307) 491
Lipid
– – – and temperature-dependent structural changes in Acholeplasma laidlawii cell membranes (James, Branton) (323) 378
Lipid assemblies
New method for investigation of – – – with a lipoid pH indicator in monomolecular films (Fromherz) (323) 326
Lipid bilayer membranes
Interaction of a solubilized membrane ATPase with – – – (Redwood et al.) (318) 10
Lipid bilayers
Action of serratamolide on ion movement in – – – and biomembranes (Deol et al.) (330) 192
Lipid bilayers
Asymmetric – – –. Response to multivalent ions (Montal) (298) 750
Lipid bilayers
Determination of rate constants in carrier-mediated diffusion through lipid bilayers (Gambale et al.) (330) 325
Lipid composition
Adult rat brain synaptic vesicles. II. – – – (Breckenridge et al.) (320) 681
Lipid composition
– – –, Ca^{2+} binding and Ca^{2+}-stimulated ATPase activity of sarcoplasmic reticulum of the cardiomyopathic hamster (Owens et al.) (296) 65
Lipid composition
Changes in the – – – and fatty acid composition of developing rabbit brain (Odutuga et al.) (316) 115
Lipid composition
Characterization of the – – – of squid rhabdome outer segments (Mason et al.) (306) 67
Lipid composition
Glycolipids of a halotolerant, moderately halophilic bacterium. Effect of growth medium age of culture on – – – (Stern, Tietz) (296) 130
Lipid composition
Heterogeneity of – – – within the cephalic melon tissue of the pilot whale (Globicephala melaena) (Wedmid et al.) (326) 439

Lipid composition
Isolation and – – – of nuclear membranes from macronuclei of Tetrahymena pyriformis (Nozawa et al.) (318) 335
Lipid composition
– – – of the nervous tissue of invertebrates, gastropod Aplysia kurodai and arthropod Cambarus clarki (Komai et al.) (316) 271
Lipid compositions
– – – of selected strains of Yersinia pestis and Yersinia pseudotuberculosis (Tornabene) (306) 173
Lipid dependence
– – – of activity–temperature relationship of (Na^+,K^+)-activated ATPase (Tanaka and Teruya) (323) 584
Lipid films
Capacitance, area and thickness variations in thin – – – (White, Thompson) (323) 7
Lipid films
Rheologic hysteresis curve shape specificity of mixed – – – (Lusted) (307) 270
Lipid films
Surface charge and double layers of thin – – – formed from neutral lipids (White) (323) 343
Lipid membranes
Effect of stirring on the flux of carriers into black – – – (Hladky) (307) 261
Lipid membranes
Electrostatic interactions in the binding of fluorescent probes to – – – (Flanagan, Hesketh) (298) 535
Lipid membranes
Fluorescence spectroscopy of planar black – – –. Probe absorption and quantum yield determination. (Zingsheim, Haydon) (298) 755
Lipid membranes
Importance of the hydrophobic interactions of local anaesthetics in the displacement of polyvalent cations from artificial – – – (Fernández, Cerbón) (298) 8
Lipid membranes
Interaction of liposomes with black – – – (Pohl et al.) (318) 478
Lipid membranes
Permeability of – – – to non-electrolytes (Lelievre, Rich) (298) 15
Lipid membranes
Photoresponse of bimolecular – – – pigmented with retinal and vitamin A acid (Schadt) (323) 351
Lipid metabolism
Control of – – – in hepatomas: Conversion of glutamate carbon to fatty acid carbon via citrate in several transplantable hepatomas (Sabine et al.) (296) 493
Lipid metabolism
Effect of temperature and fatty acid structure on – – – in Bacillus licheniformis 9259 (Chang, Fulco) (296) 287
Lipid monolayers
Interaction of cytochrome c with – – – (Morse II, Deamer) (298) 769
Lipid monolayers
Surface behaviour of dibenzanthracene with – – – (Belmonte, Swarbrick) (323) 647
Lipid multilayers
Structural investigations of – – –, polypeptide and protein multilayers (Green et al.) (330) 243
Lipid phase transition
Influence of fatty acid and sterol composition on the – – – and activity of membrane-bound enzymes in Acholeplasma laidlawii (De Kruyff et al.) (330) 269
Lipid phosphorylation
Mechanism of the nicotinamide adenine dinucleotide stimulation of – – – in a rat liver microsome–cytosol system (Ozols, Marinetti) (296) 10
Lipid–protein interactions
– – –. I. Role of divalent ions in binding of glycylglycine to phosphatidylserine (Bulkin, Hauser) (326) 289
Lipid–protein systems
Detection of changes in the environment of hydrocarbon chains by Raman spectroscopy and its application to – – – (Larsson, Rand) (326) 245
Lipid re-esterifying enzymes
Activities of – – – in jejunal microsomes of bile fistula rats: Attempts to correlate enzyme activities with microsomal phospholipid content (Rodgers et al.) (326) 345
Lipids
Acyl – – – of highly purified plant mitochondria (McCarty et al.) (316) 266
Lipids
Cholesterol in mycoplasma membranes. Correlation of enzymic and transport activities with physical state of – – – in membranes of Mycoplasma mycoides var. capri adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509

Lipids
– – – of Crithidia fasciculata: The occurrence and turnover of phosphoinositides (Palmer) (316) 296
Lipids
– – – of cultured mosquito cells (Aedes albopictus): Comparison with cultured mammalian fibroblasts (BHK 21 cells) (Luukkonen et al.) (326) 256
Lipids
Differential effects of – – – on the osmotic fragility of erythrocytes (Raz, Livne) (311) 222
Lipids
Effect of taste stimuli on extraction of – – – from bovine taste papillae (Kurihara) (306) 478
Lipids
Effects of carcinogenic hydrocarbons on – – – and mitochondrial membranes of Saccharomyces cerivisiae (Baraud et al.) (296) 492
Lipids
Effects of long-chain alcohols on membrane – – – and the (Na^++K^+)-ATPase (Grisham, Barnett) (311) 417
Lipids
– – – of human atheroma. VIII. Oxidised derivatives of cholesteryl linoleate (Harland et al.) (316) 378
Lipids
Light-induced free radical oxidation of membrane – – – in photoreceptors of frog retina (Kagan et al.) (330) 76
Lipids
Phosphatidyldiglucosyl diglyceride from Streptococci and its relationship to other polar – – – (Fischer et al.) (306) 353
Lipids
Separation of "neutral" – – –, particularly of all classes of partial glycerides by one-dimensional thin-layer chromatography (Kunz) (296) 331
Lipids
Specific interaction of central nervous system myelin basic protein with – – –. Specific regions of the protein sequence protected from the proteolytic action of trypsin (London, Vossenberg) (307) 478
Lipid synthesis
Complex – – – in hamster intestine (M (Mansbach II) (296) 386
Lipid vesicles
Fusion of mammalian cells by unilamellar – – –: Influence of lipid surface charge, fluidity and cholesterol (Papahadjopoulos et al.) (323) 23
Lipogenesis
Abnormality of hepatic – – – in a mutant strain of "Acatalasemic" mice (Cuadrado, Bricker) (306) 168
Lipogenesis
Cutaneous – – –. III. The incorporation of valine carbons into the branched-chain fatty acids of rodent ear skin lipids (Hodgins, Wheatly) (316) 173
Lipolysis
Influence of extracellular calcium ions on hormone-activated – – – (Schimmel) (326) 272
Lipolysis
Regulation of – – – in an insect egg. Observations in vitro (Krysan, Guss) (295) 466
Lipolysis regulation
– – – in bovine adipose tissue by the degree of saturation of plasma albumin with fatty acids (Metz et al.) (306) 42
Lipopolysaccharide
Interaction of bacterial – – – with phospholipid bilayers and monolayers (Benedetto et al.) (298) 145
Lipoprotein
Colchicine-induced inhibition of very low density – – – release by rat liver in vivo (Stein, Stein) (306) 142
Lipoprotein
– – – from the membranes of Streptococcus pyogenes and its stabilized L-form (Lacave, Panos) (307) 118
Lipoprotein
Metabolic conversion of human plasma very low density – – – to low density lipoprotein (Eisenberg et al.) (326) 361
Lipoprotein
Metabolism of rat plasma very low density – – –. I. Fate in circulation of the whole lipoprotein (Eisenberg, Rachmilewitz) (326) 378
Lipoprotein
Metabolism of rat plasma very low density – – –. II. Fate in circulation of apoprotein subunits (Eisenberg, Rachmilewitz) (326) 391
Lipoprotein
Very low density – – – "remnant" particles: Uptake by aortic smooth muscle cells in culture (Bierman et al.) (329) 163

Lipoprotein families
Identification of – – – in familial lecithin: Cholesterol acyltransferase deficiency (McConathy et al.) (326) 406
Lipoprotein lipase
Effect of phospholipids on – – – activation in vitro (Chung et al.) (296) 116
Lipoprotein lipase
Kinetics of – – – activity: Effects of the substrate apoprotein on reaction velocity (Fielding) (316) 66
Lipoprotein lipase
Reversible binding of – – – from hen adipose tissue to insolubilized heparin (Egelrud) (296) 124
Lipoprotein lipase
Sequential induction of two species of – – – (Garfinkel, Schotz) (306) 128
Lipoprotein lipase activity
Increase in postheparin – – – in rat plasma by dietary erucic acid (Struijk et al.) (296) 253
Lipoproteins
Assembly and secretion of very low density – – – by rat liver following inhibition of protein synthesis with cycloheximide (Bar-On et al.) (306) 106
Lipoproteins
Exchange of phospholipids between plasma – – – and rapidly dividing human cells grown in tissue culture (Illingworth et al.) (306) 422
Lipoproteins
Interactions of acyl carnitines and other lysins with erythrocytes and reconstituted erythrocyte – – – (Cho, Proulx) (318) 50
Lipoproteins
Isolation and properties of pig plasma – – – and partial characterisation of their apoproteins (Fidge) (295) 258
Lipoproteins
Role of high density – – – in the lecithin–cholesterol acyltransferase activity with sonicated cholesterol–lecithin dispersions as substrate (Nakagawa, Nishida) (296) 577
Lipoprotein triglyceride
Kinetic properties of very low density – – – in Type III hyperlipoproteinaemia (Quarfordt et al.) (296) 572
Liposomes
Analysis of the crystallization process in lecithin – – –: A freeze–etch study (Ververgaert et al.) (311) 320
Liposomes
Binding and aggregate formation of phospholipid – – – containing phosphatidic acid with ovalbumin (Oshima, Nagasawa) (291) 1
Liposomes
Effect of alterations in fatty acid composition and cholesterol content on the non-electrolyte permeability of Acholeplasma laidlawii B cells and derived – – – (McElhaney et al.) (298) 500
Liposomes
Effects of lysozyme on anion and cation diffusion from phospholipid – – – (Kaplan) (311) 1
Liposomes
Freeze–etch study of the effects of filipin on – – – and human erythrocyte membranes (Tillack, Kinsky) (323) 43
Liposomes
Glucose release measurements from – – – with an oxygen electrode (Hertz, Barenholz) (330) 1
Liposomes
Interaction of – – – with black lipid membranes (Pohl et al.) (318) 478
Liposomes
Opposing effects of pressure and general anaesthetics on the cation permeability of – – – of varying lipid composition (Johnson et al.) (307) 42
Liposomes
Osmotic insensitivity of sonicated – – – and the density of phospholipid–cholesterol mixtures (Johnson, Buttress) (307) 20
Liposomes
Release of macromolecular markers (enzymes) from – – – treated with antibody and complement: An attempt at correlation with electron microscopic observations (Kataoka et al.) (298) 158
Liposomes
Spray-freezing of – – – (Ververgaert et al.) (311) 651
Lipoxygenase
Detection of linoleic acid radicals in the anaerobic reaction of – – – (De Groot et al.) (326) 279
Lipoxygenase
Influence of oxygen on the fluorescence of – – – (Finazzi-Agró et al.) (326) 462
Lipoxygenase
Purification and properties of a carotene co-oxidizing – – – from peas (Arens et al.) (327) 295

Lipoxygenase
Soyabean – – –: An iron-containing enzyme (Roza, Francke) (327) 24
Lipoxygenase
Soyabean – – –: An iron-containing dioxygenase (Chan) (327) 32
Lipoxygenases
Product specificity of soyabean – – – (Roza, Francke) (316) 76
Liquid–liquid interface
Diffusion of proteins across a – – – (Shanbhag) (320) 517
Lithium
Differential effect of – – – on microsomal ATPase in cortex, medulla and papilla of the rat kidney (Gutman et al.) (298) 284
Lithium
Influence of sodium, potassium and – – – on the response of glycogen synthetase I to insulin and epinephrine in the isolated rat diaphragm (Horn et al.) (313) 296
Lithium ions
Influence of – – – on epinephrine-stimulated adenylate cyclase activity in cultured glial tumour cells (Schimmer) (327) 186
Lithium transport
– – – and rectification by frog skin (Candia, Chiarandini) (307) 578
Lithogenic effects
– – – of cholic acid and chenodeoxycholic acid in the cholesterol-fed mouse (Yellin et al.) (320) 478
Liver mitochondria
Studies of the development of carnitine palmitoyltransferase and fatty acid acid oxidation in – – – of neonatal pigs (Bieber et al.) (326) 145
Lolium multiflorum
β-Glucan synthesis by cell-free extracts from – – – endosperm (Smith, Stone) (313) 72
Long-chain bases
Detailed structure of sphingomyelins and ceramides from different regions of bovine kidney with special reference to – – – (Karlsson et al.) (316) 336
Low density lipoprotein
Metabolic conversion of human plasma very low density lipoprotein to – – – (Eisenberg et al.) (326) 361
Low-temperature photoreactions
Oxidation–reduction potential dependence of – – – of chloroplast Photosystem II (Bearden, Malkin) (325) 266
Luminescence
Effect of dithionite on fluorescence and – – – of chloroplasts (Velthuys, Amesz) (325) 126
Luminescence
Isolation of a fast decay in submillisecond Chlorella – – – (Lumpkin, Hillel) (305) 281
Luminescence
Kinetics of – – – in the 10^{-6}–10^{-4}-5 range in Chlorella (Lavorel) (325) 213
Luteinising hormone
Rat anterior pituitary adenyl cyclase activity: GTP requirement of prostaglandin E_1 and E_2 and synthetic – – – releasing hormone activation (Deery, Howell) (329) 17
Luteinizing hormone/follide stimulating hormone releasing hormone
Obtention of antisera against a hypothalamic decapeptide – – – which stimulates the release of pituitary gonadotropins and development of its radioimmunoassay (Kerdelhúe et al.) (297) 540
Lymphocytes
Cortisol-induced inhibition of amino acid transport in thymic – – –: Kinetic parameters; relation to ATP levels and protein synthesis; and specificity (Baran et al.) (307) 627
Lymphocytes
Effects of chelating agents on the initial interaction of phytohaemagglutinin with – – – and the subsequent amino acid uptake (Whitney, Sutherland) (298) 790
Lymphocytes
Effects of various mitogens on the phospholipid metabolism of human peripheral – – – (Masuzawa et al.) (326) 339
Lymphocytes
Subcellular fractionation of human – – –. Isolation of two plasma membrane fractions and comparison of the protein components of the various lymphocytic organelles (Demus) (291) 93
Lymphocytes
Surface properties of human – – – (Vassar et al.) (291) 107
Lysine auxotroph
Peptide utilization in yeast: Studies on methionine and – – – of Saccharomyces cerevisiae (Becker et al.) (291) 388
Lysine hydroxylation
Increased – – – in rat bone and tendon collagen and localization of the additional residues (Stoltz et al.) (310) 461
Lysine-rich histone
Rat-specific – – – (Sluyser, Hermes) (295) 605

Lysine-rich histone
Reaction of formaldehyde with deoxynucleotides and DNA in the presence of amino acids and – – – (Siomin et al.) (331) 27
Lysine-rich histones
Antigenic determinants on – – – (Hekman, Sluyser) (295) 613
Lysine transfer RNA
Coding properties of isoaccepting – – – species from baker's yeast (Sen, Ghosh) (308) 106
Lysine uptake
Exchange transport and amino acid charge as the basis for Na^+-independent – – – by isolated intestinal epithelial cells (Reiser, Christiansen) (307) 223
Lysine uptake
Properties of Na^+-dependent and Na^+-independent – – – by isolated intestinal epithelial cells (Reiser, Christiansen) (307) 212
Lysine-vasopressin
Purification of ^{125}I-labelled – – – by affinity chromatography on sepharose bound neurophysins (Fressinaud et al.) (317) 572
Lysins
Interactions of acyl carnitines and other – – – with erythrocytes and reconstituted erythrocyte lipoproteins (Cho, Proulx) (318) 50
Lysolecithin binding
– – – to human and squirrel monkey plasma and tissue components (Portman, Illingworth) (326) 34
Lysolecithin hydrolysing carboxylesterase
Studies on lysophospholipases. II. Substrate specificity of a – – – from beef pancreas (de Jong et al.) (296) 105
Lysolecithins
Slow-reacting haemolytic phosphatides: Benzylated – – – (Weltzien) (311) 6
Lysophospholipase
Purification and properties of – – – from Penicillium notatum (Kawasaki, Saito) (296) 426
Lysophospholipases
Studies on – – –. I. Purification and some properties of a lysophospholipase from beef pancreas (van den Bosch et al.) (296) 94
Lysosomal breakdown of native and denatured protein
Involvement of thiol enzymes in the – – – (Huisman et al.) (297) 98
Lysosomal catabolism
– – – of a protein toxin: Staphylococcal enterotoxin B (Canonico) (322) 251
Lysosomal enzymes
Distribution of – – – between parenchymal and Kupffer cells of rat liver (Berg, Boman) (321) 585
Lysosomal membranes
Nature and localization of acidic groups on – – – (Henning et al.) (330) 61
Lysosome function
Effect of carbon tetrachloride on – – – in kidneys and livers of mice (Mego, Cain) (297) 343
Lysosomes
Rupture of rat liver – – – mediated by L-amino acid esters (Goldman, Kaplan) (318) 205
Lysozyme
Alkaline conformational transition of chicken egg white – – – (Aboderin et al.) (328) 31
Lysozyme
Effects of – – – on anion and cation diffusion from phospholipid liposomes (Kaplan) (311) 1
Lysozyme
Effects of γ-irradiation on the enzymatic properties of – – – (Marciani, Tolbert) (302) 376
Lysozyme
Enzymic and immunochemical properties of – – –. VII. Location of all the antigenic reactive regions. A new approach to study immunochemistry of tight proteins (Atassi et al.) (303) 203
Lysozyme
Laser-excited Raman spectroscopy of biomolecules. IV. Thermal denaturation of aqueous – – – (Chen et al.) (328) 252
Lysozyme
Reaction of chicken egg white – – – with 7-chloro-4-nitrobenz-2-oxa-1,3-diazole (Aboderin et al.) (328) 20
Lysyl-tRNA synthetase
Hydroxylamine-dependent reactions catalysed by a – – – of Escherichia coli B (Hele) (294) 273

M

α_2-Macroglobulin
Interaction of a naphthalene dye with – – – free or bound to trypsin (Jacquot-Armand, Krebs) (303) 128

α_2-Macroglobulin
Physiological role of – – – (Rinderknecht, Geokas) (295) 233

α_2-Macroglobulin
Rat α_2-acute phase globulin, a human – – – homologue. Interaction with plasmin and trypsin (Ganrot) (322) 62

α_2-Macroglobulin
Studies on the elastase–serum protein interaction. III. The elastase inhibitors of swine serum with omphasis on the elastase– – – – interaction (Baumstark) (309) 181

Macromolecular synthesis
Pathogenesis of the toxic hepatitis of mice provoked by FV 3 (Frog virus 3): Inhibition of liver – – – (Elharrar et al.) (319) 91

Macromolecules
Reduction of DNA synthesis in calf thymocytes at lower cell densities and its reversal by diffusible – – – released by these cells (Sibatani) (294) 57

Macrophages
Binding of 8-anilino-1-naphthalene sulphonic acid to viable pulmonary – – – (Pecci, Ulrich) (311) 251

Macrophages
Ubiquinone content in peritoneal – – – of mice (Casey, Bliznakov) (326) 141

Magnesium-ATPase
Different effects of free and conjugated bile acids and their keto derivatives on (Na^+,K^+)-stimulated and – – – of rat intestinal mucosa (Hepner, Hofmann) (291) 237

Magnesium-ATPase
Membrane lipid fatty acids and regulation of membrane-bound enzymes. Allosteric behaviour of erythrocyte – – –, (Na^++K^+)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67

Magnesium binding
Alanine ester content and – – – capacity of cell walls of Staphylococcus aureus H grown at different pH values (Archibald et al.) (291) 629

Magnesium, calcium-dependent ATPase
Properties of a – – – of bovine brain cortex. Effects of detergents, freezing, cations and local anaesthetics (Roufogalis) (318) 360

Magnesium-dependent ATPase
Energy level associated with the light-triggered – – – in spinach chloroplasts (Bakker-Grunwald, van Dam) (292) 808

Magnesium ion
Insulin action. Accumulation in vitro of – – – and K^+ in rat uterus: Ion pump activity (Lostroh, Krahl) (291) 260

Magnesium ion
Study on the influence of the concentration of – – –, P_i, K^+, Na^+ and Tris on (Mg^{2+}+P_i)-supported g-strophanthin binding to (Na^++K^+)-activated ATPase from ox brain (Hansen, Skou) (311) 51

Magnesium ions
Complex formation between – – – and pyridine nucleotide coenzymes (Apps) (320) 379

Magnetic resonance relaxation
– – – of ^1H and ^{17}O in aqueous solutions of concanavalin A (Meirovitch, Kalb) (303) 258

Malate dehydrogenase
Absence of zinc in the mitochondrial and supernatant forms of – – – (Mathewson et al.) (321) 413

Malate dehydrogenase
Chemical and structural relationships of NAD^+ and platinum binding to – – – (Wade et al.) (322) 124

Malate dehydrogenase
Function and regulation of – – – in Euglena gracilis Z (Peak et al.) (293) 312

Maleyl-α-lactalbumin
– – – as lactose synthetase specifier protein (Kitchen, Barman) (298) 861

Malic acid
Growth of Rhodopseudomonas capsulata on L- and D- – – – (Stahl, Sojka) (297) 241

N-Malonyl-D-alanine
Occurrence of – – – in pea seedlings (Ogawa et al.) (297) 60

Malonyl-CoA decarboxylase
Liver – – – (Scholte) (309) 457
Maltase
Corticosteroid-dependent cycloheximide-evoked increase of sucrase and – – – in the jejunum of suckling rats (Koldovský et al.) (309) 370
Maltase
Studies on the cell surface – – – of the rabbit renal cortex (Stevenson) (311) 409
Maltose
Biosynthesis of cell wall polysaccharide from – – – by a strain of Saccharomyces cerevisiae incapable of maltose fermentation (Okada et al.) (304) 20
Mammary gland
Studies on (Na^+–K^+)-activated ATPase. XXXII. Occurrence and properties of (Na^+–K^+)-ATPase in immature, lactating and involuted guinea pig – – – (Vreeswijk et al.) (330) 173
Manganese
Effect of – – – and amino acids on proteolytic inactivation of beef liver arginase (Bond) (327) 157
Manganese ion
Mechanism of the oxidation of ascorbate and – – – by chloroplasts: The role of the radical superoxide (Epel, Neumann) (325) 520
Manganese ions
Evidence of the requirement of a full complement of – – – and calcium ions for optimal binding of carbohydrates to electrophoretically homogeneous concanavalin A (Karlstam) (329) 295
Manganese proteins
– – – in blood plasma (Hancock et al.) (320) 486
Mannan synthesis
Enzymatic transfer of mannose from guanosine diphosphate mannose to dolichol phosphate in yeast (Hansenula holstii). A possible step in – – – (Bretthauer et al.) (304) 736
D-Mannonate hydrolase
Purification and properties of – – – from Escherichia coli (Robert-Baudony, Stoeber) (309) 473
Mannophospholipids
Characterization of the alkali-stable – – – of Myobacterium smegmatis (Takayama et al.) (316) 212
[^{14}C] Mannose
The incorporated of [^{3}H] glucosamine, [^{3}H] fucose and – – – into protein in the rat anterior pituitary incubated in vitro (Todd, Samli) (297) 11
α-Mannosidase
Electrophoretic heterogeneity of human – – – (Poenaru, Dreyfus) (303) 171
β-D-Mannosidase
Lysosomal – – – of rat liver (La Badie, Aronson, Jr) (321) 603
β-Mannosidase
Properties of synovial fluid – – – activity (Bartholomew, Perry) (315) 123
Mass spectrometry
Analysis of polar parts of phospholipids. N-Demethylation of choline-containing lipids for gas chromatography and – – – (Karlander et al.) (326) 174
Matrix-bound haemoglobin
Ethylisocyanide equilibrium of – – – (Colosimo et al.) (328) 74
Maturation
Site of action of 5-fluoroorotic acid on the – – – of mice liver ribonucleic acids (Hadjiolova et al.) (319) 373
"Melansome" fraction
Progesterone receptor associated with the – – – of Pleurodeles waltlii oocytes (Urodela amphibian) (Oron, Bellé) (320) 588
Melittin
Fluorimetric measurements on the interaction of – – – with lecithin (Mollay, Kreil) (316) 196
Melittin
Interaction of a lytic peptide, – – –, with spin-labelled membranes (Hegner et al.) (291) 15
Membrane
Amino acid stimulation of alkali-metal-independent ATP cleavage by an Ehrlich cell – – – preparation (Ronquist, Christensen) (323) 337
Membrane
Antibodies to pig kidney (Na^++K^+)-ATPase inhibit the sodium pump in human red cells provided they have access to the inner surface of the cell – – – (Jørgensen et al.) (291) 795
Membrane
Asymmetric interaction of inside-out and right-side-out erythrocyte – – – vesicles with ouabain (Perrone, Blostein) (291) 680
Membrane
Bilayer lipid – – – as a model for vasopressin, prostaglandin and Ca^{2+} effects on water permeability (Graziani, Livne) (291) 612
Membrane
– – – component of the cellular slime mould

Dictyostelium discoideum, rapidly labelled with [^{32}P] orthophosphate (Hammond) (291) 371
Membrane
DNA synthesis associated with the nuclear – – – of guinea pig adrenal cells (Barrieux et al.) (312) 228
Membrane
Effect of different fatty acid and sterol composition on the erythritol flux through the cell – – – of Acholeplasma laidlawii (de Kruyff et al.) (298) 479
Membrane
Effect of K^+ on the – – – potential in HeLa cells (Okada et al.) (291) 116
Membrane
Electron microscopy of Bacillus subtilis protoplast – – – after treatment with phospholipase A_2 and phospholipase C (Nanninga et al.) (298) 184
Membrane
– – – fractions from rat hepatoma. I. Inhibition and characterization (Raftell, Blomberg) (291) 421
Membrane
– – – fractions from rat hepatoma. II. Immunochemical characterization of detergent-soluble membrane esterases, glycosidases and leucyl-β-naphthylamidase (Blomberg, Raftell) (291) 431
Membrane
Interrelationships between hydroxylamine inhibition of microsomal (Na^+,K^+)-ATPase and physicochemical changes in – – – organisation (Formby) (298) 291
Membrane
Isolation and characterization of agglutinin receptor sites. II. Isolation and partial purification of a surface – – – receptor for wheat germ agglutinin (Janson, Burger) (291) 127
Membrane
Isolation of N-ethylmaleimide-labelled phlorizin-sensitive D-glucose binding protein of brush border – – – from rat kidney cortex (Thomas) (291) 454
Membrane
Isolation, solubilization and reaggregation of outer – – – of Escherichia coli (Sekizawa, Fukui) (307) 104
Membrane
Magnetic resonance studies on – – – and model membrane systems. III. Molecular motion in aqueous lecithin dispersions (Horwitz et al.) (298) 1
Membrane
Plasma – – – fragments in bovine and caprine skim milks (Plantz, Patton) (291) 51
Membrane
Significance of – – – alterations seen in DNA synthesis mutants of Escherichia coli (Lazdunski, Shapiro) (298) 59
Membrane
Subcellular fractionation of human lymphocytes. Isolation of two plasma – – – fractions and comparison of the protein components of the various lymphocytic organelles (Demus) (291) 93
Membrane
Synthetic lecithin containing branched-chain fatty acids. Physical properties and – – – studies (Johnson et al.) (291) 587
Membrane
Temporal organization of DNA in Chinese hamster cells: Cell-cycle dependent association of DNA with – – – (Hildebrand, Tobey) (331) 165
Membrane ATPase
Essential role of – – – or coupling factor for anaerobic growth and anaerobic active transport in Escherichia coli (Yamamoto et al.) (314) 267
Membrane ATPase
Interaction of a solubilized – – – with lipid bilayer membranes (Redwood et al.) (318) 10
Membrane ATPase
Localization and distribution of Micrococcus lysodeikticus – – – determined by ferritin labelling (Oppenheim, Salton) (298) 297
Membrane-bound ATPase
Allosteric transitions and – – – from rat tissues: The effect of fat deprivation on the allosteric inhibition by fluoride (Goldemberg et al.) (291) 489
Membrane-bound ATPase
Membrane ATPase of Escherichia coli. II. Release into solution, allotopic properties and reconstitution of – – – (Roisin, Kepes) (305) 249
Membrane-bound ATPase
Molecular weight, amino acid composition and other properties of – – – from Bacillus megaterium KM (Mirsky, Barlow) (291) 480
Membrane-bound chloroplast ribosomes
Ratio of free to – – – (Tao, Jagendorf) (324) 518
Membrane-bound cytochromes
Kinetic and thermodynamic properties of

– – – of aerobically and photosynthetically grown Rhodopseudomonas spheroides (Connelly et al.) (292) 644
Membrane-bound enzymes
Influence of fatty acid and sterol composition on the lipid phase transition and activity of – – – in Acholeplasma laidlawii (De Kruyff et al.) (330) 269
Membrane-bound enzymes
Membrane lipid fatty acids and regulation of – – –: Allosteric behaviour of erythrocyte Mg^{2+}-ATPase, (Na^+–K^+)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
Membrane-bound phospholipids
Differences in susceptibility to phospholipase C of free and – – – of Mycoplasma hominis (Rottem et al.) (323) 520
Membrane-bound polysomes
In vitro synthesis of a brain-specific protein (S-100) by free and – – – (Amaldi et al.) (299) 634
Membrane-bound polysomes
Isolation and characterisation of – – – from ascites tumour cells (Faiferman et al.) (312) 492
Membrane-bound RNA synthesis
Reversal of inhibition of – – – in Escherichia coli infected with R23 (Hunt, Watanabe) (319) 304
Membrane carrier
Steric requirements for binding of adenosine to a – – – in canine heart (Olsson et al.) (311) 242
Membrane conductance
Surface charge, surface dipoles and – – – (Haydon, Myers) (307) 429
Membrane conductance
– – – and surface potential (Hladky, Haydon) (318) 464
Membrane conformational changes
Ethyl red as a probe into the mechanism of light-driven proton translocation by isolated chloroplasts. I. The spectral shift of ethyl red and – – – (Heath) (292) 444
Membrane-derived vesicles
Glucose transport in white erythrocyte ghosts and – – – (Taverna, Langdon) (298) 422
Membrane differentiation
– – – in phototrophically growing Rhodospirillum rubrum during transition from low to high light intensity (Irschik, Oelze) (330) 80
Membrane–enzyme
Experimental – – – oscillator (Naparstek et al.) (323) 643
Membrane lipid fatty acids
– – – and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+}-ATPase, (Na^++K^+)-ATPase and acetylcholinesterase from rats fed different fat-supplemented diets (Bloj et al.) (311) 67
Membrane lipids
Effects of long-chain alcohols on – – – and the (Na^+–K^+)-ATPase (Grisham, Barnett) (311) 417
Membrane lipids
Light-induced free radical oxidation of – – – in photoreceptors of frog retina (Kagan et al.) (330) 76
Membrane lipids
Modulation of red cell K^+ transport by – – – (Poznansky et al.) (330) 351
Membrane marker enzyme
Levels of – – – activity in normal and RNA and DNA virus-transformed fibroblasts (Bosmann) (291) 582
Membrane particles
Mobility of – – – in chloroplasts (Wang, Packer) (305) 488
Membrane permeability
Control of sodium, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell – – – with calcium and active transport with ouabain (McLaughlin) (323) 285
Membrane permeability
Human erythrocyte ghosts: Relationship between – – – and binding kinetics of the fluorescent probe 1-anilinonaphthalene-8-sulphonate (Radda, Smith) (318) 197
Membrane permeability
Role of cholesterol in membranes: Effects on phospholipid–protein interactions, – – – and enzymatic activity (Papahadjopoulos et al.) (330) 8
Membrane protein
Partially purified – – – specified to the brain (Lim, Goedken) (322) 359
Membrane protein
Recombination of human red cell – – – fractions with homologous lipids (Barzilay et al.) (311) 576
Membrane proteins
Effect of anionic surfactants, nonionic surfactants and neutral salts on the conformation of spin-labelled erythrocyte – – – (Kirkpatrick, Sandberg) (298) 209

Membrane proteins
Isopeptide bonds in – – – from eukaryotic cells (Birckbichler et al.) (291) 149
Membrane proteins
Outer – – – induced by T4 bacteriophage (Pollock, Duckworth) (322) 321
Membrane proteins
Plasma membranes of bovine taste papillae. Polyacrylamide gel electrophoresis of circumvallate – – – (Lo, Ma) (307) 343
Membrane proteins
Preparation of mitochondrial – – – from Neurospora crassa: Prevention of lipid autoxidation damage by an antioxidant (Minssen, Munkres) (291) 398
Membrane proteins
– – – of Rhodopseudomonas spheroides. III. Isolation, purification, and characterization of cell envelope proteins (Huang, Kaplan) (307) 301
Membrane proteins
– – – of Rhodopseudomonas spheroides. IV. Characterization of chromatophore proteins (Huang, Kaplan) (307) 317
Membrane proteins
– – – of Rhodopseudomonas spheroides. V. Additional chemical characterization of a pigment–lipid-associated protein isolated from chromatophores (Huang, Kaplan) (307) 332
Membrane reconstitution
– – – in chl-r mutants of Escherichia coli K 12. V. ATPase incorporation in particles formed by complementation (Giordano et al.) (307) 513
Membrane reconstruction
– – – in chl-r mutants of Escherichia coli K 12. VI. Morphological study of membrane assembly during complementation between extracts of chl-r mutants (Mutaftschiev, Azoulay) (307) 525
Membranes
Distribution of radioactive peptides synthesized by polysomes and ribosomal subunits combined in vitro with microsomal – – – (Burke, Redman) (299) 312
Membranes
Effect of ethanol on the amount and enzyme activities of hepatic rough and smooth microsomal – – – (Ishii et al.) (291) 411
Membranes
Effect of low levels of trypsin on erythrocyte – – – (Avruch et al.) (291) 494
Membranes
Effect of proteins on the motion of spin-labelled fatty acids in mycoplasma – – – (Rottem, Samuni) (298) 32
Membranes
Effects of carcinogenic hydrocarbons on lipids of plasma and mitochondrial – – – of Saccharomyces cerevisiae (Baruad et al.) (296) 492
Membranes
Effects of freezing on biological – – – in vivo and in vitro (Heber et al.) (291) 23
Membranes
Electrical polarization of phosphatidylserine bilayer – – – by calcium ions (Wobschall, Ohki) (291) 363
Membranes
Enzyme activities in – – – from three phenotypes of the murine plasmocytoma MOPC 173, cultivated in vitro (Lelièvre, Paraf) (291) 671
Membranes
Filipin as a fluorescent probe for the location of cholesterol in the – – – of fragmented sarcoplasmic reticulum (Drabikowski et al.) (291) 61
Membranes
Freeze-etch electron microscopy of erythrocytes, Acholeplasma laidlawii cells and liposomal – – – after the action of filipin and amphotericin B (Demel et al.) (291) 577
Membranes
Freezing: The effect of eutectic crystallization on biological – – – (Santarius) (291) 38
Membranes
Importance of the hydrophobic interactions of local anaesthetics in the displacement of polyvalent cations from artificial lipid – – – (Fernández, Cerbón) (298) 8
Membranes
Interaction of a lytic peptide, melittin, with spin-labelled – – – (Hegner et al.) (291) 15
Membranes
Isolation and characterization of surface – – – from chorioallantoic cells and chick fibroblasts (Israel et al.) (318) 155
Membranes
Isolation of pig platelet – – – and granules. Distribution and validity of marker enzymes (Harris, Crawford) (291) 701
Membranes
Lipoprotein from the – – – of Streptococcus pyogenes and its stabilized L-form (Lacave, Panos) (307) 118

Membranes
Mitochondria biogenesis 29. Effects of temperature-induced phase changes in – – – on protein synthesis by mitochondria (Towers et al.) (299) 153
Membranes
New method for measuring glucose translocation through – – – and its application to human erythrocyte ghosts (Taverna, Langdon) (298) 412
Membranes
Optical analysis of electron micrographs of cytochrome oxidase – – – (Maniloff et al.) (298) 180
Membranes
Permeability of lipid – – – to non-electrolytes (Lelievre, Rich) (298) 15
Membranes
Phlorizin–receptor interactions in fat cell plasma – – – (Czech et al.) (323) 639
Membranes
Phospholipid metabolism of stimulated lymphocytes: Activation of acyl-CoA: lysolecithin acyltransferases in microsomal – – – (Ferber, Resch) (296) 335
Membranes
Plasma – – – of bovine circumvallate papillae. Isolation and partial characterization (Lo) (291) 650
Membranes
Plasma – – – from fibroblastic cells in culture. Isolation, morphological and enzymatic identification (Lelièvre) (291) 662
Membranes
Polypeptide composition of – – – derived from neuronal and glial cells (Karlsson et al.) (298) 219
Membranes
Preparation of plasma – – – from isolated cells of newborn rat brain (Hemminki, Suovaniemi) (298) 75
Membranes
Separation and enzymatic characterization of inner and outer – – – of rat-heart mitochondria (Scholte) (330) 283
Membranes
Structure of Escherichia coli – – – studied by fluorescence measurements of lipid phase transitions (Träuble, Overath) (307) 491
Membranes
– – – of Tetrahymena. II. Direct visualization transitions in biomembrane structure induced by temperature (Speth, Wunderlich) (291) 621
Membranes
– – – of Tetrahymena. III. The effect of temperature on membrane core structures and fatty acid composition of Tetrahymena cells (Wunderlich et al.) (298) 39
Membranes
Tetrodotoxin receptors in plasma – – – isolated from lobster nerve fibres (Barnola et al.) (298) 84
Membranes
Turnover of rat liver plasma membrane phospholipids: Comparison with microsomal – – – (Lee et al.) (291) 86
Membranes
Use of a PMR probe for studying the hydrophobic properties of Micrococcus lysodeikticus – – – and membrane fractions (Green, Salton) (298) 664
Membrane stabilizers
Effect of – – – and ouabain on the transport of Na^+ and K^+ in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147
Membrane stabilizers
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of – – – on the transport of K^+, Na^+ and glucose in muscle, adipocytes and erythrocytes (Clausen et al.) (298) 393
Membrane transport
Diffusion studies of bile acids, fatty acids and sucrose–NaCl–water systems at 37°C by a modified capillary cell apparatus and their application to – – – studies (Sherrill et al.) (311) 261
Membrane transport
Unstirred layer, source of biased Michaelis constant in – – – (Winne) (298) 27
Membrane vesicles
Adenosine uptake by isolated – – – from Escherichia coli K-12 (Komatsu) (330) 206
Membrane vesicles
Comparative inhibition studies of the phosphotransferase and glycerophosphate acylation systems in – – – of Escherichia coli (Negrel et al.) (291) 635
Membrane vesicles
Deoxycytidine uptake by isolated – – – from Escherichia coli K 12 (Komatsu, Tanaka) (311) 496
Membrane vesicles
Effects of colicin A and staphylococcin 1580 on amino acid uptake into – – – of Escherichia coli and Staphylococcus aureus (Jetten, Vogels) (311) 483

Membrane vesicles
Glycine transport by – – – from pigeon erythrocytes (Lee et al.) (298) 446
Membrane vesicles
Preparation and some properties of closed – – – from hog duodenal and jejunal brush border (Louvard et al.) (291) 747
Mercuric ion
Kinetics and mechanism of cobalamin-dependent methyl and ethyl transfer to – – – (DeSimone et al.) (304) 851
Mercury derivative of tyrosine tRNA
Preparation of a stable – – – (Jones et al.) (299) 293
Mercury-resistant Pseudomonas
Cytochrome c involved in the reductive decomposition of organic mercurials. Purification of cytochrome c-1 from – – – and reactivity of cytochrome c from various kinds of bacteria (Furukawa, Tonomura) (325) 413
Mesosomal membranes
Properties of plasma membrane and – – – isolated from Micrococcus lysodeikticus: Rates of synthesis and characterisation of lipids (Thomas, Ellar) (316) 180
Messenger ribonucleoprotein particle
Characterization of a viral – – – accumulated during inhibition of polypeptide chain initiation in reovirus-infected L cells (Christman et al.) (294) 153
Messenger RNA
Double-helical regions in nuclear precursor of – – – (pre-mRNA) (Ryskov et al.) (312) 152
Messenger RNA
Identification of presumptive histone – – – in rapidly labelled polysomal RNA of mouse myelomas (Kemper, Rich) (319) 364
Messenger RNA
Rabbit reticulocyte ribosomes and Krebs ascites supernatant: A mixed system dependent upon added – – – (Waldman, Goldstein) (331) 243
Messenger RNA
Studies on the translocational control of histone synthesis. I. Translation of histone – – – by heterologous cell-free systems prepared from cells inactive in DNA synthesis (Jacobs-Lorena et al.) (324) 275
Messenger RNA
Transcription during cell differentiation in Naegleria gruberi. Preferential synthesis of – – – (Walsh, Fulton) (312) 52
Messenger RNA
Translation in Xenopus oocytes of thyroglobulin – – – isolated by poly(U)–Sepharose affinity chromatography (Vassart et al.) (324) 575
Messenger RNAs
Cell elongation and δ-cristallin synthesis without RNA synthesis. Evidence for differential stabilities of – – – in cultured early embryonic chick lens epithelia (Craig, Piatigorsky) (299) 642
Messenger RNAs
Translation of mammalian globin – – – in an avian reticulocyte cell-free system (Lockard, Lingrel) (299) 148
Messenger RNA-stimulated amino acid incorporation
Mechanisms in protein synthesis. XIV. Competitive inhibition of natural – – – by aminoacyl-tRNA (Scheulen et al.) (299) 468
Messenger RNA translation
Properties of the ribosomal salt wash from unfertilized and fertilized sea urchin eggs and its effect on natural – – – (Gambino et al.) (312) 377
Messenger RNA turnover rate
Effects of inhibitors of protein or RNA synthesis on – – – in rat liver (Endo et al.) (299) 114
Messenger system
Second – – – of mouse epidermis. III. Guanyl cyclase (Marks) (309) 349
Mestranol-treated rats
Methylation of purified transfer RNAs by liver extracts from normal and – – – (Pegg) (319) 354
Metabolic enzymes
– – – in liver and kidney of the germfree rat (Reddy et al.) (320) 1
Metabolic turnover
– – – of sulphated heteroglycans in the gastrointestinal tract, cartilage and skin of the rat (Terho, Hartiala) (304) 591
Metabolism
Movement of cations connected with – – – in Azotobacter vinelandii (Postma et al.) (298) 341
Metabolism
Short time – – – of some exogenous cytokinins in Acer pseudoplatanus cells (Doree, Guern) (304) 611
Metachromasia
Potentiation of the reversal of – – – in a toluidine blue–heparin complex by amino acids in the presence of some heterocyclic nitrogen drugs (Moxon, Slifkin) (304) 693

Metal binding sites
Studies on the reconstitution of bovine erythrocyte superoxide dismutase. I. The presence of four divalent – – – on the apoprotein which are different from the native sites (Fee) (295) 87
Methaemoglobin
Determination of the zero-field splitting in human acid – – – by millimeter and submillimeter ESR experiments (Alpert et al.) (322) 34
Methaemoglobin
Electron nuclear double resonance on haem proteins: Interactions of the electron spin with the $^{57}Fe^{3+}$ nucleus in metmyoglobin and – – – (Scholes et al.) (322) 457
Methaemoglobin
Enzymic reduction system for metmyoglobin and – – –, and its application to functional studies of oxygen-carriers (Hayashi et al.) (310) 309
Methionine
Peptide utilization in yeast: Studies on – – – and lysine auxotrophs of Saccharomyces cerevisiae (Becker et al.) (291) 388
Methionine analogues
Modification of the amino terminal region of Escherichia coli proteins after initiation with – – – (Brown) (294) 527
Methionine auxotroph
Peptide utilization in yeast: Studies on lysine and – – – of Saccharomyces cerevisiae (Becker et al.) (291) 388
Methionine starvation
Azide- or cyanide-induced – – – in Escherichia coli (Nazar, Wong) (324) 218
Methionyl-$tRNA_F$
Function of – – – in the initiation of protein synthesis in mouse myeloma tumours (Jones, Mach) (312) 399
N^6-Methyladenine
Conformations of N^6-monosubstituted adenine derivatives: Crystal structure of – – – (Sternglanz, Bugg) (308) 1
9-Methyladenine
X-ray evidence for adenine N(1)-metal bonding in a cobalt– – – – complex (De Meester et al.) (324) 301
Methylases
Partial purification of ribosomal RNA(m^1G)- and rRNA(m^2G) – – – from Escherichia coli and demonstration of some proteins affecting their apparent activity (Isaksson) (312) 122
Methylated purines
Pattern of – – – formed in DNA of intact and regenerating liver of rats treated with the carcinogen dimethylnitrosamine (Craddock) (312) 202
Methylation
Biosynthesis of phospholipids and phospholipid precursors in rat liver involving de novo – – –, and base-exchange pathways, in vivo (Salerno, Beeler) (326) 325
Methylation
– – – patterns of ribonucleic acids from chloroplasts and cytoplasm of fenugreek (Trigonella foenum-graecum L.) cotyledons (Rijven, Zwar) (299) 564
Methylation
– – – of rapidly reannealing DNA during the cell cycle of Chinese hamster cells (Schneiderman, Billen) (308) 352
Methylation
Study of tRNA – – – (Shershneva et al.) (294) 250
3-Methylcholanthrene
Effects of phenobarbital and – – – on substrate specificity of rat liver microsomal UDPglucuronyltransferase (Bock et al.) (327) 46
5-Methylcytosine
Content of – – – in animal DNA: The species and tissue specificity (Vanyushin et al.) (299) 397
3-Methyldeoxyadenosine
Biological implications of the instability of the N-glycosidic bond of – – – in DNA (Margison, O'Connor) (331) 349
α-Methyl-D-glucoside accumulation
Dibutyryl cyclic adenosine monophosphate enhancement of – – – by kidney cortex slices (Rea, Segal) (311) 615
α-Methyl-D-glucoside transport
Developmental and other characteristics of – – – by rat kidney cortex slices (Segal et al.) (291) 519
N-Methyl group
Effect of adenine nucleotides on the – – – oxidation in liver mitochondria (Frisell, Randolph) (292) 360
1-Methylguanine
Formation in vitro of – – – in 23-S RNA from Escherichia coli. The effects of spermidine and two proteins (Isaksson) (312) 134
7-Methylguanine
Influence of liver regeneration on the stability

of – – – in rat liver DNA after treatment with NN-dimethylnitrosamine (Capps et al.) (331) 33

O^6-Methylguanine
Properties of O^6-methylguanine in templates for RNA polymerase (Gerchman, Ludlum) (308) 310

Methylmethionine labelling
– – – of a higher plant tissue: The incorporation into RNA and pectinic acid of nucleic acid extracts (Jakob, Tal) (308) 296

Methylsulphinyl carbanion
Formation of 3,5,5-trimethyl derivatives of dihydrouracil nucleosides by reaction with – – – and methyl iodide (Panzica et al.) (331) 147

5 -Methylthioadenosine
– – – and related compounds as precursors of S-adenosylmethionine in yeast (Schlenk et al.) (320) 357

5-Methyltryptophan
Incorporation of – – – into the protein of Escherichia coli (Ezekiel et al.) (312) 751

Metmyoglobin
Electron nuclear double resonance studies on haem proteins: Interaction of the electron spin with the $^{57}Fe^{3+}$ nucleus in – – – and methaemoglobin (Scholes et al.) (322) 457

Metmyoglobin
Enzymic reduction system for – – – and methaemoglobin, and its application to functional studies of oxygen carriers (Hayashi et al.) (310) 309

Metmyoglobin cyanide
Evaluation of dipolar nuclear magnetic resonance shifts in low-spin haemin systems: Ferricytochrome c and – – – (Horrocks, Jr, Greenberg) (322) 38

Met-$tRNA_f$
Haemin control of globin synthesis: Effect of a translational repressor on – – – binding to the small ribosomal subunit and its relation to the activity and availability of an initiation factor (Balkow et al.) (324) 397

Met-$tRNA^{Met}_f$
Ternary complex of initiation factor IF-I, – – – and GTP: An aurintricarboxylate-sensitive intermediate in the initiation of eukaryotic protein synthesis (Dettman, Stanley, Jr) (299) 142

Mevalonate synthesis
– – – in the mitochondria of yeast (Shimizu et al.) (296) 310

Mg^{2+}
Interaction of Ca^{2+} and – – – with synaptic plasma membranes (Madeira, Antunes-Madeira) (323) 396

$(Mg^{2+}+Ca^{2+})$-dependent ATPase
Soluble protein activator of – – – in human red cell membranes (Bond, Clough) (323) 592

Mg–protoporphyrin IX monomethyl ester
Reduction of vinyl side-chains of – – – in vitro (Ellsworth, Hsing) (313) 119

Micelles
Solubilization of β-carotene and retinol into aqueous solutions of mixed – – – (Gorab, Underwood) (306) 58

Micelle structure
Comparative – – –. I. The isolation and chemical characterization of caprine κ-casein (Richardson et al.) (310) 111

Micelle structure
Distribution of glyco-κ-casein and carbohydrate-free κ-casein between large and small bovine casein micelles, and its implication in – – – (Creamer et al.) (317) 202

Microbiological optical resolution
– – – of a racemic synthetic prostaglandin intermediate (Marsheck, Miyano) (316) 363

Micrococcus halodenitrificans
Bacterial nitrate reductases. Solubilization, purification and properties of the enzyme A of – – – (Rosso et al.) (321) 443

Microsomal ATPase
Differential effect of lithium on – – – in cortex, medulla and papilla of the rat kidney (Gutman et al.) (298) 284

Microsomal enzymes
Regulation of – – – by phospholipids. VII. Abnormal enzyme–lipid interactions in liver microsomes from Gunn rats (Zakim et al.) (297) 497

Microsomal enzyme system
Desaturation of phosphatidylcholine and phosphatidylethanolamine by a – – – from Candida lipolytica (Pugh, Kates) (316) 305

Microsomal membrane
Insulin degradation. V. Unmasking of glutathione–insulin transhydrogenase in rat liver – – – (Varandani) (304) 642

Microsomal membranes
Distribution of radioactive peptides synthesized by polysomes and ribosomal subunits combined in vitro with – – – (Burke, Redman) (299) 312

Microsomal membranes
Effect of ethanol on the amount and enzyme

activities of hepatic rough and smooth – – – (Ishii et al.) (291) 411
Microsomal membranes
Ouabain binding sites and the (Na^+,K^+)-ATPase of brain – – – (Harris et al.) (298) 680
Microsomal membranes
Phospholipid metabolism of stimulated lymphocytes: Activation of acyl-CoA: lysolecithin acyltransferases in – – – (Ferber, Resch) (296) 335
Microsomal membranes
Spin labels as enzyme substrates: Heterogeneous lipid distribution in liver – – – (Stier, Sackmann) (311) 400
Microsomal membranes
Turnover of rat liver plasma membrane phospholipids: comparison with – – – (Lee et al.) (291) 86
Microsomal (Na^+,K^+)-ATPase
Interrelationships between hydroxylamine inhibition of – – – and physicochemical changes in membrane organization (Formby) (298) 291
Microsomal (Na^++K^+)-dependent ATPase
Effect of dehydration, food deprivation, saline and adrenalectomy on – – – in the salivary glands and intestinal mucosa (Gutman, Glushevitzky-Strachman) (304) 533
Microsomal phospholipid content
Activities of lipid reesterifying enzymes in jejunal microsomes of bile fistula rats: Attempts to correlate enzyme activities with – – – (Rodgers et al.) (326) 345
Microsomal protein synthesis
In vitro – – – and albumin synthesis in young and old rats (Chen et al.) (312) 598
Microsomal (sodium, potassium)-ATPase
Binding of ATP to and release from – – – (Brodsky, Shamoo) (291) 208
Microsomal (sodium, potassium)-ATPase
Studies on the interaction of chick brain – – – with copper (Ting-Beall et al.) (291) 229
Microsome
Appendix. Stimulation of – – – sedimentation (Breillat) (291) 83
Microsomes
Action of chaotropic agents on drug metabolizing enzymes in hepatic – – – (Vainio) (307) 152
Microsomes
Activities of lipid reesterifying enzymes in jejunal – – – of bile fistula rats: Attempts to correlate enzyme activities with microsomal phospholipid content (Rodgers et al.) (326) 345
Microsomes
Calcium transport by rabbit skeletal muscle – – – ("fragmented sarcoplasmic reticulum") (Katz, Repke) (298) 270
Microsomes
Effects of cations on the adenosine diphosphate–adenosine triphosphate exchange reaction catalyzed by rat brain microsomes (Wildes et al.) (307) 162
Microsomes
Glycoproteins of oxyntic cell – – –. I. Carbohydrate composition, analytical and preparative fractionation (Beesley, Forte) (307) 372
Microsomes
Identification of a unique p-nitrophenol conjugating enzyme in guinea pig liver – – – (Vessey, Zakim) (315) 43
Microsomes
Phospholipid hydrolysis by phospholipases A_1 and A_2 in plasma membranes and – – – of rat liver (Newkirk, Waite) (298) 562
Microsomes
Potassium-stimulated ATPase in purified – – – of bullfrog oxyntic cells (Ganser, Forte) (307) 169
Midpoint potential
Uncoupler-dependent decrease in – – – of chloroplast cytochrome b_6 (Böhme, Cramer) (325) 275
Milk
Particle size distributions in skim – – – (Holt et al.) (327) 428
Milk fat globule membrane
Characterisation of the surface of bovine – – – using microelectrophoresis (Newman, Harrison) (298) 798
Milk fat globule membrane
Proteolytic digestion of proteins of the – – – (Kobylka, Carraway) (307) 133
Milk fat globule membranes
– – –. Preparation, morphological study and chemical composition (Martel et al.) (311) 565
Milk whey proteins
Simple procedures for separation and identification of bovine – – – (Cervone et al.) (295) 555
Mitochondria
Activation and oxidation of octanoate and palmitate by rat skeletal muscle – – – (Groot, Hülsmann) (316) 124

Mitochondria
Acyl lipids of highly purified plant – – – (McCarty et al.) (316) 266
Mitochondria
Adenine nucleotide translocation in Jerusalem-artichoke – – – (Passam et al.) (305) 88
Mitochondria
ATPase activity of Jerusalem-artichoke – – – and submitochondrial particles (Passam, Palmer) (305) 80
Mitochondria
Atractyloside inhibition of adenine nucleotide transport in – – – from plants (Jung, Hanson) (325) 189
Mitochondria
Betaine efflux from rat-liver – – –, a possible regulating step in choline oxidation (de Ridder, van Dam) (291) 557
Mitochondria
Cation movements and respiratory response in yeast – – – treated with high Ca^{2+} concentrations (Balcavage et al.) (305) 41
Mitochondria
DNA polymerase from – – – of rat intestinal mucosa (Poulson, Zbarsky) (299) 404
Mitochondria
DNA synthesis by isolated – – –. V. Electron microscopy of replicative intermediates (Arnberg et al.) (308) 276
Mitochondria
Fractionation by sucrose density gradient centrifugation of membrane fragments derived by sonic disruption of beef heart – – – (Huang et al.) (305) 455
Mitochondria
Freeze–fracture studies on – – – from wild-type and respiratory-deficient yeasts (Packer et al.) (292) 92
Mitochondria
Heterogeneous rapidly labelled DNA with the properties of replicating form in isolated rat liver – – – (Gause, Jr et al.) (312) 179
Mitochondria
Inhibition of metabolite anion uptake in – – – by tetraphenylboron (Meisner) (318) 383
Mitochondria
Inhibition of RNA synthesis in – – – by daunomycin (Evans et al.) (312) 323
Mitochondria
Mechanism of inhibition by fluoride of fatty acid oxidation in uncoupled – – – (Batenburg, Van den Bergh) (316) 136
Mitochondria
Mevalonate synthesis in the – – – of yeast (Shimizu et al.) (296) 310
Mitochondria
Physicochemical characterization of ribosome-like (55-S) particles from rat liver – – – (Sacchi et al.) (308) 390
Mitochondria
Separation and enzymatic characterization of inner and outer membranes of rat-heart – – – (Scholte) (330) 283
Mitochondria
State of the DNA-synthesizing system in isolated – – – from the mature eggs of the loach (Misgurnus fossilis) (Gause, Jr, Mikhailov) (324) 189
Mitochondria
Synthesis in vivo of phospholipids of liver – – – and endoplasmic reticulum from glycerol and fatty acids (Parkes, Thompson) (306) 403
Mitochondria
Transport of anions in stored bovine adrenal cortical – – – (Tsang, Johnstone) (318) 217
Mitochondrial antibiotic resistance
– – – in yeast: Ribosomal mutants resistant to chloramphenicol, erythromycin and spiramycin (Grivell et al.) (312) 358
Mitochondrial ATPase
Interaction between the – – – (F_1) and the ATPase inhibitor (van de Stadt et al.) (292) 338
Mitochondrial ATPase
Studies on the activation of purified – – – by phospholipids (Swanljung et al.) (305) 519
Mitochondrial biogenesis
– – –29. Effects of temperature-induced phase changes in membranes on protein synthesis by mitochondria (Towers et al.) (299) 153
Mitochondrial DNA
Absence of an integrated copy of – – – in the nuclear genome of Tetrahymena pyriformis (Flavell, Trampé) (308) 101
Mitochondrial DNA
Circular – – – from Acanthamoeba castellanii (Neff-strain) (Bohnert) (324) 199
Mitochondrial DNA
– – – from Drosophila melanogaster (Bultman, Laird) (299) 196
Mitochondrial DNA
Nature of the base sequence conserved in the – – – of a low-density petite (Sanders et al.) (312) 441

Mitochondrial DNA
Synthesis of – – – in vitro: Two classes of nascent DNAs (Koike, Kobayashi) (324) 452
Mitochondrial DNA
Transcription of Tetrahymena – – – in vivo (Schutgens et al.) (308) 372
Mitochondrial DNA sequences
Search for – – – in chick nuclear DNA (Tabak et al.) (294) 184
Mitochondrial inner membrane
Fluorescent labelling of the – – – (Brocklehurst et al.) (314) 136
Mitochondrial isoenzymes
Triple localization of creatine kinase in heart and skeletal muscle cells of the rat: Evidence for the existence of myofibrillar and – – – (Scholte) (305) 413
Mitochondrial membrane
Energy-linked conformational change of the – – – measured with the NH_2-modifying reagent, acrolein (Hirose et al.) (305) 52
Mitochondrial membrane
Study of weak-affinity calcium binding to the inner and outer – – – and smooth and rough endoplasmic reticulum of rat liver (Toury) (307) 607
Mitochondrial membrane
Transport of potassium and sodium with citrate across the – – – (Gamble, Jr) (323) 240
Mitochondrial membrane proteins
Preparation of – – – from Neurospora crassa: Prevention of lipid autoxidation damage by an antioxidant (Minssen, Munkres) (291) 398
Mitochondrial membranes
Effects of carcinogenic hydrocarbons on lipids of plasma and – – – of Saccharomyces cerevisiae (Baraud et al.) (296) 492
Mitochondrial metabolism
– – – in porphyric rat liver (Miyahara et al.) (325) 47
Mitochondrial proteins
Studies on – – –. I. Separation and characterization by polyacrylamide gel electrophoresis (Melnick et al.) (311) 230
Mitochondrial protein synthesis
Interference of the macrolide antibiotics with – – – (De Vries et al.) (331) 264
Mitochondrial respiration
Binding of aurovertin to mitochondria, and its effect on – – – (Bertina et al.) (305) 503
Mitochondrial structure
Protective effect of nupercaine on – – – (Aleksandrowicz et al.) (305) 59
Mitogens
Effects of various – – – on the phospholipid metabolism of human peripheral lymphocytes (Masuzawa et al.) (326) 339
Model membranes
Ionic transport through – – –. II. Function of cholesterol and steroid hormones (Horton et al.) (318) 225
Molecular changes
– – – during prothrombin activation (Engel, Alexander) (320) 687
Molecular orbital calculations
– – – on the nucleic acids conformation and their constituents. VI. Conformation about the exocyclic C(4′)–C(5′) bond in α-nucleosides (Saran et al.) (299) 497
Molecular weights
Rapid preequilibrium determination of – – – in the ultracentrifuge (Baurain et al.) (295) 18
Molybdenum–iron protein
Purification and some properties of the – – – of Chromatium nitrogenase (Evans et al.) (310) 344
Mono-L-carnitine ester
In vitro studies on the metabolism of hexadecanedioic acid and its – – – (Pettersen) (306) 1
Monogalactosyl diglyceride
Phase behaviour of – – –, digalactosyl and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531
Monoglycosylceramides
Separation of – – – (cerebrosides) of bovine kidney into subgroups and characterization by mass spectrometry (Karlsson et al.) (306) 317
Monolayer
Effect of the polar headgroup on the lipid–cholesterol interaction. A – – – and differential scanning calorimetry study (de Kruyff et al.) (307) 1
Monolayer
Influence of lecithin structure on their – – – behaviour and interactions with cholesterol (Ghosh et al.) (291) 351
Monolayers
Interaction of bacterial lipopolysaccharide with phospholipid bilayers and – – – (Benedetto et al.) (298) 145
Monolayers
Interaction of cytochrome c with lipid – – – (Morse II, Deamer) (298) 769
Monolayers
Preparation of stable mixed – – – of

β-carotene and their transfer to glass slides (Pincus et al.) (311) 317
Monolayers
Surface properties of synthetic phospholipids. II. Thermal phase transitions in – – – (Hayashi et al.) (291) 335
Monolayers
Time-dependent surface behaviour of dipalmitoyllecithin and lung alveolar surfactant – – – (Munden, Swarbrick) (291) 344
Monomolecular films
New method for investigation of lipid assemblies with a lipoid pH indicator in – – – (Fromherz) (323) 326
5'-Mononucleotidase
Isolation and properties of – – – from a membrane fraction of bovine cerebral cortex (Tanaka et al.) (298) 842
Monosomes
Free and membrane-bound ribosomes. I. Separation by two-dimensional gel electrophoresis of protein from rat liver – – – (Hanna et al.) (331) 141
Mössbauer effect
– – – in bacterial catalase (Maeda et al.) (303) 230
Mössbauer spectroscopy
– – – of iron in human and rabbit transferrin (Tsang et al.) (328) 84
Mucin
Effects of calcium and bound sialic acid on the viscosity of – – – (Deman et al.) (297) 486
Mucin
– – – of the rat submaxillary gland: Influence of the animal's age and sex on the composition of its glucidic fraction (Keryer et al.) (297) 186
Mucins
Iron binding of gastric – – – (Bella, Kim) (304) 580
Mucins
Purification and study of bronchogenic cysts – – – (Degand et al.) (320) 318
Mucopeptide synthesis
Inhibition of bacterial cell wall – – –: A new function of RNA bacteriophage Qβ (Ozaki, Valentine) (304) 707
Mucopolysaccharide–polypeptide interactions
– – –: Effect of the position of the sulphate (Gelman, Blackwell) (297) 452
Mucopolysaccharides
Turnover of hexosamine and sialic acid in glycoproteins and – – – of brain (Margolis, Margolis) (304) 413
Mucoprotein
Sialic acids of toad oviduct – – – (Martínez, Olavarria) (320) 295
Mucosa
Oscillations of H^+ secretion and electrogenic properties in the isolated frog gastric – – – (Flemström) (298) 369
Mucosa
Sodium effect on bilirubin uptake by the rat intestinal – – – (Serrani et al.) (330) 186
Multi-enzyme aggregates
– – –: New evidence for an association of glycolytic components (Clarke, Masters) (327) 223
Muscarinic ligands
Receptor hydrophobic protein fraction from intestinal msooth muscle binding – – – (Ochoa, De Robertis) (295) 528
Muscle
Effects of the antibiotics gramicidin A, amphotericin B and nystatin on the electrical properties of frog skeletal – – – (Leung, Eisenberg) (298) 718
Muscle
Pulsed NMR studies of water in striated – – –. II. Spin-lattice relaxation times and the dynamics of the non-freezing fraction of water (Belton et al.) (304) 56
Muscle intracellular membrane
Effect of taurine on a – – – (Huxtable, Bressler) (323) 573
Muscle mitochondria
Analysis of rat skeletal – – – isolated by the method of tryptic lysis (Bullock et al.) (292) 350
Muscle mitochondria
Effect of ruthenium and on oxidative phosphorylation and the calcium and magnesium content of skeletal – – – of normal and BIO 14.6 dystrophic hamsters (Thakar et al.) (314) 8
Muscular dystrophy
Structural changes in tendon collagen resulting from – – – (Bartlett et al.) (328) 213
Mutagenesis
Cyclic variations in killing and "petite" – – – by ultraviolet light in synchronized yeast strains (Chanet et al.) (324) 290
Mutation
Hyperproduction – – – in the dihydrofolate reductase gene of Diplococcus pneumoniae: Some effects on synthesis correlate with the

presence of a modified enzyme form (Sirotnak) (312) 426
Mycobacterium tuberculosis
Occurrence of a galactofuranose disaccharide in immunoadjuvant fractions of – – – (cell walls and Wax D) (Vilkas et al.) (297) 423
Mycolic acids
Biosynthesis of – – –. Formation of a C_{32} β-keto ester from palmitic acid in a cell free system of Corynebacterium diphtheriae (Walker et al.) (326) 52
Mycoplasma membranes
Cholesterol in – – –. Composition, ultrastructure and biological properties of membranes from Mycoplasma mycoides var. capri cells adapted to grow with low cholesterol concentration (Rottem et al.) (323) 495
Mycoplasma membranes
Cholesterol in – – –. Correlation of enzymic and transport activities with physical state of lipids in membranes of Mycoplasma mycoides var. capri adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509
Mycoplasma membranes
Protein binding to – – – (Rottem et al.) (298) 876
Myelin
Effects of trypsin on purified – – – (Raghavan et al.) (328) 205
Myelinating brain
Metabolism of 1-hydroxy-2-ketoheptadecane in – – – (Muramatsu, Schmid) (296) 265
Myelin basic protein
Isolation and partial characterization of the – – – from foetal calf brains (Kozel, Kornguth) (317) 380
Myelin basic protein
Protection of A_1 – – – against the action of proteolytic enzymes after interaction of the protein with lipids at the air–water interface (London et al.) (311) 520
Myelin basic protein
Specific interaction of central nervous system – – – with lipids. Specific regions of the protein sequence protected from the proteolytic action of trypsin (London, Vossenberg) (307) 478
Myelin basic protein
Specific interaction of – – – with lipids at the air–water interface (Demel et al.) (311) 507
Myelin subfractions
Variations of proteins, enzyme markers and gangliosides in – – – (Matthieu et al.) (329) 305
Myeloblastosis virus
Structural studies on avian – – –: Conditions for isolation and biochemical characteristics of the core component (Stromberg et al.) (304) 1
Myeloblastosis virus
Structural studies of avian – – –: Presence of transfer RNA in core component (Stromberg, Litwack) (319) 140
Myeloma IgG
Temperature dependence of protein conformation using immunoglobulin G fractions with different isoelectric points and – – – (Troitsky et al.) (322) 53
Myofibrillar isoenzymes
Triple localization of creatine kinase in heart and skeletal muscle cells of the rat: Evidence for the existence of – – – and mitochondrial isoenzymes (Scholte) (305) 413
Myofibrils
Protein synthesis by cardiac muscle – – – of rats (Narayanan, Eapen) (312) 413
Myoglobin
Comparison of the conformational stabilities of homologous haemoproteins. – – – from several species, human haemoglobin and subunits (Puett et al.) (328) 261
Myoglobin
Haem-modification studies of – – –. I. Purification and some optical and EPr characteristics of synthesized myoglobins containing unnatural haems (Tamura et al.) (295) 467
Myoglobin
Haem-modification studies of – – –. II. Ligand binding characteristics of ferric and ferrous myoglobins containing unnatural haems (Tamura et al.) (317) 34
Myoglobin
Immunochemistry of sperm-whale – – –. XVII. Conformation and immunochemistry of derivatives modified at lysines 98, 140 and 145 by reaction with 3,3-tetramethyleneglutaric anhydride (Atassi et al.) (328) 278
Myoglobin
Immunochemistry of sperm-whale – – –. XVIII. Accurate delineation of the single reactive region in sequence 120–153 by study of synthetic peptides (Koketsu, Atassi) (328) 289
Myoglobin
– – – of primates. IV. New World monkeys: Cebidae: (1) Saimiri scireus (squirrel monkey); (2) Lagothrix lagothricha (Humboldt's woolly

monkey). Callitrichidae: Callithrix jacchus (common marmoset) (Romero Herrera, Lehmann) (317) 65

Myoglobin
– – – of primates. V. Prosimians: Galago crassicaudatus (thick-tailed galago) and Lepilemur mustelinus (sportive lemur) (Herrera, Lehmann) (322) 10

myo-Inositol phosphates
Phytases. II. Properties of phytase fractions F_1 and F_2 from wheat bran and the – – – produced by fraction F_2 (Lim, Tate) (302) 316

Myosin
Comparison of the synthesis of the light and heavy chains of adult skeletal – – – (Morkin et al.) (324) 420

Myosin
– – – conformation and enzymatic activity: Effect of chloroform, diethyl ether and halothane on ORD and ATPase (Leeuwenkroon-Strosberg et al.) (295) 178

Myosin
Fractionation of the light chains from rat and rabbit cardiac – – – (Yazaki et al.) (328) 464

Myosin
Nature of p-nitrothiophenylated – – – (Wolcott, Boyer) (303) 292

Myosin
Nucleotide complexes of – – – in glycerol-extracted muscle fibres (Marston) (305) 397

Myosin A
Actin and – – – from leucocytes (Tatsumi et al.) (305) 433

Myosin A
Preparation of – – – from body wall musculature of Ascaris lumbricoides (Yamaguchi et al.) (317) 312

Myosin A
Studies on the fast reacting sulphydryl group of skeletal – – –: Conversion to smooth muscle myosin type with N-ethylmaleimide treatment (Yamaguchi et al.) (328) 154

Myosins
Low molecular weight components of cow smooth muscle – – –: Characterisation and comparison with those of striated muscle (Leger, Focant) (328) 166

Myrosinases
Studies on – – –. II. Purification and characterization of a myrosinase from rapeseed (Brassica napus L.) (Lönnerdal, Janson) (315) 421

Myrosinases
Studies on – – –. III. Enzymatic properties of myrosinases from Sinapis alba and Brassica napus seeds (Björkman , Lönnerdal) (327) 121

N

NAD
Biosynthesis of – – – in Haemophilus haemoglobinophilus (Kasarov, Moat) (320) 372

NAD
Studies on the de novo biosynthesis of – – – in Escherichia coli. V. Properties of the quinolinic acid synthetase system (Suzuki et al.) (304) 309

NAD$^+$
Conformational transition of the oligomer of glutamate dehydrogenase induced by half-saturation with – – – (Bell, Dalziel) (309) 237

NAD$^+$ binding
– – – to rabbit-muscle glyceraldehydephosphate dehydrogenase. The use of N-methylnicotinamidium chloride as a spectral and conformational probe (Boers, Verhoeven) (328) 1

NADH dehydrogenase
Studies of a halophilic – – –. I. Purification and properties of the enzyme (Hochstein, Dalton) (302) 216

NADH dehydrogenases
External – – – of intact plant mitochondria (Douce et al.) (292) 105

NADH(NADPH): (acceptor) oxidoreductase
– – – activities of the bovine adrenal chromaffin granules (Terland et al.) (305) 206

NADH oxidase
Function and the localisation of ubiquinone in the – – – and succinate oxidase systems (King, Drews) (305) 230

NAD nucleosidase
Purification and properties of – – – from Fusarium nivale (Stathakos et al.) (302) 80

NAD(P)
Oxidoreduction state of free – – – and mass-action ratio of total nicotinamide nucleotides in isolated rat liver mitochondria (Hoek, Tager) (325) 197

NADP$^+$
Conformational transition of the oligomer of glutamate dehydrogenase induced by half-saturation with NAD$^+$ or – – – (Bell, Dalziel) (309) 237

NADP pyrophosphatase
Purification and properties of – – – from Proteus vulgaris (Nakajima et al.) (293) 242

NAD(P) reductase
– – – isolated from Chlorobium thiosulfatophilum: Purification and some properties (Kusai, Yamanaka) (292) 621

Nerve
Role of metabolic energy in the transport of glutamate by invertebrate – – – (Baker, Potashner) (318) 123

Nerve-ending particles
Potassium ion-induced swelling of – – – by light-scattering measurement (Kamino et al.) (330) 39

Nerve fibres
Action of proteases and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster – – – (318) 61

Nerve membrane
Spectral analyses of extrinsic fluorescence of the – – – labelled with aminonaphthalene derivatives (Tasaki et al.) (323) 220

Nerve membranes
Inhibition of the receptor for tetrodotoxin in – – – by reagents modifying carboxyl groups (Shrager, Profera) (318) 141

Nerves
Uptake of L-glutamate by the peripheral – – – of the crab, Carcinus maenas (L.) (Evans) (311) 302

Nervous tissue
Lipid composition of the – – – of invertebrates, gastropod Aplysia kurodai and arthropod Cambarus clarki (Komai et al.) (316) 271

Neuraminidase
Binding of exogenously added – – – to cells and tissues in culture (McQuiddy, Lilien) (291) 774

Neuraminidase
Isoelectric focussing studies of A_2/1957 influenza – – – and its subunits (Kendal et al.) (317) 28

Neuraminidase
Parallelism of subcellular location of major particulate – – – and gangliosides in rabbit brain cortex (Tettamanti et al.) (306) 466

Neuraminidase
Purification and properties of a mammalian – – – (sialidase) (Tallman, Brady) (293) 434
Neuraminidase
Simple method for the purification of commercial – – – preparations free from proteases (Hatton, Regoeczi) (327) 114
Neurotoxins
Modification of the invariant tryptophan residue of two Naja naja – – – (Karlsson et al.) (328) 510
Neutral protease
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. I. Purification and characterisation of one – – – and one alkaline protease (Arvidson et al.) (302) 135
Neutral proteinase
Isolation by affinity chromatography of – – – from Clostridium histolyticum (Sparrow, McQuade) (302) 90
Nicotinamide adenine dinucleotides
Role of the redox state of – – – in the in vivo regulation of inositol biosynthesis in Neurospora crassa (Pina et al.) (320) 79
Nicotinamide adenine dinucleotide stimulation
Mechanism of the – – – of lipid phosphorylation in a rat liver microsome–cytosol system (Ozols, Marinetti) (296) 10
Nicotinamide hypoxanthine dinucleotide phosphate (reduced)
Oxidation of – – – by intact rat liver mitochondria (Tischler, Fisher) (305) 199
Nicotinamide nucleotides
Oxidoreduction state of free (NAD)P and mass-action ratio of total – – – in isolated rat liver mitochondria (Hoek, Tager) (325) 197
Nicotine
Biosynthesis of carotenoid glucoside esters in Myxococcus fulvus (Myxobacterales): Inhibition by – – – and carotenoid turnover (Kleinig, Reichenbach) (306) 249
Nitrate
Sulphide oxidation linked to the reduction of – – – and nitrite in Thiobacillus denitrificans (Aminuddin, Nicholas) (325) 81
Nitrate reductase
Effect of cations on the heat stability of a halophatic – – – (Marquez, Brodie) (321) 84
Nitrate reductase
Inhibition of the Neurospora crassa – – – complex by metal-binding agents (Garrett, Greenbaum) (302) 24
Nitrate reductase
Kinetic aspects of – – – from Cyanidium caldarium. Inhibition by reduced pyridine nucleotides (Rigano et al.) (327) 19
Nitrate reductase
Reversible inactivation of the – – – of Chlorella vulgaris Beijerinck (Solomonson et al.) (309) 32
Nitrate reductases
Bacterial – – –. Solubilisation, purification and properties of the enzyme A of Micrococcus halodenitrificans (Rosso et al.) (321) 443
Nitrate respiration
Participation of cytochromes in the process of – – – in Klebsiella (Aerobacter) aerogenes (Knook et al.) (292) 237
Nitric oxide
Reaction of – – – with ceruloplasmin (Wever et al.) (302) 236
Nitrogenase
Algal – – – reductant pools and Photosystem I activity (Lex, Stewart) (292) 436
Nitrogenase
Binding of ATP and ADP by – – – components from Clostridium pasteurianum (Tso, Burris) (309) 263
Nitrogenase
– – – from Clostridium pasteurianum. Changes in optical absorption spectra during electron transfer and effects of ATP, inhibitors and alternative substrates (Ljones) (321) 103
Nitrogenase
Electron paramagnetic resonance studies on – – –. II. Interaction of adenosine 5′-triphosphate with azoferredoxin (Zumft et al.) (292) 413
Nitrogenase
Electron paramagnetic resonance studies on – – –. III. Function of magnesium adenosine 5′-triphosphate and adenosine 5′-diphosphate in catalysis by nitrogenase (Mortenson et al.) (292) 422
Nitrogenase
Inhibition of – – – -catalyzed reductions (Hwang et al.) (292) 256
Nitrogenase
– – –. III. Nitrogenaseless mutants of Azotobacter vinelandii: Activities, cross-reactions and EPR spectra (Shah et al.) (292) 246

Nitrogenase
– – –. IV. Simple method of purification to homogeneity of nitrogenase components from Azotobacter vinelandii (Shah, Brill) (305) 445
Nitrogenase
Purification and some properties of the molybdenum–iron protein of Chromatium – – – (Evans et al.) (310) 344
Nitrogenase
Structural investigation of – – – components from Clostridium pasteuranium and comparison with similar components of other organisms (Chen et al.) (310) 51
Nitrogenaseless mutants
Nitrogenase. III. – – – of Azotobacter vinelandii: Activities, cross-reactions and EPR spectra (Shah et al.) (292) 246
Nitrogen mustard
Improved method for measuring cross-links in the DNA of mammalian cells: The effect of – – – (Jolley, Ormerod) (308) 242
p-Nitrophenol
Differentiation of homologous forms of hepatic microsomal UDPglucuronyltransferase. I. Evidence for the glucuronidation of o-aminophenol and – – – by separate enzymes (Zakim et al.) (309) 67
p-Nitrophenol conjugating enzyme
Identification of a unique – – – in guinea pig liver microsomes (Vessey, Zakim) (315) 43
p-Nitrophenylphosphatase
Further characterisation of a specific – – – from baker's yeast (Attias, Durand) (321) 561
p-Nitrophenylphosphatase
Surface – – – of frog gastric mucosa (Durbin, Kircher) (321) 553
12-Nitroxide stearate films
Pure and mixed monomolecular – – – (Cadenhead, Müller-Landau) (307) 279
NMR
– – – study of the lability of the thiazolium proton in thiamine and its polyphosphoric esters (Chauvet-Monges et al.) (304) 748
Nogalamycin
Interaction of – – – with deoxyribonucleic acid (Neogy et al.) (299) 241
Nomenclature
– – – of iron–sulphur proteins (1973 Recommendations) (IUPAC–IUB Commission on Biochemical Nomenclature) (310) 295
Non-cyclic photophosphorylation
Stoichiometry (ATP/2e–ratio) of – – – in isolated spinach chloroplasts (Reeves, Hall) (314) 66
Non-dialysable inhibitor
Partial purification of a cyclic AMP phosphodiesterase from soybean callus: Isolation of a – – – (Brewin, Northcote) (320) 104
Nonelectrolytes
Influence of amphotericin B on the permeability of mammalian erythrocytes to – – –, anions and cations (Deuticke et al.) (318) 345
Non-haem irons
Electron spin resonance characterisation of Chromatium D haems, – – – and the components involved in primary photochemistry (Dutton, Leigh) (314) 178
Nonhelical proteins
Sensitivity of some – – – to structural modification by sodium dodecylsulphate and its homologues. Circular dichroism studies on Bence–Jones protein, concanavalin A, soybean trypsin inhibitor and trypsin (Jirgensons) (328) 314
Non-histone proteins
Cell-cycle phase synthesis of – – – in mammalian cells (Gerner, Humphrey) (331) 117
Nonhistone proteins
Fractionation of chromatin – – – (Chaudhuri) (322) 155
Non-planar peptide unit
Theory of the – – – (Ramachandran et al.) (303) 8
Nonadrenalin
Eventual unmasking of – – – receptors by linoleic acid-rich phospholipids in fat cell membranes. II. Adenyl cyclase and phosphodiesterase activities (Counis) (306) 391
Norepinephrine
Role of Na^+ and anions in the triple response of isolated frog skin to – – – (Pinschmidt et al.) (323) 309
2-Nor-2-hydroxymethylpyridoxal 5′-phosphate
Comparison of coenzymatic activities of – – – for mitochondrial and cytoplasmic aspartate aminotransferases (Masugi et al.) (320) 648
Nuclear acidic proteins
– – – from haploid and diploid cell states of Physarum polycephalum (LeStourgeon et al.) (317) 524
Nuclear basic protein acetylation
– – – during early sea urchin development (Johnson et al.) (295) 150

Nuclear DNA
Studies on kinetoplast DNA. III. Kinetic complexity of kinetoplast and – – – from Leishmania tarentolae (Wesley, Simpson) (319) 267
Nuclear envelope
– – – isolation in peas (Stavy et al.) (323) 167
Nuclear genome
Absence of an integrated copy of mitochondrial DNA in the – – – of Tetrahymena pyriformis (Flavell, Trampé) (308) 102
Nuclear magnetic resonance
Carbon-13 – – – spectra of tryptophan, tryptophan peptides and of native and denatured proteins (Bradbury, Norton) (328) 10
Nuclear magnetic resonance spectroscopy
Structural analysis of Agar-type polysaccharides by – – – (Izumi) (320) 311
Nuclear membrane
DNA synthesis associated with the – – – of guinea pig adrenal cells (Barrieux et al.) (312) 228
Nuclear membranes
Isolation and lipid composition of – – – from macronuclei of Tetrahymena pyriformis (Nozawa et al.) (318) 335
Nuclear membranes
– – – and plasma membranes from hen erythrocytes. III. Localisation of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
Nuclear proteins
Relationship between DNA synthesis and the synthesis of – – – in rat brain. Effect of hydrocortisone acetate (Szijan, Burdman) (299) 344
Nuclear RNA
Changes in rat uterine – – – during early pregnancy (Heald, O'Hare) (324) 86
Nuclear RNA
Integrity of "giant" – – – (Peltz) (308) 148
Nuclear RNA
Synthesis and processing of – – – in human monocytes after phagocytosis of polystyrene particles (Schmidt et al.) (308) 324
Nuclear RNA
Use of deoxyribonuclease in the isolation of nucleoli and purification of – – – – a caution (Lee et al.) (294) 461
Nuclear RNA polymerases
Rat mammary gland – – – in late pregnancy and lactation (Mendelson, Anderson) (299) 576
Nuclease
Measurement of the ATP-dependent – – – in crude extracts of wild-type and RecA cells of Escherichia coli (Hout, Schuite) (308) 366
Nuclease S_1
Action of the single-stranded DNA specific – – – on double-stranded DNA (Godson) (308) 59
Nucleases
Repressible extracellular – – – in Neurospora crassa (Hasunuma) (319) 288
Nuclei
Transcription in isolated – – – of the slime mould Dictyostelium discoideum (Soll, Sussman) (319) 312
Nucleic acid chromatography
Precipitation of nucleic acids with polyethyleneimine and – – – and protein chromatography on immobilised polyethyleneimine (Atkinson, Jack) (308) 41
Nucleic acid components
Reaction of glyoxal with – – –. V. Denaturation of DNA under the action of glyoxal (Broude, Budowsky) (294) 378
Nucleic acids
Immunologic studies on – – – and their components. I. An analysis of the specificity of anti-deoxyadenylate antibodies by a membrane-binding technique (Humayun, Jacob) (331) 41
Nucleic acids
Raman studies of – – –. IX. Estimation of RNA secondary structure from Raman scattering by phosphate group vibrations (Thomas, Jr, Hartman) (312) 311
Nucleic acids conformation
Molecular orbital calculations on the – – – and their constituents. VI. Conformation about the exocyclic C(4′)–C(5′) bond in α-nucleosides (Saran et al.) (299) 497
Nucleic acids conformation
Molecular orbital calculations on – – – and their constituents. VIII. Conformations of 2′,3′- and 3′,5′-cyclic nucleotides (Saran et al.) (331) 154
Nucleic acids electrophoresis
Identification of different structural classes of – – – in polyacrylamide gels of different concentration (Harley et al.) (299) 253
Nucleic acids hydration
Buoyant densities and – – –, and hydration of proteins and nucleoprotein complexes in metrizamide (Birnie et al.) (331) 283

Nucleic acids precipitation
– – – with polyethyleneimine and the chromatography of nucleic acids and proteins on immobilised polyethyleneimine (Atkinson, Jack) (308) 41
Nucleohistone F1
Ion-induced splitting in thermal denaturation profiles of – – – (Van, Ansevin) (299) 367
Nucleolar endoribonuclease
Purification and properties of a – – – from Novikoff hepatoma (Prestayko et al.) (319) 323
Nucleolar processing
Selective inhibition of 4-S and 5-S RNA synthesis and – – – by the adenosine analogue formycin (Abelson, Penman) (312) 292
Nucleolar 29.5-S RNA
Conversion of rat liver – – – to 28-S RNA in vitro (Fujisawa et al.) (324) 241
Nucleolar rRNA precursor
Maturational cleavage of – – – can be catalyzed by non-specific endonuclease (Giudice et al.) (319) 72
Nucleoli
Developmental alterations in RNA synthesis in isolated mouse brain – – – (Banks, Johnson) (294) 450
Nucleolus
Studies on the processing of 45-S RNA in rat liver – – – with specific reference to 29.5-S RNA (Fujisawa et al.) (324) 226
Nucleoprotein complexes
Buoyant densities and hydration of nucleic acids, proteins and – – – in metrizamide (Birnie et al.) (331) 283
Nucleoside conformations
– – –. X. An X-ray fibre diffraction study of the gels of guanine nucleosides (Tougard et al.) (308) 9
Nucleoside phosphorylase
Pyrimidine – – – during development of the normal and dystrophic chicken (Weinstock et al.) (294) 15
Nucleosides
Anion-exchange chromatography on reversed-phase columns: Isolation and assay of – – –, nucleotides and oligonucleotides from nucleic acids and from cytoplasm (Singhal) (319) 11
α-Nucleosides
Molecular orbital calculations on the nucleic acids conformation and their constituents. VI. Conformation about the exocyclic C(4′)–C(5′) bond in – – – (Saran et al.) (299) 497
Nucleoside transport
Mediated – – – in human erythrocytes. Specificity toward purine nucleosides as permeants (Cass, Paterson) (291) 734
Nucleoside transport
– – – in normal and polyoma-transformed cells: Kinetic differences following adenosine and serum or insulin stimulation (Lemkin, Hare) (318) 113
Nucleoside triphosphate pools
Role of silicon in diatom metabolism. II. Endogenous – – – during silicic acid starvation of synchronized Cylindrotheca fusiformis (Sullivan, Volcani) (308) 205
5′-Nucleotidase
Comparison of the subcellular distribution of – – –, (Na^+–K^+)-ATPase and adenyl cyclase in beef thyroid gland (Matsuzaki et al.) (313) 329
5′-Nucleotidase
Micrococcus radiodurans – – – (Mitchel) (309) 116
Nucleotide biosynthesis
Purine – – – in gastro-intestinal mucosa (Mackinnon, Deller) (319) 1
Nucleotide complexes
– – – of myosin in glycerol-extracted muscle fibres (Marston) (305) 397
Nucleotides
Anion-exchange chromatography on reversed-phase columns: Isolation and assay of nucleosides, – – –, and oligonucleotides from nucleic acids and from cytoplasm (Singhal) (319) 11
Nucleotides
Covalent coupling of – – – to agarose for affinity chromatography (Lamed et al.) (304) 231
Nucleotides
Effect of β-galactoside accumulation on the uptake of phosphate into cells and cell – – – of Escherichia coli (Byard) (311) 452
Nucleotides
Interaction of thrombin and – – –: Effects on glycolysis in human platelets (Zieve, Schmukler) (313) 350
Nucleotides
Ouabain–receptor interactions in (Na^++K^+)-ATPase preparations. II. Effect of cations and – – – on rate constants and dissociation constants (Erdmann, Schoner) (330) 302
Nucleotides
Radioactive labelling and analysis of 3′-terminal – – – of DNA fragments (Bertazzoni et al.) (312) 192

Nucleotide sequences
– – – from the non-conserved region of HeLa cell 32-S ribosomal precursor RNA (Robertson, Maden) (321) 61
Nupercaine
Protective effect of – – – on mitochondrial structure (Aleksandrowicz et al.) (305) 59
Nystatin
Effects of the antibiotics gramicidin A, amphotericin B, and – – – on the electrical properties of frog skeletal muscle (Leung, Eisenberg) (298) 718

O

Octanoate
Activation and oxidation of – – – and palmitate by rat skeletal muscle mitochondria (Groot, Hülsmann) (316) 124

17β-Oestradiol
Effect of age of the rat on induction of acetylcholinesterase of the brain by – – – (Moudgil, Kanungo) (329) 211

Oestradiol
Low magnitudes transformation of – – – to oestrone in human endometrium (Sweat, Young) (296) 189

Oestradiol–receptor complex
Studies on oestrogen entry into uterine cells and on – – – attachment to the nucleus. Is the entry of oestrogen into uterine cells a protein-mediated process? (Milgrom et al.) (320) 267

Oestradiol-17β receptors
– – – in the liver of chicken and the amphibian Discoglossus pictus (Ozon, Bellé) (297) 155

Oestrogen
Studies on – – – entry into uterine cells and on oestradiol–receptor complex attachment to the nucleus. Is the entry of oestrogen into uterine cells a protein-mediated process? (Milgrom et al.) (320) 267

Oestrogen
Transport of amino acids into the – – – -primed uterus. IV. Effects of sulphydryl agents on the uptake in vitro (Feng, Riggs) (318) 426

Oestrogen-induced phosphoprotein synthesis
– – – in roosters. Kinetics of induction (Bergink et al.) (294) 497

Oestrogens
In vitro studies on the inhibition of pig liver steroid Δ^4-5β-reductase activity by naturally occurring and synthetic – – – (Van Doorn, Clark) (309) 254

Oestrone
Low magnitudes transformation of oestradiol to – – – in human endometrium (Sweat, Young) (296) 189

[^{14}C] Oestrone
Steroid oestrogen conjugates of hen's urine: Identification of radioactive oestrone-β-glucuronide, oestradiol-17β-3-β-glucuronide, oestradiol-17α-3-β-glucuronide, oestrone-sulphate, oestradiol-17β-3-sulphate and oestradiol-17α-3-sulphate as metabolites of injected – – – (Robinson et al.) (326) 93

Oestrone sulphate
Binding of – – – by rat serum proteins during development (Savu et al.) (328) 533

O_2-evolving system
Kinetic analysis of the oxidizing and reducing sides of the – – – of photosynthesis (Radmer, Kok) (314) 28

Oil–water interface
Phase changes and mosaic formation in single and mixed phospholipid monolayers at the – – – (Taylor et al.) (323) 157

Oligodeoxyribonucleotides
High pressure liquid chromatography of – – – (Cook et al.) (324) 433

Oligomycin
Studies on the energy state of isolated brown adipose tissue mitochondria. Effect of adenine nucleotides and – – – on the generation and dissipation of the "energy potential" (292) 64

Oligonucleotides
Anion-exchange chromatography on reversed-phase columns: isolation and assay of nucleosides, nucleotides, and – – – from nucleic acids and from cytoplasm (Singhal) (319) 11

Oligonucleotide separation
– – – by reversed-phase chromatography (Egan) (299) 245

One-electron transfer reactions
– – – in biochemical systems. VII. Two types of electron-outlets in milk xanthine oxidase (Nakamura, Yamazaki) (327) 247

One-electron transfer reactions
– – – in biochemical systems. VIII. Kinetic study of superoxide dismutase (Sawada, Yamazaki) (327) 257

Oocyte
Changes in specific sequestration of protein during transport into the developing – – – of the chicken (Cutting, Roth) (298) 951

Oomycetes
Carbohydrates from the hyphal walls of some – – – (Dietrich) (313) 95

Orbital steering
The question of – – – in the reaction, water + formaldehyde (Kim, Ingraham) (297) 220
ORD
Myosin conformation and enzymatic activity: Effect of chloroform, diethyl ether and halothane on – – – and ATPase (Leeuwenkroon-Strosberg et al.) (295) 178
Organic mercurials
Cytochrome c involved in the reductive decomposition of – – –. Purification of cytochrome c-1 from mercury-resistant Pseudomonas and reactivity of cytochromes c from various kinds of bacteria (Furukawa, Tonomura) (325) 413
Ornithine-containing lipid
Structure of the – – – from Rhodopseudomonas spheroides (Gorchein) (306) 137
Ornithine decarboxylase
Effect of thioamide derivatives on induction of – – – in rat liver (Ono et al.) (304) 495
Ornithine decarboxylase
– – –: Inhibition by α-hydrazino ornithine (Harik, Snyder) (327) 501
Ornithine decarboxylase
– – – and polyamines in silkmoth pupal tissues: effects of ecdysone and injury (Wyatt et al.) (304) 482
Ornithine decarboxylase
Stimulation by insulin of – – – activity in cultured mammary tissue (Aisbitt, Barry) (320) 610
Orthophosphate
Inorganic pyrophosphatase and photosynthesis by isolated chloroplasts. II. The controlling influence of – – – (Lilley et al.) (325) 596
Osmium
Effect of glutaraldehyde and – – – on the proteins and lipids of myelin and mitochondria (Wood) (329) 118
Osmotic lysis
Some aspects of the – – – of erythrocytes. I. A reexamination of the osmotic lysis method (Wessels et al.) (291) 165
Osmotic lysis
Some aspects of the – – – of erythrocytes. II. Differences in osmotic behaviour or erythrocytes after treatment with electrolyte and non-electrolyte solutions (Wessels, Veerkamp) (291) 178
Osmotic lysis
Some aspects of the – – – of erythrocytes. III. Comparison of glycerol permeability and lipid composition of red blood cell membranes from eight mammalian species (Wessels, Veerkamp) (291) 190
Ouabain
Asymmetric interaction of inside-out and right-side-out erythrocyte membrane vesicles with – – – (Perrone, Blostein) (291) 680
Ouabain
– – – binding sites and the (Na^+,K^+)-ATPase of brain microsomal membranes (Harris et al.) (298) 680
Ouabain
Control of sodium, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with – – – (McLaughlin) (323) 285
Ouabain
Effect of membrane stabilizers and – – – on the transport of Na^+ and K^+ in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147
Ouabain binding
– – – to the sodium pump in plasma membranes isolated from ox brain (Whittam, Chipperfield) (307) 563
Ouabain–receptor interactions
– – – in (Na^++K^+)-ATPase preparations from different tissues and species. Determination of kinetic constants and dissociation constants (Erdmann, Schoner) (307) 386
Ouabain–receptor interactions
– – – in (Na^++K^+)-ATPase preparations. II. Effect of cations and nucleotides on rate constants and dissociation constants (Erdmann, Schoner) (330) 302
Ouabain–receptor interactions
– – – in (Na^++K^+)-ATPase preparations. III. On the stability of the ouabain receptor against physical treatment, hydrolases and SH reagents (Erdmann, Schoner) (330) 316
Outer membrane
Common receptor protein for phage T5 and colicin M in the – – – of Escherichia coli B (Braun et al.) (323) 87
Outer membranes
Separation and enzymatic characterization of inner and – – – of rat-heart mitochondria (Scholte) (330) 283
Ovalbumin
Binding and aggregate formation of phospholipid liposomes containing phosphatidic acid with – – – (Oshima, Nagasawa) (291) 1

Ovarian maturation
Evidence for a peptidic factor in spermatozoa inhibiting the – – – (Lugaro et al.) (304) 719
Ovomucin
Isolation and characterisation of hen egg white – – – (Sleigh et al.) (310) 453
Oxaloacetate
Permeability of isolated mitochondria to – – – (Gimpel et al.) (292) 582
Oxidation
Effect of adenine nucleotides on the N-methyl group – – – in liver mitochondria (Frisell, Randolph) (292) 360
Oxidase
Function and the localization of ubiquinone in the NADH and succinate – – – systems of Rhodopseudomonas palustris (King, Drews) (305) 230
Oxidase
Influence of pH on the synthesis of the – – – (cytochrome a_3) in Bacillus coagulans, a thermophilic microorganism capable of "respiratory adaptation" (Frade, Chaix) (325) 424
Oxidation–reduction potential
– – – dependence of low-temperature photoreactions of chloroplast Photosystem II (Bearden, Malkin) (325) 266
Oxidation–reduction potential
Effect of – – – on light-induced cytochrome and bacteriochlorophyll reactions in chromatophores from the photosynthetic green bacterium Chlorobium (Knaff et al.) (325) 94
Oxidation–reduction potential
– – – of the ferro–ferricyanide system in buffer solutions (O'Reilly) (292) 509
Oxidation–reduction potentials
Stoichiometry of the paramagnetic copper and the – – – of type 1 copper in human ceruloplasmin (Deinum, Vänngård) (310) 321
Oxidation–reduction reactions
Light-induced – – – in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, cytochrome b_{559}, C550 and P700 in noncyclic electron transport (Knaff) (325) 284
Oxidation–reduction reactions
Water and cytochrome – – – (Kihara, McCray) (292) 297
Oxidative metabolism
Effect of K^+ deficiency on – – – in Ehrlich ascites tumour cells (Moroff, Gordon) (325) 406
Oxidative phosphorylation
– – – in Azotobacter vinelandii. Energy-linked pH changes and fluorescence changes of atebrin and 1-anilinonaphthalene-8-sulphonate (Bening, Eilermann) (292) 402
Oxidative phosphorylation
Comparison between the effectiveness of uncouplers of – – – in mitochondria and in different artificial membrane systems (Bakker et al.) (292) 78
Oxidative phosphorylation
Effect of ruthenium red on – – – and the calcium and magnesium content of skeletal muscle mitochondria of normal and BIO 14.6 dystrophic hamsters (Thakar et al.) (314) 8
Oxidative phosphorylation
– – – and effects of aerobic conditions on Rhodopseudomonas viridis (Saunders, Jones) (305) 581
Oxidative phosphorylation
Effects of protein synthesis inhibitors on – – – by plant mitochondria (Wilson, Moore) (292) 603
Oxidative phosphorylation
Energy conservation in membranes of mutants of Escherichia coli defective in – – – (Nieuwenhuis et al.) (325) 62
Oxidative phosphorylation
– – – in Escherichia coli K-12: The genetic and biochemical characterisation of a strain carrying a mutation in the uncB gene (Butlin et al.) (292) 366
Oxidative phosphorylation
– – – in mitochondria isolated from human fibroblasts (Millis, Pious) (292) 73
Oxidative phosphorylation
Studies of – – – in Saccharomyces cerevisiae and Saccharomyces carlsbergensis (Mackler, Haynes) (292) 88
Oxidative phosphorylation
Uncoupling of – – – by a stable free radical and its diamagnetic homologue (Coleman) (305) 179
Oxidised derivatives
Lipids of human atheroma. VIII. – – – of cholesteryl linoleate.(Harland et al.) (316) 378
20-Oxosteroids
Structural features of ring B and the interaction of – – – with cortisone reductase (White, Jeffery) (296) 604
Oxygen-18
Direct analysis of – – – in glucose by mass spectrometry (Caprioli, Seifert, Jr) (297) 213

Oxygen affinity
Two new hemoglobin variants with deletion. Hemoglobin Tours: Thr β 87 (F3) deleted and Hemoglobin St Antoine: Gly–Leu β 74–75 (E 18–19) deleted. Consequences for – – – and protein stability (Wajcman, Labie) (295) 495
Oxygen binding
Comparison of the – – – and proton binding behaviour of human hemoglobin A and A_2 (de Bruin, Janssen) (295) 490
Oxygen-carriers
Enzymic reduction system for metmyoglobin and methaemoglobin, and its application to functional studies of – – – (Hayashi et al.) (310) 309
Oxygen consumption rate
– – – in vascular smooth muscle: Relation to isometric tension (Paul et al.) (305) 474
Oxygen equilibrium
Simulation of biphasic – – – curves of haemoglobin in the presence of small amounts of 2,3-diphosphoglycerate (Imai, Tyuma) (293) 290
Oxygen evolution
Effects of carbon dioxide concentration on – – – and fluorescence transients in synchronous cultures of Chlorella pyrenoidosa (Slovacek, Bannister) (292) 729
Oxygen evolving system
Rapid fluorescence changes observed in chloroplasts: Their relationship to the – – – (Zankel) (325) 138
Oxygen precursors
Deactivation of – – – in presence of 3(3,4-dichlorophenyl)-1,1-dimethylurea and phenylurethane (Bouges-Bocquet et al.) (325) 247
Oxygen production
Feedback controlling – – – in a cross-reaction between two photosystems in photosynthesis (Diner, Mauzerall) (305) 329
Oxygen toxicity
Studies on the biochemical basis of – – – (Allen et al.) (320) 708
Oxygen utilization
Control of sodium, potassium and water content and – – – in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285

P

P-503
Evidence for the identification of – – – with prototetrahydroporphyrin IX (Poulson, Polglase) (329) 256

P700
Light-induced oxidation–reduction reactions in a cell-free preparation from the blue-green alga Nostoc muscorum: The role of cytochrome f, cytochrome b_{559}, C550 and – – – in non-cyclic electron transport (Knaff) (325) 284

P700
Light-induced spectral changes of – – – in the 800-nm region in Anacystis and spinach lamellae (Inoue et al.) (305) 483

P700
Studies on cytochrome b-563 and – – – in three non-photosynthetic mutants of Chlamydomonas reinhardti (Maroc, Garnier) (292) 477

Pactamycin binding
– – – to Escherichia coli robosomes: Interference by formation of the protein synthesizing complex with f2 viral RNA (Stewart, Goldberg) (294) 123

Pactamycin inhibition
– – – of eucaryotic polypeptide synthesis dependent on added initiation factors (Ayuso, Goldberg) (294) 118

Palmitate
Activation and oxidation of octanoate and – – – by rat skeletal muscle mitochondria (Groot, Hülsmann) (316) 124

[1-^{14}C] Palmitic acid
Metabolism of – – – in the developing brain: Persistence of radioactivity in the carboxyl carbon (Dhopeshwarkar et al.) (296) 257

Palmityl-CoA inhibition
Reversal by CoA of – – – of long chain acyl-CoA synthetase activity (Pande) (306) 15

Pancreatic cell membranes
– – –: Extraction of a possible gluco-receptor (Price) (318) 459

Pancreatic lipase
Chemical structure of porcine – – –. End group determination and cyanogen bromide peptides (Rovery et al.) (328) 391

Papain
Benzoylamidoacetonitrile as an inhibitor of – – – (Sluyterman, Wijdenes) (302) 95

Paramagnetic copper
Stoichiometry of the – – – and the oxidation–reduction potentials of type 1 copper in human caeruloplasmin (Deinum, Vänngård) (310) 321

Paramyxovirus nucleocapsid
Uncoiling and protein cleavage of – – – after incubation with ribosomes in vitro (Bukrinskaya et al.) (312) 173

Paraoxon hydrolysis
Nature of the serum catalyzing – – – (Lenz et al.) (321) 189

Paraquat
Bipyridylium quaternary salts and related compounds. V. Pulse radiolysis studies of the reaction of – – – radical with oxygen. Implications for the mode of action of bipyridyl herbicides (Farrington et al.) (314) 372

Parathyroidectomy
Influence of dietary calcium deficiency and – – – on bone collagen structure (Barnes et al.) (328) 373

Parathyroid hormone
Ionic control of renal gluconeogenesis. II. The effects of calcium ions and hydrogen ions upon the response to – – – and cyclic AMP (Kurokawa et al.) (313) 32

Parenchymal cells
Distribution of lysosomal enzymes between – – – and Kupffer cells of rat liver (Berg, Boman) (321) 585

Parenchymal cells
Preparation and biochemical characterization of – – – from rat liver (Quistorff et al.) (320) 503

Particle size distributions
– – – in skim milk (Holt et al.) (328) 428

Parvalbumin III
Confirmation and immunochemistry of – – – from pike white muscle. Modification of the arginine residue with 1,2-cyclohexanedione (Gosselin-Rey et al.) (303) 90

Pectinic acid
Methyl methionine labelling of a higher plant tissue: The incorporation into RNA and – – – of nucleic acid extracts (Jakob, Tal) (308) 296
Penicillin
D-Alanine carboxypeptidases of Bacillus stearothermophilus: Solubilisation of particulate enzymes and mechanism of action of – – – (Barnett) (304) 332
Penicillinase (β-lactamase I)
Involvement of a carboxyl group in the active site of Bacillus cereus 569/H – – – (Patil, Day) (293) 490
Penicillum cyclopium
β-Cyclopiazonate oxidocyclase from – – –. III. Preliminary studies on the mechanism of action (Steenkamp et al.) (309) 440
Pentose phosphate shunt
Role of the – – – in glucose induced insulin release: In vitro studies with 6-aminonicotinamide, methylene blue, NAD^+, NADH, $NADP^+$, NADPH and nicotinamide on isolated pancreatic rat islets (Ammon et al.) (297) 352
Pepsin
New polyamine carrier for the immobilization of protein. Water-insoluble derivatives of – – – and trypsin (Goldstein) (327) 132
Peptidase A
Leucostoma – – –: A metalloprotease from snake venom (Spiekerman et al.) (293) 464
Peptide
Interaction of a lytic – – –, melittin, with spin-labelled membranes (Hegner et al.) (291) 15
Peptide
– – – utilization in yeast: Studies on methionine and lysine auxotrophs of Saccharomyces cerevisiae (Becker et al.) (291) 388
Peptide bond
Trichodermin group of antibiotics, inhibitors of – – – formation by eukaryotic ribosomes (Carrasco et al.) (312) 368
Peptide bond formation
Inhibition of – – – by cytidyl derivatives of puromycin (Hengesh, Morris) (299) 654
Peptide bond formation
Sparsomycin requirement for inhibiting – – – (Busiello, Di Girolamo) (312) 581
Peptide composition
RNA polymerase from vegetative cells and spores of Bacillus cereus T. II. – – – (Cohen et al.) (294) 442
Peptide hydrolases
Alterations in the levels of – – – and other enzymes in brush-border and soluble fractions of rat small intestinal mucosa during starvation and refeeding (Kim et al.) (321) 262
Peptide hydrolases
Purification and characterization of one of the forms of – – – from guinea-pig small intestinal mucosa (Donlon, Fottrell) (327) 425
Peptides
Distribution of radioactive – – – synthesized by polysomes and ribosomal subunits combined in vitro with microsomal membranes (Burke, Redman) (299) 312
Peptide synthesis
Cell-free – – – and carbohydrate incorporation by various thyroid particles (Bouchilloux et al.) (322) 401
Peptide synthesis
Selectivity in aqueous – – – by 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide. A model for primordial processes (Addy et al.) (295) 385
Peptide unit
Non-planar – – –. II. Comparison of theory with crystal structure data (Ramachandran, Kolaskar) (303) 385
Peptide unit
Theory of the non-planar – – – (Ramachandran et al.) (303) 8
Peptide utilization
– – – in Escherichia coli: Studies with peptides containing β-alanyl residues (Payne) (298) 469
Peptidyl-tRNA
In vitro protein synthesis in yeast. Polyuridylic acid-dependent incorporation of phenylalanine into endogenous (van der Zeijst et al.) (294) 517
Perfused rat liver
Influence of chain length and degree of unsaturation on plasma free fatty acid uptake by – – – (Soler-Argilaga et al.) (326) 167
Permeability
– – – of isolated mitochondria to oxaloacetate (Gimpel et al.) (292) 582
Permease
Kinetics of induction of β-galactoside – – – (West, Stein) (308) 161
Peroxidase
– – -catalyzed oxidation of indole-3-acetaldehyde to 4-hydroxyquinoline in the presence of bisulphite ion: Elimination of pyrrole ring C_2 as formic acid (Horng, Yang) (321) 456

Peroxidase
Horseradish – – – with 2,4-modified haematins, including vinyl homologues (Ohlsson, Paul) (315) 293
Peroxidase attachment
– – – to Sepharose mediated by bacterial haemagglutinin of Pseudomonas aeriginosa (Gilboa-Garber, Mizrahi) (317) 106
Peroxidase-labelled antibody conjugate
Use of tolylene diisocyanate for the preparation of a – – –: Quantitation of the amount of diisocyanate bound (Modesto, Pesce) (295) 283
Peroxidases
Chemical composition and hydrodynamic characteristics of turnip – – – (Mazza et al.) (322) 218
Peroxide-dependent reduction
– – – of cytochrome c by NADH (Misra, Fridovich) (292) 815
Peroxisomal enzymes
Decrease of – – – in Tetrahymena and its prevention by actinomycin D and cycloheximide (Levy) (304) 367
Peroxisomes
Studies on – – –. III. Further studies on the intraparticulate localization of peroxisomal components in the liver of the rat (Hayashi et al.) (297) 110
Phage T4
Outer membrane proteins induced by – – – (Pollock, Duckworth) (322) 321
Phage T4 DNA
Differential effects of sigma factor, ionic strength and ribonucleoside triphosphate concentration on the transcription of – – – with the ribonucleic acid polymerase of Escherichia coli (Hoffman, Niyogi) (299) 588
Phage T5
Common receptor protein for – – – and colicin M in the outer membrane of Escherichia coli B (Braun et al.) (323) 87
Phage ϕX174 RF I
Simple method of preparing large amounts of – – – (Godson, Vapnek) (299) 516
Phagocytosis
Quantitative studies of – – – by alveolar macrophages (Mason et al.) (304) 864
Phagocytosis of polystyrene particles
Synthesis and processing of nuclear RNA in human monocytes after – – – (Schmidt et al.) (308) 324
Phagocytosis-stimulating peptide
Characteristics and isolation of the – – –, tuftsin (Nishioka et al.) (310) 217
Phagocytosis-stimulating tetrapeptide
Chemical synthesis of the – – – tuftsin (Thr–Lys–Pro–Arg) and its biological properties (Nishioka et al.) (310) 230
Phase behaviour
– – – of monogalactosyl, digalactosyl, and sulphoquinovosyl diglycerides (Shipley et al.) (311) 531
pH dependence
Change in – – – and sequential inhibition of photosynthetic activity in chloroplasts by unsaturated fatty acids (Siegenthaler) (305) 153
Phenobarbital
Effects of – – – and 3-methylcholanthrene on substrate specificity of rat liver microsomal UDPglucuronyltransferase (Bock et al.) (327) 46
Phenolsulphotransferase
Rat brain – – – – partial purification and some properties (Foldes, Meek) (327) 365
Phenylalanine
In vitro protein synthesis in yeast. Polyuridylic acid-dependent incorporation of – – – into endogenous peptidyl-tRNA (van der Zeijst et al.) (294) 517
L-Phenylalanine ammonia-lyase
Stereochemistry of ammonia elimination from L-tyrosine with – – – (Sawada et al.) (315) 204
Phenylalanine biosynthesis
Regulation of – – – in Pseudomonas aeruginosa (Waltho) (320) 232
Phenylalanine hydroxylase
– – – activity in foetal hepatic organ culture (Tourian) (309) 44
Phenylalanine hydroxylase
Characteristics of partially purified human liver – – – (Friedman, Kaufman) (293) 56
Phenylalanine hydroxylase
Demonstration of two forms of – – – in human liver obtained at autopsy (Connellan, Danks) (293) 48
Phenylalanine hydroxylase
– – – in dilute lethal mice (Treiman, Tourian) (313) 163
Phenylalanine hydroxylase
Studies on the stimulation of – – – activity by short-chain alcohols (Brase, Westfall) (309) 271
Phenylalanine transfer RNA
– – – species in early development of barley (Hiatt, Snyder) (324) 57

Phenylalanyl-tRNA^{Phe}
Crystallization of – – – –EF-Tu–GTP complex (Arai et al.) (324) 440
Phenyl hippurate
Chymotrypsin-catalyzed reactions of – – – with alcohols. Kinetic evidence for a binding site for nucleophiles (Werber, Greenzaid) (293) 208
Phenylpropanoid metabolism
Light-independent induction of enzymes related to – – – in cell suspension cultures from parsley (Hahlbrock, Wellmann) (304) 702
Phlorizin
Asymmetric inhibition by – – – of halide movements across the red blood cell membrane (Schnell et al.) (318) 474
Phlorizin hydrolase
Small intestinal – – –: The "β-glycosidase complex" (Colombo et al.) (327) 412
Phlorizine–receptor
– – – interactions in fatt cell plasma membranes (Czech et al.) (323) 639
Phlorizin receptors
– – – in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity receptors and unspecific binding sites (Glossman, Neville, Jr) (323) 408
Phosphatase
Activation and inhibition processes of alkaline – – – from bovine brain by metal ions (Mg^{2+} and Zn^{2+}) (Brunel, Cathala) (309) 104
Phosphatase
Alkaline – – – of chicken liver microsomes. II. Activity with AMP and other substrates (Naito, Tsushima) (327) 398
Phosphatase
Analysis of polydeoxyribonucleotides by digestion with – – – and phosphodiesterases (Ho, Gilham) (308) 53
Phosphatase
Bovine milk acid – – –. I. Some kinetic studies and other properties using a partially purified preparation (Andrews, Pallavicini) (321) 197
Phosphatase
Golgi apparatus acid – – – (Nyquist, Mollenhauer) (315) 103
Phosphatase
Inorganic pyrophosphatase activity of bovine brain alkaline – – – (Cathala, Brunel) (315) 73
Phosphatase
Isolation of plasma membranes from Ehrlich ascites tumour cells. Influence of amino acids on (Na^++K^+)-ATPase and K^+-stimulated – – – (Forte et al.) (298) 827
Phosphatase
pH and anion dependent salt modifications of alkaline – – – from a slightly halophilic Vibrio alginolyticus (Hayashi et al.) (315) 83
Phosphatase
Relation of heavy metals to the activity and heat stability of alkaline – – – from human placenta (Hindriks et al.) (315) 94
Phosphatase activity
Cation sites of the (Na^++K^+)-dependent ATPase: Mechanisms for Na^+-induced changes in K^+-affinity of the – – – (Robinson) (321) 662
Phosphatases
Acid and alkaline – – –, inorganic pyrophosphatases and phosphoprotein phosphatase of bone. I. Characterization and assay (Lieberherr et al.) (293) 160
Phosphatases
Acid and alkaline – – –, inorganic pyrophosphatases and phosphoprotein phosphatase of bone. II. Distribution in subcellular fractions of bone tissue homogenates and structure-linked latency (Vreven et al.) (293) 170
Phosphatases
Membrane fractions from rat hepatoma. III. Immunochemical characterization of detergent-soluble membrane – – –, electron transport chains and catalase (Raftell, Blomberg) (291) 442
Phosphate
Effect of fructose on the stores of energy-rich – – – in rat jejunum in vivo (Lamers, Hülsmann) (313) 1
Phosphate
Study on the influence of the concentration of Mg^{2+}, – – –, K^+, Na^+ and Tris on (Mg^{2+}+P_i)-supported g-strophanthin binding to (Na^++K^+)-activated ATPase from ox brain (Hansen, Skou) (311) 51
Phosphate concentration
Ionic control of renal gluconeogenesis. IV. Effect of extracellular – – – (Kurokawa, Rasmussen) (313) 59
Phosphate uptake
Effect of β-galactoside accumulation on the – – – into cells and cell nucleotides of Escherichia coli (Byard) (311) 452

Phosphatide multibilayers
Effects of cholesterol on the infrared dichroism of – – – (Verma, Wallach) (330) 122
Phosphatides
Slow-reacting haemolytic – – –: Benzylated lysolecithins (Weltzien) (311) 6
Phosphatidic acid
Palmitic acid and initiation of mammary glyceride synthesis via – – – (Kinsella, Gross) (316) 109
Phosphatidylcholine
Desaturation of – – – and phosphatidylethanolamine by a microsomal enzyme system from Candida lipolytica (Pugh, Kates) (316) 305
Phosphatidylcholine
Environmental influences on the docosahexaenoate content of the triacylglycerols and – – – of a heterotrophic, marine dinoflagellate, Crypthecodinium cohnii (Beach, Holz) (316) 56
Phosphatidylcholine
Interaction of – – – and apolipoprotein-alanine: Electron microscopic studies (Hoff et al.) (296) 653
Phosphatidylcholine
Simple biosynthetic method for the preparation of glycerol-labelled – – – (Parthasarathy, Ganguly) (296) 62
Phosphatidylcholine biosynthesis
Pathways of – – – in rat liver (Trewhella, Collins) (296) 51
Phosphatidylcholine exchange protein
Properties of – – – purified from beef liver (Kamp et al.) (318) 313
Phosphatidylcholines
Exchange of molecular species of – – – and phosphatidylethanolamines between rat liver mitochondria and microsomes in vitro (Taniguchi et al.) (296) 65
Phosphatidylcholines
Structures of bile – – – (Christie) (316) 204
Phosphatidyldiglucosyl diglyceride
– – – from Streptococci and its relationship to other polar lipids (Fischer et al.) (306) 353
Phosphatidylethanolamine
Ca^{2+}-dependent biosynthesis of lecithin, – – – and phosphatidylserine in rat liver subcellular particles (Bjerve) (296) 549
Phosphatidylethanolamine
Desaturation of phosphatidylcholine and – – – by a microsomal enzyme system from Candida lipolytica (Pugh, Kates) (316) 305
Phosphatidylethanolamine biosynthesis
Kinetics of – – – from [1,2-$^3H_2$] sphingosine in rat liver (Offenbartl et al.) (306) 460
Phosphatidylethanolamines
Biosynthesis of rat liver – – – from intraportally injected ethanolamine (Sundler) (306) 218
Phosphatidylethanolamines
Exchange of molecular species of phosphatidylcholines and – – – between rat liver mitochondria and microsomes in vitro (Taniguchi et al.) (296) 65
Phosphatidylglycerol
Formation of acyl – – – by Escherichia coli (Cho et al.) (326) 355
Phosphatidylserine
Ca^{2+}-dependent biosynthesis of lecithin, phosphatidylethanolamine and – – – in rat liver subcellular particles (Bjerve) (296) 549
Phosphatidylserine
Lipid – protein interactions. I. Role of divalent ions in binding of glycylglycine to – – – (Bulkin, Hauser) (326) 289
Phosphatidylserine
– – – and its plasmalogen analogue as major lipid constituents in Megasphaera elsdenii (Van Golde et al.) (326) 314
Phosphatidylserine
Studies on (Na^+–K^+)-activated ATPase. XXXIV. – – – not essential for (Na^+–K^+)-ATPase activity (De Pont et al.) (323) 487
Phosphatidylserine bilayer membranes
Electrical polarization of – – – by Ca^{2+} (Wobschall, Ohki) (291) 363
3'-Phosphoadenosine 5'-phosphosulphate-degrading enzymes
Separation and properties of the soluble – – – of bovine liver (Denner et al.) (315) 394
Phosphodiesterase
Cyclic nucleotide – – – activity in the plasma and erythrocytes of normal and diabetic rats (Hemington et al.) (304) 552
Phosphodiesterase
Eventual unmasking of noradrenalin receptors by linoleic acid-rich phospholipids in fat cell membranes. II. Adenyl cyclase and – – – activities (Counis) (306) 391
Phosphodiesterase
Subcellular distribution of adenylate cyclase and – – – in Acanthamoeba palestinensis (Chlapowski, Butcher) (309) 138
Phosphodiesterases
Analysis of polydeoxyribonucleotides by digestion with phosphatase and – – – (Ho, Gilham) (308) 53

Phosphodiesterases
Partial purification and properties of the cyclic AMP and the cyclic GMP – – – of bovine liver (Schröder, Rickenberg) (302) 50
Phosphoenolpyruvate
Effect of – – – on calcium transport by mitochondria (Chudapongse, Haugaard) (307) 599
Phosphoenolpyruvate carboxylase
Procedure for the electrophoretic analysis of – – – (Kam et al.) (293) 567
Phosphoenolpyruvate carboxylase
Spontaneous development of cytosolic – – – in foetal rat liver cultures (Mandelli et al.) (309) 515
Phosphoenolpyruvate: fructose phosphotransferase
– – – activity in whole cells and membrane vesicles of Arthrobacter pyridinolis (Wolfson et al.) (321) 181
Phosphoenolpyruvate synthesis
Competition for energy between – – – and citruline synthesis in guinea-pig liver mitochondria (Brya et al.) (314) 411
Phosphoenolpyruvate: uridine diphosphate N-acetylglucosamine enolpyruvyl-transferase
Inhibition of – – – by uridine diphosphate N-acetylmuramyl peptides (Venkateswaren et al.) (293) 570
Phosphofructokinase
Rabbit reticulocyte – – –. Purification and some properties (Kwiatkowska) (321) 475
Phosphofructokinase
Sedoheptulose-7-phosphate kinase activity of – – – from the different tissues of rabbit (Karadsheh et al.) (327) 66
Phosphofructokinase
X-ray modification of the allosteric functions of rat thymocyte – – – (Ohyama, Yamada) (302) 261
Phosphoglycerate kinase
Human erythrocyte – – –: Purification, properties and interaction with its antibody (Okonkwo et al.) (321) 503
Phosphoglycerate kinase
SH group of yeast – – – (Arvidsson, Larsson-Raźnikiewicz) (310) 430
Phosphoglycerides
Age differences in the acyl group composition of – – – in myelin isolated from the brain of the rhesus monkey (Sun, Samorajski) (316) 19
Phosphoglycerides
Enzymic incorporation of arachidonic acid into ether-containing choline and ethanolamine – – – by deacylation–acylation reactions (Wykle et al.) (326) 26
Phosphoglycerides
Fatty acid composition and level of diacylglycerols and – – – in brain and retina (Avaldaño, Bazán) (296) 1
Phosphoglycolipid
Glycerophosphoryl diglucosyl diglyceride, a new phosphoglycolipid from streptococci (Fischer et al.) (296) 527
Phosphoinositides
Lipids of Crithidia fasciculata: The occurrence and turnover of – – – (Palmer) (316) 296
Phospholipase A_2
Electron microscopy of Bacillus subtilis protoplast membrane after treatment with – – – and phospholipase C (Nanninga et al.) (298) 184
Phospholipase A
Purification and some properties of rat spleen – – – (Rahman et al.) (321) 526
Phospholipase activity
– – – associated with serum albumin (Elsebach, Pettis) (296) 89
Phospholipase C
Differences in susceptibility to – – – of free and membrane-bound phospholipids of Mycoplasma hominis (Rottem et al.) (323) 520
Phospholipase C
Electron microscopy of Bacillus subtilis protoplast membrane after treatment with phospholipase A_2 and – – – (Nanninga et al.) (298) 184
Phospholipase C
Hydrolysis of 1,2-diglyceride by membrane-associated lipase activity during – – – treatment of membranes (Michell et al.) (318) 306
Phospholipase C
Purification of – – – (alpha-toxin) from Clostridium perfringens (Möllby, Wadström) (321) 569
Phospholipase D
Bond hydrolyzed by cardiolipin-specific – – – (Astrachan) (296) 79
Phospholipase D
Phospholipids and – – – in the true slime mould Physarum polycephalum (Comes, Kleinig) (316) 13
Phospholipases
Action of proteases and – – – on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61

Phospholipases
Asymmetric distribution of phospholipids in the human red cell membrane. A combined study using – – – and freeze – etch electron microscopy (Verkleij et al.) (323) 178
Phospholipases
Lytic and non-lytic degradation of phospholipids in mammalian erythrocytes by pure – – – (Colley et al.) (307) 74
Phospholipases
Properties of – – – of alveolar macrophages (Franson et al.) (296) 365
Phospholipases A_1 and A_2
Phospholipid hydrolysis by – – – in plasma membranes and microsomes of rat liver (Newkirk, Waite) (298) 562
Phospholipid
– – – changes in spermatozoa during passage through the genital tract of the bull (Poulos et al.) (306) 194
Phospholipid
Effect of changes in fatty acid composition of – – – species on the β-galactoside transport system of Escherichia coli K-12 (Kito et al.) (298) 69
Phospholipid
Effect of two inhalation anaesthetics on the order of spin-labelled – – – vesicles (Trudell et al.) (291) 321
Phospholipid
– – – hydrolysis by phospholipases A_1 and A_2 in plasma membranes and microsomes of rat liver (Newkirk, Waite) (298) 562
Phospholipid
– – – metabolism in rat liver endoplasmic reticulum: Structural analyses, turnover studies and enzymic activities (Lee, Snyder) (291) 71
Phospholipid
Osmotic insensitivity of sonicated liposomes and the density of – – – –cholesterol mixtures (Johnson, Buttress) (307) 20
Phospholipid
Phase changes and mosaic formation in single and mixed – – – monolayers at the oil–water interface (Taylor et al.) (323) 157
Phospholipid
Pressure reversal of inhalation anaesthetic-induced disorder in spin-labelled – – – vesicles (Trudell et al.) (291) 328
Phospholipid
Study on the new – – –, N-acyl-1-alkyl glycerophosphorylethanolamine from bovine erythrocytes (Matsumoto, Miwa) (296) 350
Phospholipid
– – – substrates in the Ca^{2+}-stimulated incorporation of nitrogen bases into microsomal phospholipids (Bjerve) (306) 396
Phospholipid
Theoretical considerations on the asymmetric distribution of charged – – – molecules on the inner and outer layers of curved bilayer membranes (Israelachvili) (323) 659
Phospholipid bilayers
Interaction of bacterial lipopolysaccharide with – – – and monolayers (Benedetto et al.) (298) 145
Phospholipid content
Activities of lipid reesterifying enzymes in jejunal microsomes of bile fistula rats: Attempts to correlate enzyme activities with microsomal – – – (Rodgers et al.) (326) 345
Phospholipid exchange proteins
Study on – – – present in the soluble fractions of beef liver and brain (Harvey et al.) (323) 234
Phospholipid liposomes
Binding and aggregate formation – – – containing phosphatidic acid with ovalbumin (Oshima, Nagasawa) (291) 1
Phospholipid liposomes
Effects of lysozyme on anion and cation diffusion from – – – (Kaplan) (311) 1
Phospholipid membranes
Ionic structure of – – –, and binding of calcium ions (Seimiya, Ohki) (298) 546
Phospholipid membranes
Proton magnetic resonance detection of ionophore-mediated praseodymium ion transport across – – – (Fernández et al.) (323) 600
Phospholipid metabolism
Effects of various mitogens on the – – – of human peripheral lymphocytes (Masuzawa et al.) (326) 339
Phospholipid metabolism
– – – of stimulated lymphocytes: Activation of acyl-CoA: lysolecithin acyltransferases in microsomal membranes (Ferber, Resch) (296) 335
Phospholipid precursors
Biosynthesis of phospholipids and – – – in rat liver involving de novo methylation, and base-exchange pathways, in vivo (Salerno, Beeler) (326) 325
Phospholipid–protein interactions
Role of cholesterol in membranes: Effects on

– – –, membrane permeability and enzymatic activity (Papahadjopoulos et al.) (330) 8
Phospholipids
Analysis of polar parts of – – –. N-Demethylation of choline-containing lipids for gas chromatography and mass spectrometry (Karlander et al.) (326) 174
Phospholipids
Asymmetric distribution of – – – in the human red cell membrane. A combined study using phospholipases and freeze-etch electron microscopy (Verkleij et al.) (323) 178
Phospholipids
Biosynthesis of – – – and phospholipid precursors in rat liver involving de novo methylation, and base-exchange pathways, in vivo (Salerno, Beeler) (326) 325
Phospholipids
Comparison of the relative turnover of individual molecular species of – – – in normal rats and in rats deficient in essential fatty acids (Trewhella, Collins) (296) 34
Phospholipids
Differences in susceptibility to phospholipase C of free and membrane-bound – – – of Mycoplasma hominis (Rottem et al.) (323) 520
Phospholipids
Effect of – – – on lipoprotein lipase activation in vitro (Chung et al.) (296) 116
Phospholipids
Eventual unmasking of noradrenalin receptors by linoleic acid-rich – – – in fat cell membranes. II. Adenyl cyclase and phosphodiesterase activities (Counis) (306) 391
Phospholipids
Exchange of – – – between plasma lipoproteins and rapidly dividing human cells grown in tissue culture (Illingworth et al.) (306) 422
Phospholipids
Lytic and non-lytic degradation of – – – in mammalian erythrocytes by pure phospholipases (Colley et al.) (307) 74
Phospholipids
Mesomorphic behaviour of some – – – with aliphatic alcohols and other non-ionic substances (Hui, Barton) (296) 510
Phospholipids
– – – of a moderately halophilic halotolerant bacterium, Isolation and identification of glucosylphosphatidylglycerol (Peleg, Tietz) (306) 368
Phospholipids
Nuclear membranes and plasma membranes from hen erythrocytes. III. Localization of activities incorporating fatty acids into – – – (Stadler, Franke) (311) 205
Phospholipids
– – – and phospholipase D in the true slime mould Physarum polycephalum (Comes, Kleinig) (316) 13
Phospholipids
Regulation of microsomal enzymes by – – –. VII. Abnormal enzyme–lipid interactions in liver microsomes from Gunn rats (Zakim et al.) (297) 497
Phospholipids
Role of – – – in TSH stimulation of adenylate cyclase in thyroid plasma membranes (Yamashita, Field) (304) 686
Phospholipids
Studies on the activation of purified mitochondrial ATPase by – – – (Swanljung et al.) (305) 519
Phospholipids
Surface properties of synthetic – – –. II. Thermal phase transitions in monolayers (Hayashi et al.) (291) 335
Phospholipids
Synthesis in vivo of – – – of liver mitochondria and endoplasmic reticulum from glycerol and fatty acids (Parkes, Thompson) (306) 403
Phospholipids
Turnover of rat liver plasma membrane – – –: Comparison with microsomal membranes (Lee et al.) (291) 86
Phospholipids
Utilization of endogenous – – – by the back-reaction of CDPcholine(ethanolamine):1,2-diglyceride choline(ethanolamine) phosphotransferase in rat liver microsomes (Kanoh, Ohno) (306) 203
Phospholipid vesicles
Aliphatic chain transitions of – – – and phospholipid dispersions determined by polarization of fluorescence (Faucon, Lussan) (307) 459
Phospholipid vesicles
Chlorophyll in – – – (Colbow) (318) 4
Phospholipid vesicles
Effect of charge and cholesterol on the size and thickness of sonicated – – – (Johnson) (307) 27
Phospholipid vesicles
New method for making – – – and the partial reconstitution of the (Na^+,K^+)-activated ATPase (Slack et al.) (323) 547

Phospholipid vesicles
Phase transitions in – – –: Fluorescence polarization and permeability measurements concerning the effect of temperature and cholesterol (Papahadjopoulos et al.) (311) 330
Phosphomannan
Concanavalin A as a probe of – – – molecular structure (Slodki et al.) (304) 449
Phosphoprotein
Investigation of the – – – of the bovine dentin matrix (Carmichael, Dodd) (317) 187
Phosphoprotein phosphatase
Acid and alkaline phosphatases, inorganic pyrophosphatases and – – – of bone. I. Characterization and assay (Lieberherr et al.) (293) 160
Phosphoprotein phosphatase
Acid and alkaline phosphatases, inorganic pyrophosphatases and – – – of bone. II. Distribution in subcellular fractions of bone tissue homogenates and structure-linked latency (Vreven et al.) (293) 170
Phosphoproteins
Identification of O-phosphoserine in the soluble anionic – – – of bone (Spector, Glimcher) (303) 360
Phosphoprotein synthesis
Oestrogen-induced – – – in roosters. Kinetics of induction (Bergink et al.) (294) 497
Phosphopyruvate carboxylase
– – – of rat lung (Evans, Scholz) (321) 671
Phosphoribosyladenosine triphosphate synthetase
Thermal stability of – – – as reflected in its circular dichroism and activity properies. Effect of inhibitors (Kryvi) (317) 123
Phosphorylase b
Influence of various ligands on the desensitization of – – – by dinitrophenylation (Soman, Philip) (321) 149
Phosphorylating particles
EPR studies on – – – from Azotobacter vinelandii (DerVartanian et al.) (305) 173
Phosphorylation
Incorporation of $^{32}P_i$ into intramitochondrial ADP fraction dependent on the substrate-level – – – (Tokumitsu, Ui) (292) 310
Phosphorylation
Stoichiometry of reduction and – – – during illumination of intact chloroplasts (Heber) (305) 140
Phosphorylation
Studies of the in vitro – – – of chromatin non-histone proteins in isolated nuclei (Rickwood et al.) (299) 162
Phosphorylation of muscle proteins
– – – by cyclic AMP-dependent protein kinase from muscle (Sands, Meyer) (321) 489
Phosphorylation patterns
Mammalian ribosomal proteins: Studies on the in vitro – – – of ribosomal proteins from rabbit liver and reticulocytes (Delaunay et al.) (312) 147
Phosphorylation potential
– – – generated by respiring mitochondria (Slater et al.) (292) 534
Phosphorylation reaction
Electron transport and phosphorylation in chloroplasts as a function of the electron acceptor. III. A dibromothymoquinone-insensitive – – – associated with Photosystem II (Izawa et al.) (305) 119
Phosphorylation sites
Evidence for two – – – associated with the electron transport chain of chloroplasts (West, Wiskich) (292) 197
O-Phosphoserine
Identification of – – – in the soluble anionic phosphoproteins of bone (Spector, Glimcher) (303) 360
Phosphoserine
Presence of – – – and phosphothreonine in tryptic digest degradation products of pig fibrinogen (Krajewski et al.) (322) 95
Phosphothreonine
Presence of phosphoserine and – – – in tryptic digest degradation products of pig fibrinogen (Krajewski et al.) (322) 95
Phosphotransacetylase
– – – from Bacillus subtilis: Purification and physiological studies (Rado, Hoch) (321) 114
Phosphotransacetylase
Kinetic studies with – – –. V. The mechanism of activation by univalent cations (Kyrtopoulos, Satchell) (321) 126
Phosphotransferase
Comparative inhibition studies of the – – – and glycerophosphate acylation systems in membrane vesicles of Escherichia coli (Négrel et al.) (291) 635
Phosphotransferase
Utilization of endogenous phospholipids by the back-reaction of CDPcholine(ethanolamine)1,2-diglyceride choline(ethanolamine) – – – in rat liver microsomes (Kanoh, Ohno) (306) 203

Phosvitin
Amino acid sequence of a cyanogen bromide cleavage peptide from hen egg – – – (Clark) (310) 174
Phosvitin kinase
Calf brain – – –. II. Purification and characterization of three different fractions of phosvitin kinase (Wålinder) (293) 140
Phosvitin kinase
Kinetic behaviour of – – – from rat liver cytosol (Baggio, Moret) (315) 347
Photo-affinity probes
Preparation of – – – for the insulin receptor site in adipose and liver cell membranes (Levy) (322) 329
Photochemical reaction centres
Pigment content and molar extinction coefficients of – – – from Rhodopseudomonas spheroides (Straley et al.) (305) 597
Photooxidation
Contrasting effects of plastocyanin on the photoreduction and – – – of cytochrome f in chloroplasts (Knaff) (292) 186
Photooxidation
Quantum yield of reaction centre – – – in subchloroplast fragments enriched with Photosystem I (Borisov, Il'ina) (325) 240
Photooxidation of histidine
– – – residues in asparaginase in relation to its enzymic activity (Makino, Inada) (295) 543
Photophosphorylation
Electron transport and – – – in chloroplasts as a function of the electron acceptor. II. Acceptor-specific inhibition by KCN (Ouitrakul, Izawa) (305) 105
Photophosphorylation
Electron transport and – – – in chloroplasts as a function of the electron acceptor. III. A dibromothymoquinone-insensitive phosphorylation reaction associated with Photosystem II (Izawa et al.) (305) 119
Photophosphorylation
Inorganic sulphate and selenate as energy transfer inhibitors of – – – (Pick, Avron) (325) 297
Photophosphorylation
Lipophilicity and catalysis of – – –. II. Quinoid compounds as artificial carriers in cyclic photophosphorylation and photoreductions by Photosystem I (Hauska et al.) (305) 632
Photophosphorylation
Measurement of cyclic – – – in isolated chloroplasts by determination of hydrogen ion consumption. An evaluation of the method using titration at constant pH (Lilley, Walker) (314) 354
Photophosphorylation
Role of the superoxide free radical ion in photosynthetic ascorbate oxidation and ascorbate-mediated – – – (Elstner, Kramer) (314) 340
Photophosphorylation
Stoichiometry (ATP/$2e^-$ ratio) of non-cyclic – – – in isolated spinach chloroplasts (Reeves, Hall) (314) 66
Photophosphorylation
Studies on the energy coupling sites of – – –. I. Separation of Site I and Site II by partial reactions of the chloroplast electron transport chain (Gould, Izawa) (314) 211
Photophosphorylation
Studies on the energy coupling sites of – – –. III. The different effects of methylamine and ADP plus phosphate on electron transport through coupling sites I and II in isolated chloroplasts (Gould, Ort) (325) 157
Photoreceptor membranes
Biochemical aspects of the visual process. XXII. Amino group modification in bovine rod – – – (de Grip et al.) (323) 125
Photoreceptor membranes
Biochemical aspects of the visual process. XXIV. Adenylate cyclase and rod – – –: A critical appraisal (Hendriks et al.) (330) 156
Photoreceptors
Light-induced free radical oxidation of membrane lipids in – – – of frog retina (Kagan et al.) (330) 76
Photoreduction
Contrasting effects of plastocyanin on the – – – and photo-oxidation of cytochrome f in chloroplasts (Knaff) (292) 186
Photoreductions
Properties of – – – by Photosystem II in isolated chloroplasts. An energy-conserving step in the photoreduction of benzoquinones by Photosystem II in the presence of dibromothymoquinone (Trebst, Reimer) (305) 129
Photosynthesis
Action of 3-(3,4-dichlorophenyl)-1, 1-dimethylurea on the water-splitting enzyme system Y of – – – (Renger) (314) 113
Photosynthesis
Energy transfer in – – – (Colbow) (314) 320

Photosynthesis
Feedback controlling oxygen production in a cross-reaction between two photosystems in – – – (Diner, Mauzerall) (305) 329
Photosynthesis
Kinetic analysis of the oxidizing and reducing sides of the O_2-evolving system of – – – (Radmer, Kok) (314) 28
Photosynthesis
Nature of the deactivator of the water-splitting system in – – – (Vater) (325) 149
Photosynthesis
Optical and kinetic properties of semireduced plastoquinone and ubiquinone: Electron acceptors in – – – (Bensasson, Land) (325) 175
Photosynthesis
Turnover times of – – – and redox properties of the pool of electron carriers between the photosystems (Diner, Mauzerall) (305) 353
Photosynthetic activity
Change in pH dependence and sequential inhibition of – – – in chloroplasts by unsaturated fatty acids (Siegenthaler) (305) 153
Photosynthetic bacteria
Energy transduction in – – –. VI. Respiratory sites of energy conservation in membranes from dark-grown cells of Rhodopseudomonas capsulata (Baccarini Melandri et al.) (314) 298
Photosynthetic bacteria
Effects of o-phenanthroline on electron transport in chromatophores from – – – (Jackson et al.) (292) 218
Photosynthetic bacteria
Fluorescence polarization and pigment orientation in – – – (Goedheer) (292) 665
Photosynthetic CO_2 incorporation
– – – by isolated leaf cell protoplasts (Wegmann, Mühlbach) (314) 79
Photosynthetic electron transfer
Effect of temperature on the rate of – – – in chloroplasts of chilling-sensitive and chilling-resistant plants (Shneyour et al.) (292) 152
Photosynthetic electron transport
Light-induced changes of bound chloroplast plastocyanin as studied by EPR spectroscopy: Role of plastocyanin in noncyclic – – – (Malkin, Bearden) (292) 169
Photosynthetic electron transport
Redistribution of electric charge accompanying – – – in Chromatium (Case, Parson) (292) 677
Photosynthetic electron transport pathway
Site of KCN inhibition in the – – – (Izawa et al.) (314) 328
Photosynthetic green bacterium
Effect of oxidation–reduction potential on light-induced cytochrome and bacteriochlorophyll reactions in chromatophores from the – – – Chlorobium (Knaff et al.) (325) 94
Photosynthetic membrane
Orientation of pigments and structural proteins in the – – – of spinach chloroplasts: A linear dichroism study (Breton et al.) (314) 42
Photosynthetic membranes
Structure of – – – of Euglena using X-ray diffraction (Sadler et al.) (298) 620
Photosynthetic mutants
Reversion of Scenedesmus – – – (Raps) (305) 384
Photosynthetic oxygen production
– – – and the size of the photosynthetic unit in a cell-free preparation from Cyanidium caldarium (Diner, Mauzerall) (292) 285
Photosynthetic phosphorylation
Uncoupling of – – – by benzophenanthridine alkaloids (Vallejos) (292) 193
Photosynthetic reaction centre
Extraction of oxidized bacteriochlorophyll from illuminated – – – particles (Straley, Clayton) (292) 685
Photosynthetic reaction centre
Primary events in the – – – from Rhodopseudomonas spheroides strain R26: Triplet and oxidized states of bacteriochlorophyll and the identification of the primary electron acceptor (Dutton et al.) (292) 654
Photosynthetic unit
Photosynthetic oxygen production and the size of the – – – in a cell-free preparation from Cyanidium caldarium (Diner, Mauzerall) (292) 285
Photosynthetic units
New evidence supporting energy transfer between – – – (Joliot et al.) (305) 317
Photosynthetic water-splitting enzyme system
Studies on the mechanism of destabilization of the positive charges trapped in the – – – by a deactivation-accelerating agent (Renger) (314) 390
Photosystem I
Algal, nitrogenase, reductant pools and – – – activity (Lex, Stewart) (292) 436
Photosystem I
Fluorescence lifetime and energy migration

mechanism in – – – of plants (Borisov, Il'ina) (305) 364
Photosystem I
Lipophilicity and catalysis of photophosphorylation. II. Quinoid compounds as artificial carriers in cyclic photophosphorylation and photoreductions by – – – (Hauska et al.) (305) 632
Photosystem I
Polycation inhibition of chloroplast – – – (Berg et al.) (305) 372
Photosystem I
Polylysine-enhanced effectiveness of plastocyanin in – – – (Brand, San Pietro) (325) 255
Photosystem I
Quantum yield of reaction centre photooxidation in subchloroplast fragments enriched with – – – (Borisov, Il'ina) (325) 240
Photosystem I
Studies on electron transport associated with – – –. III. The reduction sites of various Hill oxidants in the photosynthetic electron transport system (Kimimura, Katoh) (325) 167
Photosystem II
Back reaction in the primary electron transfer couple of – – – of photosynthesis (Butler et al.) (325) 539
Photosystem II
C-550 in – – – subchloroplast particles (Kitajima, Butler) (325) 558
Photosystem II
Different types of quenching involved in – – – centres (Joliot, Joliot) (305) 302
Photosystem II
Effect of oxidizing treatment on chloroplast – – – reactions (Malkin, Knaff) (325) 336
Photosystem II
Effects of α-benzyl-α-bromo-malodinitrile on the primary electron acceptor of – – – in spinach chloroplasts (Brandon, Elgersma) (292) 753
Photosystem II
Isolation and properties of particles containing reaction-centre complex of – – – from spinach chloroplasts (Wessels et al.) (292) 741
Photosystem II
Limiting steps in – – – and water decomposition in Chlorella and spinach chloroplasts (Bouges-Bocquet) (292) 772
Photosystem II
Oxidation–reduction potential dependence of low-temperature photoreactions of chloroplast – – – (Bearden, Malkin) (325) 266
Photosystem II
Photooxidation of cytochrome b_{559} and the electron donors in chloroplast – – – (Vermeglio, Mathis) (292) 763
Photosystem II
Photoreduction of C-550 and oxidation of cytochrome b_{559} in chloroplasts: Dependence on the state of – – – (Vermeglio, Mathis) (314) 57
Photosystem II
Polypeptides of stacked and unstacked Chlamydomonas reinhardi chloroplast membranes and their relation to – – – activity (Levine, Duram) (325) 565
Photosystem II
Properties of photoreductions by – – – in isolated chloroplasts. An energy-conserving step in the photoreduction of benzoquinones by Photosystem II in the presence of dibromothymoquinone (Trebst, Reimer) (305) 129
Photosystem II
Properties of photoreductions by – – – in isolated chloroplasts. III. The effect of uncouplers on phenylenediamine shuttles across the membrane in the presence of dibromothymoquinone (Trebst, Reimer) (325) 546
Photosystems
Composition of the – – – and chloroplast structure in extreme shade plants (Anderson et al.) (325) 573
Photosystems
Electron transfer between the two – – – in spinach chloroplasts (Bouges-Bocquet) (314) 250
Photosystems
Feedback controlling oxygen production in a cross-reaction between two – – – in photosynthesis (Diner, Mauzerall) (305) 329
Photosystems
Turnover times of photosynthesis and redox properties of the pool of electron carriers between the – – – (Diner, Mauzerall) (305) 353
"pH stat" titration
– – – method for the determination of the thermodynamic quantities associated with the formation of ATP–magnesium complexes (Sari et al.) (305) 1
Phycoerythrins
Natural occurrence in red algae of two – – –

with different molecular weights and spectral properties (van der Velde) (303) 246
Phylloquinone
Studies on the metabolites of – – – (Vitamin K_1) in the urine of man (Shearer, Barkhan) (297) 300
Physiological saline
Studies of the blood chemistry of Electrophorus electricus and a new – – – solution based thereon (Webb et al.) (297) 313
Phytases
– – –. II. Properties of phytase fractions F_1 and F_2 from wheat bran and the myo-inositol phosphates produced by fraction F_2 (Lim, Tate) (302) 316
Phytohaemagglutinin
Control of protein synthesis during the stimulation of lymphocytes by – – –. II. Studies with cell-free systems (Ahern, Kay) (331) 91
Phytohaemagglutinin
Effects of chelating agents on the initial interaction of – – – with lymphocytes and the subsequent stimulation of amino acid uptake (Whitney, Sutherland) (298) 790
Phytohaemagglutinin
– – – from sunn hemp seeds (Crotalaria juncea). Purification by biospecific affinity chromatography (Ersson et al.) (310) 446
Phytohaemagglutinins
Studies on – – –. XII. O-Glycosyl polyacrylamide gels for affinity chromatography of phytohaemagglutinins (Horejsi, Kocourek) (297) 346
Phytohaemagglutinins
Studies on – – –. XIII. A phytohaemagglutinin receptor from human erythrocytes (Kubánek et al.) (304) 93
Phytomitogens
Isolation and characterization of pokeweed mitogen-like – – – from shoriku, Phytolacca esculenta (Tokuyama) (317) 338
Pigment
Membrane proteins of Rhodopseudomonas spheroides. V. Additional chemical characterization of a – – – –lipid-associated protein isolated from chromatophores (Huang, Kaplan) (307) 332
Pigment orientation
Fluorescence polarization and – – – in photosynthetic bacteria (Goedheer) (292) 665
Pigments
Orientation of – – – and structural proteins in the photosynthetic membrane of spinach chloroplasts: A linear dichroism study (Breton et al.) (314) 42
Plant mitochondria
Effects of protein synthesis inhibitors on oxidative phosphorylation by – – – (Wilson, Moore) (292) 603
Plant mitochondria
Respiratory chain of – – –. XV. Equilibration of cytochromes c_{549}, b_{553}, b_{557} and ubiquinone in mung bean mitochondria: Placement of cytochrome b_{557}, and estimation of the mid-point potential of ubiquinone (Storey) (292) 592
Plasma
Kinetics of chylomicron triglyceride removal from – – – in rats: The effect of diet (Harris, Felts) (316) 288
Plasma free fatty acid uptake
Influence of chain length and degree of unsaturation on – – – by the perfused rat liver (Soler-Argilaga et al.) (326) 167
Plasmalemma
Bioelectrical response of the Nitella flexilis cell to illumination: A new possible state of – – – in a plant cell (Volkov) (314) 83
Plasmalemma
Photosynthetic energy control of an electrogenic ion pump at the – – – of Nitella translucens (Vredenberg, Tonk) (298) 354
Plasma lipoproteins
Isolation and properties of pig – – – and partial characterization of their apoproteins (Fidge) (295) 258
Plasmalogen
Phosphatidylserine and its – – – analogue as major lipid constituents in Megasphaera elsdenii (Van Golde et al.) (326) 314
Plasmalogens
Structural specificity in the formation of glycerol ethers and – – – in myelinating brain (Chang et al.) (306) 437
Plasma membrane
Calcium binding by a – – – fraction isolated from rat submandibular glands (Nijjar, Pritchard) (323) 391
Plasma membrane
Effect of pH on the OsO_4-revealed structure of the – – – of Chara corallina (Coster, Kaplin) (330) 141
Plasma membrane
Electron microscope autoradiography of labelled yeast – – – (Schibeci et al.) (323) 532

Plasma membrane
– – – fragments in bovine and caprine skim milks (Plantz, Patton) (291) 51
Plasma membrane
Isolation and characterization of – – – from cultured cells. V. The chemical composition of plasma membrane isolated from chicken tumours initiated with virus-transformed cells (Perdue et al.) (298) 817
Plasma membrane
Isolation and identification of yeast – – – (Schibeci et al.) (311) 15
Plasma membrane
Isolation and properties of skeletal muscle – – – (Kidwai et al.) (298) 593
Plasma membrane
Localization of an RNA-degrading system of enzymes on the rat liver – – – (Yannarell, Aronson, Jr) (311) 191
Plasma membrane
– – – and mucosal glycosphingolipids in the rat intestine (Forstner, Wherrett) (306) 446
Plasma membrane
Properties of – – – and mesosomal membranes isolated from Micrococcus lysodeikticus: Rates of synthesis and characterisation of lipids (Thomas, Ellar) (316) 180
Plasma membrane
Proteins and glycoproteins in – – – fractions of avian leukosis–sarcoma virus susceptible and resistant chicken embryo fibroblasts (Smith, Crittenden) (298) 608
Plasma membrane
Rapid method for the isolation of rat liver – – – using an aqueous two-phase polymer system (Lesko et al.) (311) 173
Plasma membrane
Studies of the chemistry of the luminal – – – of rat bladder epithelial cells (Ketterer et al.) (311) 180
Plasma membrane
Subcellular fractionation of human lymphocytes. Isolation of two – – – fractions and comparison of the protein components of the various lymphocytic organelles (Demus) (291) 93
Plasma membrane
Turnover of rat liver – – –: Comparison with microsomal membranes (Lee et al.) (291) 86
Plasma membrane glycoproteins
– – – from nucleated cells. I. Preparative techniques for isolation and partial characterization of a membrane glycoprotein extract from L1210 cells with lectin receptor activity (Hourani et al.) (328) 520
Plasma membranes
Basal and hormone-stimulated adenylate cyclase in liver – – –: Measurement by radioimmunoassay of cyclic AMP (Rosselin, Freychet) (304) 541
Plasma membranes
– – – of bovine circumvallate papillae. Isolation and partial characterization (Lo) (291) 650
Plasma membranes
– – – of bovine taste papillae. Polyacrylamide gel electrophoresis of circumvallate membrane proteins (Lo, Ma) (307) 343
Plasma membranes
Composition and synthesis of – – – and smooth endoplasmic reticulum in isolated cells of newborn rat brain (Hemminki) (298) 810
Plasma membranes
– – – from fibroblastic cells in culture. Isolation, morphological and enzymatic identification (Lelievre) (291) 662
Plasma membranes
Gonadotropin receptors in the – – – of rat luteal cells (Rao, Saxena) (313) 372
Plasma membranes
Interaction of Ca^{2+} and Mg^{2+} with synaptic – – – (Madeira, Antunes-Madeira) (323) 396
Plasma membranes
Isolation and characterization of – – – from normal and leukaemic cells of mice (Warley, Cook) (323) 55
Plasma membranes
Isolation of – – – from Ehrlich ascites tumour cells. Influence of amino acids on $(Na^+ + K^+)$-ATPase and K^+-stimulated phosphatase (Forte et al.) (298) 827
Plasma membranes
Nuclear membranes and – – – from hen erythrocytes. III. Localization of activities incorporating fatty acids into phospholipids (Stadler, Franke) (311) 205
Plasma membranes
Ouabain binding to the sodium pump in – – – isolated from ox brain (Whittam, Chipperfield) (307) 563
Plasma membranes
Phlorizin–receptor interactions in fat cell – – – (Czech et al.) (323) 639
Plasma membranes
Phospholipid hydrolysis by phospholipases

A_1 and A_2 in – – – and microsomes of rat liver (Newkirk, Waite) (298) 562
Plasma membranes
Preparation of – – – from isolated cells of newborn rat brain (Hemminki, Suovaniemi) (298) 75
Plasma membranes
Preparation and properties of the $(Na^+ + K^+)$-ATPase of – – – from Ehrlich ascites cells (Colombini, Johnstone) (323) 69
Plasma membranes
Rapid high yield method for the preparation of rat liver cell – – – (Dorling, Le Page) (318) 33
Plasma membranes
Specific prostaglandin E_1 and A_1 binding sites in rat adipocyte – – – (Gorman, Miller) (323) 560
Plasma membranes
Studies on – – –. XIX. Isolation and characterization of a plasma membrane fraction from calf thymocytes (van Blitterswijk et al.) (298) 577
Plasma membranes
Study of sex difference in enzyme activities of rat liver – – – (Solyom, Lauter) (298) 743
Plasma membranes
Tetrodotoxin receptors in – – – isolated from lobster nerve fibres (Barnola et al.) (298) 84
Plasma membrane vesicles
Preparation of inverted – – – from isolated adipocytes (Bennett, Cuatrecasas) (311) 362
Plasma very low density lipoprotein
Metabolic conversion of human – – – to low density lipoprotein (Eisenberg et al.) (326) 361
Plasma very low density lipoprotein
Metabolism of rat – – –. I. Fate in circulation of the whole lipoprotein (Eisenberg, Rachmilewitz) (326) 378
Plasma very low density lipoprotein
Metabolism of rat – – –. II. Fate in circulation of apoprotein subunits (Eisenberg, Rachmilewitz) (326) 391
Plasmid DNA
Chromosomal DNA and – – – of bacteria: Interaction with crystals of cadmium lauroyl sarkosinate (Dowman, Meynell) (299) 218
Plasmin
Characterization of large fragments rich in disulphide bridges from CNBr treated products of exhaustive proteolysis of fibrinogen by – – – (Dudek-Wojciechowska et al.) (295) 536
Plasmin
Effect of bile salts on the esterase activities of – – – and some other enzymes (Exner, Koppel) (321) 303
Plasmin
Fate of fibrinopeptides in the reaction between human – – – and fibrinogen (Lahiri, Shainoff) (303) 161
Plasmin
Rat α_2-acute phase globulin, a human α_2-macroglobulin homologue. Interaction with – – – and trypsin (Ganrot) (322) 62
Plasmin-induced degradation
Subunit structure of the – – – products of crosslinked fibrin (Gaffney, Brasher) (295) 308
Plasminogen
Release of an N-terminal peptide from human – – – during activation with urokinase (Rickli, Otavsky) (295) 381
Plasmocytoma
Enzyme activities in membranes from three phenotypes of the murine – – – MOPC 173, cultivated in vitro (Lelievre, Paraf) (291) 671
Plastocyanin
Contrasting effects of – – – on the photoreduction and photooxidation of cytochrome f in chloroplasts (Knaff) (292) 186
Plastocyanin
Higher plant – – – (Ramshaw et al.) (303) 269
Plastocyanin
Light-induced changes of bound chloroplast – – – as studies by EPR spectroscopy: Role of plastocyanin in noncyclic photosynthetic electron transport (Malkin, Bearden) (292) 169
Plastocyanin
Polylysine-enhanced effectiveness of – – – in Photosystem I (Brand, San Pietro) (325) 255
Plastoquinone
Electron transport between – – – and chlorophyll a_1 in chloroplasts (Haehnel) (305) 618
Plastoquinone
Optical and kinetic properties of semireduced – – – and ubiquinone: Electron acceptors in photosynthesis (Bensasson, Land) (325) 175
Platelet membrane
Effect of thrombin on the – – – (Steiner) (323) 653

Platelet membranes
Isolation of pig – – – and granules. Distribution and validity of marker enzymes (Harris, Crawford) (291) 701
Platelet membranes
Sulphydryl and disulphide groups of – – –. I. Determination of sulphydryl groups (Ando, Steiner) (311) 26
Platelet membranes
Sulphydryl and disulphide groups of – – – II. Determination of disulphide groups (Ando, Steiner) (311) 38
Platelet protease
Studies on a human blood – – – with elastolytic activity (Legrand et al.) (309) 406
Platelet proteins
Studies on – – –. IX. The identity of fibrinogen (James, Ganguly) (328) 448
Platelets
Adenine nucleotide metabolism of blood – – –. VIII. Transport of adenine into human platelets (Sixma et al.) (298) 460
Platelets
Cholinesterase activities of intact – – – as measured by an improved radiometric method (Chuang) (321) 546
Platelets
Interaction of thrombin and nucleotides: Effects on glycolysis in human – – – (Zieve, Schmukler) (313) 350
Platelets
Microcalorimetric study of isolated – – – in the presence of thrombin and other aggregating agents (Ross et al.) (313) 106
Platelets
Multiple forms of cyclic adenosine 3′,5′-monophosphate phosphodiesterase from human blood – – –. I. Kinetic and electrophoretic characterization of two molecular species (Pichard et al.) (315) 370
Platelets
Purification and characterization of HL-A antigens from human – – –, solubilized by the non-ionic detergent NP-40 (Dautigny et al.) (298) 783
Platelets
Studies with phosphodiesterase. III. Two forms of the enzyme from human blood – – – (Amer, Mayol) (309) 149
Platelets
Subcellular distribution and characterisation of ATPase activity in pig – – – (Harris, Crawford) (291) 720
Platelet thrombosthenin
Calcium ion control of – – – ATPase activity (Hanson et al.) (314) 382
Polyacrylamide gel electrophoresis
Purification of membrane-associated tumour antigens by preparative – – – (Harris et al.) (311) 600
Polyacrylamide–thermolysin conjugates
Water-insoluble – – – (Epton et al.) (328) 418
Polyacrylic acid
Effect of different sizes of polyacrylic acid on the structure and DNA template properties of isolated rat liver nuclei and soluble chromatin (Brown, Coffey) (294) 74
Poly(adenylic acid)
Effect of illumination on RNA synthesis and – – – sequences in cultures of etiolated Euglena gracilis (Verdier et al.) (312) 528
Polyamines
Aminoacyl transfer RNA formation. III. Mechanism of aminoacylation stimulated by – – – (Matsuzaki, Takeda) (308) 339
Polyamines
Effect of – – – on polypeptide synthesis in rat liver cell-free system (Igarashi et al.) (299) 325
Polyamine synthesis
Regulation of – – – in Physarum polycephalum during growth and differentiation (Mitchell, Rusch) (297) 503
Polyanions
Sensitive method for measuring the charge of water soluble – – – (Hodson, Riley) (304) 236
Poly(N^4-anisoyl deoxycytidylate)
Synthesis of – – – and poly(N^6-benzoyl deoxyadenylate) (Flûgel, Bollum) (308) 35
Poly(N^6-benzoyl-deoxyadenylate)
Synthesis of poly(N^4-anisoyl deoxycytidylate) and – – – (Flügel, Bollum) (308) 35
Poly(3′-O-carboxymethyl-2′-deoxyadenosine)
Synthetic analogues of polynucleotides. X. The synthesis of – – – and its interaction with polynucleotides (Jones et al.) (294) 365
Polydeoxynucleotide
Synthesis and properties of an alternating – – – containing 4-thiodeoxyuridine: Poly [d(A-s^4U)·d(A-s^4U)] (Rohde, Lezius) (308) 361
Polydeoxyribonucleotides
Analysis of – – – by digestion with phosphatase and phosphodiesterases (Ho, Gilham) (308) 53

Polydeoxythymidylate
Inhibition of cell-free globin synthesis by – – – (Miller et al.) (294) 507
Poly(1,N^6-ethenoadenylic acid)
Synthesis and properties of a new fluorescent polynucleotide, – – – (Lehrach, Scheit) (308) 28
Polyethylene glycol
Precipitation of enzymes from cell extracts of Saccharomyces cerevisiae by – – – (Foster et al.) (317) 505
Polyethyleneimine
Precipitation of nucleic acids with polyethyleneimine and nucleic acid chromatography and protein chromatography on immobilized – – – (Atkinson, Jack) (308) 41
Poly(2'-fluoro-2'-deoxyuridylic acid)
Antiviral activity of polynucleotides: – – – (De Clercq, Janik) (324) 50
Polygalacturonase
Two forms of – – – in tomatoes (Pressey, Avants) (309) 363
Poly(5-hydroxycytidylic acid)
– – – (Eaton, Hutchinson) (319) 281
Poly-L-lysine binding
– – – to small quantities of different chromatin preparations (Remington, Klevecz) (308) 422
Polymerization
– – – of flagellin into P-filament in the presence of deoxycholate (Kagawa) (317) 114
Polymorphism
– – – of barley β-amylase (Niku-Paavola et al.) (322) 181
Polymorphism
– – – in fowl serum albumin. IV. Isolation and characterisation of liver polyribosomes (Jernigan et al.) (312) 502
Polymorphonuclear leucocyte enzymes
Studies on human – – –. I. Assay of acid hydrolases and other enzymes (Avila, Convit) (293) 397
Polymorphonuclear leucocyte enzymes
Studies on human – – –. II. Comparative study of the physical properties of primary and specific granules (Avila, Convit) (293) 409
Polynucleotide analogues
Synthetic – – –. X. The synthesis of poly-(3'-O-carboxymethyl-2'-deoxyadenosine) and its interaction with polynucleotides (Jones et al.) (294) 365
Polynucleotides
Inhibition of DNA-dependent RNA polymerase with partially thiolated – – – (Mikulski et al.) (319) 294
Polyoma virus
DNA methylation in normal and tumour virus-transformed cells in tissue culture. I. The level of DNA methylation in BHK21 cells and in BHK21 cells transformed by – – – (PyY cells) (Rubery, Newton) (324) 24
Polypeptide
– – – composition of membranes derived from neuronal and glial cells (Karlsson et al.) (298) 219
Polypeptide–calcium ion complex
Neutral – – – (Urry et al.) (292) 853
Polypeptide chain initiation
Characterization of a viral messenger ribonucleoprotein particle accumulated during inhibition of – – – in reovirus-infected L cells (Christman et al.) (294) 153
Polypeptide composition
– – – of epidermal prekeratin (Baden et al.) (317) 303
Polypeptide–mucopolysaccharide interactions
– – –: Effect of the position of the sulphate group (Gelman, Blackwell) (297) 452
Polypeptide multilayers
Structural investigations of lipid, – – – and protein multilayers (Green et al.) (330) 243
Polypeptide synthesis
Comparison of rat liver and Escherichia coli cell-free systems in inhibition of – – – by deoxycholate (Igarashi et al.) (299) 331
Polypeptide synthesis
Effect of polyamines on – – – in rat liver cell-free system (Igarashi et al.) (299) 325
Polypeptide synthesis
Pactamycin inhibition of eucaryotic – – – dependent on added initiation factors (Ayuso, Goldberg) (294) 118
Polyphosphate phosphohydrolase
– – – from Endomyces magnusii (Afanasieva, Kulaev) (321) 336
Polyphosphoinositides
Improved conditions for the preservation and extraction of – – – (Hauser, Eichberg) (326) 201
Polyphosphoinositides
Subcellular distribution of – – – in myelinated and unmyelinated rat brain (Hauser, Eichberg) (326) 210
Polypyrimidine sequences
Structural analyses of mammalian ribosomal ribonucleic acid and its precursors. The distribution of – – – in ribosomal 18-S ribonucleic acid (Nazar, Busch) (299) 428

Polyribocytidylic acid
Kinetic study of the reaction between polyriboinosinic acid and – – – (Steiner) (312) 458
Polyriboinosinic acid
Kinetic study of the reaction between – – – and polyribocytidylic acid (Steiner) (312) 458
Polyribonucleotides
Fluorescent derivatives of – – – containing ε-adenosine (Steiner et al.) (294) 24
Polyribosomes
Influence of zinc on protein synthesis by – – – from the dog prostate and the dorsolateral lobes of the rat prostate (Webb et al.) (324) 143
Polyribosomes
– – – from maize leaves. Isolation at high pH and amino acid incorporation (Ramagopal, Hsiao) (299) 460
Polyribosomes
Polymorphism in fowl serum albumin. IV. Isolation and characterization of liver – – – (Jernigan et al.) (312) 502
Polyribosomes
Specific immunoprecipitation of – – – synthesizing an immunoglobulin light chain (Delovitch et al.) (299) 621
Polyribosomes
Use of liquid nitrogen and high ionic strength for the isolation of functional – – – from Neurospora crassa (Sargent) (324) 267
Polysaccharides
Interaction of Ricinus communis haemagglutinin with – – – and low molecular weight carbohydrates (Van Wauwe et al.) (313) 99
Polysaccharides
Structural analysis of Agar-type – – – by NMR spectroscopy (Izumi) (320) 311
Polysaccharides
– – – of SV 40-transformed green monkey kidney cells (Makita, Shimojo) (304) 571
Polysomal RNA
Identification of presumptive histone messenger RNA in rapidly labelled – – – of mouse myelomas (Kemper, Rich) (319) 364
Polysome distribution
Effect of elevated potassium level and amino acid deprivation on – – – and rate of protein synthesis in L cells (Christman) (294) 138
Polysome patterns
Effect of threonine supplementation on hepatic – – – and protein synthesis of rats fed a threonine-deficient diet. (Ip, Harper) (331) 251
Polysomes
Distribution of radioactive peptides synthesized by – – – and ribosomal subunits combined in vitro with microsomal membranes (Burke, Redman) (299) 312
Polysomes
Isolation and characterisation of membrane-bound – – – from ascites tumour cells (Faiferman et al.) (312) 492
Poly(U)
– – – and transfer RNA binding sites on reticulocyte ribosomes (Cheng, McAllister) (319) 401
Polyunsaturated fatty acid synthesis
Fatty liver induction: Effect of ethionine on – – – (Witting) (296) 271
Polyuridylic acid
In vitro protein synthesis in yeast. – – – -dependent incorporation of phenylalanine into endogenous peptidyl-tRNA (van der Zeijst et al.) (294) 517
Polyuridylic acid
Ribosomes from Rauscher leukemia virus-infected cells and their response to Rauscher viral RNA and – – – (Naso et al.) (324) 346
Polyuridylic acid
Studies on the release of N-acetylphenylalanyl-tRNA from its ribosomal complex: Effect of size of – – – (Watanabe, Tanaka) (319) 383
Poly(U)–Sepharose
Translation in Xenopus oocytes of thyroglobulin mRNA isolated by – – – affinity chromatography (Vassart et al.) (324) 575
Pores
Ion transport through – – –: A rate-theory analysis (Läuger) (311) 423
Porphobilinogen deaminase
The enzymatic inactivation of – – – (Frydman, Frydman) (293) 506
Porphyria
Effect of DL-propranolol on δ-aminolaevulinic acid synthetase activity and urinary excretion of porphyrins in allylisopropylacetamide-induced experimental – – – (Blum et al.) (320) 242
Porphyric rat liver
Mitochondrial metabolism in – – – (Miyahara et al.) (325) 47
Porphyrin biosynthesis
– – –. X. Porphyrinogen carboxylyase from avian erythrocytes. Further properties (Garcia et al.) (309) 203
Porphyrinogen carboxylyase
Porphyzin biosynthesis. X. – – – from avian

erythrocytes. Further properties (Garcia et al.) (309) 203
Porphyrin ring orientation
Determination of chlorophyll – – – in black lipid membranes by photovoltage spectroscopy (Weller, Jr, Tien) (325) 433
Postheparin lipoprotein lipase activity
Increase in – – – in rat plasma by dietary erucic acid (Struijk et al.) (296) 253
Postnatal development
Changes in aldolase isozymes of the digestive tract during – – – (Kawachi et al.) (320) 59
Potassium
Influence of sodium – – – and lithium on the response of glycogen synthetase I to insulin and epinephrine in the isolated rat diaphragm (Horn et al.) (313) 296
Potassium concentration
Regulation of the intracellular – – – in Escherichia coli B 525 (Zimmermann et al.) (311) 442
Potassium content
Control of sodium content, – – – and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285
Potassium depletion
Effect of – – – on the initial kinetics of glycolysis in ascites tumour cells (Greenhouse, Coe) (329) 183
Potassium ion
Effect of – – – on the membrane potential in HeLa cells (Okada et al.) (291) 116
Potassium ion
– – – -induced swelling of nerve-ending particles by light-scattering measurement (Kamino et al.) (330) 39
Potassium ion
Insulin action. Accumulation in vitro of Mg^{2+} and – – – in rat uterus: Ion pump activity (Lostroh, Krahl) (291) 260
Potassium ion
Study on the influence of the concentration of Mg^{2+}, P_i, – – –, Na^+ and Tris on (Mg^{2+}+ P_i)-supported g-strophanthin binding to (Na^++K^+)-activated ATPase from ox brain (Hansen, Skou) (311) 51
Potassium deficiency
Effect of – – – on oxidative metabolism in Ehrlich ascites tumour cells (Moroff, Gordon) (325) 406
Potassium ion requirement
– – – for in vivo synthesis of Escherichia coli and Bacillus subtilis cell constituents (Ennis et al.) (294) 87
Potassium level
Effect of elevated – – – and amino acid deprivation on polysome distribution and rate of protein synthesis in L cells (Christman) (294) 138
Potassium-stimulated ATPase
– – – in purified microsomes of bullfrog oxyntic cells (Ganser, Forte) (307) 169
Potassium transport
Modulation of red cell – – – by membrane lipids (Poznansky et al.) (330) 351
Potassium transport
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of membrane stabilizers on the – – – Na^+ transport and glucose transport in muscle, adipocytes and erythrocytes (Clausen et al.) (298) 393
Potassium transport
– – – and sodium transport with citrate across the mitochondrial membrane (Gamble, Jr) (323) 240
Potential changes
Light-induced – – – across the chloroplast enclosing membranes as expressions of primary events at the thylakoid membrane (Vredenberg et al.) (314) 261
Potential difference
Chloride flux across frog skins of low – – – (Watlington, Jessee) (330) 102
Potentiometric properties
Biochemical and biophysical studies on cytochrome c oxidase. X. Spectral and – – – of the haems and coppers (Tiesjema et al.) (305) 19
Praseodymium ion transport
Proton magnetic resonance detection of ionophore-mediated – – – across phospholipid membranes (Fernández et al.) (323) 600
Precipitation of enzymes
– – – from cell extracts of Saccharomyces cerevisiae by polyethylene glycol (Foster et al.) (317) 505
Prenyltransferase
Comparative specificity of – – – of pig liver and pumpkin with respect to artificial substrates (Nishino et al.) (302) 33
Primary electron acceptor
Primary events in the photosynthetic reaction centre from Rhodopseudomonas spheroides strain R26: Triplet and oxidized states of

bacteriochlorophyll and the identification of the – – – (Dutton et al.) (292) 654
Primary electron transfer
Back reaction in the – – – couple of Photosystem II of photosynthesis (Butler et al.) (325) 539
Primary photochemistry
Electron spin resonance characterization of Chromatium D haems, non-haems irons and the components involved in – – – (Dutton, Leigh) (314) 178
Primary structure
Studies on the – – – of turnip yellow mosaic vi virus protein. II. Primary structure of the tryptic peptides of aminoethylated protein (Peter et al.) (317) 240
Primary structure
Studies on the – – – of turnip yellow mosaic virus protein. III. Primary structure of the chymotryptic peptides of aminoethylated protein. Complete sequence (Stehelin et al.) (317) 253
Primordial processes
Selectivity in aqueous peptide synthesis by 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide. A model for – – – (Addy et al.) (295) 385
Proflavin
Electron microscopic and spectrophotometric studies on DNA – – – complexes (Dasgupta et al.) (294) 38
Proflavin
Free radicals characteristic of thymidine 5′-monophosphate photosensitized by – – – (van de Vorst, Lion) (294) 349
Progesterone
Effects of – – – on the synthesis of ribonucleic acids in the uterus (Miller) (299) 568
Progesterone
In vitro binding of – – – to receptors in human endometrium and myometrium ((Verma, Laumas) (317) 403
Progesterone
Isolation and characterisation of a – – – and testosterone-binding globulin from pregnant pig serum (Lea) (317) 351
Progesterone binding
Steroid–protein interactions. XXVII. – – – to polymers of human serum albumin (Westphal, Harding) (310) 518
Progesterone binding globulin
Steroid specificity of the pregnant guinea pig – – – (Lea) (322) 68
Progesterone-binding protein
– – – in human myometrium. Ligand specificity and some physicochemical characteristics (Kontul et al.) (328) 145
Progesterone receptor
– – – associated with the "melanosome" fraction of Pleurodeles waltlii oocytes (Urodela amphibian) (Ozon, Belle) (320) 588
Prolidase
Purification and specificity of pig intestinal – – – (Sjöström et al.) (327) 457
Proline catabolism
Inhibition of yeast Δ^1-pyrroline-5-carboxylate dehydrogenase by common amino acids and the regulation of – – – (Lundgren, Ogur) (297) 246
Proline hydroxylase
Diurnal variation of peptidyl – – – activity in different tissues of the rat (Cutroneo, Scott) (320) 227
Proline hydroxylation
Quantum chemical study of the mechanism of collagen – – – (Hobza et al.) (304) 466
Prolylcarboxypeptidase
Purification of – – – (angiotensinase C) (Kakimoto et al.) (302) 178
Pronase digestion
Products of – – – of purified blood group specific glycoproteins (Donald) (317) 420
Propionate
Effects of – – – on sodium transport by the toad bladder: Evidence for a metabolic mode of action (Taylor et al.) (298) 376
Propionyl-CoA
Acetyl-CoA and – – – carboxylation by Mycobacterium phlei. Partial purification and some properties of the enzyme (Erfle) (316) 143
DL-Propranolol
Effect of – – – on δ-aminolaevulinic acid synthetase activity and urinary excretion of porphyrins in allylisopropylacetamide-induced experimental porphyria (Blum et al.) (320) 242
Prostaglandin
Bilayer lipid membrane as a model for vasopressin, – – – and Ca^{2+} effects on water permeability (Graziani, Livne) (291) 612
Prostaglandin
Rat anterior pituitary adenyl cyclase activity: GTP requirement of – – – E_1 and E_2 and synthetic luteinising hormone releasing hormone activation (Deery, Howell) (329) 17
Prostaglandin A_1 binding sites
Specific prostaglandin E_1 binding sites and

– – – in rat adipocyte plasma membranes (Gorman, Miller) (323) 560
Prostaglandin biosynthesis
Isolation and properties of intermediates in – – – (Nugteren, Hazelhof) (326) 448
Prostaglandin E_1
Binding of – – – to rat thymocytes (Schaumburg) (326) 127
Prostaglandin E1
Effects of thyrotropin, – – – and iodide on cyclic 3',5'-AMP concentration in dog thyroid slices (van Sande, Dumont) (313) 320
Prostaglandin E_1 binding sites
Specific – – – and prostaglandin A_1 binding sites in rat adipocyte plasma membranes (Gorman, Miller) (323) 560
Prostaglandin $F_{3\alpha}$ metabolism
– – – in the rat (Dimov, Green) (306) 257
Prostaglandin intermediate
Microbiological optical resolution of a racemic synthetic – – – (Marsheck, Miyano) (316) 363
Prostaglandins
Human chorionic gonadotrophin mediated-glycogenolysis in human placental villi; a role of – – – (Demers et al.) (313) 202
Prostaglandins absorption
– – – by the intestine and vagina of the rat (Magee et al.) (306) 270
Prostaglandin synthesis
Role of copper in – – – (Maddox) (306) 74
Prostaglandin synthesis
Studies on – – – in the vesicular glands of essential fatty acid deficient and hypophysectomized rats (Tan, Privett) (296) 586
Prostate gland esterases
Molecular weight of human – – – (Atanasov) (310) 268
Prosthetic group turnover
Fatty acid synthetase of mammalian brain, liver and adipose tissue. Regulation by – – – (Volpe, Vagelos) (326) 293
Protamine
Role of – – – in transfection (Sabelnikov et al.) (299) 492
Protamines
– – – and other basic proteins from spermatoza of molluscs (Subirana et al.) (317) 364
Protease
Factors affecting the synthesis and release of the extracellular – – – of Aspergillus oryzae NRRL 2160 (Klapper et al.) (304) 513
Protease
Purification and properties of an extracellular – – – from Aspergillus oryzae NRRL 2160 (Klapper et al.) (304) 505
Protease
Structural and functional determinants of Mucor miehei – – –. II. Circular dichroic studies on the native and periodate oxidized enzyme (McBride-Warren, Rickert) (328) 52
Protease
Studies on extracellular proteolytic enzymes from Staphylococcus aureus. I. Purification and characterization of one neutral and one alkaline – – – (Arvidson et al.) (302) 135
Protease
Studies on a human blood platelet – – – with elastolytic activity (Legrand et al.) (309) 406
Proteases
Action of – – – and phospholipases on tetrodotoxin binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61
Proteases
Localization of enzymes by means of – – – (Brdiczka, Krebs) (297) 203
Protein
– – – binding of small molecules. I. Effect of pH and inorganic salts on the combination of phenol red with proteins (Kragh-Hansen, Møller) (295) 438
Protein
– – – binding of small molecules. II. Role of electrostatic forces for binding of phenol red by human serum albumin (Kragh-Hansen, Møller) (295) 447
Protein
Changes in specific sequestration of – – – during transport into the developing oocyte of the chicken (Cutting, Roth) (298) 951
Protein
Common receptor – – – for phage T5 and colicin M in the outer membrane of Escherichia coli B (Braun et al.) (323) 87
Protein
– – – components of two different regions of an intestinal epithelial cell membrane: Regional singularities (Fujita et al.) (307) 141
Protein
Differences in – – – and glycoprotein patterns between mature and immature neutrophil leukocytes (Huang, Evans) (317) 394
Protein
Effect of inhibiting the cellular synthesis of RNA, DNA and – – – on DNA replicative

activity of isolated S-phase nuclei (Hershey et al.) (312) 509
Protein
Electrical properties of black membranes from oxidized cholesterol and a strongly bound – – – fraction of human erythrocyte membranes (Lossen et al.) (330) 132
Protein
Isolation of N-ethylmaleimide-labelled phlorizin-sensitive D-glucose binding – – – of brush border membrane from rat kidney cortex (Thomas) (291) 454
Protein
Maleyl-α-lactalbumin as lactose synthetase specifier – – – (Kitchen, Barman) (298) 861
Protein
Specific interaction of central nervous system myelin basic – – – with lipids. Specific regions of the protein sequence protected from the proteolytic action of trypsin (London, Vossenberg) (307) 478
Protein
Subcellular fractionation of human lymphocytes. Isolation of two plasma membrane fractions and comparison of the – – – components of the various lymphocytic organelles (Demus) (291) 93
Protein activator
Soluble – – – of (Mg^{2+}+Ca^{2+})-dependent ATPase in human red cell membranes (Bond, Clough) (323) 592
Proteinase
Specificity of Pseudomonas aeruginosa alkaline – – – with synthetic peptides (Morihara et al.) (309) 414
Proteinase A_2
Action of – – – of Actinidia chinensis on the B-chain of oxidized insulin (McDowall) (293) 226
Proteinase inhibitors
– – – in human synovial fluid (Shtacher et al.) (303) 138
Proteinases
Isolation of alkaline – – – from Aspergillus oryzae by one step affinity chromatography on ovoinhibitor–Sepharose column (Feinstein, Gertler) (309) 196
Protein binding
– – – to mycoplasma membranes (Rottem et al.) (298) 876
Protein breakdown
Effect of protein deprivation on RNA breakdown and – – – in subcellular fractions of the cultured chick embryo (Hickey, Klein) (294) 297
Protein breakdown
Influence of thiols, ATP and CoA on – – – by subcellular fractions from rat liver (Huisman et al.) (297) 93
Protein catabolism
– – –. II. Identification of neutral and acidic proteolytic enzymes in Aspergillus niger (Bosmann) (293) 476
Protein chain initiation
Inhibition of – – – in eukaryotes by deacylated tRNA and its reversibility by spermine (Kyner et al.) (324) 386
Protein deprivation
Effect of – – – on RNA breakdown and protein breakdown in subcellular fractions of the cultured chick embryo (Hickey, Klein) (294) 297
Protein–dodecylsulphate complexes
Effect of ptassium ions and pH on – – – (van Heyningen) (328) 303
Protein kinase
Adenosine 3′,5′monophosphate-dependent protein kinase of bovine tracheal smooth muscle (Sands et al.) (302) 267
Protein kinase
– – – in the hair follicles of the human scalp and beard (Yoshikawa, Adachi) (315) 333
Protein kinase
Multiple forms of adenosine 3′,5′-cyclic monophosphate-dependent – – – from monkey skin (Kumar et al.) (315) 66
Protein kinase
Phosphorylation of muscle proteins by cyclic AMP-dependent – – – from muscle (Sands, Meyer) (321) 489
Protein kinase
Phosphorylation of surface proteins of HeLa cells using an exogenous – – – and [γ-^{32}P] ATP (Kinzel, Mueller) (322) 337
Protein kinase
Purification and characterization of a – – – in Tetrahymena cilia (Murofushi) (327) 354
Protein kinase
Stimulation of purified muscle – – – by cyclic AMP and its butyrated derivatives (Rebhun, Villar-Palasi) (321) 165
Protein–lipid interaction
Protein hydrophobicity and – – – (Davis et al.) (317) 214

Protein metabolism
Secretion and – – – in the rat pancreas in vitro (Bauduin et al.) (304) 81
Protein methylases
– – – during the development of rat brain (Paik, Kim) (313) 181
Protein multilayers
Structural investigations of lipid, polypeptide and – – – (Green et al.) (330) 243
Proteins
Affinity chromatography purification of erythrocyte membrane – – – after selective labelling with trinitrobenzene sodium sulphonate (Tarone et al.) (311) 214
Proteins
– – – of the cell envelope of a marine pseudomonad, Pseudomonas BAL-31 (Datta et al.) (311) 163
Proteins
Effect of anionic surfactants, nonionic surfactants and neutral salts on the conformation of spin-labelled erythrocyte membrane – – – (Kirkpatrick, Sandberg) (298) 209
Proteins
Effect of – – – on the motion of spin-labelled fatty acids in mycoplasma membranes (Rottem, Samuni) (298) 32
Proteins
Enzymic and immunochemical properties of lysozyme. VII. Location of all the antigenic reactive regions. A new approach to study immunochemistry of tight – – – (Atassi et al.) (303) 203
Proteins
– – – and glycoproteins of the human intestinal brush border membrane (Maestracci et al.) (323) 113
Proteins
– – – and glycoproteins in plasma membrane fractions of avian leukosis–sarcoma virus susceptible and resistant chicken embryo fibroblasts (Smith, Crittenden) (298) 608
Proteins
Isolation of sarcoplasmic reticulum by zonal centrifugation and purification of Ca^{2+} pump and calcium ion-binding – – – (Meissner et al.) (298) 246
Proteins
Membrane – – – of Rhodopseudomonas spheroides. III. Isolation, purification, and characterization of cell envelope proteins (Huang, Kaplan) (307) 301
Proteins
Membrane – – – of Rhodopseudomonas spheroides. IV. Characterization of chromatophore proteins (Huang, Kaplan) (307) 317
Proteins
Membrane – – – of Rhodopseudomonas spheroides. V. Additional chemical characterization of a pigment–lipid-associated protein isolated from chromatophores (Huang, Kaplan) (307) 332
Proteins
Method of solubilizing human erythrocyte membrane – – – using mersalyl (Cantrell) (311) 381
Proteins
Plasma membranes of bovine taste papillae. Polyacrylamide gel electrophoresis of circumvallate membrane – – – (Lo, Ma) (307) 343
Proteins
Preparation of mitochondrial membrane – – – from Neurospora crassa: Prevention of lipid autoxidation damage by an antioxidant (Minssen, Munkres) (291) 398
Proteins
Proteolytic digestion of – – – of the milk fat globule membrane (Kobylka, Carraway) (307) 133
Proteins
Ribosomal – – – in rapidly growing and non-proliferating mouse cells (Rodgers) (294) 292
Proteins
Species and tissue specificity of non-histone chromatin – – – (Barrett, Gould) (294) 165
Proteins
Studies on mitochondrial – – –. I. Separation and characterization by polyacrylamide gel electrophoresis (Melnick et al.) (311) 230
Proteins
Study on phospholipid exchange – – – present in the soluble fractions of beef liver and brain (Harvey et al.) (323) 234
Proteins
Use of antisera covalently coupled to agarose, cellulose and Sephadex in radioimmunoassay systems for – – – and haptens (Bolton, Hunter) (329) 318
Proteins
Variation of – – –, enzyme markers and gangliosides in myelin subfractions (Matthieu et al.) (329) 305
Proteins in nucleic acids
Estimation of submicrogram quantities of – – – samples by pulse-polarographic technique (Vorlicková, Palecek) (331) 276

Protein–small molecule interactions
Use of serum albumin microspheres as a reversible absorbent for studying (Rolleri, Hégésippe) (295) 429
Protein stability
Two new haemoglobin variants with deletion. Haemoglobin Tours: Thr β87 (F3) deleted and Haemoglobin St Antoine: Gly-Leu β74–75 (E 18–19) deleted. Consequences for oxygen affinity and – – – (Wajcman, Labie) (295) 495
Protein synthesis
Acceleration of gluconeogenesis following inhibition of – – – in Tetrahymena pyriformis (Elson et al.) (297) 125
Protein synthesis
Action of bleomycin on programmed synthesis. Influence on enzymatic DNA, RNA and – – – (Yamazaki et al.) (308) 412
Protein synthesis
Assembly and secretion of very low density lipoproteins by rat liver following inhibition of – – – with cycloheximide (Bar-On et al.) (306) 106
Protein synthesis
– – – by cardiac muscle myofibrils of rats (Narayanan, Espen) (312) 413
Protein synthesis
– – – in chloroplasts. I. Light-driven synthesis of the large subunit of Fraction I protein by isolated pea chloroplasts (Blair, Ellis) (319) 223
Protein synthesis
Comparative studies on the properties of the eukaryoic – – – initiation factor IF-I from several sources (Cashion, Stanley, Jr) (324) 410
Protein synthesis
Control of adrenal medullary – – – by corticosteroids (Baliga et al.) (299) 337
Protein synthesis
Control of – – – during the stimulation of lymphocytes by phytohaemagglutinin. II. Studies with cell-free systems (Ahern, Kay) (331) 91
Protein synthesis
Cortisol-induced inhibition of amino acid transport in thymic lymphocytes: Kinetic parameters; relation to ATP levels and – – –; and specificity (Baran et al.) (307) 627
Protein synthesis
Decreased activity in – – – system from liver of vitamin E-deficient rats (Reiss, Tappel) (312) 608
Protein synthesis
Double-stranded RNA from HeLa cell nuclei inhibits initiation of – – – (Bases, Kaplan) (312) 574
Protein synthesis
Effect of α-amanitin poisoning on DNA synthesis and on – – – in regenerating rat liver (Montecuccoli et al.) (319) 199
Protein synthesis
Effect of elevated potassium level and amino acid deprivation on polysome distribution and rate of – – – in L cells (Christman) (294) 138
Protein synthesis
Effect of threonine supplementation on hepatic polysome patterns and – – – of rats fed a threonine-deficient diet. (Ip, Harper) (331) 251
Protein synthesis
Effects of denervation hypertrophy in rat diaphragm muscle on the activity of ribosomes and sap fractions in – – – (Turner, Manchester) (299) 612
Protein synthesis
Effects of divalent cations and insulin on – – – in adipose cells (Jacobs, Krahl) (319) 410
Protein synthesis
Fat transport in the locust, Locusta migratoria: The role of – – – (Peled, Tietz) (296) 499
Protein synthesis
Fatty acid inhibition of somatomedin (Serum, sulphation factor) stimulated – – – and RNA synthesis in embryonic chicken cartilage (Eisenbarth et al.) (331) 397
Protein synthesis
Function of Met-$tRNA_f$ in the initiation of – – – in mouse myeloma tumours (Jones, Mach) (312) 399
Protein synthesis
Influence of streptozotocin diabetes on the ability of muscle cell sap to support – – – by ribosomes in cell-free systems (Pain) (308) 180
Protein synthesis
Influence of zinc on – – – by polyribosomes from the dog prostate and the dorsolateral lobes of the rat prostate (Webb et al.) (324) 143
Protein synthesis
Inhibition of RNA and of – – – in the organs of rats and mice poisoned with α-amanitin (Montanaro et al.) (319) 188
Protein synthesis
Interference of the macrolide antibiotics with mitochondrial – – – (De Vries et al.) (331) 264

Protein synthesis
Interrelationship between amino acid pools and – – – in the rat submandibular gland (van Venrooij et al.) (312) 392
Protein synthesis
In vitro studies on guinea pig hair keratin – – – (Steinert, Rogers) (312) 403
Protein synthesis
. ı vitro – – – in yeast. Polyuridylic acid-dependent incorporation of phenylalanine into endogenous peptidyl-tRNA (van der Zeijst et al.) (294) 517
Protein synthesis
Mechanism of inhibition of – – – by 5-azacytidine in HeLa cells (Reichman, Penman) (324) 282
Protein synthesis
Mechanisms in – – –. XIV. Competitive inhibition of natural mRNA-stimulated amino acid incorporation by aminoacyl-tRNA (Scheulen et al.) (299) 468
Protein synthesis
Mitochondria biogenesis 29. Effects of temperature-induced phase changes in membranes on – – – by mitochondria (Towers et al.) (299) 153
Protein synthesis
Requirement of – – – for maturation of ribosomal RNA in Rhodopseudomonas spheroides (Gray) (331) 390
Protein synthesis
Study of conditions for the inhibitory effect of N-tosyl-L-phenylalanylchloromethane on – – – and the possibility of existence of different forms of the elongation factor S_3 in Bacillus stearothermophilus (Jonák, Rychlík) (324) 554
Protein synthesis
Ternary complex of initiation factor IF-I, Met-tRNA + Met_c and GTP: An aurintricarboxylate-sensitive intermediate in the initiation of eukaryotic – – – (Dettman, Stanley, Jr) (299) 142
Protein synthesis inhibitors
Effects of – – – on oxidative phosphorylation by plant mitochondria (Wilson, Moore) (292) 603
Protein synthesizing complex
Pactamycin binding to Escherichia coli ribosomes: Interference by formation of the – – – with f2 viral RNA (Stewart, Goldberg) (294) 123
Protein-synthesizing S_3 factor
Mode of action of N-tosyl-1-phenylalanylchloromethane on the elongation – – – from Bacillus stearothermophilus (Ionák et al.) (294) 322
Proteoglycan
Evidence for the presence of a low molecular weight – – – aggregation factor in rabbit ear cartilage (Rokosova et al.) (320) 442
Proteoglycans
Immunological relationships between – – – of different hydrodynamic size from articular cartilage of foetal and mature pigs (Brandt et al.) (320) 453
Proteoglycans
Studies on – – – obtained from bovine knee joint and ear cartilages: Sequential extraction, fractionation, characterization and their effects on fibril formation (Muthiah, Kühn) (304) 12
Proteoglycans
Uptake of [^{14}C] glucose into rabbit ear cartilage – – – isolated by differential extraction and by collagenase digestion (Rokosová, Bentley) (297) 473
Proteoglycans–collagen
– – – interactions in human costal cartilage (Kobayashi, Pedrini) (303) 148
Proteolytic activity
Detection of – – – after isoelectric focussing in polyacrylamide gel (Arvidson, Wadström) (310) 418
Proteolytic enzymes
Protein catabolism. II. Identification of neutral and acidic – – – in Aspergillus niger (Bosmann) (293) 476
Proteolytic enzymes
Studies on extracellular – – – from Staphylococcus aureus. I. Purification and characterization of one neutral and one alkaline protease (Arvidson et al.) (302) 135
Proteolytic enzymes
Studies on extracellular – – – from Staphylococcus aureus. II. Isolation and characterization of an EDTA-sensitive protease (Arvidson) (302) 149
Proteolytic inhibitors
Affinity chromatography on hydroxyalkyl methacrylate gels. I. Preparation of immobilized chymotrypsin and its use in the isolation of – – – – – (Turkova et al.) (322) 1
Prothrombin
Molecular changes during – – – activation (Engel, Alexander) (320) 687
Protocatechuate 3,4-dioxygenase
– – –. IV. Preparation and properties of

apo- and reconstituted enzymes (Fujiwara, Nozaki) (327) 306
Protochlorophyll(ide)
Kinetics and quantum yield of photoconversion of – – – to chlorophyll(ide) a (Nielsen, Kahn) (292) 117
Proton binding
Comparison of the oxygen and – – – behavior of human haemoglobin A and A_2 (de Bruin, Janssen) (295) 490
Proton efflux
Kinetics of ATP formation and – – – by acid–base transition in chloroplasts (Nishizaki) (314) 312
Proton magnetic resonances
– – – in cytochrome b_2 core: Structural similarities with cytochrome b_5 (Keller et al.) (328) 233
Proton spin lattice relaxation time
– – – measurements at 90 MHz and 270 MHz (Coates et al.) (310) 1
Proton translocation
Ethyl red as a probe into the mechanism of light-driven – – – by isolated chloroplasts. I. The spectral shift of ethyl red and membrane conformational changes (Heath) (292) 444
Proton translocation
Mechanism of respiration-driven – – – in the inner mitochondrial membrane. Kinetics of proton translocation and role of cations (Papa et al.) (292) 20
Protoplasmic drops
Studies of excitable membrane formed on the surface of – – – isolated from Nitella. II. Tension at the surface of protoplasmic drops (Ueda et al.) (318) 326
Protoplasmic drops
Studies of excitable membrane formed on the surface of – – – isolated from Nitella. III. Impedance of the surface membrane (Miyake et al.) (323) 367
Protoplast membrane
Electron microscopy of Bacillus subtilis – – – after treatment with phospholipase A_2 and phospholipase C (Nanninga et al.) (298) 184
Prototetrahydroporphyrin IX
Evidence for the identification of P-503 with – – – (Poulson, Polglase) (329) 256
ϵ-Prototoxin
Conformational studies on modified proteins and peptides. VII. Conformation of – – – and ϵ-toxin from Clostridium perfringens. Conformational changes associated with toxicity (Habeeb et al.) (322) 245
Pseudomonas aeruginosa
Cytochrome c-556, a di-haem protein from – – – (Singh, Wharton) (292) 391
Pseudomonas aeruginosa
Cytochrome oxidase from – – –. I. Purification and some properties (Gudat et al.) (292) 376
Pseudouridine
– – –: Biosynthesis in tRNA by Streptoverticillicum ladakanus (Uematsu, Suhadolnik) (319) 348
Pteridines
Electrochemistry of some substituted – – – (Kwee, Lund) (297) 285
Pteroylglutamic acid uptake
– – – by the rat jejunum (Smith) (298) 124
Pullulanase
Comparison of the kinetic parameters of Pseudomonas isoamylase and Aerobacter – – – (Yokobayashi et al.) (293) 197
Pulse-polarographic technique
Estimation of submicrogram quantities of proteins in nucleic acids samples by – – – (Vorlíčková, Palecek) (331) 276
Pulse radiolysis
Interactions of bovine serum albumin with penicillins and cephalosporins studied by – – – (Phillips et al.) (295) 8
Pulse radiolysis
Reaction of cytochrome c with one-electron redox reagents. I. Reduction of ferricytochrome c by the hydrated electron produced by – – – (Lichtin et al.) (314) 117
Purine
Mediated transport of nucleosides in human erythrocytes. Specificity toward – – – nucleosides as permeants (Cass, Paterson) (291) 734
Purine nucleotide biosynthesis
– – – in gastro-intestinal mucosa (Mackinnon, Deller) (319) 1
Purine nucleotides
Regulation of the biosynthesis of – – – in Schizosaccharomyces pombe. III. Kinetic studies of adenylosuccinate synthetase (Nagy et al.) (309) 1
Purine–pyrimidine requirement
– – – for ribonucleic acid synthesis in an Escherichia coli mutant defective in potassium accumulation (Kalev, Kaplan) (312) 540
Purines
Pattern of methylated – – – formed in DNA of intact and regenerating liver of rats treated with the carcinogen dimethylnitrosamine (Craddock) (312) 202

Purine synthesis
Role of glutamine in – – – and in guanine nucleotide formation in normal fibroblasts and in fibroblasts deficient in hypoxanthine phosphoribosyltransferase activity (Raivio, Seegmiller) (299) 283
Puromycin
Inhibition of peptide bond formation by cytidyl derivatives of – – – (Hengesh, Morris) (299) 654
Puromycin conformations
Potential energy calculations on – – – and 3′-terminal aminoacyl adenosines of transfer RNAs (Yathindra, Sundaralingam) (308) 17
Purple sulphur bacterium
Iron protein content of Thiocapsa pfennigii, a – – – of atypical chlorophyll composition (Meyer et al.) (292) 634
Putrescine
Enzymatic–isotopic microassay for – – – (Harik et al.) (304) 753
Pyrazole analogue
Studies of intermolecular interactions of nucleic acid bases in aqueous solutions by the proton magnetic resonance method. Self-association of 6,9-dimethyladenine and its – – – and their association with methyl-substituted cytosine and uracil (Antonovsky et al.) (331) 9
Pyridine nucleotide coenzymes
Complex formation between magnesium ions and – – – (Apps) (320) 379
Pyridine nucleotide (reduced)–ferredoxin oxido-reductases
Function of – – – in saccharolytic Clostridia (Jungermann et al.) (305) 268
Pyridoxal 5′-phosphate
Interaction between S-adenosyl-L-methionine and – – –, and its effect on Saccharomyces cerevisiae (Trewyn et al.) (327) 336
Pyridoxal 5′-phosphate
New fluorometric method for the determination of – – – (Srivastava, Beutler) (304) 765
Pyridoxal phosphate
Redistribution of – – – in the male rat liver as a result of repeated injections of hydro-cortisone (Lefauconnier et al.) (297) 135
Pyridoxal phosphate N-oxide
Interaction of tyrosine phenol-lyase with – – – and 2′-hydroxy pyridoxal phosphate (Kumagai et al.) (327) 510
Pyrimidine deoxyribonucleotides
Acidic hydrolysis of – – – (Shapiro, Danzig) (319) 5
Pyrimidine dimers
Formation of – – – in the DNA of fungi and bacteria (Unrau et al.) (312) 626
Pyrimidine dimers
Removal of – – – in cells of Schizo-saccharomyces pombe mutated in different repair pathways (Fabre, Moustacchi) (312) 617
Pyrimidine nucleoside phosphorylase
– – – during development of the normal and dystrophic chicken (Weinstock et al.) (294) 15
Pyrimidine pathway
Characterization of the aspartate carbamoyl-transferase subunit obtained from a multi-enzyme aggregate in the – – – of yeast: Activity and physical properties (Aitken et al.) (309) 50
Pyrimidin-2-one β-D-ribofuranoside
Mechanism of inhibition of DNA synthesis in Escherichia coli by – – – (Votruba et al.) (324) 14
Pyrophosphatase
Effect of free magnesium and salts on the inorganic – – – purified from a slightly halophilic Vibrio alginolyticus (Unemoto et al.) (327) 490
Pyrophosphatase
Inorganic – – – activity of bovine brain alkaline phosphatase (Cathala, Brunel) (315) 73
Pyrophosphatase
Inorganic pyrophosphatase and photosynthesis by isolated chloroplasts. I. Characterisation of chloroplast – – – and its relation to the response to exogenous pyrophosphate (Schwenn et al.) (325) 586
Pyrophosphatase
Maize leaf inorganic – – –: Isozymes, specificity for substrates, inhibitors and divalent metal ions, and pH optima (Bennett et al.) (293) 232
Pyrophosphatase
Studies on a – – – and glucose-6-phosphatase from Aspergillus oryzae (Gold, Veitch) (327) 166
Pyrophosphatases
Acid and alkaline phosphatases, inorganic – – – and phosphoprotein phosphatase of bone. I. Characterization and assay (Lieberherr et al.) (293) 160
Pyrophosphatases
Acid and alkaline phosphatases, inorganic – – – and phosphoprotein phosphatase of

bone. II. Distribution in subcellular fractions of bone tissue homogenates and structure-linked latency (Vreven et al.) (293) 170

Pyrrole-2-carboxylic acid
Collagen metabolism. II. Enzymic formation of – – – from L-hydroxyproline in rat (Iguchi et al.) (315) 285

Δ^1-pyrroline-5-carboxylate dehydrogenase
Inhibition of yeast – – – by common amino acids and the regulation of proline catabolism (Lundgren, Ogur) (297) 246

Pyruvate aldolization
Rate enhancement of – – – by divalent actions: A model for class II aldolases (Gallo, Sable) (302) 443

Pyruvate kinase
Adaptability of – – – L in rat liver kidney, and reticulocytes without accompanying changes in the A isoenzyme (Sandoval, Carbonell) (315) 343

Pyruvate kinase
– – – of higher plants (Tomlinson, Turner) (329) 128

Pyruvate kinase
Kinetic and molecular characteristics of allosteric – – – from muscle tissue of the sea mussel Mytilus edulis L. (Holwerda, de Zwaan) (309) 296

Pyruvate kinase
Kinetic properties of the allosteric M-type – – – from rat liver: Influence of pH and the nature of amino acid inhibition (van Berkel et al.) (321) 171

Pyruvate kinase
Molecular basis of – – – deficiency. I. Primary defect or consequence of increased glutathione disulphide (Van Berkel et al.) (321) 496

Pyruvate kinase
M-type – – – of leucocytes: An allosteric enzyme (van Berkel, Koster) (293) 134

Pyruvate kinase
Stereoselective reduction of pyruvate by $NaBH_4$ catalyzed – – – (Phillips et al.) (293) 125

Pyruvate kinase
Two interconvertible forms of L-type – – – from rat liver (van Berkel et al.) (293) 118

Pyruvate oxidation
Regulation of – – – in mitochondria isolated from foetal and adult rat liver (Berger, Hommes) (314) 1

Q

Quantum yield
– – – of reaction centre photooxidation in subchloroplast fragments enriched with Photosystem I (Borisov, Il'ina) (325) 240
Quaternary structure
– – – of Bacillus subtilis α-amylase. Anomalous behaviour in sodium dodecylsulfate (Mitchell et al.) (295) 314
Quinoid compounds
Lipophilicity and catalysis of photophosphorylation. II. – – – as artificial carriers in cyclic photophosphorylation and photoreductions by Photosystem I (Hauska et al.) (305) 632
Quinolinic acid synthetase system
Studies on the de novo biosynthesis of NAD in Escherichia coli. V. Properties of the – – – (Suzuki et al.) (304) 309

R

Radiations
Effect of bleomycin on Escherichia coli strains with various sensitivities to – – – (Onishi et al.) (312) 248
Radio-immunoassay systems
Use of antisera covalently coupled to agarose, cellulose and Sephadex in – – – for proteins and haptens (Bolton, Hunter) (329) 318
Radiometric assay
Myocardial adenosine kinase: Comparative localization study with rapid – – – (de Jong, Kalkman) (320) 388
Raman spectroscopy
Detection of changes in the environment of hydrocarbon chains by – – – and its application to lipid–protein systems (Larsson, Rand) (326) 245
Raman spectroscopy
Laser-excited – – – of biomolecules. IV. Thermal denaturation of aqueous lysozyme (Chen et al.) (328) 252
Raman spectroscopy
Technique of laser – – – of proteins in aqueous solution (Careri et al.) (310) 305
Raman studies
– – – of nucleic acids. IX. Estimation of RNA secondary structure from Raman scattering by phosphate group vibrations (Thomas, Jr, Hartman) (312) 311
Raman studies
– – – of nucleic acids. X. Conformational structures of Escherichia coli transfer RNAs in aqueous solution (Thomas et al.) (324) 37
Rat haemoglobin
Separation of – – – polypeptide chains (Sladić-Simić et al.) (310) 353
Reaction centre
Absorbance and fluorescence properties of the bacteriochlorophyll a – – – complex and bacteriochlorophyll a protein in green bacteria (Fowler et al.) (292) 692
Reaction centre
Quantum yield of – – – photooxidation in subchloroplast fragments enriched with Photosystem I (Borisov, Il'ina) (325) 240
Reaction centres
Fluorescence excitation spectra and the relative numbers of pigment molecules in – – – from Rhodopseudomonas spheroides (Slooten) (314) 15
Reaction kinetics
pH dependent intermediate plateaux in – – – catalyzed by "biosynthetic" L-threonine dehydratase of Escherichia coli K-12 (Kagan et al.) (302) 110
Reaction mechanism
ATP:UMP, CMP phosphotransferase from Tetrahymena pyriformis. II. Kinetic studies and – – – with UMP (Garvey III et al.) (302) 38
Reactive serine
Amino acid sequence in the vicinity of the – – – residue in shrimp trypsin (Gates, Travis) (310) 137
Receptor
Characterization of a – – – for human chorionic gonadotrophin in luteinized rat ovaries (Danzo) (304) 560
Receptor hydrophobic protein fraction
– – – from intestinal smooth muscle binding muscarinic ligands (Ochoa, De Robertis) (295) 528
Receptor–ouabain interactions
– – – in (Na^++K^+)-ATPase preparations from different tissues and species. Determination of kinetic constants and dissociation constants (Erdmann, Schoner) (307) 386
Receptor protein
Common – – – for phage T5 and colicin M in the outer membrane of Escherichia coli B (Braun et al.) (323) 87
Receptors
Phlorizin receptors in isolated kidney brush border membranes. Differential enzymatic modification of high-affinity – – – and unspecific binding sites (Glossman, Neville, Jr) (323) 408
Reconstitution
New method for making phospholipid vesicles and the partial – – – of the (Na^+,K^+)-activated ATPase (Slack et al.) (323) 547
Reconstructive denaturation
– – – of immunoglobulins by sodium

dodecylsulphate. Circular dichroism studies (Jirgensons) (317) 131
Redox potentiometric resolution
Kinetic and – – – of the carotenoid shifts in Rhodopseudomonas spheroides chromatophores: Their relationship to electric field alterations in electron transport and energy coupling (Jackson, Dutton) (325) 102
Redox properties
Turnover times of photosynthesis and – – – of the pool of electron carriers between the photosystems (305) 353
Redox reactions
One-electron – – – of free radicals in solution. Rate of electron transfer processes to quinones (Rao, Hayon) (292) 516
Reduced nicotinamide hypoxanthine dinucleotide
Oxidation of – – – by intact rat liver mitochondria (Tischler, Fisher) (292) 39
Regulatory interactions
Possible – – – between compartmentalized glycolytic systems during initiations of glycolysis in ascites tumour cells (Coe, Greenhouse) (329) 171
Release factor
Isolation of – – – from mammalian liver and the use of rat liver ribosome in the release assay (Innane, Nichols) (324) 533
Renin
Influence of pH on human – – – activity with different substrates: Role of substrate denaturation (Favre et al.) (302) 102
Renin
Kinetics of the reaction of human – – – with natural substrates and tetradecapeptide substrate (Favre, Vallotton) (327) 471
Reovirus single-stranded RNAs
Conformational studies of – – – synthesized in vitro (Warrington et al.) (331) 231
Repair
Is the ability to – – – damage to DNA related to the proliferative capacity of a cell? The rejoining of X-ray-produced strand breaks (Karran, Ormerod) (299) 54
Repair
Correlation between degradation, replication and – – – of yeast DNA irradiated by ultraviolet or γ-rays (Hatzfeld) (299) 43
Repair replication
Absence of ultraviolet-stimulated – – – in the nuclear and chloroplast genomes of Chlamydomonas reinhardti (Swinton, Hanawalt) (294) 385
Repetitive sequences in DNA
Occurrence of – – – of some marine invertebrates (Weinblum et al.) (299) 231
Replicating form
Heterogeneous rapidly labelled DNA with the properties of – – – in isolated rat liver mitochondria (Gause, Jr et al.) (312) 179
Replication
Absence of ultraviolet-stimulated repair – – – in the nuclear and chloroplast genomes of Chlamydomonas reinhardti (Swinton, Hanawalt) (294) 385
Replication
Correlation between degradation, – – – and repair of yeast DNA irradiated by ultraviolet or γ-rays (Hatzfeld) (299) 43
Replication synchrony
Rifampicin limitation of DNA synthesis in ultraviolet-damaged bacteria: evidence for postirradiation – – – (Doudney) (312) 243
Replicon growth rates
– – – during DNA replication in developing frog embryos (Hyodo, Flickinger) (299) 24
Repressor
Haemin control of globin synthesis: Effect of a translational – – – on Met-tRNA$_f$ binding to the small ribosomal subunit and its relation to the activity and availability of an initiation factor (Balkow et al.) (324) 397
Resolution
Microbiological optical – – – of a racemic synthetic prostaglandin intermediate (Marsheck, Miyano) (316) 363
Resonance Raman scattering
– – – on haemoglobin (Brunner, Sussner) (310) 20
Respiratory adaptation
Kinetics of cytochromes a and a_3 synthesis during – – – of yeast (Chen, Charalampous) (294) 329
Respiratory chain
– – – of Azotobacter vinelandii. II. The effect of cyanide on cytochrome d (Kauffman, van Gelder) (314) 276
Respiratory chain
Inhibition of the mitochondrial – – – by alkylhydroxynaphthoquinones: Reversal on discharge of the energized state (Howland et al.) (314) 154
Respiratory response
Cation movements and – – – in yeast mitochondria treated with high Ca^{2+} concentrations (Balcavage et al.) (305) 41

Respiratory sites
Energy transduction in photosynthetic bacteria. VI. – – – of energy conservation in membranes from dark-grown cells of Rhodopseudomonas capsulata (Baccarini Melandri et al.) (314) 298
Reticulocytes
Coordination of haem and globin synthesis in primate – – – (Fuhr, Gengozian) (320) 53
Reticulocytes
Study of intracellular iron distribution in rabbit – – – with normal and inhibited haem synthesis (Borová et al.) (320) 143
Retina
Fatty acid composition and level of diacylglycerols and phosphoglycerides in brain and – – – (Aveldaño, Bazán) (296) 1
Retinal
Photoresponse of bimolecular membranes pigmented with – – – and vitamin A acid (Schadt) (323) 351
Retinol
Solubilization of β-carotene and – – – into aqueous solutions of mixed micelles (Gorab, Underwood) (306) 58
Rhabdome outer segments
Characterization of the lipid composition of squid – – – (Mason et al.) (306) 67
Rhodopsin
The binding site of retinaldehyde in cattle – – – (de Grip et al.) (303) 189
Rhodopsin photolysis
Biochemical aspects of the visual process. XXIII. Sulphydryl groups and – – – (De Grip et al.) (325) 315
Rhodopsin sulphydryl groups
Kinectics of reaction of the – – – (Kimble, Ostroy) (325) 323
Ribonuclease
Acid – – – from wheat germ: Purification, properties and specificity (Torti et al.) (324) 254
Ribonuclease
Association of a – – – with the 50-S ribosomal subunit of Escherichia coli MRE 600 (Ceri, Maeba) (312) 337
Ribonuclease
– – – from human granulocytes (Sznajd, Naskalski) (302) 282
Ribonuclease
Inhibitory factor affecting – – – activity in Neurospora crassa (Argyrakis, Vomvoyanni) (299) 300
Ribonuclease
Rat pancreatic – – –. I. Isolation and properties (Beintema et al.) (310) 148
Ribonuclease
Rat pancreatic – – –. II. Amino acid sequence (Beintema, Gruber) (310) 161
Ribonuclease
Resistance of – – – dimers to subtilisin (Libonati et al.) (317) 160
Ribonuclease H
Two – – – activities from the murine myeloma MOPC-21 (O'Cuinn et al.) (324) 78
Ribonucleases
Changes in – – – during differentiation (spherulation) of Physarum polycephalum (Chet et al.) (294) 343
Ribonuclease T_1
Interaction of 6-thioguanylic acid homologues with – – –. Spectrophotometric and gel filtration studies (Sawada et al.) (299) 596
Ribonucleic acid metabolism
– – – during the development of cotyledons of Pisum sativum L. (Poulson, Beevers) (308) 381
Ribonucleic acids
Retention of ribosomal – – – in agarose gels (Petrović et al.) (308) 317
Ribonucleic acids
Site of action of 5-fluoroorotic acid on the maturation of mice liver – – – (Hadjiolova et al.) (319) 373
Ribonucleic acid synthesis
Purine–pyrimidine requirement for – – – in an Escherichia coli mutant defective in potassium accumulation (Kalev, Kaplan) (312) 540
Ribonucleoprotein particle
Characterization of a viral messenger – – – accumulated during inhibition of polypeptide chain initiation in reovirus-infected L cells (Christman et al.) (294) 153
Ribonucleoside triphosphate concentration
Differential effects of sigma factor, ionic strength, and – – – on the transcription of phage T4 DNA with the ribonucleic acid polymerase of Escherichia coli (Hoffman, Niyogi) (299) 588
Ribonucleotide reductase
– – – from regenerating rat liver. II. Substrate phosphorylation level and effect of deoxyadenosine triphosphate (Larsson) (324) 447
Ribose 5-phosphate ketol isomerase
Partial purification and kinetic properties of

– – – and ribulose 5-phosphate 3-epimerase from various sources (Kiely et al.) (293) 534
Ribosomal complex
Studies on the release of N-acetylphenylalanyl-tRNA from its – – –: Effect of size of polyuridylic acid (Watanabe, Tanaka) (319) 383
Ribosomal fraction
Alteration of the – – – of Bacillus subtilis during sporulation (Fortnagel, Bergmann) (299) 136
Ribosomal function
Osmoregulation of – – – in mouse liver (Lynn et al.) (299) 444
Ribosomal mutants
Mitochondrial antibiotic resistance in yeast: – – – resistant to chloramphenicol, erythromycin and spiramycin (Grivell et al.) (312) 358
Ribosomal pattern
In vivo and in vitro effects of thyrotropin on – – – of dog thyroid (Lecocq, Dumont) (299) 304
Ribosomal precursor
Destructive processing of the 45-S – – – in the presence of 5-agacytidine (Reichman et al.) (299) 173
Ribosomal precursor RNA
Nucleotide sequences from the non-conserved region of HeLa cell 32-S – – – (Robertson, Maden) (331) 61
Ribosomal precursor RNA
Structural comparison of 37-S and 32-S – – – in yeast with the mature RNA components (van den Bos, Planta) (294) 464
Ribosomal proteins
Mammalian – – –: Studies on the in vitro phosphorylation patterns of ribosomal proteins from rabbit liver and reticulocytes (Delaunay et al.) (312) 147
Ribosomal proteins
Phosphorylation of rabbit reticulocyte – – – (Martini, Gould) (295) 621
Ribosomal proteins
– – – in rapidly growing and non-proliferating mouse cells (Rodgers) (294) 292
Ribosomal ribonucleic acids
Retention of – – – in agarose gels (Petrović et al.) (308) 317
Ribosomal RNA
Cytoplasmic – – – of hamster–mouse hybrid cells (Eliceiri) (312) 737
Ribosomal RNA
Degradation of – – – during chicken lens development (Zapisek, Papaconstantinou) (299) 603
Ribosomal RNA
Differentiation of 23-S – – – cistrons from 16-S RNA cistrons in Escherichia coli by the sequence complementarity test (Segal et al.) (308) 79
Ribosomal RNA
Requirement of protein synthesis for maturation of – – – (Gray) (331) 390
Ribosomal RNA
Structural analyses of mammalian – – – and its precursors. The distribution of poly-pyrimidine sequences in ribosomal 18-S ribonucleic acid (Nazar, Busch) (299) 428
Ribosomal RNA
Synthesis of – – – in chloroplasts from Nicotiana rustica (Munsche, Wollgiehn) (294) 106
Ribosomal RNA cistron topography
– – – in Escherichia coli (Osenholts et al.) (308) 89
Ribosomal RNA(m^1G)- and rRNA(m^2G)-methylases
Partial purification of – – – from Escherichia coli and demonstration of some proteins affecting their apparent activity (Isaksson) (312) 122
Ribosomal RNA precursor
Maturational cleavage of nucleolar – – – can be catalyzed by non-specific endonuclease (Giudice et al.) (319) 72
Ribosomal RNA synthesis
Inhibition of – – – during a shift-down transition of growth in Neurospora crassa (Sturani et al.) (319) 153
Ribosomal RNA synthesis
Possible involvement of nuclear DNA-like RNA in the control of – – – (Schmidt, Sekeris) (312) 549
Ribosomal salt wash
Properties of the – – – from unfertilized and fertilized sea urchin eggs and its effect on natural mRNA translation (Gambino et al.) (312) 377
Ribosomal subparticles
Proteins from biologically active – – – of Xenopus laevis (Pratt, Cox) (310) 188
50-S Ribosomal subunit
Association of a ribonuclease with the – – – of Escherichia coli MRE 600 (Ceri, Maeba) (312) 337
Ribosomal subunits
Association of – – –. III. Properties of the

30S–50S couples produced in vitro by the association factor from Bacillus stearothermophilus (Garcia-Partone et al.) (299) 452

Ribosomal subunits
Distribution of radioactive peptides synthesized by polysomes and – – – combined in vitro with microsomal membranes (Burke, Redman) (299) 312

Ribosomal subunits
Particle weights of active – – – from Neurospora crassa (Cammarano et al.) (308) 404

Ribosomal subunits
Physical–chemical properties of stable yeast ribosomes and – – – (Mazelis, Petermann) (312) 111

50-S Ribosomal subunits
Structural basis for functional inactivity of reconstituted – – – of Escherichia coli (Yo, Wittmann) (319) 388

Ribosome
Isolation of release factor from mammalian liver and the use of rat liver – – – in the release assay (Innanen, Nicholls) (324) 533

Ribosome-bound aspartate transcarbamylase
Release of – – – after in vitro complementation (Issaly et al.) (331) 410

Ribosome-like (55-S) particles
Physicochemical characterization of – – – from rat liver mitochondria (Sacchi et al.) (308) 390

Ribosomes
Conditions of structural and functional destabilization of mammalian – – – by magnesium ions (Hultin et al.) (319) 81

Ribosomes
Defective initiation of f2 RNA translation by – – – from bacteriophage T4-infected cells (Singer, Conway) (331) 102

Ribosomes
Differences in eukaryotic – – – detected by the selective action of an antibiotic (Carrasco, Vazquez) (319) 209

Ribosomes
Effects of denervation hypertrophy in rat diaphragm muscle on the activity of – – – and sap fractions in protein synthesis (Turner, Manchester) (299) 612

Ribosomes
Free and membrane-bound – – –. I. Separation by two-dimensional gel electrophoresis of protein from rat liver monosomes (Hanna et al.) (331) 141

Ribosomes
Influence of streptozotocin diabetes on the ability of muscle cell sap to support protein synthesis by – – – in cell-free systems (Pain) (308) 180

Ribosomes
Influence of temperature and monovalent cations on reactivity of the donor and acceptor sites on mammalian – – – (Baliga et al.) (312) 349

Ribosomes
Pactamycin binding to Escherichia coli – – –: Interference by formation of the protein-synthesizing complex with f2 viral RNA (294) 123

Ribosomes
Physical–chemical properties of stable yeast – – – and ribosomal subunits (Mazelis, Petermann) (312) 111

Ribosomes
Poly(U) and transfer RNA binding sites on reticulocyte – – – (Cheng, McAllister) (319) 401

Ribosomes
Presence of vitamin A in animal cell – – – (Leutskaya, Fais) (312) 103

Ribosomes
Rabbit reticulocyte – – – and Krebs ascites supernatant: A mixed system dependent upon added mRNA (Waldman, Goldstein) (331) 243

Ribosomes
Ratio of free to membrane-bound chloroplast – – – (Tao, Jagendorf) (324) 518

Ribosomes
– – – from Rauscher leukemia virus-infected cells and their response to Rauscher viral RNA and polyuridylic acid (Naso et al.) (324) 346

Ribosomes
80-S – – – from Acetabularia (Kloppstech, Schweiger) (324) 365

Ribosomes
Sequence of steps in the attachment of 5-S RNA to cores of Escherichia coli – – – (Yu, Wittmann) (324) 375

Ribosomes
Study of the dissociation of the – – – of Xenopus laevis at various stages of development (Decroly, Goldfinger) (324) 510

Ribosomes
Trichodermin group of antibiotics, inhibitors of peptide bond formation by eukaryotic – – – (Carrasco et al.) (312) 368

Ribosomes
Uncoiling and protein cleavage of paramyxovirus nucleocapsid after incubation with – – – in vitro (Bukrinskaya et al.) (312) 173
Ribulose 1,5-diphosphate
Enzymatic formation of a compound with the expected properties of carboxylated – – – (Sjödin, Vestermark) (297) 165
Ribulose-1,5-diphosphate carboxylase
Evidence for turnover of – – – and continuous transcription of its structural gene throughout the cell cycle of the eucaryote Chlorella (Sitz et al.) (319) 103
Ribulose-5-phosphate 3-epimerase
Partial purification and kinetic properties of ribose-5-phosphate ketol isomerase and – – – from various sources (Kiely et al.) (293) 534
Ribulose-5-phosphate kinase
Regulation of pea leaf – – – activity (Anderson) (321) 484
Rifampicin
– – – limitation of DNA synthesis in ultraviolet-damaged bacteria: Evidence for post-irradiation replication synchrony (Doudney) (312) 243
RNA
Action of bleomycin on programmed synthesis. Influence on enzymatic DNA, – – – and protein synthesis (Yamazaki et al.) (308) 412
RNA
Aminoacyl transfer – – – formation. III. Mechanism of aminoacylation stimulated by polyamines (Matsuzaki, Takeda) (308) 339
RNA
Changes in rat uterine nuclear – – – during early pregnancy (Heald, O'Hare) (324) 86
RNA
Coding properties of isoaccepting lysine transfer – – – species from baker's yeast (Sen, Ghosh) (308) 106
RNA
Conditions for the exclusive DNA synthesis complementary to template – – – (294) 192
RNA
Degradation of ribosomal – – – during chicken lens development (Zapisek, Papaconstantinou) (299) 603
RNA
Differentiation of 23-S ribosomal – – – cistrons in Escherichia coli by the sequence complementarity test (Segal et al.) (308) 79
RNA
Double-stranded – – – from HeLa cell nuclei inhibits initiation of protein synthesis (Bases, Kaplan) (312) 574
RNA
Effect of illumination on – – – synthesis and poly(adenylic acid) sequences in cultures of etiolated Euglena gracilis (Verdier et al.) (312) 528
RNA
Effect of inhibiting the cellular synthesis of – – –, DNA and protein on DNA replicative activity of isolated S-phase nuclei (Hershey et al.) (312) 509
RNA
Effects of camptothecin on – – – synthesis in L1210 cells (Kessel, Dysard) (312) 716
RNA
Effects of inhibitors of protein or RNA synthesis on messenger – – – turnover rate in rat liver (Endo et al.) (299) 114
23 S RNA
Formation in vitro of 1-methylguanine in – – – from Escherichia coli. The effects of spermidine and two proteins (Isaksson) (312) 134
RNA
Gel electrophoresis of – – – under denaturing conditions (Reijnders et al.) (324) 320
RNA
Identification of presumptive histone messenger – – – in rapidly labelled polysomal RNA of mouse myelomas (Kemper, Rich) (319) 364
RNA
Inhibition of – – – and of protein synthesis in the organs of rats and mice poisoned with α-amanitin (Montanaro et al.) (319) 188
RNA
Integrity of giant nuclear – – – (Peltz) (308) 148
RNA
Integrity of human lymphoblastoid – – – after incorporation by human skin fibroblasts (Volkin et al.) (324) 334
RNA
In vitro synthesis of double-stranded – – – by an enzyme system isolated from tobacco leaves (Duda et al.) (319) 62
RNA
Isolation and sequence analysis of transfer – – –: The use of plasken chromatography (Roe et al.) (319) 25

RNA
Localization of an – – – -degrading system of enzymes on the rat liver plasma membrane (Yannarell, Aronson, Jr) (311) 191
5-S RNA
Metabolic stability of the 5′ terminal phosphates (Viotti et al.) (324) 72
RNA
Methyl methionine labelling of a higher plant tissue: The incorporation into – – – and pectinic acid of nucleic acid extracts (Jakob, Tal) (308) 296
RNA
Nucleotide sequences from the non-conserved region of HeLa cell 32-S ribosomal precursor – – – (Robertson, Maden) (331) 61
RNA
Origins of human leukocyte chromatin-associated – – – (Getz, Saunders) (312) 555
RNA
Pactamycin binding to Escherichia coli ribosomes: Interference by formation of the protein synthesizing complex with f2 viral – – – (Stewart, Goldberg) (294) 123
RNA
Phenylalanine transfer – – – species in early development of barley (Hiatt, Snyder) (324) 57
RNA
Preparation of a stable mercury derivative of tyrosine transfer – – – (Jones et al.) (299) 293
RNA
Preservation of 23-S chloroplast – – – as a single chain of nucleotides (Atchinson et al.) (331) 382
RNA
Regulation of – – – synthesis in Escherichia coli. I. Characterisation of cells subjected to simultaneous temperature and osmotic shock (Raué, Cashel) (312) 722
RNA
Ribosomal – – – cistron topography in Escherichia coli (Osenholts et al.) (308) 88
RNA
Ribosomes from Rauscher leukemia virus-infected cells and their response to Rauscher viral – – – and polyuridylic acid (Naso et al.) (324) 346
5-S RNA
Sequence of steps in the attachment of 5-S RNA to cores of Escherichia coli ribosomes (Yu, Wittmann) (324) 375
RNA
Size distributions of high molecular weight – – – synthesized by L1210 cells. Effects of DNA-reactive drugs (Kohn et al.) (324) 93
RNA
Structural analyses of mammalian ribosomal – – – and its precursors. The distribution of polypyrimidine sequences in ribosomal 18-S ribonucleic acid (Nazar, Busch) (299) 428
RNA
Structural comparison of 37-S and 32-S ribosomal precursor – – – in yeast with the mature RNA components (van den Bos, Planta) (294) 464
RNA
Studies on the processing of 45-S – – – in rat liver nucleolus with specific reference to 29.5-S RNA (Fujisawa et al.) (324) 226
RNA
Synthesis and processing of nuclear – – – in human monocytes after phagocytosis of polystyrene particles (Schmidt et al.) (308) 324
RNA
Synthesis of ribosomal – – – in chloroplasts from Nicotiana rustica (Munsche, Wollgiehn) (294) 106
RNA
Transcription during cell differentiation in Naegleria gruberi. Preferential synthesis of messenger – – – (Walsh, Fulton) (312) 52
RNA
Use of deoxyribonuclease in the isolation of nucleoli and purification of nuclear – – – – A caution (Lee et al.) (294) 461
RNA bacteriophage Qβ
Inhibition of bacterial cell wall mucopeptide synthesis: A new function of – – – (Ozaki, Valentine) (304) 707
RNA bases
Specific H-bonding of glutarimides and hydantoins to derivatives of – – – in chloroform solution (Yu, Kyogoku) (331) 21
RNA breakdown
Effect of protein deprivation on – – – and protein breakdown in subcellular fractions of the cultured chick embryo (Hickey, Klein) (294) 297
RNA-dependent DNA polymerase
A more sensitive assay system for the detection of – – – in oncogenic RNA viruses (De Clercq, Claes) (331) 328
RNA metabolism
Effects of ionizing radiation on – – – in cultured mammalian cells. I. Specific effects

during division delay following exposure to X-irradiation (Enger et al.) (324) 120
RNA methylase
Transfer – – – activity and polyamine concentrations in regenerating rat liver (Sheid, Nelson) (324) 69
RNA methyltransferases
Differences in the transfer RNA methyltransferases from normal rat liver and Novikoff hepatoma (Sharma) (299) 415
RNA phage M12 replicative intermediates
Secondary structure of – – – in vivo (Keil, Hofschneider) (312) 297
RNA phage MS2
Ultraviolet effects on biological function of – – – (Yamada et al.) (299) 121
RNA polymerase
Differential effects of sigma factor, ionic strength, and ribonucleoside triphosphate concentration on the transcription of phage T4 DNA with the – – – of Escherichia coli (Hoffman, Niyogi) (299) 588
RNA polymerase
DNA dependent – – – of KB cells. I. Purification of the enzyme and transcription of viral DNA, mammalian DNA and chromatin (Austin et al.) (324) 488
RNA polymerase
DNA dependent – – – of KB cells. II. Analysis of RNA transcribed from adenovirus DNA (Austin et al.) (324) 501
RNA polymerase
DNA-dependent – – – from trophozoites and cysts of Acanthamoebe castellanii (Rudick, Weisman) (299) 91
RNA polymerase
Effect of amino acids on the α-amanitin-insensitive – – – activity in the isolated nuclei of Ehrlich ascites cells (Franze-Fernández, Fontanive-Sangüesa) (331) 71
RNA polymerase
Inhibition of DNA-dependent – – – with partially thiolated polynucleotides (Mikulski et al.) (319) 294
RNA polymerase
Isolation and partial characterization of – – – binding sites from T4 DNA (Ray, Rüger) (308) 137
RNA polymerase
Nuclear – – – activity and template efficiency of developing loach (Misgurnus fossilis) embryos (Kafiani et al.) (324) 133
RNA polymerase
Properties of O^6-methylguanine in templates for – – – (Gerchman, Ludlum) (308) 310
RNA polymerase
Reaction of biological thiols with the tumour inhibitor jatrophone. Inhibition of – – – (Lillehaug et al.) (327) 92
RNA polymerase
Selection by T7 – – – of T7 DNA as the template for RNA synthesis (Shishido) (312) 708
RNA polymerase
Studies of – – – in mature avian erythrocytes (Schechter) (308) 129
RNA polymerase
– – – from vegetative cells and spores of Bacillus cereus T. II. Peptide composition (Cohen et al.) (294) 442
RNA polymerase I and II
Effect of exonuclease I on the transcription of various DNA preparations by rat liver – – – (Nohara et al.) (319) 55
RNA polymerase–DNA complexes
– – –. III. Binding of actinomycin D to RNA polymerase–DNA complex (Beabealashvilly et al.) (294) 425
RNA polymerase–DNA complexes
– – –. IV. Influences of the ionic strength on the integrity of the complexes (Beabealashvilly, Savotchkina) (294) 434
RNA polymerases
DNA-directed – – – of soybean (Horgen, Key) (294) 227
RNA polymerases
Isolation, purification and characterization of – – – from wheat germ (Jendrisak, Becker) (319) 48
RNA polymerases
Rat mammary gland nuclear – – – in late pregnancy and lactation (Mendelson, Anderson) (299) 576
RNAs
Cell elongation and δ-crystallin synthesis without RNA synthesis. Evidence for differential stabilities of messenger – – – in cultured early embryonic chick lens epithelia (Craig, Piatigorsky) (299) 642
RNAs
Isoaccepting species of histidine-specific transfer – – – from baker's yeast: Purification and properties (Singh et al.) (312) 276
RNAs
Methylation patterns of – – – from chloroplasts and cytoplasm of fenugreek (Trigonella foenum-graecum L.) cotyledons (Rijven, Zwar) (299) 564

RNAs
Potential energy calculations on conformations of puromycin and 3'-terminal aminoacyl adenosines of transfer – – – (Yathindra, Sundaralingam) (308) 17
RNA secondary structure
Raman studies of nucleic acids. IX. Estimation of – – – from Raman scattering by phosphate group vibrations (Thomas, Jr, Hartman) (312) 311
RNAs synthesis
Effects of progesterone on – – – in the uterus (Miller) (299) 568
RNA synthesis
Antagonistic effects of dihydrotestosterone and cyproterone acetate on – – – (Grigorescu, Villee) (319) 165
RNA synthesis
Developmental alterations in – – – in isolated mouse brain nucleoli (Banks, Johnson) (294) 450
RNA synthesis
Fatty acid inhibition of somatomedin (serum sulphation factor) stimulated protein and – – – in embryonic chicken cartilage (Eisenbarth et al.) (331) 397
RNA synthesis
Inhibition of – – – in mitochondria by daunomycin (Evans et al.) (312) 323
RNA synthesis
Inhibition of ribosomal – – – during a shift-down transition of growth in Neurospora crassa (Sturani et al.) (319) 153
RNA synthesis
Lack of guanosine tetraphosphate accumulation during inhibition of – – – in Neurospora crassa (Alberghina et al.) (312) 435
RNA synthesis
Possible involvement of nuclear DNA-like RNA in the control of ribosomal – – – (Schmid, Sekeris) (312) 549
RNA synthesis
Reversal of inhibition of membrane-bound – – – in Escherichia coli infected with R23 (Hunt, Watanabe) (319) 304
RNA synthesis
Selection by T7 polymerase of T7 DNA as the template for – – – (Shishido) (312) 708
RNA synthesis
Selective inhibition of 4-S and 5-S – – – and nucleolar processing by the adenosine analogue formycin (Abelson, Penman) (312) 292
RNA transcribed
Starting nucleotide sequences and size of – – – in vitro on bacteriophage T3 DNA (Takeya, Fujisawa) (324) 110
RNA translation
Defective initiation of f2 – – – by ribosomes from bacteriophage T4-infected cells (Singer, Conway) (331) 102
RNA turnover
Effect of inhibitors of energetic metabolism on the – – – in animal cells (Panchenko et al.) (299) 103
RNA viruses
More sensitive assay system for the detection of RNA-dependent DNA polymerase in oncogenic – – – (De Clercq, Claes) (331) 328
Root nodules
Studies of the physiological role of leghaemoglobin in soybean – – – (Bergersen et al.) (292) 271
^{86}Rubidium efflux
Uptake and – – – by human blood platelets (Baadenhuijsen et al.) (298) 690
Rubidium ion uptake
Activation of – – – and Na^+ uptake into yeast by monovalent cations (Borst-Pauwels et al.) (291) 274
^{86}Rubidium uptake
– – – and efflux by human blood platelets (Baadenhuijsen et al.) (298) 690

S

Salt
Excitability, instability and phase transitions in squid axon membrane under internal perfusion with dilute – – – solutions (Inoue et al.) (307) 471

Saponins
Interaction of alfalfa – – – with components of the erythrocyte membrane in haemolysis (Assa et al.) (307) 83

Sarcolemma
Calcium-stimulated, ouabain-inhibited ATPase in a myocardial fraction enriched with – – – (Stam, Jr et al.) (298) 927

Sarcolemma
Chemical composition of – – – isolated from rabbit skeletal muscle (Madeira, Antunes-Madeira) (298) 230

Sarcoplasmic reticulum
ATP and Ca^{2+} binding by the Ca^{2+} pump protein of – – – (Meissner) (298) 906

Sarcoplasmic reticulum
Calcium transport by rabbit skeletal muscle microsomes ("fragmented – – –") (Katz, Repke) (298) 270

Sarcoplasmic reticulum
Effects of ruthenium red on Ca^{2+} uptake and ATPase of – – – of rabbit skeletal muscle (Vale, Carvalho) (325) 29

Sarcoplasmic reticulum
Filipin as a fluorescent probe for the location of cholesterol in the membranes of fragmented – – – (Drabikowski et al.) (291) 61

Sarcoplasmic reticulum
Isolation of – – – by zonal centrifugation and purification of Ca^{2+}-pump and Ca^{2+}-binding proteins (Meissner et al.) (298) 246

Sarcoplasmic reticulum vesicles
Effects of n-alcohols on – – – (Kondo, Kasai) (311) 391

Sarcosine
Amino acid transport in yeast. The uptake of – – – (Magaña-Schwenke et al.) (318) 281

Sarcosine uptake
– – – and imino acid uptake in Saccharomyces chevalieri. Derepression by nitrogen starvation (Kuznar et al.) (318) 273

Sarcotubular membranes
Studies on the relationship between adenylate cyclase activity and calcium transport by cardiac – – – (Dhalla et al.) (323) 276

Satellite DNA
Pyrimidine tracts of the (A+T)-rich – – – from Cancer pagurus (Ehrlich et al.) (312) 633

Satellite sequences
– – – in chimpanzee (Pan troglodytes) (Prosser et al.) (319) 122

Satellite virus DNA
Analysis of adeno-associated – – – (Mayor, Ratner) (299) 189

Secretin
Enzymic iodination of the histidyl residue of – – –: A radioimmunoassay of the hormone (Holohan et al.) (322) 178

Secretin
SH-groups on the surface of pancreas cells involved in – – – stimulation and glucose-mediated secretion (Wizemann et al.) (307) 366

Secretory IgA
Esterase activity associated with – – – and free secretory component preparations from human milk (Kobayashi et al.) (317) 517

Sedimentation equilibrium
Structure of human thyroglobulin: – – – studies in 6 M guanidine hydrochloride (Rawitch, Brown) (295) 225

Sedimentation studies of DNA
Alkaline sucrose – – – from P388F lymphoma cells treated with difunctional alkylating agents (Peterson et al.) (299) 385

Sedoheptulose-7-phosphate kinase
– – – activity of phosphofructokinase from the different tissues of rabbit (Karadsheh et al.) (327) 66

Selenium compounds
Presence of lipid-soluble – – – in marine oils (Lunde) (304) 76

Semidehydroascorbate reductase
Involvement of – – – in the oxidation of NADH by lipid peroxide in mitochondria and microsomes (Green, O'Brien) (293) 334

Sephadex
Use of antisera covalently coupled to agarose,

cellulose and – – – in radioimmunoassay systems for proteins and haptens (Bolton, Hunter) (329) 318
Sequence analysis
Isolation and – – – of transfer RNA: The use of plaskon chromatography (RPC-5) (Roe et al.) (319) 25
Serine
Coupling between energy conservation and active transport of – – – in Escherichia coli (Van Thienen, Postma) (323) 429
L-Serine
Interactions between copper(II) ions and L-threonine, L-allo-threonine and - – – – in aqueous solution (Rossi et al.) (322) 185
L-Serine dehydratase
– – – from rat liver: Purification and some properties. (Simon et al.) (321) 361
Serine: glyoxylate aminotransferase
Purification and characterization of – – – from kidney bean (Phaseolus vulgaris) (Smith) (321) 156
L-Serine sulphydrylase
Aspergillus nidulans mutant lacking cystathionine β-synthase: Identification of – – – with cystathionine β-synthase and its distinctness from O-acetyl-L-serine sulphydrylase (Pieniazek et al.) (297) 37
Serine transhydroxymethylase
Purification and characterization of – – – from Saccharomyces cerevisiae (Nakamura et al.) (327) 328
Serotonin
Inhibition by – – – of glutamine synthetase formation in cultured mouse cells strain L (Stamatiadou) (304) 169
Serratamolide
Action of – – – on ion movement in lipid bilayers and biomembranes (Deol et al.) (330) 192
Serum albumin
Conformational change of bovine – – – induced by 0.10 M Tris–EDTA–boric acid buffer at pH 9 (Aoki, Nagaoka) (328) 334
Serum albumin
Heat denaturation of bovine – – – in alkaline pH region (Aoki et al.) (328) 323
Serum albumin microspheres
Use of – – – as a reversible absorbent for studying protein–small molecule interactions (Rolleri, Hégésippe) (295) 429
Serum protein
Fibroblast surface antigen: A new – – – (Roslahti et al.) (322) 352
Serum proteins
Binding of oestrone sulphate by rat – – – during development (Savu et al.) (328) 533
Sesterterpene
Subcellular distribution of – – – and sterol-biosynthesizing activities in Chochliobolus heterostrophus (Kawaguchi et al.) (296) 615
Sex difference
Mechanism of – – – in rat tissue iron stores (Linder et al.) (297) 70
SH group
– – – of yeast phosphoglycerate kinase (Arvidsson, Larsson-Raźnikiewicz) (310) 430
Showdomycin
Transport of uridine in Escherichia coli B and a – – – -resistant mutant (Von Dippe et al.) (318) 105
Sialic acid
Effects of calcium and bound – – – on the viscosity of mucin (Deman et al.) (297) 486
Sialic acid
Turnover of hexosamine and – – – in glucoproteins and mucopolysaccharides of brain (Margolis, Margolis) (304) 413
Sialic acids
Metabolism of – – – in toad oviduct (Martinez, Olavarria) (320) 301
Sialic acids
– – – of toad oviduct mucoprotein (Martinez, Olavarria) (320) 295
Sialoglycolipid
Isolation and characterization of a – – – from the sea urchin Strongylocentrotus intermedius (Kochetkov et al.) (326) 74
Sialyl residues
Effect of the – – – on the thermodynamic and hydrodynamic properties of α_1-acid glycoprotein (Kawahara et al.) (295) 505
Sigma factor
Differential effects of – – –, ionic strength and ribonucleoside triphosphate concentration on the transcription of phage T4 DNA with the ribonucleic acid polymerase of Escherichia coli (Hoffman, Niyogi) (299) 588
Silicic acid
Effect of colloidal – – – on lecithin bilayers (Körösy, Taboch) (291) 608
Silicic acid starvation
Role of silicon in diatom metabolism. II. Endogenous nucleoside triphosphate pools during – – – of synchronized fusiformis (Sullivan, Volcani) (308) 205
Silicon
Role of – – – in diatom metabolism. II.

Endogenous nucleoside triphosphate pools during silicic acid starvation of synchronized Cylindrotheca fusiformis (Sullivan, Volcani) (308) 205
Silicon
Role of – – – in diatom metabolism. III. The effects of silicic acid on DNA polymerase, TMP kinase and DNA synthesis in Cylindrotheca fusiformis (Sullivan, Volcani) (308) 212
Silk fibroin
Studies on – – – of Bombyx mori directly extracted from the silk gland. I. Molecular weight determination in guanidine hydrochloride or urea solutions (Sasaki, Noda) (310) 76
Silk fibroin
Studies on – – – of Bombyx mori directly extracted from the silk gland. II. Effect of reduction of disulphide bonds and subunit structure (Sasaki, Noda) (310) 91
Simian sarcoma virus
Biochemical and morphological studies of – – – type 1 (Harewood et al.) (308) 252
Single-stranded DNA specific nuclease S_1
Action of the – – – on double-stranded DNA (Godson) (308) 59
Site I
Studies on the energy coupling sites of photophosphorylation. I. Separation of – – – and site II by partial reactions of the chloroplast electron transport chain (Gould, Izawa) (314) 211
Site II
Studies on the energy coupling sites of photophosphorylation. I. Separation of Site I and – – – by partial reactions of the chloroplast electron transport chain (Gould, Izawa) (314) 211
Sitosterol
Differences in metabolism of cholesterol and – – – following intravenous injection in rats (Subbiah, Kuksis) (306) 95
Smooth muscle
Oxygen consumption rate in vascular – – –; Relation to isometric tension (Paul et al.) (305) 474
Smooth muscle myosin
Studies on the fast reacting sulphydryl group of skeletal myosin A: Conversion to – – – type with N-ethylmaleimide treatment (Yamaguchi et al.) (328) 154
Smooth muscle myosins
Low molecular weight components of cow – – –: Characterisation and comparison with those of striated muscle (Leger, Focant) (328) 166
Snake venom toxins
– – –. The amino acid sequences of two toxins from Ophiophagus hannah (King cobra) venom (Joubert) (317) 85
Sodium
– – – effect on bilirubin uptake by the rat intestinal mucosa (Serrani et al.) (330) 186
Sodium
Influence of – – –, potassium and lithium on the response of glycogen synthetase I to insulin and epinephrine in the isolated rat diaphragm (Horn et al.) (313) 296
Sodium conductance
Role of ion exchange processes in the mechanism of – – – changes in excitable membranes (Fishman et al.) (298) 710
Sodium content
Control of – – –, potassium and water content and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285
Sodium-dependent calcium influx
– – – in dialyzed barnacle fibres (Dipolo) (298) 279
Sodium dodecylsulphate
Effect of – – – on circular dichroism and enzyme activities of carboxypeptidases A and B (Nakagawa, Jirgensons) (328) 42
Sodium efflux
– – – from human red blood cells (Eilam, Stein) (323) 606
Sodium extrusion
Uncoupled – – – through the Na^+ pump (Lew et al.) (323) 251
Sodium gradient
– – – and D-galactose accumulation in epithelial cells of bullfrog small intestine (Armstrong et al.) (330) 237
Sodium ion
Role of – – – in active transport of iodide by cultured thyroid cells (Bagchi, Fawcett) (318) 235
Sodium ion
Study on the influence of the concentration of Mg^{2+}, P_i, K^+, – – – and Tris on (Mg^{2+}+P_i)-supported g-strophanthin binding to (Na^+–K^+)-activated ATPase from ox brain (Hansen, Skou) (311) 51
Sodium ions
Role of – – – and anions in the triple response of isolated frog skin to norepinephrine (Pinschmidt et al.) (323) 309

Sodium ion uptake
Activation of Rb^+ and – – – into yeast by monovalent cations (Borst-Pauwels et al.) (291) 274
Sodium pool
– – – and Na^+ concentration in epidermis of frog skin (Smith et al.) (291) 465
(Sodium, potassium)-activated ATPase
ADP binding to – – – (Kaniike et al.) (298) 901
(Sodium–potassium)-activated ATPase
Lipid dependence of activity–temperature relationship of – – – (Tanaka, Teruya) (323) 584
(Sodium–potassium)-activated ATPase
New method for making phospholipid vesicles and the partial reconstitution of the – – – (Slack et al.) (323) 547
(Sodium–potassium)-activated ATPase
Ouabain–receptor interactions in – – – preparations. II. Effect of cations and nucleotides on rate constants and dissociation constants (Erdmann, Schoner) (330) 302
(Sodium–potassium)-activated ATPase
Ouabain–receptor interactions in – – – preparations. III. On the stability of the ouabain receptor against physical treatment, hydrolases and SH reagents (Erdmann, Schoner) (330) 316
(Sodium–potassium)-activated ATPase
Preparation and properties of the – – – of plasma membranes from Ehrlich ascites cells (Colombini, Johnstone) (323) 69
(Sodium–potassium)-activated ATPase
Studies on Na^+–K^+-activated ATPase. XXXII. Occurrence and properties of – – – in immature, lactating and involuted guinea pig mammary gland (330) 173
(Sodium–potassium)-activated ATPase
Studies on Na^+–K^+-activated ATPase. XXXIV. Phosphatidylserine not essential for – – – activity (De Pont et al.) (323) 487
(Sodium–potassium)-activated ATPase
Study on the influence of the concentration of Mg^{2+}, P_i, K^+, Na^+ and Tris on (Mg^{2+}+P_i)-supported g-strophanthin binding to – – – from ox brain (Hansen, Skou) (311) 51
(Sodium, potassium)-ATPase
Antibodies to pig kidney – – – inhibit the sodium pump in human red cells provided they have access to the inner surface of the cell membrane (Jørgensen et al.) (291) 795
(Sodium, potassium)-ATPase
Binding of ATP and release from microsomal – – – (Brodsky, Shamoo) (291) 208
(Sodium, potassium)-ATPase
Comparison of the ouabain-sensitive – – – of normal and dystrophic skeletal muscle (Bray) (298) 239
(Sodium+potassium)-ATPase
Effects of long-chain alcohols on membrane lipids and the – – – (Grisham, Barnett) (311) 417
(Sodium, potassium)-ATPase
Interrelationships between hydroxylamine inhibition of microsomal – – – and physicochemical changes in membrane organization (Formby) (298) 291
(Sodium, potassium)-ATPase
Isolation of plasma membranes from Ehrlich ascites tumour cells. Influence of amino acids on – – – and K^+-stimulated phosphatase (Forte et al.) (298) 827
(Sodium+potassium)-ATPase
Kinetic studies on the inhibition of – – – by diketocoriolin B (Kunimoto, Umezawa) (318) 78
(Sodium+potassium)-ATPase
Membrane lipid fatty acids and regulation of membrane-bound enzymes: Allosteric behaviour of erythrocyte Mg^{2+}-ATPase, – – – and acetylcholinesterase from rats fed different α-supplemented diets (Bloj et al.) (311) 67
(Sodium, potassium)-ATPase
Ouabain binding sites and the – – – of brain microsomal membranes (Harris et al.) (298) 680
(Sodium+potassium)-ATPase
Ouabain–receptor interactions in – – – preparations from different tissues and species. Determination of kinetic constants and dissociation constants (Erdmann, Schoner) (307) 386
(Sodium, potassium)-ATPase
Studies on the interaction of chick brain microsomal – – – with copper (Ting-Beall et al.) (291) 229
(Sodium+potassium)-dependent ATPase
Cation sites of the – – –: Mechanisms for Na^+-induced changes in K^+ affinity of the phosphatase activity (Robinson) (321) 662
(Sodium, potassium)-stimulated ATPase
Different effects of free and conjugated bile acids and their keto derivatives on – – – and Mg^{2+}-ATPase of rat intestinal mucosa (Hepner, Hofmann) (291) 237
Sodium + potassium transport
Effect of membrane stabilizers and ouabain

on – – – in rat soleus muscle (Dahl-Hansen, Clausen) (318) 147
Sodium pump
Antibodies to pig kidney (Na^++K^+)-ATPase inhibit the – – – in human red cells provided they have access to the inner surface of the cell membrane (Jørgensen et al.) (291) 795
Sodium pump
Ouabain binding to the – – – in plasma membranes isolated from ox brain (Whittam, Chipperfield) (307) 563
Sodium pump
Stimulation of renal gluconeogenesis by inhibition of the – – – (Friedrichs, Schoner) (304) 142
Sodium pump
Suramin: A potent ATPase inhibitor which acts on the inside surface of the – – – (Fortes et al.) (318) 262
Sodium pump
Uncoupled extrusion of Na^+ through the – – – (Lew et al.) (323) 251
Sodium transport
Effect of aldosterone on the energetics of – – – in the frog skin (Saito et al.) (318) 371
Sodium transport
Effects of propionate on – – – by the toad bladder: Evidence for a metabolic mode of action (Taylor et al.) (298) 376
Sodium transport
Kinetic characterization of the chloride dependence of – – – in the frog skin (Ferreira et al.) (291) 269
Sodium transport
Potassium transport and – – – with citrate across the mitochondrial membrane (Gamble, Jr) (323) 240
Sodium transport
Relationship between the transport of glucose and cations across cell membranes in isolated tissues. VIII. The effect of membrane stabilizers on K^+ transport, – – – and glucose transport in muscle, adipocytes and erythrocytes (Clausen et al.) (298) 393
Somatomammotropin
Modification of the tryptophanyl residue and its effect on the immunological and biological activity of human chorionic – – – (Neri et al.) (322) 88
Soybean
Involvement of an arginine residue of trypsin in its interaction with the Kunitz – – – (DeLarco, Liener) (303) 274
Soybean trypsin inhibitor
Sensitivity of some nonhelical proteins to structural modification by sodium dodecylsulphate and its homologues. Circular dichroism studies on Bence–Jones protein, concanavalin A, – – – and trypsin (Jirgensons) (328) 314
Sparsomycin
– – – requirement for inhibiting peptide bond formation (Busiello, Di Girolamo) (312) 581
Species specificity
Tissue and – – – of non-histone chromatin proteins (Barrett, Gould) (294) 165
Specific binding
Vitamin D metabolites: – – – by rat intestinal cytosol (Haddad et al.) (329) 93
Spermatozoa
Energy conservation capacity and morphological integrity of mitochondria in hypotonically treated rabbit epididymal – – – (Keyhani, Storey) (305) 557
Spermatoza
Protamines and other basic proteins from – – – of molluscs (Subirana et al.) (317) 364
Spermatozoa
Structural properties of the membrane of intact human – – –. A study with fluorescent probes (Mercado, Rosado) (298) 639
Spermidine
Formation in vitro of 1-methylguanine in 23-S RNA from Escherichia coli. The effects of – – – and two proteins (Isaksson) (312) 134
Spermine
Effect of – – – on the reaction catalyzed by threonyl-tRNA synthetase from rat liver (Aoyama, Chaimovich) (309) 502
Spermine
Inhibition of protein chain initiation in eukaryotes by deacylated tRNA and its reversibility by – – – (Kyner et al.) (324) 386
Sphingolipid composition
– – – of bovine kidney cortex, medulla and papilla (Karlsson et al.) (316) 317
Sphingolipids
Long-chain bases in the – – – of bovine milk and kidney, rumen bacteria, rumen protozoa, hay and concentrate (Morrison) (316) 98
Sphingomyelin
Metabolism of brain – – –. In vivo incorporation of [^{14}C]acetate and $^{32}PO_4^{3-}$ into two kinds of rat brain sphingomyelins (Lastennet et al.) (306) 287
Sphingomyelinase of the lens
Lipids in tissues of the eye. VIII. – – – (Roelfzema et al.) (306) 329

Sphingomyelins
Detailed structure of – – – and ceramides from different regions of bovine kidney with special reference to long-chain bases (Karlsson et al.) (316) 336
Sphingosine
Enzymatic conversion of labelled ketodihydrosphingosine to – – – (Nakano, Fujimo) (296) 457
[1,2-$^3H_2$] Sphingosine
Kinetics of phosphatidylethanolamine biosynthesis from – – – in rat liver (Offenbartl et al.) (306) 460
Spin labelling
Characterization of hydrophobic regions in proteins by a – – – technique (Lassmann et al.) (310) 298
Spin-lattice relaxation time
Rapid adiabatic passage EPR of ferricytochrome c: Sensitivity enhancement and determination of the – – – (Mailer, Taylor) (322) 195
Spin-lattice relaxation times
Pulsed NMR studies of water in striated muscle. II. – – – and the dynamics of the non-freezing fraction of water (Belton et al.) (304) 56
Spiramycin
Mitochondrial antibiotic resistance in yeast: Ribosomal mutants resistant to chloramphenicol, erythromycin and – – – (Grivell et al.) (312) 358
Stable free radical
Uncoupling of oxidative phosphorylation by a – – – and its diamagnetic homologue (Coleman) (305) 179
Staphylococcin
Effects of colicin A and – – – 1580 on amino acid uptake into membrane vesicles of Escherichia coli and Staphylococcus aureus (Jetten, Vogels) (311) 483
[1-^{14}C] Stearic acid
Effect of dietary glycerol on the – – – and [1-^{14}C] linoleic acid desaturation of normal and diabetic rats (Tomas et al.) (306) 149
Stearic acid
Effect of double and triple bonds in fatty acid inhibitors upon desaturation of – – – by rat liver microsomes (Chang et al.) (306) 21
Stereospecific analysis
– – – of triglycerides that contain isotopically labelled fatty acids (Christie, Hunter) (316) 282
Sterically-selective reduction
– – – of protein carboxyl groups by disiamylborane of by 9-borabicyclo[3,3,1]-nonane (Atassi et al.) (303) 379
Steroid 1-dehydrogenation
– – – and side-chain degradation enzymes in the life cycle of Fusarium solani (Hafez-Zedan, Plourde) (326) 103
Steroid diols
Use of trimethylsilyl ethers in the characterization of natural sterols and – – – by gas chromatography–mass spectrometry (Brooks et al.) (296) 431
Steroid oestrogen conjugates
– – – of hens'urine: Identification of radioactive oestrone-β-glucuronide, oestradiol-17β-3-β-glucuronide, oestradiol-17α-3-β-glucuronide, oestrone sulphate, oestradiol-17β-3-sulphate and oestradiol-17α-3-sulphate as metabolites of injected [^{14}C] oestrone (Robinson et al.) (326) 93
Steroidogenesis
In vitro – – – in canine and feline testes (Oh, Tamaoki) (316) 395
Steroidogenic response
Role of calcium in the – – – of rat adrenal cells to ACTH (Haksar, Péron) (313) 363
Steroid–protein interactions
– – –. XXVII. Progesterone binding to polymers of human serum albumin (Westphal, Harding) (310) 518
Steroid Δ^4-5β-reductase
In vitro studies on the inhibition of pig liver – – – activity by naturally occurring and synthetic oestrogens (Van Doorn, Clark) (309) 254
Steroids
Endogenous productions of – – – by subcellular fractions from total rat testis and from isolated interstitial tissue and seminiferous tubules (van der Vusse et al.) (297) 179
Steroids
Formation of 16,17-dihydroxylated C_{19} – – – from 16-dehydro C_{19} steroids in liver microsomes from male and female rats (Gustafsson) (296) 179
Steroids
Free and sulphate-conjugated 16-unsaturated C_{19} – – – in human testis tissue (Ruokonen) (316) 251
Sterol
Effect of different fatty acid and – – – composition on the erythritol flux through the cell membrane of Acholeplasma laidlawii (de Kruyff et al.) (298) 479

Sterol
Influence of fatty acid and – – – composition on the lipid phase transition and activity of membrane-bound enzymes in Acholeplasma laidlawii (De Kruyff et al.) (330) 269
Sterol-binding polysaccharide
Identification and properties of a – – – isolated from Saccharomyces cerevisiae ((Thompson et al.) (304) 132
Sterol biosynthesis
– – – in vitro of rat renal inner medulla (Bojesen et al.) (306) 237
Sterol-biosynthesizing activities
Subcellular distribution of sesterterpene- and – – – in Cochliobolus heterostrophus (Kawaguchi et al.) (296) 615
Sterols
Effect of environment on the free and hydrosoluble – – – of Mucor rouxii (Safe) (326) 471
Sterols
Identification of C_{27} - – – – produced by rat renal inner medulla in vitro (Bojesen, Roepstorff) (316) 83
Sterols
Use of trimethylsilyl ethers in the characterization of natural – – – and steroid diols by gas chromatography–mass spectrometry (Brooks et al.) (296) 431
Stratum corneum
Structure–property relations of human and neonatal rat – – –. I. Thermal stability of the crystalline lipid structure as studied by X-ray diffraction and differential thermal analysis (Wilkes et al.) (304) 267
Stratum corneum
Structure–property relationships of the – – – of human and neonatal rat. II. Dynamic mechanical studies (Wilkes, Wildnauer) (304) 276
Stratum corneum
Superstructure in the – – – of neonatal rat (Wilkes) (304) 290
Streptococcus faecalis
Role of cell wall autolysin in chain formation by a mutant strain of – – – (Soper, Winter) (297) 333
Streptomyces erythreus
Active site of trypsin-like enzyme from – – –: Specific inactivation by new chloromethyl ketones derived from N^{α}-dinitrophenyl-L-lysine and N^{α}-tosyl-L-arginine (Yoshida et al.) (321) 615
g-Strophanthin
Study on the influence of the concentration of Mg^{2+}, P_i, K^+, Na^+ and Tris on (Mg^{2+}+P_i)-supported – – – binding to (Na^++K^+)-activated ATPase from ox brain (Hansen, Skou) (311) 51
Structural proteins
Orientation of pigments and – – – in the photosynthetic membrane of spinach chloroplasts: A linear dichroism study (Breton et al.) (314) 42
Subchromatophore particles
Light-induced absorption changes in Chromatium – – – exhaustively extracted with non-polar solvents (Ke et al.) (292) 226
Submaxillary glycoproteins
Beta-elimination and reduction reactions and some applications of dimethylsulphoxide on – – – (Downs et al.) (328) 182
Subsite theory
Subsite affinities of glucoamylase: Examination for validity of – – – (Hiromi et al.) (302) 362
Substrate-level phosphorylation
Incorporation of $^{32}P_i$ into intramitochondrial ADP fraction dependent on the – – – (Tokumitsu, Ui) (292) 310
Subtilisin
Deuterium isotope effects on acylation of – – – (Polgár) (321) 639
Subtilisin
Inactivation of – – – Carlsberg in surfactant and salt solutions (Stauffer, Treptow) (295) 457
Subtilisin
Resistance of ribonuclease dimers to – – – (Libonati et al.) (317) 160
Succinate dehydrogenase
Interactions of – – – with cyanide (Zanetti et al.) (321) 41
Succinate dehydrogenase
Modulation of – – – in response to environmental stress conditions of hypobaria and hypoxia (Susheela, Ramasarma) (321) 423
Succinate dehydrogenase
Nature of the activation of – – – by various effectors and in hypobaria and hypoxia (Susheela, Ramasarma) (292) 50
Succinate oxidase
Function and the localization of ubiquinone in the NADH oxidase and – – – systems of Rhodopseudomonas palustris (King, Drews) (305) 230
Succinate semialdehyde
Sulphinic and sulphonic analogue of γ-amino-

butyric acid and – – –, new substrates for the aminobutyrate aminotransferase and the succinate semialdehyde dehydrogenase of Pseudomonas fluorescens (Gomez de Gracia, Jollès-Bergeret) (315) 49
Succinate semialdehyde dehydrogenase
Sulphinic and sulphonic analogue of γ-aminobutyric acid and succinis semialdehyde, new substrates for the aminobutyrate aminotransferase and the – – – of Pseudomonas fluorescens (Gomez de Gracia, Jollès-Bergeret) (315) 49
Succinylation
Effect of – – – and acylation on the physicochemical properties of α_{s_1}-casein B (Irons et al.) (328) 433
Sucrase
Corticosteroid-dependent cycloheximide-evoked increase of – – – and maltase in the jejunum of suckling rats (Koldovský et al.) (309) 370
Sucrase activity
Occurrence and intracellular localization of – – – in rat liver (Horvat) (297) 413
Sucrose
Diffusion studies of bile acids, fatty acids and – – – –NaCl–water systems at 37°C by a modified capillary cell apparatus and their application to membrane transport studies (Sherrill et al.) (311) 261
Sugar metabolism
Increased rates of sugar transport in Saccharomyces cerevisiae, a result of – – – (Spoerl et al.) (298) 956
Sugar transport
– – – at the basal and lateral aspect of the small intestinal cell (Bihler, Cybulsky) (298) 429
Sugar transport
Effect of anoxia on – – – in avian erythrocytes (Whitfield, Morgan) (307) 181
Sugar transport
Increased rates of – – – in Saccharomyces cerevisiae, a result of sugar metabolism (Spoerl et al.) (298) 956
Sulphatase
– – – of ox liver. XVII. Sulphatase A as a glycoprotein (Graham, Roy) (329) 88
Sulphatase A
Sulphatase of ox liver. XVI. Comparison of the arylsulphatase and cerebroside sulphatase activities of – – – (Jerfy, Roy) (293) 178
Sulphatase B
Some properties of the – – – of ox brain (Bleszynski, Roy) (317) 164
Sulphated glycopeptides
Sulphated glycoproteins from egg shell membranes and hen oviduct. Isolation and characterization of – – – (Picard et al.) (320) 427
Sulphated glycoproteins
– – – from egg shell membranes and hen oviduct. Isolation and characterization of sulphated glycopeptides (Picard et al.) (320) 427
Sulphated heteroglycans
Metabolic turnover of – – – in the gastrointestinal tract, cartilage and the skin of the rat (Terho, Hartiala) (304) 591
Sulphatides
Identification of hitherto unknown branched-chain bases in – – – of the salt (rectal) gland of spiny dogfish (Karlsson et al.) (306) 307
Sulphation
Enzymatic – – – of heparin sulphate by hen's uterus (Johnson, Baker) (320) 341
Sulphide
Oxidation mechanisms of thiosulphate and – – – in Chlorobium thiosulphatophilum: Roles of cytochrome c-551 and cytochrome c-553 (Kusai, Yamanaka) (325) 304
Sulphide oxidation
– – – linked to the nitrate reduction and nitrite in Thiobacillus denitrificans (Aminuddin, Nicholas) (325) 81
Sulphoquinovosyl diglycerides
Phase behaviour of monogalactosyl, digalactosyl diglycerides and – – – (Shipley et al.) (311) 531
Sulphydryl agents
Transport of amino acids into the oestrogen-primed uterus. IV. Effects of – – – on the uptake in vitro (Feng, Riggs) (318) 426
Sulphydryl groups
Biochemical aspects of the visual process. XXIII. – – – and rhodopsin photolysis (De Grip et al.) (325) 315
Sulphydryl groups
Kinetics of the reaction of the masked – – – of haemoglobins A, E and New York with p-chloromercuribenzoate (Yuthavong, Ruenwongsa) (303) 44
Sulphydryl groups
Sulphydryl and disulphide groups of platelet membranes. I. Determination of – – – (Ando, Steiner) (311) 26
Superoxide
Mechanism of the oxidation of ascorbate and Mn^{2+} by chloroplasts: The role of the radical – – – (Epel, Neumann) (325) 520

Superoxide dismutase
Intracellular localization of – – – and its relation to the distribution and mechanism of hydrogen peroxide-producing enzymes (Rotilio et al.) (321) 98
Superoxide dismutase
Isozymes of – – – from wheat germ (Beauchamp, Fridovich) (317) 50
Superoxide dismutase
Mechanism of – – –. Reaction of the bovine enzyme with hydrogen peroxide and ferrocyanide (Rotilio et al.) (302) 229
Superoxide dismutase
One-electron transfer reactions in biochemical systems. VIII. Kinetic study of – – – (Sawada, Yamazaki) (327) 257
Superoxide dismutase
Singlet oxygen decontamining activity of erythrocuprein (– – –) (Paschen, Weser) (327) 217
Superoxide dismutase
Studies of the metal sites of copper proteins. V. A model compound for the copper site of – – – (Morpurgo et al.) (322) 204
Superoxide dismutase
Studies on the reconstitution of bovine erythrocyte – – –. I. The presence of four divalent metal binding sites on the apoprotein which are different from the native sites (Fee) (295) 87
Superoxide dismutase
Studies on the reconstitution of bovine erythrocyte – – –. II. Some observations on the nature of catalyzed superoxide anion dismutation as an enzymatic activity (Fee et al.) (295) 96
Superoxide dismutase
Studies on the reconstitution of bovine erythrocyte – – –. III. Evidence for a strong interdependence between Cu^{2+} and Zn^{2+} binding in the expression of the spectroscopic properties of the native protein and for a close proximity of the Zn^{2+} and Cu^{2+} sites (Fee) (295) 107
Superoxide dismutase
X-ray photoelectron spectroscopic studies of copper–amino and zinc–amino acid complexes and – – – (Jung et al.) (295) 77
Superoxide free radical
Role of the – – – ion in photosynthetic ascorbate oxidation and ascorbate-mediated photophosphorylation (Elstner, Kramer) (314) 340
Suramin
– – –: A potent ATPase inhibitor which acts on the inside surface of the sodium pump (Fortes et al.) (318) 262
Surface antigen
Fibroblast – – –: A new serum protein (Ruoslahti et al.) (322) 352
Surface potential
Membrane conductance and – – – (Hladky, Haydon) (318) 464
Surface proteins
Phosphorylation of – – – of HeLa cells using an exogenous protein kinase and [γ-^{32}P] ATP (Kinzel, Mueller) (322) 337
Surfactant
Inactivation of subtilisin Carlsberg in – – – and salt solutions (Stauffer, Treptow) (295) 457
Surfactants
Effect of anionic – – –, nonionic surfactants and neutral salts on the conformation of spin-labelled erythrocyte membrane proteins (Kirkpatrick, Sandberg) (298) 209
Synapse proteins
Electrophoretic patterns of – – – from isolated synapses of human and swine brain (Wannamaker, Kornguth) (303) 333
Synaptic vesicles
Adult rat brain – – –. I. Isolation and characterization (Morgan et al.) (320) 671
Synaptosomes
Choline uptake systems of rat brain – – – (Haga, Noda) (291) 564
Synovial fluid
Proteinase inhibitors in human – – – (Shtacher et al.) (303) 138
Synthetase
Indoleacetic acid stimulates cellulose deposition and selectively enhances certain β-glucan – – – activities (Shore, MacLachlan) (329) 271

T

Taste stimuli
Effect of – – – on extraction of lipids from bovine taste papillae (Kurihara) (306) 478
Taurine
Effect of – – – on a muscle intracellular membrane (Huxtable, Bressler) (323) 573
Taurine
Solution properties of – – – and glycine conjugates of fusidic acid and its derivatives (Carey, Small) (306) 51
Template
Selection by T7 RNA polymerase of T7 DNA as the – – – for RNA synthesis (Shishido) (312) 708
Template RNA
Conditions for the exclusive DNA synthesis complementary to – – – (Ruprecht et al.) (294) 192
Templates
Properties of O^6-methylguanine in – – – for RNA polymerase (Gerchman, Ludlum) (308) 310
N-Terminal amino acid
Studies on bovine cervical mucin. I. The amino acid composition and – – – of bovine oestrus cervical mucin (Bhushana Rao et al.) (317) 286
Terminal deoxynucleotidyltransferase
DNA polymerase and – – – activity of normal and bacteria-free crown fall tumour tissue cultures of tobacco (Srivastava) (299) 17
N-Terminal domains
Probable – – – conformation of human GI (Eu) immunoglobulin (Zavyalov) (310) 70
Terminal oxidase
CO-binding pigments and the functional – – – of the trypanosomatid haemoflagellate Crithidia fasciculata (Kusel, Storey) (314) 164
Testosterone
Effects of – – –, 5α-dihydrotestosterone and adenosine 3′,5′-monophosphate on cell proliferation and differentiation in rat prostate (Lesser, Bruchovsky) (308) 426
Testosterone
Testicular 17β-hydroxysteroid oxidoreductase: Product activation of – – – formation from androstenedione in vitro (Oshima, Ochiai) (306) 227
Testosterone-binding globulin
Isolation and characterization of a progesterone- and – – – from pregnant guinea pig serum (317) 351
Tetanus toxin
Chain composition of – – – (Craven, Dawson) (317) 277
Tetradecapeptide substrate
Kinetics of the reaction of human renin with natural substrates and – – – (Favre, Vallotton) (327) 471
Tetraethylammonium
Nature of the acceleration by – – – of the methanesulphonylation of acetylcholinesterase (Pavlic) (327) 393
Tetrahexosyl ceramide
Characterization of the major ganglioside in human red cells and of a related – – – in white cells (Wherrett) (326) 63
Tetrahydrofolate dehydrogenase
Effects of steroids, folate deprivation and protein deprivation upon – – – levels in mammalian tissues (Makulu et al.) (304) 526
Tetrodotoxin
Action of proteases and phospholipases on – – – binding to axolemma preparations isolated from lobster nerve fibres (Villegas et al.) (318) 61
Tetrodotoxin
Inhibition of the receptor for – – – in nerve membranes by reagents modifying carboxyl groups (Shrager, Profera) (318) 141
Tetrodotoxin–chclesterol interactions
– – – at the air–water interface (Gacesa et al.) (307) 467
Tetrodotoxin receptors
– – – in plasma membranes isolated from lobster nerve fibres (Barnola et al.) (298) 84
Thallous ions
Interaction of – – – with the cation transport mechanism in erythrocytes (Skulskii et al.) (298) 702
Thermal stability
– – – of phosphoribosyladenosine triphosphate synthetase as reflected in its circular dichroism and activity properties. Effect of inhibitors (Kryvi) (317) 123

Thermal stability
Relationship between mismatched base pairs and the – – – of DNA duplexes. I. Effects of depurination and chain acission (Ullmann, McCarthy) (294) 405
Thermal stability
Relationship between mismatched base pairs and the – – – of DNA duplexes. II. Effects of deamination of cytosine (Ullmann, McCarthy) (294) 416
Thermoluminescence
Kinetic characterization of T-jump – – – in isolated chloroplasts (Malkin, Hardt) (305) 292
Thermolysin
Water-insoluble polyacrylamide–– – – conjugates (Epton et al.) (328) 418
Thermophilic microorganism
Influence of pH on the synthesis of the oxidase (cytochrome a_3) in Bacillus coagulans, a – – – capable of "respiratory adaptation" (Frade, Naix) (325) 424
Thiaminase I
Reversible inactivation of extracellular – – – in Bacillus thiaminolyticus. I. Inactivation by the primary substrate and reactivation by the secondary substrate (Suzuki, Ooba) (293) 111
Thiamine
Carrier-mediated transport of – – – in baker's yeast (Iwashima et al.) (330) 222
Thiamine
NMR study of the lability of the thiazolium proton in – – – and its polyphosphoric esters (Chauvet-Monges et al.) (304) 748
Thiamine-binding protein
Purification and some properties of – – – of Escherichia coli (Nishimune, Hayashi) (328) 124
Thiamine pyrophosphate
– – – –metal ion complexation: Equilibrium and kinetics (Katz, Kustin) (313) 235
Thiamine pyrophosphate phosphohydrolase
Glycoprotein synthesis in the adult rat pancreas. I. Subcellular distributions of UDP galactose: glycoprotein galactosyltransferase and – – – (Ronzio) (313) 286
Thioamide derivatives
Effect of – – – on induction of ornithine decarboxylase in rat liver (Ono et al.) (304) 495
4-Thiodeoxyuridine
Synthesis and properties of an alternating polydeoxynucleotide containing – – –: poly[d(A–s^4U)·d(A–s^4U)] (Rohde, Lezius) (308) 361
6-Thioguanylic acid homologues
Interaction of – – – with ribonuclease T_1. Spectrophotometric and gel filtration studies (Sawada et al.) (299) 596
Thiol groups
Fluorescent thiol reagents. VI. N-(1-amilinoaphthyl-4)-maleimide: A fluorescent hydrophobic probe directed to – – – in protein (Kanaoka et al.) (317) 563
Thionucleosides
Separation of ^{35}S-labelled – – – of Escherichia coli and Pseudomonas aeruginosa transfer RNAs on a phosphocellulose column (Prasada Rao, Cherayil) (299) 1
Thioredoxin
Purification of – – – from Escherichia coli and bacteriophage T4 by immunoadsorbent affinity chromatography (Sjöberg, Homgren) (315) 176
Thioredoxin reductase
Purification and characterization of yeast – – – (Speranza et al.) (327) 274
Thiosulphate
Oxidation mechanisms of – – – and sulphide in Chlorobium thiosulphatophilum: Roles of cytochrome c-551 and cytochrome c-553 (Kusai, Yamanaka) (325) 304
4-Thiouracil derivative
Effects of hydrogen bonding and solvents on the absorption spectra of a – – – (Iwamura) (308) 333
Thiouracils
Electronic structure of – – – and their interaction with adenine (Geller et al.) (331) 1
4-Thiouridine
Reaction of hydroxylamine with – – – (Iida et al.) (308) 198
L-Threonine
Interactions between copper(II) ions and – – –, L-allo-threonine and L-serine in aqueous solution (Grenouillet et al.) (322) 185
L-allo-Threonine
Interactions between copper(II) ions and L-threonine, – – – and L-serine in aqueous solution (Grenouillet et al.) (322) 185
L-Threonine dehydratase
pH dependent intermediate plateaux in the kinetics of the reaction catalyzed by "biosynthetic" – – – of Escherichia coli K-12 (Kagan et al.) (302) 110
Threonine supplementation
Effect of – – – on hepatic polysome patterns and protein synthesis of rats fed a threonine-deficient diet (Ip, Harper) (331) 251

Threonyl-tRNA synthetase
Effect of spermine on the reaction catalyzed by – – – from rat liver (Aoyama, Chaimovich) (309) 502
Thrombin
Action of – – – on blood clotting factor V: Conversion of factor V to a prothrombin-binding protein (Esmon et al.) (310) 289
Thrombin
Action of factor Xa, – – – and trypsin on human Factor II. (Kisiel, Hanahan) (329) 221
Thrombin
Cholate enhancement of interaction between – – – and tosyl lysine chloromethyl ketone (Exner, Koppel) (329) 233
Thrombin
Digestion of fibrin by – – – (Triantaphyllopoulos, Chandra) (328) 229
Thrombin
Effect of – – – on the platelet membrane (Steiner) (323) 653
Thrombin
Interaction of – – – and nucleotides: Effects on glycolysis in human platelets (Zieve, Schmukler) (313) 350
Thrombin
Irreversible inhibition of α-chymotrypsin, trypsin, pancreatic kallikrein, – – – and elastase by N(β-pyridylmethyl)-3,4-dichlorophenoxyacetamide-p-fluorosulphonyl acetanilide bromide (Geratz, Fox) (321) 296
Thrombin
Microcalorimetric study of isolated blood platelets in the presence of – – – and other aggregating agents (Ross et al.) (313) 106
Thrombosthenin
Calcium ion control of platelet – – – ATPase activity (Hanson et al.) (314) 382
Thylakoid membrane
Light-induced potential changes across the chloroplast enclosing membranes as expressions of primary events at the – – – (Vredenberg et al.) (314) 261
Thylakoid space
Alkalization of the chloroplast stroma caused by light-dependent proton flux into the – – – (Heldt et al.) (314) 224
Thylakoid system
High-energy state of the – – – as indicated by chlorophyll fluorescence and chloroplast shrinkage (Krause) (292) 715
[Me-^{3}H]Thymidine
Problems in the use of – – – for the measurement of DNA synthesis (Goldspink, Goldberg) (299) 521
Thymidine 5′-monophosphate
Free radicals characteristic of – – – photosensitized by proflavin (van de Vorst, Lion) (294) 349
Thymidine phosphorylation
– – – in the cell cycle of Physarum polycephalum and the effect of 5-fluoro-2′-deoxyuridine and hydroxyurea (Hildebrandt, Sauer) (294) 8
Thymine
Evidence that – – – is not a normal metabolite in wild-type Bacillus subtilis (Rinehart, Copeland) (294) 1
Thymine
Radiation-induced pair-wise radical formation in single crystals of – – – (Dulcić, Herak) (319) 109
Thymineless death
Double-strand scission of DNA involved in – – – of Escherichia coli 15 TAU (Yoshinaga) (294) 204
Thyroglobulin
Efficiency of – – – as a thyroid hormone forming protein (Rolland et al.) (303) 338
Thyroglobulin
Structure of human – – –: Sedimentation equilibrium studies in 6 M guanidine hydrochloride (Rawitch, Brown) (295) 225
Thyroglobulin-related components
Immunochemical characterization of – – – synthesized in cell-free systems (Torresani et al.) (322) 421
Thyroglobulin-related components
Sodium dodecylsulfate–polyacrylamide gel electrophoresis of – – – synthesized in vitro (Roques et al.) (322) 437
Thyroglobulin subunits
Synthesis and association of – – – in a polyribosomal cell-free system (de Nayer et al.) (294) 309
Thyroid
Cell-free peptide synthesis and carbohydrate incorporation by various – – – particles (Bouchilloux et al.) (322) 401
Thyroid hormone
Efficiency of thyroglobulin as – – – forming protein (Rolland et al.) (303) 338
Thyrotropin
Effects of – – –, prostaglandin E1 and iodide on cyclic 3′,5′-AMP concentration in dog thyroid slices (van Sande, Dumont) (313) 320
Thyrotropin
In vivo and in vitro effects of – – – on ribosomal pattern of dog thyroid (Lecocq, Dumont) (299) 304

Thyroxine
Degradation of – – – by the microsomal particles from rat liver. II. Purification of Fe^{2+}-dependent particles and some of their properties (Ushijima et al.) (320) 284
Tissue proteins
Hypusine, N^6-(4-amino-2-hydroxybutyl)-2,6-diaminohexanoic acid, in – – – of mammals (Imaoka, Nakajima) (320) 97
Tissue specificity
Species and – – – of non-histone chromatin proteins (Barrett, Gould) (294) 165
TMP kinase
Role of silicon in diatom metabolism. III. The effects of silicic acid on DNA polymerase, – – – and DNA synthesis in Cylindrotheca fusiformis (Sullivan, Volcani) (308) 212
Tobacco mosaic virus
Derivatisation of carboxyl groups of – – – with cystamine (King, Leberman) (322) 279
Tobacco mosaic virus
Tertiary and quaternary structure of – – – and protein. I. Effect of pH on fluorescence and 2-p-toluidinylnaphthalene-6-sulphonate binding (Guttenplan, Calvin) (322) 294
Tobacco mosaic virus
Tertiary and quaternary structure of – – – and protein. II. Emission, excitation, polarization and position of 2-p-toluidinylnaphthalene-6-sulphonate binding (Guttenplan, Calvin) (322) 301
Tosyl lysine chloromethyl ketone
Cholate enhancement of interaction between thrombin and – – – (Exner, Koppel) (329) 233
N-Tosyl-L-phenylalanylchloromethane
Study of conditions for the inhibitory effect of – – – on protein synthesis and the possibility of existence of different forms of the elongation factor S_3 in Bacillus stearothermophilus (Jonák, Rychlík) (324) 554
ϵ-Toxin
Conformational studies on modified proteins and peptides. VII. Conformation of ϵ-prototoxin and – – – from Clostridium perfringens. Conformational changes associated with toxicity (Habeeb et al.) (322) 245
Toxin
Lysosomal catabolism of a protein – – –; Staphylococcal enterotoxin B (Canonico) (322) 251
alpha-Toxin
Purification of phospholipase C(– – –) from Clostridium perfringens (Möllby and Wadström) (321) 569
Toxin
Subunit structure of – – – and agglutinin of Ricinus communis (Gürtler, Horstmann) (295) 582
Toxins
Amino acid sequences of two – – – from Dendroaspis jamesoni kaimosae (Jameson's mamba) venom (Strydom) (328) 491
Toxins
Snake venom toxins. The amino acid sequences of two – – – from Ophiophagus hannah (King cobra) venom (Joubert) (317) 85
Toyocamycin
Temperature-sensitive interferon production in rabbit kidney cell cultures treated with – – – (Ng, Vilcek) (294) 284
Transcobalamin-II
Mouse transcobalamin II metabolism: The effects of antibiotics on the clearance of vitamin B_{12} from the serum transcobalamin II–vitamin B_{12} complex and the reappearance of free serum – – – in the mouse (Tan et al.) (320) 469
Transcription
Differential effects of sigma factor, ionic strength, and ribonucleoside triphosphate concentration on the – – – of phage T4 DNA with the ribonucleic acid polymerase of Escherichia coli (Hoffman, Niyogi) (299) 588
Transcription
DNA strand selection during the – – – of the adenovirus 2 genome in infected and transformed cells (Landgraf-Leurs, Green) (312) 667
Transcription
– – – during cell differentiation in Naegleria gruberi. Preferential synthesis of messenger RNA (Walsh, Fulton) (312) 52
Transcription
Effect of exonuclease I on the – – – of various DNA preparations by rat liver RNA polymerase I and II (Nohara et al.) (319) 55
Transcription
Evidence for turnover of ribulose-1,5-diphosphate carboxylase and continuous – – – of its structural gene throughout the cell cycle of the eucaryote Chlorella (Sitz et al.) (319) 103
Transcription
– – – in isolated nuclei of the slime mold Dictyostelium discoideum (Soll, Sussman) (319) 312
Transcription
– – – of nonrepeated DNA in Neurospora crassa (Dutta) (324) 482

Transcription
– – – of Tetrahymena mitochondrial DNA in vivo (Schutgens et al.) (308) 372
Transfection
Role of protamine in – – – (Sabelnikov et al.) (299) 492
Transfer
Kinetics and mechanism of cobalamin-dependent methyl and ethyl – – – to mercuric ion (DeSimone et al.) (304) 851
Transfer ribonucleic acids
Comparison of the acceptance activity of the ribosome bound and the total cellular – – – from SV 40-transformed mouse fibroblasts (Katze, Mason) (331) 369
Transferrin
Binding of – – – and metal ions by suspensions of reticulocyte-rich rabbit blood (Lane) (320) 133
Transferrin
Cyanogen bromide fragments of human serum – – – (Bezkorovainy, Grohlich) (310) 365
Transferrin
Effect of heterologous – – – on iron uptake and haem synthesis by bone marrow cells (Verhoef et al.) (304) 114
Transferrin
Involvement of bicarbonate in the binding of iorn by – – – (Van Snick et al.) (322) 231
Transferrin
Mössbauer spectroscopy of iron in human and rabbit – – – (Tsang et al.) (328) 84
Transferrin
Role of the anion-binding site of – – – in its interaction with the reticulocyte (Aisen, Leibman) (304) 797
Transferrin biosynthesis
Effect of the administration of L-azetidine-2-carboxylic acid on albumin biosynthesis and – – – by liver slices of rats treated with carbon tetrachloride (Kershenobich, Rojkind) (319) 216
Transferrin-bound bicarbonate
Significance of – – – in the uptake of iron by reticulocytes (Egyed) (304) 805
Transferrins
Comparison of the interaction of chinese hamster fibroblasts with human and bovine – – – and conalbumin (chick-egg transferrin) (Messmer) (320) 663
Transferrin synthesis
Albumin synthesis and – – – in the liver of rats in the immediate postnatal period (Yeoh) (331) 421
Transfer RNA ^{Tsp}
Acylation of Escherichia coli – – – with 5-methyltryptophan by Escherichia coli tryptophanyl tRNA ligase (Thang et al.) (312) 685
Transfer RNA
Amino acid–nucleotide interactions on an insoluble solid support. I. A simple model of the amino acid acceptor terminus of a – – – (Harpold, Calvin) (308) 117
Transfer RNA
Coding properties of isoaccepting lysine – – – species from baker's yeast (Sen, Ghosh) (308) 106
Transfer RNA
Guanylation of – – –: An enzymatic reaction (Farkas et al.) (294) 94
Transfer RNA
Inhibition of protein chain initiation in eukaryotes by deacylated – – – and its reversibility by spermine (Kyner et al.) (324) 386
Transfer RNA
Isolation and sequence analysis of – – –: The use of plaskon chromatography (Roe et al.) (319) 25
Transfer RNA
Mg^{2+}-catalysed, specific splitting of – – – (Wintermeyer, Zachau) (299) 82
Transfer RNA
Phenylalanine – – – species in early development of barley (Hiatt, Snyder) (324) 57
Transfer RNA
Poly(U) and – – – binding sites on reticulocyte ribosomes (Cheng, McAllister) (319) 401
Transfer RNA
Preparation of crude – – – and chromatographic purification of five tRNAs from calf liver (Pearson et al.) (294) 236
Transfer RNA
Preparation of a stable mercury derivative of tyrosine – – – (Jones et al.) (299) 293
Transfer RNA^{Phe}
Properties of – – – from Drosophilia (White, Tener) (312) 267
Transfer RNA
Structural studies of avian myeloblastosis virus: Presence of – – – in core component (Stromberg, Litwack) (319) 140
Transfer RNA acylation
Determination of picomole quantities of eukaryotic aminoacyl-tRNA with bacterial

elongation factor Tu: The extent of in vivo – – – (Shelton, Bernfield) (331) 81
Transfer RNA biosynthesis
Pseudouridine: – – – by Streptoverticillicum ladakanus (Uematsu, Suhadolnik) (319) 348
Transfer RNA ligase
Acylation of Escherichia coli $tRNA^{Trp}$ with 5-methyltryptophan by Escherichia coli tryptophanyl – – – (Thang et al.) (312) 685
Transfer RNA methylase
– – – activity and polyamine concentrations in regenerating rat liver (Sheid, Nelson) (324) 69
Transfer RNA methylation
Study of – – – (Shershneva et al.) (294) 250
Transfer RNA methyltransferases
Differences in the – – – from normal rat liver and Novikoff hepatoma (Sharma) (299) 415
Transfer RNAs
Changes in – – – and aminoacyl-tRNA synthetases during sea urchin development (Spadafora et al.) (312) 674
Transfer RNAs
Examination of highly purified – – – from Escherichia coli. Differences in amount of minor components and presence of a cytidine–thiouridine photoproduct in "normal" tRNAs; a comparison of two analytical methods (Singhal, Best) (331) 357
Transfer RNAs
Isoaccepting species of histidine-specific – – – from baker's yeast: Purification and properties (Singh et al.) (312) 276
Transfer RNAs
Methylation of purified – – – by liver extracts from normal and mestranol-treated rats (Pegg) (319) 354
Transfer RNAs
Potential energy calculations on conformations of puromycin and 3′-terminal aminoacyl adenosines of – – – (Yathindra, Sundaralingam) (308) 17
Transfer RNAs
Purification of the four lysine-specific – – – from chick embryos (Wittig et al.) (331) 221
Transfer RNAs
Raman studies of nucleic acids. X. Conformational structures of Escherichia coli – – – in aqueous solution (Thomas et al.) (324) 37
Transfer RNAs
Separation of ^{35}S-labelled thionucleosides of Escherichia coli and Pseudomonas Aeruginosa – – – on a phosphocellulose column (Prasada Rao, Cherayil) (299) 1
Transfer RNA synthetase
Hydroxylamine-dependent reactions catalysed by a lysyl- – – – of Escherichia coli B (Hele) (294) 273
Transfer RNA synthetase
Studies on aspartyl – – – – from baker's yeast. I. Purification and properties of the enzyme (Gangloff, Dirheimer) (294) 263
Transformation
Breakage prior to entry of donor DNA in Pneumococcus – – – (Morrison, Guild) (299) 545
Transformed cell lines
Cell density dependent glycolipids in NIL2 hamster cells, derived malignant and – – – (Critchley, Macpherson) (296) 145
Transformed hamster cells
2-Deoxy-D-glucose incorporation into glycolipids of normal and SV40 – – – (Steiner, Steiner) (296) 403
Transforming Hemophilus influenzae DNA
Degradation of – – – by deoxibonucleases (Kopecka et al.) (319) 37
Transient-phase kinetics
Influence of premixing on – – – for two-substrate enzyme systems (Hijazi, Laidler) (315) 209
Translation
Control of human haemoglobin synthesis: – – – of globin chains in heterozygotes with haemoglobin Riverdale-Bronx (Farace, Bank) (312) 591
Translation
Increased – – – in liver involves a supernatant factor following laser irradiation (Nicholls) (308) 168
Translation
– – – of mammalian globin mRNAs in an avian reticulocyte cell-free system (Lockard, Lingrel) (299) 148
Translational control
– – – in barley coleoptiles by abscisic acid (Bonnafous et al.) (312) 165
Translational control
Studies on the – – – of histone synthesis. I. Translation of histone messenger RNA by heterologous cell-free systems prepared from cells inactive in DNA synthesis (Jacobs-Lorena et al.) (324) 275
Translational inhibition
– – – in extracts from serum-deprived animal cells (Hassell, Engelhardt) (324) 545
Translational repressors
Control of globin synthesis by haemin.

Effect of temperature on globin synthesis by the reticulocyte cell-free system and the activity of – – – formed in the absence of haemin (Gross, Rabinovitz) (299) 472
Transmembrane channel
Synthetic – – – (Goodall, Urry) (291) 317
Transport
Cholesterol in mycoplasma membranes. Correlation of enzymic and – – – activities with physical state of lipids in membranes of Mycoplasma mycoides var. capri adapted to grow with low cholesterol concentrations (Rottem et al.) (323) 509
Transport
Effect of the composition of the inner bathing solution on – – – properties of the frog skin (Rabito et al.) (311) 630
Transport
Quantitative aspects of active – – – by the lactose transport system of Escherichia coli (Maloney, Wilson) (330) 196
Transport
Relative turnover time in vivo of the intracellular – – – of five hydrolases in the pancreas of the rat (Christophe et al.) (308) 285
Transport-deficient mutant
Characteristics of a – – – (nap) of Neurospora crassa (Rao, DeBusk) (323) 619
Transport-linked functions
Fuscin, an inhibitor of mitochondrial thiol-dependent – – – (Vignais, Vignais) (325) 357
Triacylglycerols
Environmental influences on the docosahexaenoate content of the – – – and phosphatidylcholine of a heterotrophic, marine dinoflagellate, Crypthecodinium cohnii (Beach, Holz) (316) 56
2,4,5-Trichlorophenoxyacetic acid
Enzymes controlling cerebral DNA synthesis: Reponse to – – – and hexachlorophene (Millard et al.) (308) 230
Trichodermin group of antibiotics
– – –, inhibitors of peptide bond formation by eukaryotic ribosomes (Carrasco et al.) (312) 368
Trifluoroacetylation
– – – of insulin (Levy, Paselk) (310) 398
Triglyceride
Effect of concentration of glucagon on output of – – –, ketone bodies, glucose, and urea by the liver (Weinstein et al.) (296) 300
Triglyceride
Kinetics of chylomicron – – – removal from plasma in rats: The effect of diet (Harris, Felts) (316) 288
Triglyceride
Kinetics of chylomicron – – – removal from plasma in rats: Effect of dose on the volume of distribution (Harris, Harris) (326) 12
Triglyceride digestion and absorption
– – – in the locust, Locusta migratoria (Weintraub, Tietz) (306) 31
Triglycerides
Effect of a single insulin administration on the hepatic release of – – – into the plasma (Alcindor et al.) (306) 347
Triglycerides
Stereospecific analysis of – – – that contain isotopically-labelled fatty acids (Christie, Hunter) (316) 282
Trihexosylceramide
Structure of – – – isolated from rat spleen (Stoffyn et al.) (306) 283
3α, 7α, 12α-Trihydroxy-5β-cholestan-26-al dehydrogenase
Horse liver – – – as a liver aldehyde dehydrogenase (Okuda et al.) (293) 15
Trimethylsilyl ethers
Use of – – – in the characterization of natural sterols and steroid diols by gas chromatography–mass spectrometry (Brooks et al.) (296) 431
Trinactin
Cation binding by valinomycin and – – – at the air–water interface: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161
2′(or 3′)-O-(2,4,6-Trinitrophenyl)adenosine 5′-triphosphate
Preparation and properties of – – –, an analogue of adenosine triphosphate (Hiratsuka, Uchida) (320) 635
Triphosphoinositide
Response of diphosphoinositide and – – – to perturbations of the adenylate energy charge in cells of Saccharomyces cerevisiae (Talwalkar, Lester) (306) 412
Triphosphoinositide phosphodiesterase
– – – in a protozoan – Crithidia fasciculata (Palmer) (326) 194
Triple-helical structure
Model for the – – – of $(Pro–Hyp–Gly)_{10}$ involving a cis peptide bond and interchain hydrogen-bonding to the hydroxyl group of hydroxyproline (Berg et al.) (328) 553
Tritium incorporation
– – – and retention in photosynthesizing algae (Rambeck, Bassham) (304) 725

Tropoelastin
Properties of chick – – – (Rucker et al.) (317) 193
Tropomyosin
Study on the F-actin– – – – –troponin complex. I. Gel-filament transformation (Ishiwata) (303) 77
Troponin
Interaction of F-actin with – – – constituents (Drabikowski, Nowak) (328) 470
Troponin
Study on the F-actin–tropomyosin– – – – complex. I. Gel-filament transformation (Ishiwata) (303) 77
Trypanosomatid haemoflagellate
CO-binding pigments and the functional terminal oxidase of the – – – Crithidia fasciculata (Kusel, Storey) (314) 164
Trypsin
Action of Factor Xa, thrombin and – – – on human Factor II. (Kisiel, Hanahan) (329) 221
Trypsin
Active site titration method for immobilized – – – (Ford et al.) (309) 175
Trypsin
α-Acute phase globulin in rat serum. Purification, determination and interaction with – – – (Ganrot) (295) 245
Trypsin
Amino acid sequence of the reactive serine residue in shrimp – – – (Gates, Travis) (310) 137
Trypsin
Anionic and cationic dog – – –. Isolation and partial characterization (Ohlsson, Tegner) (317) 328
Trypsin
Effect of low levels of – – – on erythrocyte membranes (Avruch et al.) (291) 494
Trypsin
ESR study of the active-site conformations of free and immobilized – – – (Berliner et al.) (315) 195
Trypsin
Irreversible inhibition of α-chymotrypsin, – – –, pancreatic kallikrein, thrombin and elastase by N(β-pyridylmethyl)-3,4-dichloro-phenoxyacetamide-p-fluorosulphonyl acetanilide bromide (Geratz, Fox) (321) 296
Trypsin
Interaction of a naphthalene dye with α_2-macroglobulin free or bound to – – – (Jacquot-Armand, Krebs) (303) 128
Trypsin
Membrane ATPase of Escherichia coli K 12. Selective solubilization of the enzyme and its stimulation by – – – in the soluble and membrane-bound states (Carreira et al.) (307) 541
Trypsin
New polyamine carrier for the immobilization of protein. Water-insoluble derivatives of pepsin and – – – (Goldstein) (327) 132
Trypsin
Rat α_2-acute phase globulin, a human α_2-macroglobulin homologue. Interaction with plasmin and – – – (Ganrot) (322) 62
Trypsin
Sensitivity of some nonhelical proteins to structural modification by sodium dodecyl-sulphate and its homologues. Circular dichroism studies on Bence–Jones protein, concanavalin A, soybean trypsin inhibitor and – – – (Jirgensons) (328) 314
Trypsin
Specific interaction of central nervous system myelin basic protein with lipids. Specific regions of the protein sequence protected from the proteolytic action of – – – (London, Vossenberg) (307) 478
Trypsin inhibitor
Involvement of an arginine residue of trypsin in its interaction with the Kunitz soybean – – – (DeLarco, Liener) (303) 274
Trypsin inhibitors
Studies on – – – in sweet potato. I. Purification and some properties (Sugiura et al.) (328) 407
Trypsin-like enzyme
Active site of – – – from Streptomyces erythreus: Specific inactivation by new chloromethyl ketones derived from N^{α}-dinitrophenyl-L-lysine and N^{α}-tosyl-L-arginine (Yoshida et al.) (321) 615
Trypsinogen
Effect of ionic strength and calcium ions in the activation of – – – by enterokinase. A modified test for the quantitative evaluation of this enzyme (Baratti et al.) (321) 632
Tryptic lysis
Analysis of rat skeletal muscle mitochondria isolated by the method of – – – (Bullock et al.) (292) 350
Tryptic peptides
Studies on the primary structure of turnip yellow mosaic virus protein. II. Primary structure of the – – – of aminoethylated protein (Peter et al.) (317) 240

Tryptophan
Measurement of the five enzymes which convert chorismate to – – – in cultured Daucus carota cell extracts (Widholm) (320) 217
Tryptophan
Roles of – – – residues on the Rhizopus delemar lipase activity: Chemical modification in a water–olive oil emulsion (Chiba et al.) (327) 380
Tryptophanase
– – – from Aeromonas liquefaciens: Purification, molecular weight and some chemical, catalytic and immunochemical properties (Cowell et al.) (315) 449
Tryptophanase
Molecular size of the acting species of – – – (Whitt, DeMoss) (309) 486
Tryptophan hydroxylase
Factors affecting substrate cooperativity of rat liver – – – (Sullivan et al.) (293) 343
Tryptophan residue
Modification of the invariant – – – of two Naja naja neurotoxins (Karlsson et al.) (328) 510
Tryptophan residues
Circular dichroism of modified – – –. β-3-Oxindolyl-L-alanine (Strickland et al.) (303) 28
Tryptophanyl groups
Location of – – – in human and bovine carbonic anhydrases. Ultraviolet difference spectra and chemical modification (Lindskog, Nilsson) (295) 117
TSH
Role of phospholipids in – – – stimulation of adenylate cyclase in thyroid plasma membranes (Yamashita, Field) (304) 686
Tubulin subunits
Relative turnover of – – – in rat brain (Hemminki) (310) 285
Tuftsin
Characteristics and isolation of the phagocytosis-stimulating peptide, – – – (Nishioka et al.) (310) 217
Tuftsin
Chemical synthesis of the phagocytosis-stimulating tetrapeptide – – – (Thr–Lys–Pro–Arg) and its biological properties (Nishioka et al.) (310) 230
Tumour antigens
Purification of membrane-associated – – – by preparative polyacrylamide gel electrophoresis (Harris et al.) (311) 600
Tumour cells
Active outward transport of daunomycin in resistant Ehrlich ascites – – – (Danø) (323) 466
Tumour cells
Calcium transport in intact Ehrlich ascites – – – (Cittadini et al.) (291) 246
Tumour cells
Cell surface constituents of sarcoma 180 ascites – – – (Shin, Carraway) (330) 254
Tumour cells
Isolation of plasma membranes from Ehrlich ascites – – –. Influence of amino acids on $(Na^+ + K^+)$-ATPase and K^+-stimulated phosphatase (Forte et al.) (298) 827
Tumour cells
Transport of the amino acid analogue, 2-aminobicyclo(2,2,1)heptane-2-carboxylic acid, by Ehrlich ascites – – – (McClellan, Schafer) (311) 462
Tumour grafted rats
Cyproterone acetate in normal and interstitial cell – – –. Effects on testicular and sexual accessory organs weight and lactate dehydrogenase activity and iso-enzymes (Callard, Riviere) (313) 190
Tumour virus
Isolation of DNA and DNA polymerase from MC 29 – – – (Weber et al.) (299) 8
Turnover
Comparison of the relative – – – of individual molecular species of phospholipids in normal rats and in rats deficient in essential fatty acids (Trewhella, Collins) (296) 34
Turnover time
Relative – – – in vivo of the intracellular transport of five hydrolases in the pancreas of the rat (Christophe et al.) (308) 285
Tyrosine
Specific changes in the activity of – – – aminotransferase isoenzymes in rat liver after cortisol treatment and partial hepatectomy (Mertvetsov et al.) (315) 61
Tyrosine
Studies on the interaction of tyrosyl-tRNA synthetase from Escherichia coli K12 with – – – and with tyrosyl-AMP (Krajewska-Grynkiewicz et al.) (312) 518
Tyrosine aminotransferase
Enzymatic histone modification during the induction of – – – with insulin and hydrocortisone (De Villiers Graaff, von Holt) (299) 480

Tyrosine aminotransferase
"Glucose effect" in rat liver. Studies of δ-aminolaevulinate synthase and – – – (Bonkowsky et al.) (320) 561
Tyrosine phenol-lyase
Interaction of – – – with pyridoxal phosphate N-oxide and 2′-hydroxy pyridoxal phosphate (Kumagai et al.) (327) 510
Tyrosine transaminase
Common component involved in the induction of hepatic – – – by hydrocortisone and glucagon (McNamara, Webb) (313) 356
Tyrosine transfer RNA
Preparation of a stable mercury derivative of – – – (Jones et al.) (299) 293
Tyrosyl-AMP
Studies on the interaction of tyrosyl-tRNA synthetase from Escherichia coli K12 with tyrosine and with – – – (Krajewska-Grunkiewicz et al.) (312) 518
Tyrosyl-tRNA synthetase
Studies on the interaction of – – – from Escherichia coli K12 with tyrosine and with tyrosyl-AMP (Krajewska-Grynkiewicz et al.) (312) 518

U

Ubiquinone
Function and the localization of – – – in the NADH and succinate oxidase systems of Rhodopseudomonas palustris (King, Drews) (305) 230

Ubiquinone
Optical and kinetic properties of semireduced plastoquinone and – – –: Electron acceptors in photosynthesis (Bensasson, Land) (325) 175

Ubiquinone
Respiratory chain of plant mitochondria. XV. Equilibration of cytochromes c_{549}, b_{553}, b_{557} and – – – in mung bean mitochondria: Placement of cytochrome b_{557} and estimation of the midpoint potential of ubiquinone (Storey) (292) 592

UDP-N-acetylglucosamine
Kinetic properties of microsomal UDPglucuronyltransferase. Evidence for cooperative kinetics and activation by – – – (Vessey et al.) (309) 58

UDP-N-acetylglucosamine 2′-epimerase
Purification and properties of – – – from rat liver (Kikuchi, Tsuiki) (327) 193

UDPapiose/UDPxylose synthase
Improved method for purification of – – – from cell cultures of parsley (Baron et al.) (293) 526

UDPgalactose: glycoprotein galactosyltransferase
Glycoprotein synthesis in the adult rat pancreas. I. Subcellular distributions of – – – and thiamine pyrophosphate phosphohydrolase (Ronzio) (313) 286

UDPG dehydrogenase
Inhibition of – – – by galactosamine 1-phosphate and UDPgalactosamine (Bauer, Reutter) (293) 11

UDPG dehydrogenase
Partial purification and properties of – – – from Escherichia coli (Schiller et al.) (293) 1

UDPglucose-4-epimerase
Two forms of – – – from mammalian liver (Ray, Bhaduri) (302) 129

UDPglucose: flavonol 3-O-glucosyltransferase
– – – from cell suspension cultures of parsley (Sutter, Grisebach) (309) 289

UDPglucose pyrophosphorylase
Sugar nucleotide inhibition of – – – from calf liver (Hopper, Dickinson) (309) 307

UDPglucuronyltransferase
Differentiation of homologous forms of hepatic microsomal – – –. I. Evidence for the glucuronidation of o-aminophenol and p-nitrophenol by separate enzymes (Zakim et al.) (309) 67

UDPglucuronyltransferase
Differentiation of homologous forms of hepatic microsomal – – –. II. Characterization of the bilirubin conjugating form (Vessey et al.) (309) 75

UDPglucuronyltransferase
Effects of phenobarbital and 3-methylcholanthrene on substrate specificity of rat liver microsomal – – – (Bock et al.) (327) 46

UDPglucuronyltransferase
Factors affecting the response of microsomal – – – to membrane perturbants (Graham, Wood) (311) 45

UDPglucuronyltransferase
Kinetic properties of microsomal – – –. Evidence for cooperative kinetics and activation by UDP-N-acetylglucosamine (Vessey et al.) (309) 58

Ultimobranchial glands
Isolation and properties of two calcitonins from chicken – – – (Nieto et al.) (322) 383

Ultracentrifuge
Rapid preequilibrium determination of molecular weights in the – – – (Baurain et al.) (295) 18

Ultraviolet difference spectra
– – – of the lactose repressor protein (Matthews et al.) (295) 159

Ultraviolet difference spectra
Location of tryptophanyl groups in human and bovine carbonic anhydrases. – – – and chemical modification (Lindskog, Nilsson) (295) 117

UMP
ATP: UMP, CMP phosphotransferase from Tetrahymena pyriformis. II. Kinetic studies and reaction mechanism with – – – (Garvey, III et al.) (302) 38

Uncoupler
– – – -stimulated choline oxidation by rat-liver mitochondria (de Ridder et al.) (325) 397
Uncouplers
Comparison between the effectiveness of – – – of oxidative phosphorylation in mitochondria and in different artificial membrane systems (Bakker et al.) (292) 78
Uncouplers
Properties of photoreductions by Photosystem II in isolated chloroplasts. III. The effect of – – – on phenylenediamine shuttles across the membrane in the presence of dibromothymoquinone (Trebst, Reimer) (325) 546
Unfolding
Equilibrium and kinetics of the – – – of α-lactalbumin by guanidine hydrochloride (Sugai et al.) (328) 35
Uptake
Synthetic 1-acylglycerophospholipid analogues as lipid substrates. I. Studies on microsomal acylation and – – – into liver slices of 1-acyl analogues containing various polar bases (Jezyk, Hughes) (296) 24
Uracil
Complex formation of – – –, 2′-deoxyuridine and their 5-halogenated derivatives (Tan, Beck) (299) 500
Uracil
Studies of intermolecular interactions of nucleic acid bases in aqueous solutions by the proton magnetic resonance method. Self-association of 6,9-dimethyladenine and its pyrazole analogue and their association with methyl-substituted cytosine and – – – (Antonovsky et al.) (331) 9
Uracil derivatives
Complex formation of D-amino-acid oxidase with barbiturates and – – – (Kyogoku et al.) (321) 437
Uracil derivatives
Incorporation of 5-substituted – – – into nucleic acids. II. Incorporation of 5-vinyl-uracil into the DNA of Escherichia coli (Chelton et al.) (312) 38
Urea
Effect of concentration of glucagon on output of triglyceride, ketone bodies, glucose, and – – – by the liver (Weinstein et al.) (296) 300
Urease
Kinetic properties of microencapsulated – – – (Sundaram) (321) 319
Uridine diphosphate N-acetyl-D-glucosamine metabolism
Glycoprotein biosynthesis. VI. Regulation of – – – in bovine thyroid gland slices (Trujillo, Gan) (304) 32
Uridine diphosphate galactose 4-epimerase
– – – in human and other mammalian hemolysates (Bergren et al.) (315) 464
Uridine transport
– – – in Escherichia coli B and a showdomycin-resistant mutant (Von Dippe et al.) (318) 105
Urinary glycoprotein
Purification of a human – – – with gastric antisecretory activity (Carrea et al.) (295) 274
Urocanase
Inhibition of – – – by cupric ion (Hug, Roth) (293) 497
Urocanase
Lipotrope-dependent increase of histidase and – – – in the livers of choline-deficient rats and in the Reuber H-35 transplanted hepatoma (Petri et al.) (321) 681
Urokinase
Release of an N-terminal peptide from human plasminogen during activation with – – – (Rickli, Otavsky) (295) 381

V

Valine
Cutaneous lipogenesis. III. The incorporation of – – – carbons into the branched-chain fatty acids of rodent ear skin lipids (Hodgins, Wheatley) (316) 173

Valinomycin
Cation binding by – – – and trinactin at the air–water interface: Cooperativity in cation binding by valinomycin (Kemp, Wenner) (323) 161

Vasopressin
Bilayer lipid membrane as a model for – – –, prostaglandin and Ca^{2+} effects on water permeability (Graziani, Livne) (291) 612

Veratridine
Modification of electroplax excitability by – – – (Bartels, Rosenberry) (298) 973

Vibrio alginolyticus
Effect of free magnesium and salts on the inorganic pyrophosphatase purified from a slightly halophilic – – – (Unemoto et al.) (327) 490

Vibrio alginolyticus
pH and anion dependent salt modifications of alkaline phosphatase from a slightly halophilic – – – (Hayashi et al.) (315) 83

5-Vinyluracil
Incorporation of 5-substituted uracil derivatives into nucleic acids. II. Incorporation of – – – into the DNA of Escherichia coli (Chelton et al.) (312) 38

Viral messenger
Characterization of a – – – ribonucleoprotein particle accumulated during inhibition of polypeptide chain initiation in reovirus-infected L cells (Christman et al.) (294) 153

Viral RNA
Pactamycin binding to Escherichia coli ribosomes: Interference by formation of the protein synthesizing complex with f2 – – – (Stewart, Goldberg) (294) 123

Virus
Studies on cell-coat macromolecules in normal – – – -transformed BHK_{21}/C_{13} cells (Chiarugi, Urbano) (298) 195

Virus DNA
Analysis of adeno-associated satellite – – – (Mayor, Ratner) (299) 189

Virus DNA genome
Characterization of monkey pox – – – (Yau, Rouhandeh) (299) 210

Virus membrane
Stepwise dissociation of the Semliki Forest – – – with Triton X-100 (Helenius, Söderlund) (307) 287

Virus-transformed cells
Comparative study of cytochromes between – – – and untransformed cells (Sato et al.) (305) 493

Virus-transformed cells
DNA methylation in normal and tumour – – – in tissue culture. I. The level of DNA methylation in BHK21 cells and in BHK21 cells transformed by polyoma virus (PyY cells) (Rubery, Newton) (324) 24

Virus-transformed cells
Isolation and characterization of plasma membrane from cultured cells. V. The chemical composition of plasma membranes isolated from chicken tumours initiated with – – – (Perdue et al.) (298) 817

Visual pigment analogues
Circular dichroism of – – – containing 3-dehydroretinal and 5,6-epoxy-3-dehydroretinal as the chromophore (Azuma et al.) (295) 520

Visual process
Biochemical aspects of the – – –. XXII. Amino group modification in bovine rod photoreceptor membranes (de Grip et al.) (323) 125

Visual process
Biochemical aspects of the – – –. XXIII. Sulfhydryl groups and rhodopsin photolysis. (De Grip et al.) (325) 315

Vitamin A
Glycoproteins from the hamster respiratory tract and their response to – – – (Bohanni et al.) (297) 441

Vitamin A
Photoresponse of bimolecular lipid membranes pigmented with retinal and – – – acid (Schadt) (323) 351

Vitamin A
Presence of – – – in animal cell ribosomes (Leutskaya, Fais) (312) 103

Vitamin B_{12}
Mouse transcobalamin II metabolism: The effects of antibiotics on the clearance of – – – from the serum transcobalamin II–vitamin B_{12} complex and the reappearance of free serum transcobalamin II in the mouse (Tan et al.) (320) 469
Vitamin B_{12} binding
Kinetics of intrinsic factor– – – – (Wagstaff et al.) (320) 406
Vitamin B_{12} binding proteins
– – – in monkey serum and red cells (Finkler, Green) (328) 359
Vitamin D metabolites
– – –: specific binding by rat intestinal cytosol (Haddad et al.) (329) 93
Vitamin E-deficient rats
Decreased activity in protein synthesis systems from liver of – – – (Reiss, Tappel) (312) 608
Vitamin K
Demonstration of three anomalous plasma proteins induced by a – – – antagonist (Reekers et al.) (317) 559
Vitamin K_1
Studies on the metabolites of phylloquinone (– – –) in the urine of man (Shearer, Barkhan) (297) 300
Vitreous body
Pentose-rich glycoprotein from bovine – – –.
I. Isolation and partial characterization (Allen, Wardi) (297) 1

W

Warm-readapted guinea pigs
Studies on the energy state of isolated brown adipose tissue mitochondria. A comparative study of cold-stressed guinea pigs and – – – (Pedersen, Flatmark) (305) 219
Water
Bilayer lipid membrane as a model for vasopressin, prostaglandin and Ca^{2+} effects on – – – permeability (Graziani, Livne) (291) 612
Water
Pulsed NMR studies of – – – in striated muscle. II. Spin-lattice relaxation times and the dynamics of the non-freezing fraction of water (Belton et al.) (304) 56
Water binding
Improved technique for the near infrared study of – – – by proteins: Illustration with gelatin (Ressler, Ziauddin) (295) 30
Water content
Control of sodium content, potassium content and – – – and utilization of oxygen in rat liver slices, studied by affecting cell membrane permeability with calcium and active transport with ouabain (McLaughlin) (323) 285
Water decomposition
Limiting steps in Photosystem II and – – – in Chlorella and spinach chloroplasts (Bouges-Bocquet) (292) 772
Water diffusion permeability
Volume dependence of the erythrocyte – – – (Outhred, Conlon) (318) 446
Water flow
Path of osmotic – – – through rabbit gall bladder epithelium (van Os, Slegers) (291) 197
Water–lecithin binding
– – – in lecithin–water lamellar phases at 20°C (Gottlieb et al.) (307) 444
Water-splitting system
Action of indophenols and nitrophenols on the deactivation reactions in the – – – of photosynthesis (Vater) (292) 786
Water-splitting system
Nature of the deactivator of the – – – in photosynthesis (Vater) (325) 149
Water-splitting enzyme system Y
Action of 3-(3,4-dichlorophenyl)-1,1-dimethylurea on the – – – of photosynthesis (Renger) (314) 113
Water-splitting enzyme system Y
Studies on the ADRY agent-induced mechanism of the discharge of the holes trapped in the photosynthetic – – – (Renger et al.) (292) 796
Water-splitting enzyme system Y
Studies on the mechanism of destabilization of the positive charges trapped in the photosynthetic – – – by a deactivation-accelerating agent (Renger) (314) 390
Wax D
Occurrence of a galactofuranose disaccharide in immunoadjuvant fractions of Mycobacterium tuberculose (cell walls and – – –) (Vilkas et al.) (297) 423

X

Xanthine oxidase
– – – activity in rat brain (Markley et al.) (309) 23
Xanthine oxidase
One-electron transfer reactions in biochemical systems. VII. Two types of electron-outlets in milk – – – (Nakamura, Yamazaki) (327) 247
Xanthine oxidase
Preparation and properties of immobilized – – – (Coughlan, Johnson) (302) 200
X-ray fibre diffraction study
Nucleoside conformations. X. An – – – of the gels of guanine nucleosides (Tougard et al.) (308) 9
X-ray photoelectron spectroscopic studies
– – – of copper– and zinc–amino acid complexes and superoxide dismutase (Jung et al.) (295) 77

Y

Yeast
Activation of Rb^+ and Na^+ uptake into – – – by monovalent cations (Borst-Pauwels et al.) (291) 274

Yeast
Carrier-mediated transport of thiamine in baker's – – – (Iwashima et al.) (330) 222

Yeast
Cyclic variations in killing and "petite" mutagenesis by ultraviolet light in synchronized – – – strains (Chanet et al.) (324) 290

Yeast
Peptide utilization in – – –. Studies on methionine and lysine auxotrophs of Saccharomyces cerevisiae (Becker et al.) (291) 388

Yeast killer factor
– – –: ATP leakage and coordinate inhibition of macromolecular synthesis in sensitive cells (Bussey, Sherman) (298) 868

Yeast plasma membrane
Isolation and identification of – – – (Schibeci et al.) (311) 15

Z

Zinc deficiency
Influence of – – – on synthesis and cross-linking of rat skin collagen (McClain et al.) (304) 457
Zonal centrifugation
Properties of ATPase of gastric mucosa. V. Preparation of membranes and mitochondria by – – – (Spenney et al.) (311) 545